

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/24/2015

Reviewed on 06/24/2015

## 1 Identification

- **Product identifier**
- **Trade name:** Slime Inner Tube Sealant
- **Article number:** 100042
- **Recommended use and restriction on use**
- **Recommended use:** Sealant
- **Restrictions on use:** Contact manufacturer.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
(United States)  
ITW Global Tire Repair, Inc.  
125 Venture Drive, Suite 210, San Luis Obispo, CA 93401  
Tel (805) 489-0490
- (Canada)  
ITW Permatex Canada  
35 Brownridge Rd., Unit 1, Halton Hills ON L7G 0C6  
(905) 693-8900 (Tel), (905) 864-8602 (Fax)
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585



## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified as hazardous according to the Globally Harmonized System (GHS).
- **Additional information:**  
There are no other hazards not otherwise classified that have been identified.  
0 percent of the mixture consists of ingredient(s) of unknown toxicity.

---

- **Label elements**
- **GHS label elements** Not Regulated
- **Hazard pictograms** Not Regulated
- **Signal word** Not Regulated
- **Hazard-determining components of labeling:** None.
- **Hazard statements** Not Regulated
- **Hazard description:**
- **WHMIS-symbols:** Not hazardous under WHMIS.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/24/2015

Reviewed on 06/24/2015

**Trade name: Slime Inner Tube Sealant**

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = *0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

56-81-5	glycerol		25-50%
12174-11-7	Attapulгите (Palygorskite)	⚠ Carc. 2, H351	2.5-10%
9004-34-6	Cellulose		≤ 2.5%
9006-04-6	Natural rubber latex	⚠ Skin Sens. 1B, H317	≤ 2.5%

· **Additional information:**

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret. Non-classification as a carcinogen is based on non-respirable form of product.

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:**  
Unlikely route of exposure.  
Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Clean with water and soap.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Protect unharmed eye.  
Rinse opened eye for several minutes under running water.  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Danger** No further relevant information available.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/24/2015

Reviewed on 06/24/2015

**Trade name: Slime Inner Tube Sealant**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide (CO)  
In certain fire conditions, traces of other toxic gases cannot be excluded.
- **Advice for firefighters**
- **Protective equipment:**  
Wear fully protective suit.  
Mouth respiratory protective device.
- **Additional information**  
Cool endangered receptacles with water spray.  
No further relevant information available.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Allow to solidify. Pick up mechanically.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Keep receptacles tightly sealed.  
No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/24/2015

Reviewed on 06/24/2015

**Trade name: Slime Inner Tube Sealant**

(Contd. of page 3)

- **Further information about storage conditions:**  
Protect from frost.  
Keep containers tightly sealed.  
Protect from humidity and water.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

### Components with limit values that require monitoring at the workplace:

#### 56-81-5 glycerol

PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> mist; *total dust **respirable fraction
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *mist; **mist, respirable
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup>
LMPE (Mexico)	Long-term value: 10 mg/m <sup>3</sup>

#### 9004-34-6 Cellulose

PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> **total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV (USA)	Long-term value: 10 mg/m <sup>3</sup>
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust, **respirable fraction
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> paper fibre, total dust
LMPE (Mexico)	Long-term value: 10 mg/m <sup>3</sup>

#### 1309-48-4 magnesium oxide

PEL (USA)	Long-term value: 15* mg/m <sup>3</sup> fume; *total particulate
TLV (USA)	Long-term value: 10* mg/m <sup>3</sup> *as inhalable fraction
EL (Canada)	Short-term value: 10** mg/m <sup>3</sup> Long-term value: 10* 3** mg/m <sup>3</sup> *inhalable fume; **respirable dust and fume
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> inhalable
LMPE (Mexico)	Long-term value: 10* mg/m <sup>3</sup> A4, *fracción respirable

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/24/2015

Reviewed on 06/24/2015

Trade name: Slime Inner Tube Sealant

(Contd. of page 4)

**14808-60-7 Quartz (SiO<sub>2</sub>)**

PEL (USA)	see Quartz listing
REL (USA)	Long-term value: 0.05* mg/m <sup>3</sup> *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m <sup>3</sup> *as respirable fraction
EL (Canada)	Long-term value: 0.025 mg/m <sup>3</sup> ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.10* mg/m <sup>3</sup> *respirable fraction
LMPE (Mexico)	Long-term value: 0.025* mg/m <sup>3</sup> A2, *fracción respirable

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

· **Engineering controls:**

No further relevant information available.

· **Breathing equipment:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Sensibilization by the components in the glove materials is possible.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

Natural rubber, NR

Neoprene gloves

· **Eye protection:**



Safety glasses

· **Body protection:** Not required.

· **Limitation and supervision of exposure into the environment** No special requirements.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/24/2015

Reviewed on 06/24/2015

Trade name: Slime Inner Tube Sealant

· Risk management measures No special requirements.

(Contd. of page 5)

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form: Pasty  
Color: Not determined.

· Odor: Mild

· Odor threshold: Not determined.

· pH-value at 20 °C (68 °F): 9.0 ± 1.0

#### · Change in condition

Melting point/Melting range: &lt;-34.4 °C (&lt;-30 °F)

Boiling point/Boiling range: &gt;100 °C (&gt;212 °F)

· Flash point: &gt;93.3 °C (&gt;200 °F)

· Flammability (solid, gaseous): Not applicable.

· Auto-ignition temperature: &gt;150 °C (&gt;302 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

#### · Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17 mm Hg)

· Density at 20 °C (68 °F): 1.15 ± 0.1 g/cm<sup>3</sup> (9.597 ± 0.835 lbs/gal)

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

#### · Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

#### · Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

· Other information: No further relevant information available.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/24/2015

Reviewed on 06/24/2015

Trade name: Slime Inner Tube Sealant

(Contd. of page 6)

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Reacts with strong acids and oxidizing agents.  
Reacts with peroxides and other radical forming substances.  
Reacts with catalysts.
- **Conditions to avoid** Store away from oxidizing agents.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Sulfur oxides (SO<sub>x</sub>)  
Nitrogen oxides

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
  - **LD/LC50 values that are relevant for classification:** None.
  - **Primary irritant effect:**
  - **on the skin:** Slight irritant effect on skin and mucous membranes.
  - **on the eye:** Slight irritant effect on eyes.
  - **Sensitization:** Not determined.
  - **Subacute to chronic toxicity:** No further relevant information available.
  - **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
  - **Carcinogenic categories**
  - **NTP (National Toxicology Program)**
- |            |                            |   |
|------------|----------------------------|---|
| 14808-60-7 | Quartz (SiO <sub>2</sub> ) | K |
|------------|----------------------------|---|
- **OSHA-Ca (Occupational Safety & Health Administration)**
  - None of the ingredients is listed.
  - **Probable Routes of Exposure**  
Ingestion.  
Eye contact.  
Skin contact.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/24/2015

Reviewed on 06/24/2015

Trade name: Slime Inner Tube Sealant

(Contd. of page 7)

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** The product is biodegradable after prolonged adaptation.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** Does not accumulate in organisms
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
This statement was deduced from products with a similar structure or composition.  
Due to the consistence of the product a disperse distribution into the environment is not possible.  
Due to the consistence and the low watersolubility of the product a bioavailability is not probable.  
Negative ecological effects are, according to the current state of knowledge, not expected.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Smaller quantities can be disposed of with household waste.  
Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.  
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** Not Regulated
- **UN proper shipping name**
- **DOT, ADR, ADN, IMDG, IATA** Not Regulated
- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** Not Regulated
- **Packing group**
- **DOT, ADR, IMDG, IATA** Not Regulated
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/24/2015

Reviewed on 06/24/2015

**Trade name: Slime Inner Tube Sealant**

· **UN "Model Regulation":** - (Contd. of page 8)

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

· **Section 355 (extremely hazardous substances):**  
None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**  
None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**  
All ingredients are listed.

- **Proposition 65 (California)**
- **Chemicals known to cause cancer:**  
Reference to Crystalline Silica and/or Quartz is based on unbound respirable particles and is not generally applicable to product as supplied.

14808-60-7	Quartz (SiO <sub>2</sub> )
------------	----------------------------

· **Chemicals known to cause reproductive toxicity for females:**  
None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**  
None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**  
None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**  
None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**  
14808-60-7 | Quartz (SiO<sub>2</sub>) | 1

· **TLV (Threshold Limit Value established by ACGIH)**

1309-48-4	magnesium oxide	A4
14808-60-7	Quartz (SiO <sub>2</sub> )	A2

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**  
14808-60-7 | Quartz (SiO<sub>2</sub>)

· **State Right to Know Listings**  
None of the ingredients is listed.

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**  
All ingredients are listed.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/24/2015

Reviewed on 06/24/2015

<b>Trade name: Slime Inner Tube Sealant</b>
---

(Contd. of page 9)

· <b>Canadian Ingredient Disclosure list (limit 0.1%)</b>
---

None of the ingredients is listed.
------------------------------------

· <b>Canadian Ingredient Disclosure list (limit 1%)</b>
---

None of the ingredients is listed.
------------------------------------

· <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.
---

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 06/24/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

Carc. 2: Carcinogenicity, Hazard Category 2

· **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)