According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella T6 15W-40

#### Version SDS Number: Print Date: 07/25/2018 Revision Date: 800010033090 1.0 07/24/2018 Date of last issue: -**SECTION 1. IDENTIFICATION** Product name : Shell Rotella T6 15W-40 Product code : 001H0327 Manufacturer or supplier's details Manufacturer/Supplier : Shell Oil Products US PO Box 4427 Houston TX 77210-4427 USA SDS Request : (+1) 877-276-7285 Customer Service 1 **Emergency telephone number** Spill Information : 877-504-9351 Health Information : 877-242-7400 Recommended use of the chemical and restrictions on use Recommended use : Engine oil. **SECTION 2. HAZARDS IDENTIFICATION** GHS classification in accordance with 29 CFR 1910.1200 Chronic aquatic toxicity : Category 3

GHS label elements		
Hazard pictograms	: No symbol	
Signal word	: No signal word	
Hazard statements	<ul> <li>PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: H412 Harmful to aquatic life with long lasting effects.</li> </ul>	э.
Precautionary statements	Prevention: P273 Avoid release to the environment.	
	<b>Response:</b> No precautionary phrases.	
	<b>Storage:</b> No precautionary phrases.	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella T6 15W-40

Version Revision Date: 1.0 07/24/2018 SDS Number: F 800010033090 D

Print Date: 07/25/2018 Date of last issue: -

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

#### Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2012 criteria.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature	<ul> <li>Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains &lt;3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive dilu- ent.</li> </ul>
	* contains one or more of the following CAS-numbers: 64742-

\* contains one or more of the following CAS-numbers: 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69-9.

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
Alkyl borate		Not Assigned	0.1 - 0.99
Dialkyl alkaryl ami- nomethyl dicarbox- ylate		Not Assigned	0.1 - 0.99
Calcium sulphonate	Benzenesul- fonic acid, mono-C16-24- alkyl derivs., calcium salts	70024-69-0	0.1 - 0.99
Alkaryl amine	bis(nonylphenyl )amine	36878-20-3	1 - 3
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *		Not Assigned	0 - 90

#### Hazardous components

#### **SECTION 4. FIRST-AID MEASURES**

If inhaled

: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.

In case of skin contact : Remove contaminated clothing. Flush exposed area with wa-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Shell Rotella T6 15W-40

Versio 1.0	on	Revision Date: 07/24/2018		9S Number: 0010033090	Print Date: 07/25/2018 Date of last issue: -	
					vashing with soap if available. on occurs, obtain medical attention.	
Ir	n case	of eye contact	:	Remove contact le rinsing.	bious quantities of water. enses, if present and easy to do. Continue on occurs, obtain medical attention.	
lf	If swallowed		:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
a	Most important symptoms and effects, both acute and delayed		:	Oil acne/folliculitis signs and symptoms may include format of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
F	Protecti	on of first-aiders	:		ng first aid, ensure that you are wearing the nal protective equipment according to the d surroundings.	
n	nedical	on of any immediate attention and special nt needed	:	Treat symptomation	cally.	

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Avoid contact with skin and eyes.

## Shell Rotella T6 15W-40

Vers 1.0	sion	Revision Date: 07/24/2018		9S Number: 0010033090	Print Date: 07/25/2018 Date of last issue: -		
		uipment and emer- procedures					
Environmental precautions		:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.				
				Local authorities s cannot be contain	should be advised if significant spillages ed.		
	Methods and materials for containment and cleaning up		:	Prevent from spre or other containm Reclaim liquid dire Soak up residue v	It. Avoid accidents, clean up immediately. ading by making a barrier with sand, earth ent material. ectly or in an absorbent. vith an absorbent such as clay, sand or other and dispose of properly.		
	Additio	nal advice	:	see Chapter 8 of 1	election of personal protective equipment his Safety Data Sheet. lisposal of spilled material see Chapter 13 of heet.		

#### SECTION 7. HANDLING AND STORAGE

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.

## Shell Rotella T6 15W-40

Version 1.0	Revision Date: 07/24/2018	SDS Number: 800010033090	Print Date: 07/25/2018 Date of last issue: -
Packa	aging material		I: For containers or container linings, use mild nsity polyethylene. prial: PVC.
Conta	iner Advice		ntainers should not be exposed to high tem- use of possible risk of distortion.

#### SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral		TWA (Inhal- able fraction)	5 mg/m3	ACGIH

#### **Biological occupational exposure limits**

No biological limit allocated.

#### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

**Engineering measures** : The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information: Define procedures for safe handling and maintenance of

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 15W-40

Version 1.0	Revision Date: 07/24/2018	SDS Number: 800010033090	Print Date: 07/25/2018 Date of last issue: -
		measures rele product. Ensure approp equipment use equipment, loc Drain down sy nance. Retain drain d subsequent re Always observ washing hand drinking, and/o protective equ taminated clot	rain workers in the hazards and control want to normal activities associated with this priate selection, testing and maintenance of ed to control exposure, e.g. personal protective cal exhaust ventilation. estem prior to equipment break-in or mainte- owns in sealed storage pending disposal or cycle. we good personal hygiene measures, such as s after handling the material and before eating, or smoking. Routinely wash work clothing and ipment to remove contaminants. Discard con- hing and footwear that cannot be cleaned. housekeeping.
Perso	onal protective equi	oment	
Resp	iratory protection	conditions of u In accordance tions should bu If engineering tions to a level select respirat cific conditions Check with res Where air-filte priate combina Select a filter s	protection is ordinarily required under normal use. with good industrial hygiene practices, precau- e taken to avoid breathing of material. controls do not maintain airborne concentra- l which is adequate to protect worker health, ory protection equipment suitable for the spe- s of use and meeting relevant legislation. spiratory protective equipment suppliers. ring respirators are suitable, select an appro- ation of mask and filter. suitable for the combination of organic gases Type A/Type P boiling point >65°C (149°F)].
	l protection emarks	gloves approv US: F739) ma suitable chemi gloves Suitabi usage, e.g. fre sistance of glo glove suppliers Personal hygie Gloves must o gloves, hands cation of a nor For continuous through time o 480 minutes w short-term/spla recognize that	ontact with the product may occur the use of ed to relevant standards (e.g. Europe: EN374, de from the following materials may provide ical protection. PVC, neoprene or nitrile rubber lity and durability of a glove is dependent on equency and duration of contact, chemical re- we material, dexterity. Always seek advice from s. Contaminated gloves should be replaced. ene is a key element of effective hand care. only be worn on clean hands. After using should be washed and dried thoroughly. Appli- n-perfumed moisturizer is recommended. s contact we recommend gloves with break- of more than 240 minutes with preference for > where suitable gloves can be identified. For ash protection we recommend the same, but suitable gloves offering this level of protection ailable and in this case a lower breakthrough

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# Shell Rotella T6 15W-40

Versi 1.0	on	Revision Date: 07/24/2018		S Number: 0010033090	Print Date: 07/25/2018 Date of last issue: -
				and replacement a good predictor of dependent on the Glove thickness s	otable so long as appropriate maintenance regimes are followed. Glove thickness is not of glove resistance to a chemical as it is exact composition of the glove material. hould be typically greater than 0.35 mm glove make and model.
E	Eye pro	tection	:		lled such that it could be splashed into eyes, ar is recommended.
	Skin an	d body protection	:	work clothes.	not ordinarily required beyond standard to wear chemical resistant gloves.
F	Protecti	ve measures	:		ve equipment (PPE) should meet recom- standards. Check with PPE suppliers.
-	Therma	l hazards	:	Not applicable	
I	Enviror	nmental exposure co	ntro	ls	
(	Genera	l advice	:	vant environmenta of the environment necessary, prever charged to waste municipal or indus discharge to surfa Local guidelines of	measures to fulfill the requirements of rele- al protection legislation. Avoid contamination at by following advice given in Chapter 6. If at undissolved material from being dis- water. Waste water should be treated in a strial waste water treatment plant before ace water. on emission limits for volatile substances I for the discharge of exhaust air containing
SECT	TION 9.	PHYSICAL AND CHE	EMI		\$
1	Appeara	ance	:	liquid	
(	Colour		:	Clear amber	
(	Odour		:	Slight hydrocarbo	on
(	Odour 1	Threshold	:	Data not availabl	е
F	рН		:	Not applicable	
F	pour po	int	:	-39 °C / -38 °F Method: ASTM D	097
	Initial bo range	piling point and boiling	:	> 280 °C / 536 °F estimated value(s	

Flash point : 249 °C / 480 °F

#### Method: ASTM D92 (COC)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# Shell Rotella T6 15W-40

Version 1.0	Revision Date: 07/24/2018		S Number: 0010033090	Print Date: 07/25/2018 Date of last issue: -		
Evap	oration rate	:	Data not availab	le		
Flam	mability (solid, gas)	:	Data not availab	le		
	er explosion limit / upper nability limit	:	Typical 10 %(V)			
	er explosion limit / Lower nability limit	:	Typical 1 %(V)			
Vapo	our pressure	:	< 0.5 Pa (20 °C	/ 68 °F)		
			estimated value	(s)		
Relat	ive vapour density	:	> 1 estimated value	(s)		
Relat	ive density	:	0.855 (15.0 °C /	59.0 °F)		
Dens	ity	:	855 kg/m3 (15.0 °C / 59.0 °F) Method: ASTM D4052			
	bility(ies) /ater solubility	:	negligible			
S	olubility in other solvents	:	Data not availab	le		
	Partition coefficient: n- octanol/water		log Pow: > 6 (based on inform	nation on similar products)		
Auto-	ignition temperature	:	> 320 °C / 608 °	F		
Deco	mposition temperature	:	Data not availab	le		
Visco Vi	osity scosity, dynamic	:	Data not availab	le		
Vi	scosity, kinematic	:	14.7 mm2/s (10	0 °C / 212 °F)		
			Method: ASTM	D445		
			130.8 mm2/s (4	0.0 °C / 104.0 °F)		
			Method: ASTM	D445		
Explo	osive properties	:	Not classified			
Oxidi	zing properties	:	Data not availab	le		
Conc	luctivity	:	This material is	not expected to be a static accumulator.		

## Shell Rotella T6 15W-40

Version	Revision Date:	SDS Number:	Print Date: 07/25/2018
1.0	07/24/2018	800010033090	Date of last issue: -

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	:	Stable.
Possibility of hazardous reac- tions	:	Reacts with strong oxidising agents.
Conditions to avoid	:	Extremes of temperature and direct sunlight.
Incompatible materials	:	Strong oxidising agents.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

#### SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment		Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise,
		the data presented is representative of the product as a whole, rather than for individual component(s).

#### Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

#### Acute toxicity

Product:		
Acute oral toxicity	:	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

#### Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

#### Product:

#### SAFETY DATA SHEET According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella T6 15W-40

Version	Revision Date:	SDS Number:	Print
1.0	07/24/2018	800010033090	Date

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

#### **Components:**

#### Alkyl borate: Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

#### Dialkyl alkaryl aminomethyl dicarboxylate:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

#### Calcium sulphonate:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

#### Germ cell mutagenicity

#### Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Date: 07/25/2018 of last issue: -

#### Carcinogenicity

#### Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## Shell Rotella T6 15W-40

Version	Revision Date:	SDS Number:	Print Date: 07/25/2018
1.0	07/24/2018	800010033090	Date of last issue: -

#### Reproductive toxicity

#### Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

#### STOT - single exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### Further information

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

- 1

#### **SECTION 12. ECOLOGICAL INFORMATION**

Basis for assessment	<ul> <li>Ecotoxicological data have not been determined specifically for this product.</li> </ul>
	Information given is based on a knowledge of the components and the ecotoxicology of similar products.
	Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).

#### Ecotoxicity

Product: Toxicity to fish (Acute toxici-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

# Shell Rotella T6 15W-40

Versior 1.0	n Revision Date: 07/24/2018		0S Number: 0010033090	Print Date: 07/25/2018 Date of last issue: -
ty)			Remarks: LL/EL/ Harmful	L50 10-100 mg/l
ac	oxicity to daphnia and quatic invertebrates (Aquin a construction)		Remarks: LL/EL/ Harmful	L50 10-100 mg/l
	oxicity to algae (Acute ty)	tox- :	Remarks: LL/EL/ Harmful	L50 10-100 mg/l
	oxicity to fish (Chronic ty)	tox- :	Remarks: Data n	ot available
ac	oxicity to daphnia and quatic invertebrates (C toxicity)		Remarks: Data n	ot available
	oxicity to microorganisi cute toxicity)	ms :	Remarks: Data n	ot available
Pe	ersistence and degra	dability		
	oduct: odegradability	:	Major constituent	adily biodegradable. s are inherently biodegradable, but contains may persist in the environment.
Bi	oaccumulative poter	ntial		
	oduct: oaccumulation	:	Remarks: Contai cumulate.	ns components with the potential to bioac-
M	obility in soil			
	oduct: obility	:		under most environmental conditions. will adsorb to soil particles and will not be
			Remarks: Floats	on water.
Ot	ther adverse effects			
Ac	oduct: dditional ecological info ation	or- :	ozone creation po Product is a mixt	cone depletion potential, photochemical otential or global warming potential. ure of non-volatile components, which will not in any significant quantities under normal

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella T6 15W-40

# VersionRevision Date:SDS Number:Print Date: 07/25/20181.007/24/2018800010033090Date of last issue: -

Poorly soluble mixture. Causes physical fouling of aquatic organisms.

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	Recover or recycle if possible. It is the responsibility of the waste ger toxicity and physical properties of the determine the proper waste classificat ods in compliance with applicable reg Do not dispose into the environment, courses	material generated to ion and disposal meth- ulations.
	Waste product should not be allowed ground water, or be disposed of into t Waste, spills or used product is dange	ne environment.
Contaminated packaging	Dispose in accordance with prevailing to a recognized collector or contractor the collector or contractor should be e Disposal should be in accordance with national, and local laws and regulation	The competence of stablished beforehand.
Local legislation Remarks	Disposal should be in accordance witl national, and local laws and regulation	

#### **SECTION 14. TRANSPORT INFORMATION**

#### **National Regulations**

#### US Department of Transportation Classification (49 CFR Parts 171-180)

Not regulated as a dangerous good

#### International Regulations

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or

## Shell Rotella T6 15W-40

Version	Revision Date:	SDS Number:	Print Date: 07/25/2018
1.0	07/24/2018	800010033090	Date of last issue: -

needs to comply with in connection with transport.

#### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
2-methylpropan-1-ol	78-83-1	100	100 (F005)
toluene	108-88-3	100	100 (F005)
benzene	71-43-2	10	10 (D018)
Ethylbenzene	100-41-4	100	100 (F003)
benzene	71-43-2	10	*

\*: Calculated RQ exceeds reasonably attainable upper limit., Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA., The components with RQs are given for information.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No	SARA Hazards
---------------------------	--------------

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Clean Water Act**

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

toluene	108-88-3	0.0002 %
benzene	71-43-2	0.0002 %
Ethylbenzene	100-41-4	0.0002 %
Naphthalene	91-20-3	0.0002 %

#### **US State Regulations**

#### Pennsylvania Right To Know

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
lubricating oils (petroleum), C15-30, hydrotreated neutral oil-	72623-86-0
based	
Zinc dialkyl dithiophosphate	84605-29-8

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella T6 15W-40

Version	Revision Date:	SDS Number:	Print Date: 07/25/2018
1.0	07/24/2018	800010033090	Date of last issue: -

#### California Prop. 65

WARNING: This product can expose you to chemicals including benzene, Ethylbenzene, Naphthalene, which is/are known to the State of California to cause cancer, and toluene, benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **California List of Hazardous Substances**

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
lubricating oils (petroleum), C15-30, hydrotreated neutral oil-	72623-86-0
based	

#### Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

#### The components of this product are reported in the following inventories:

EINECS/ELINCS/EC	:	All components listed or polymer exempt.
TSCA	:	All components listed.
DSL	:	All components listed.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

NFPA Rating (Health, Fire, Reac- 0, 1, 0 tivity)

#### Full text of other abbreviations

ACGIH OSHA Z-1		USA. ACGIH Threshold Limit Values (TLV) USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA OSHA Z-1 / TWA Abbreviations and Acronyms	:	8-hour, time-weighted average 8-hour time weighted average The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 15W-40

CLP = Classification Packaging and Labelling	Version	Revision Date:	SDS Number:	Print Date: 07/25/2018	
COC = Cleveland Open-Cup         DIN = Deutsches Institut fur Normung         DINE = Derived Minimal Effect Level         DSL = Canada Domestic Substance List         EC = European Commission         EC50 = Effective Concentration fifty         ECFTOC = European Chemicals Agency         EINECS = The European Chemicals Agency         EINECS = The European Chemicals Agency         ELS0 = Effective Loading fifty         ENCS = Japanese Existing and New Chemical Substances         Inventory         EWC = European Chemicals System of Classification and         Labelling of Chemicals         INPROT         EWC = European Myste Code         GHS = Globally Harmonised System of Classification and         Labelling of Chemicals         INPROT         EWC = European Myste Code         GHS = Globally Harmonised System of Classification and         Labelling of Chemicals         IARC = International Ågency for Research on Cancer         IATA = International Kransport Association         ICS0 = Inhibitory Level fifty         IMDG = International Maritime Dangerous Goods         INV = Chinese Chemicals Inventory         LS26 = Lethal Concentration fifty         LS0 = Lethal Concentration fifty         LS0 = Leth	1.0	07/24/2018	800010033090	Date of last issue: -	
TSCA = US Toxic Substances Control Act TWA = Time-Weighted Average vPvB = very Persistent and very Bioaccumulative			COC = Clevela DIN = Deutsch DMEL = Derive DSL = Canada EC = Europea EC50 = Effect ECETOC = EL gy Of Chemica ECHA = Europe EINECS = The Chemical Sub- EL50 = Effecti ENCS = Japar Inventory EWC = Europe GHS = Globall Labelling of Cl IARC = Interna IC50 = Inhibito IL50 = Inhibito IMDG = Intern INV = Chinese IP346 = Institu determination KECI = Korea LC50 = Lethal LD50 = Lethal LD50 = Lethal LL/EL/IL = Let LL50 = Lethal MARPOL = Int Pollution From NOEC/NOEL = served Effect I OE_HPV = Oc PBT = Persista PICCS = Phillip Substances PNEC = Predi REACH = Reg Chemicals RID = Regulat gerous Goods SKIN_DES = S STEL = Short TRA = Targete TSCA = US TO	and Open-Cup hes Institut fur Normung ed Minimal Effect Level a Domestic Substance List n Commission ive Concentration fifty uropean Center on Ecotoxicology and Toxicolo als bean Chemicals Agency a European Inventory of Existing Commercial stances ve Loading fifty hese Existing and New Chemical Substances ean Waste Code by Harmonised System of Classification and hemicals ational Agency for Research on Cancer titional Air Transport Association ory Concentration fifty ry Level fifty ational Maritime Dangerous Goods e Chemicals Inventory ute of Petroleum test method N° 346 for the of polycyclic aromatics DMSO-extractables Existing Chemicals Inventory Concentration fifty Dose fifty per cent. hal Loading/Effective Loading/Inhibitory loading Loading fifty ternational Convention for the Prevention of a Ships = No Observed Effect Concentration / No Ob- evel cupational Exposure - High Production Volume ent, Bioaccumulative and Toxic opine Inventory of Chemicals and Chemical cted No Effect Concentration gistration Evaluation And Authorisation Of ions Relating to International Carriage of Dan- by Rail Skin Designation term exposure limit ed Risk Assessment oxic Substances Control Act Veighted Average	g

A vertical bar (|) in the left margin indicates an amendment from the previous version.

#### SAFETY DATA SHEET According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella T6 15W-40

#### Version Revision Date: SDS Number: Print Date: 07/25/2018 1.0 07/24/2018 800010033090 Date of last issue: -Sources of key data used to The quoted data are from, but not limited to, one or more : compile the Safety Data sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU Sheet IUCLID date base, EC 1272 regulation, etc). 07/24/2018 **Revision Date** :

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN