

#### **Section 1: IDENTIFICATION**

#### 1.1 PRODUCT IDENTIFIER

Product Name: Dr. Tranny's® Instant Shudder Fixx
Product Code: 19610, 19680, 19688, 19689

#### 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Use: Lubricant.

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: International Lubricants, Inc.

P.O. Box 24743, Seattle WA

98124-0743, USA

**Telephone Number:** (206) 762-5343

(800) 333-LUBE (5823)

## 1.4 EMERGENCY TELEPHONE NUMBER

**Emergency Telephone** CHEM TEL (800) 255-3924 **Number**: CHEM TEL (813) 248-0585

#### Section 2: HAZARD(S) IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class

Acute toxicity 4 – Oral Skin Irritation 2 Serious Eye Damage 1

# 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

## **Hazard Pictogram:**





Signal Word: Danger

Hazard Statement: Harmful if swallowed. Causes skin irritation. Causes serious eye

damage.

**Prevention:** Wash hands thoroughly after handling. Do not eat, drink or smoke

when using this product. Wear protective gloves/eye protection/face

protection.

Response: If swallowed: Immediately call a poison center/doctor. Rinse mouth. If

on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Storage: Not applicable.



**Disposal:** Dispose of contents and container in accordance with all local,

regional, national and international regulations.

#### 2.3 ADDITIONAL INFORMATION

Hazards not otherwise specified: Not applicable.

58 % of the mixture consists of ingredient(s) of unknown acute toxicity.

#### WHMIS Classification(s):

Class D2B - Skin/Eye Irritant

## WHMIS Hazard Symbols:



WHMIS Signal Word: WARNING

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 MIXTURES

Ingredient	CAS No	Wt. %
Lubricating oils, refined used	68476-77-7	30 - 60
Amines, C12-14-alkyl, C6-10-alkyl phosphates	68603-55-4	30 - 60
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	68649-42-3	7 - 13
Ethylbenzene	100-41-4	< 0.1

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

#### **Section 4: FIRST- AID MEASURES**

## 4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye: In case of contact, immediately flush eyes with plenty of water for at

least 15 minutes. If easy to do, remove contact lenses, if worn.

Immediately call a poison center/doctor.

**Skin:** In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes. Wash clothing before

reuse. Call a physician if irritation develops and persists.

**Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen.

**Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious

person. Immediately call a poison center/doctor.


#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS. BOTH ACUTE AND DELAYED

**Eye:** Causes serious eye damage. Symptoms may include discomfort or pain,

excess blinking and tear production, with possible redness and swelling.

**Skin:** Causes skin irritation. Symptoms may include redness, edema,

drying, defatting and cracking of the skin.





**Inhalation:** May cause respiratory tract irritation.

**Ingestion:** Harmful if swallowed. May cause stomach distress, nausea, or vomiting.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

**Note to Physicians:** Symptoms may not appear immediately.

Specific Treatments: In case of accident or if you feel unwell, seek medical advice

immediately (show the label or MSDS where possible).

#### **Section 5: FIRE-FIGHTING MEASURES**

## **5.1 FLAMMABILITY**

Flammability: Not flammable by WHMIS/OSHA criteria.

**5.2 EXTINGUISHING MEDIA** 

**Suitable Extinguishing Media:** Powder, water spray, foam, carbon dioxide.

**Unsuitable Extinguishing Media:** Do not use a direct stream of water.

#### 5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

**Products of Combustion:** May include, and are not limited to: oxides of carbon, oxides of

phosphorous, sulphur dioxide.

**Explosion Data:** 

Sensitivity to Mechanical Impact: Not available. Sensitivity to Static Discharge: Not available.

#### 5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## **Section 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

## 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite),

then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Cleaning-Up:** Scoop up material and place in a disposal container. Provide ventilation.

#### Section 7: HANDLING AND STORAGE

# 7.1 PRECAUTIONS FOR SAFE HANDLING

**Handling:** Avoid contact with skin and eyes. Do not swallow. Avoid breathing dust/

fume/gas/mist/vapors/spray. Handle and open container with care.

When using do not eat or drink. (See section 8)

General Hygiene Advice: Launder contaminated clothing before reuse. Wash hands before

eating, drinking, or smoking.





#### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage: Keep out of the reach of children. Keep container tightly closed in a

well-ventilated place. Do not store at temperatures above 49 °C /

120 °F. (See section 10)

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **8.1 CONTROL PARAMETERS**

## **Exposure Guidelines**

Occupational Exposure Limits			
Ingredient	OSHA-PEL	ACGIH-TLV	
		_	
Lubricating oils, refined used	Not available.	Not available.	
Amines, C12-14-alkyl, C6-10-alkyl phosphates	Not available.	Not available.	
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	Not available.	Not available.	
Ethylbenzene	100 ppm; 435 mg/m <sup>3</sup>	20 ppm	

#### **8.2 EXPOSURE CONTROLS**

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust,

fume, vapor, etc.) below recommended exposure limits.

#### 8.3 INDIVIDUAL PROTECTIVE MEASURES

**Personal Protective Equipment:** 

Eye/Face Protection: Wear approved eye protection (properly fitted dust- or splash-proof

chemical safety goggles) and face protection (face shield).

**Skin Protection:** 

**Hand Protection:** Wear chemically resistant protective gloves.

Body Protection: Wear suitable protective clothing.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

> Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

**General Health and Safety** 

Handle according to established industrial hygiene and safety

Measures:

practices.

#### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Red.

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES


Appearance: Oily liquid. Color:

Odor: Slight petroleum odor.

**Odor Threshold:** Not available.

**Physical State:** Liquid.

pH: Not available. **Melting Point/Freezing Point:** Not available. **Initial Boiling Point and Boiling Range:** Not available.







Flash Point:  $> 205 \,^{\circ}\text{C} \, (> 401 \,^{\circ}\text{F})$ 

**Evaporation Rate:** Negligible.

Flammability: Not flammable.

Lower Flammability/Explosive Limit: Not available.

Upper Flammability/Explosive Limit: Not available.

Vapor Pressure: < 1 mm Hg @ 25 °C (77 °F)

Vapor Density: Not available.

Relative Density/Specific Gravity: 0.9 - 0.95

Solubility: Insoluble.

Partition coefficient: n-octanol/water: Not available.

Auto-ignition Temperature: Not available.

Decomposition Temperature: Not available.

**Viscosity:** 60.5 cSt @ 40 °C (104 °F)

Oxidizing Properties: Not available.

Explosive Properties: Not available.

## **Section 10: STABILITY AND REACTIVITY**

#### **10.1 REACTIVITY**

No dangerous reaction known under conditions of normal use.

#### **10.2 CHEMICAL STABILITY**

Stable under normal storage conditions.

## 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

#### **10.4 CONDITIONS TO AVOID**

Heat. Incompatible materials.

## **10.5 INCOMPATIBLE MATERIALS**

Strong oxidizers.

## **10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

May include, and are not limited to: oxides of carbon, oxides of phosphorous, sulphur dioxide.

#### Section 11: TOXICOLOGICAL INFORMATION

## 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS


**Likely Routes of Exposure:** Eye contact, skin contact, inhalation, ingestion.

## Symptoms related to physical/chemical/toxicological characteristics:

**Eye:** Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Skin: Causes skin irritation. Symptoms may include redness, edema, drying,

defatting and cracking of the skin.





**Ingestion:** Harmful if swallowed. May cause stomach distress, nausea, or vomiting..

**Inhalation:** May cause respiratory tract irritation.

#### **Acute Toxicity:**

Ingredient	LC50	LD50
Lubricating oils, refined used	Not available.	Not available.
Amines, C12-14-alkyl, C6-10-alkyl phosphates	Not available.	Not available.
Phosphorodithioic acid, O,O-di-C1-14-alkyl		
esters, zinc salts	Not available.	Not available.
	Inhalation	Oral 3500 mg/kg, rat
Ethylbenzene	17.2 mg/L 4hr, rat	Dermal 15354 mg/kg, rabbit

Calculated overall Chemical Acute Toxicity Values		
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
Not available.	>300 but ≤2000 mg/kg, rat	Not available.

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Lubricating oils, refined used	Not listed.
Amines, C12-14-alkyl, C6-10-alkyl phosphates	Not listed.
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	Not listed.
Ethylbenzene	G-A3, I-2B, CP65

<sup>\*</sup> See Section 15 for more information.

#### 11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

**Skin Corrosion/Irritation:** Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye damage.

Respiratory Sensitization:

Skin Sensitization:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT-Single Exposure:

Based on available data, the classification criteria are not met.

**Chronic Health Effects:** 

Carcinogenicity: Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity: Based on available data, the classification criteria are not met.

**Reproductive Toxicity:** 


Developmental: Based on available data, the classification criteria are not met.
 Teratogenicity: Based on available data, the classification criteria are not met.
 Embryotoxicity: Based on available data, the classification criteria are not met.
 Fertility: Based on available data, the classification criteria are not met.

STOT-Repeated Exposure: Based on available data, the classification criteria are not met.

Aspiration Hazard: Based on available data, the classification criteria are not met.

Toxicologically Synergistic Materials: Not available.

Other Information: Not available.





## **Section 12: ECOLOGICAL INFORMATION**

12.1 ECOTOXICITY

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

12.2 PERSISTENCE AND DEGRADABILITY

Not available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Not available.

**12.4 MOBILITY IN SOIL** 

Not available.

12.5 OTHER ADVERSE EFFECTS

Not available.

Section 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

**Disposal Method:** This material must be disposed of in accordance with all

local, state, provincial, and federal regulations.

Other disposal recommendations: Not available.

**Section 14: TRANSPORT INFORMATION** 

**14.1 UN NUMBER** 

DOT TDG

Not regulated. Not regulated.

**14.2 UN PROPER SHIPPING NAME** 

DOT TDG

Not applicable. Not applicable.

14.3 TRANSPORT HAZARD CLASS(ES)

DOT TDG

Not applicable. Not applicable.

**14.4 PACKING GROUP** 

DOT TDG

Not applicable. Not applicable.

14.5 ENVIRONMENTAL HAZARDS


Not available.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.





## **Section 15: REGULATORY INFORMATION**

# 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

**US:** SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Lubricating oils, refined used	Not listed.	Not listed.	Not listed.	Not listed.
Amines, C12-14-alkyl, C6-10-alkyl				
phosphates	Not listed.	Not listed.	Not listed.	Not listed.
Phosphorodithioic acid, O,O-di-C1-14-				
alkyl esters, zinc salts	Not listed.	Not listed.	***	313
Ethylbenzene	Not listed.	Not listed.	1,000	313

## **State Regulations**

## California Proposition 65:

This product contains a chemical known to the State of California to cause cancer.

#### **Global Inventories:**

Ingredient	Canada DSL/NDSL	USA TSCA
Lubricating oils, refined used	DSL	Yes.
Amines, C12-14-alkyl, C6-10-alkyl phosphates	DSL	Yes.
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	DSL	Yes.
Ethylbenzene	DSL	Yes.

NFPA-National Fire Protection Association:		
Health:	2	
Fire:	1	
Reactivity:	1	

HMIS-Hazardous Materials Identification System		
Health:	2	
Fire:	1	
Physical Hazard:	1	

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

# SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

## OSHA (O) Occupational Safety and Health Administration.


# ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.





A5 - Not suspected as a human carcinogen.

## IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

- 3 The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

#### NTP (N) National Toxicology Program.

- 1 Known to be carcinogens.
- 2 Reasonably anticipated to be carcinogens.

#### **Section 16: OTHER INFORMATION**

Date of Preparation: July 7, 2014

Expiry Date: January 30, 2018

Version: 1.1

Revision Date: January 30, 2015

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Prepared by:** Nexreg Compliance Inc.

Phone: (519) 488-5126

www.nexreg.com

Prepared for: International Lubricants Inc.

**End of Safety Data Sheet** 



Print date: 2015-01-30