



0800 389 9072
www.ablecanopies.co.uk



The Able Canopies Product Portfolio




able
canopies
The Canopy Experts!



Able Canopies

Able Canopies design, manufacture, supply and install quality canopies, shelters, covered walkways and shade systems to commercial organisations throughout the UK. All our products are carefully designed to create attractive and usable exterior spaces, whilst offering cost effective weather protection.

Our dedicated team are committed to providing superior quality products to you with a personal customer service which is second to none. We offer a complete turnkey solution - working with you at all stages of the design, supply and installation of your structure - whether it is a stand-alone project or part of a complex building project.

Our Story

Just over 15 years ago, we had a vision to offer a comprehensive range of quality and cost effective canopies to the commercial sector. This set us on our journey to be "The Canopy Experts" who could offer the largest range of weather protection solutions in the UK.

At the beginning of our business, we worked mainly with schools and nurseries, supplying wall mounted canopies to create playground shelters and outdoor classrooms. However, we knew that our canopies could also make a difference in many other sectors, and so, as our range expanded to incorporate free standing canopies, we also began working with other sectors including healthcare and hospitality, local authorities, architects and contractors.

Throughout our journey we have always held true to our core values that our customers should receive the best possible products and service, and with this in mind we adopted cutting edge 3D design software early on in the company's lifetime to enable us to create stunning structures, which are also functional and adaptable.

This also allowed us to create bespoke structures and we now have a dedicated Design & Build team who can turn ideas and hand sketches or CAD drawings into creative and workable solutions.

Over the years we have incorporated a wide selection of materials into our range including steel, Glulam timber and aluminium, all of which can be fitted with a wide range of roofing options including polycarbonate and tensile fabric. And as our expertise has grown, so has our business, with 4 offices across the UK on hand to help customers with all their shade and shelter needs. Still a family business at heart, Able Canopies has grown from a team of 3 to over 30 employees, and it won't be long before we employ even more!

As "The Canopy Experts" we are constantly reviewing our products and service to ensure we exceed our customers' expectations, from initial contact right through to installation and beyond. So you can rest assured that by working with Able Canopies you will not only benefit from our expertise, but also receive a service and product of the highest quality.



Our Complete Service - the 6 stage process

1. Enquiry

Our technical sales advisors are on hand to discuss your initial ideas by phone or email, to ascertain the most suitable cover options that meet your requirements and budget. With 4 branches across the UK we offer exceptional nationwide cover with a guaranteed swift and efficient service, which enables us to conform to tight deadlines and bring the best value to all our customers.

2. Survey

We provide free, no obligation site surveys to qualifying customers. Our fully trained and DBS checked surveyors will carry out a thorough site assessment and offer practical solutions and advice to ensure you receive accurate drawings and quotations.

Following your survey, we will be able to provide a firm quotation, not a vague estimate. Our quotations have no hidden extras and will be inclusive of delivery, and installation if required.

3. Design

Our Design department can provide technical drawings in a range of formats, and accurate visualisations of your chosen structure in location, to allow all key decision makers to see how your new structure will fit in with the existing surroundings.

If you have a unique design in mind, we also offer a Design & Build service to enable you to bring your idea to life. Our team have extensive experience of working with architects, designers and specifiers, and can work from hand drawn sketches to CAD drawings to transform your vision into a workable, cost effective solution.

4. Manufacture

We manufacture our products in-house, which allows us to fabricate our range of canopies and shelters to your exact specifications, with a fast turnaround to fit perfectly with your building schedule.

In the manufacturing of your product, we offer the option of a powder coated and/or galvanised finish on all steel framework, and our aluminium framework can also be powder coated to any RAL colour, allowing you to customise your structure to match or complement your building or setting.

5. Installation

Once we have received your order, we will arrange a date for the installation that is convenient for you. A pre-commencement site meeting will also be arranged for us to thoroughly assess and discuss all health and safety requirements, logistics and other important details with you to ensure a safe and successful installation.

In the event of the need for a planning application, we offer free help and advice to help you obtain permission. Please see page 5 for more details.

All our canopy products are installed by our fully trained and DBS checked installation teams. All our teams undergo intensive and thorough training to ensure that your structure is installed safely and to the highest standard with minimal disruption to you.

6. Service

We have a network of customer support advisors who can help with any queries or problems prior to, during, or after your order and installation. We are pleased to offer free funding and planning advice as part of our service to you, and, if you choose to order from us, we will provide regular updates to allow you to track your order's progress.

We also offer a comprehensive After Sales Care service which includes a customised After Sales Pack and an on-site after installation meeting if required (depending on the project).

Our excellent customer satisfaction record speaks for itself, and our ongoing client support and advice continues long after installation, resulting in many of our customers returning time and time again!

At Able Canopies, we understand the importance of delivering consistent high quality through every process that we do, both “behind the scenes”, and through our customer service. As part of this commitment to our customers we have been assessed by the British Assessment Bureau and have achieved the internationally recognised ISO 9001 standard.

Our Commitment to Quality, Health & Safety, the Environment and You

We are also dedicated to ensuring the health and safety of our staff and customers and this has led us to strive for, and achieve, numerous certifications including OHSAS18001, CHAS and Constructionline. In addition to these certifications, we have also achieved ISO14001 which recognises the management of, and commitment to the environment in which we operate.

Our products will always be installed by one of our fully trained fitting teams to ensure your products are finished to the highest possible standards. The teams are DBS checked and fully HSE compliant. All training is ongoing and includes the following:

- › All installation team leaders hold the CITB's Site Supervisor's Safety Training Scheme for the Construction and Civil Engineering Industries
- › Construction Skills Certificate Scheme (CSCS) to improve the quality of work on site and reduce accidents
- › Asbestos awareness - to have an awareness of asbestos
- › First Aid - there is always a qualified first aid representative on site
- › Manual handling - training on manual handling and how to prevent injuries
- › CAT and Genny training to avoid danger from underground services
- › Ladders and steps - basic training for working at heights
- › PASMA - specific training in the use of access equipment.

For each installation we also ensure that the site area is fenced off for the safety of staff, students, customers and their visitors and we will always leave the site clean and tidy upon completion.



Helping you with Funding, Planning and more...

Planning Permission

Planning permission is sometimes required before a canopy or shade system can be installed. In cases where this is necessary, we can work closely with you, advising what you need and where you can get it from.

The help and advice we provide is free of charge, however we cannot cover the cost of the application and any necessary maps required for the application.

Ask us to send you our Free Planning Guide, which explains the planning process and how we can help.

Funding

Our Funding Research Team are constantly searching for new funding opportunities to help our customers fund their new canopy or other equipment needed. You could be eligible for up to £50,000 to spend on:

- New equipment, hardware or furniture
- Improvements to your building or outside space
- Sports or play area equipment
- Computers and IT equipment for your pupils
- Canopies, walkways, shade sails or bike storage facilities

We are regularly finding new funding sources as they become available and we would like to share this information with you to help you finance any new equipment or projects you may have in the future.

Ask us to send you a FREE Funding Guide today for details about funding available to you.





Contents

WALL MOUNTED CANOPIES	1	FREE STANDING CANOPIES	3	WALKWAYS	5
Wall Mounted Canopies	8	Free Standing Canopies	52	Walkways	88
Aluminium Canopies		Welford Dome	54	Ullswater	90
Coniston	10-14	Welford Dome Junior	55	The Coniston	91
Coniston - Colour Options	15	Ullswater	56	Welford	92
Optional Extras	16-17	Devoke	58	Welford Junior	93
Coniston 6	18	Devoke Junior	59	Ennerdale Junior	94
Ashton	20-23	Grange	60	Devoke Junior	95
Timber Canopies		Grange Junior	62	Orwell	96
Tarnhow	24	Double Grange	63	Earlswood	97
Tarnhow Mono	26	Hamilton	64	Redford	98
Tarnhow Curved	27	Kensington Mono Pitch	66	Abberton	99
Optional Extras	28	Kensington Dual Pitch	67	Ferndale	100
		The Tarnhow Range	68	Tintern	101
ENTRANCE CANOPIES	2	Tarnhow Dome	70	Beck	102
Entrance Canopies	30	Tarnhow Mono	71	Tamworth	103
Ullswater	32	Tarnhow Curved	72	Balmoral	104
Beck	33	The Coniston (Rear Steel Goal Posts)	73	Lexden	105
Kensington Wall Mounted	34	Whiteside	74	Fenwick	106
Kensington Junior	35	Melbury	75		
Whiteside	36	Kendal	76		
Welford Dome	37	Optional Extras	78		
Melbury	38			INTEGRATED SOLAR CANOPIES	6
Arbour	39	EXECUTIVE CANOPIES	4	Integrated Solar Canopies	108
Orwell	40	Executive Canopies	80	SolarWorld Panels	110
Earlswood	41	Imperial Junior	82	The Albedo	112
Redford	42	Imperial Senior	83	Grange Mono Pitch	114
Abberton	43	Imperial Grand	84	Grange Apex	116
Ferndale	44	Kesgrave	85	Kensington Mono Pitch	118
Tintern	45	Optional Extras	86	Kensington Dual Pitch	120
Tamworth	46			BESPOKE CANOPIES	7
Balmoral	47			Design and Build	122
Lexden	48			Glass Canopies	123
Fenwick	49				
Nelson	50				
Colwyn	51				



Sectors Key

Throughout this catalogue you will find sector icons to indicate what the canopy, sail or tensile structure is suitable for. These sectors are shown below.



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare



ABLE SHADE SAILS 8

Able Shade Sails	126
Optional Extras	130

TENSILE FABRIC STRUCTURES 9

Tensile Fabric Structures	132
Codale Conic	134
Codale Junior	135
Ulverston Umbrella	136
Blenheim Umbrella	137
Dallington Umbrella	138
Keswick Umbrella	139
Windsor Umbrella	140
Evershade Umbrella	141
Drayton Umbrella	142
Richmond Umbrella	143
Kendal	144
Optional Extras	146

COMMERCIAL AWNINGS 10

Commercial Awnings	148
Palladio	150
Australia	151
Pergolino	152
Colours Options	153
Veranda	154
Fabric Options	155

SHELTERS & COMPOUNDS 11

Shelters & Compounds	156
Cycle & Waiting Shelters	
Langdale	158
Grasmere	159

Witton Wall Mounted	160
Witton Free Standing	161
Easydale	162
Coniston	163
The Albedo	164
Darcy	165
Melbury	166
Sheldon	167
Timber Cycle & Waiting Shelters	
Denver	168
Pembroke	169

Shopping Trolley Shelters

Darcy	170
Melbury	171

Storage Shelters

Darcy	172
Sheldon	173

Bus Shelters

Darcy	174
Melbury	176

Buggy Shelters

Meadley	178
Easydale	179

Bin Shelters

Grasmere	180
Darcy	181
Sheldon	182

BICYCLE PARKING 12

Bicycle Parking	184
Introduction	186
System Versatility	187
Guarantee	188
High Quality Solutions	189
Bicycle Rest System Trust	190

Safety Bicycle Rest 9100 & 9200	192
Safety Bicycle Rest 9400 & 9500	194
Safety Bicycle Rest Strap	196
Safety Bicycle Rest & Lock 9700 & 9800	198
Bicycle Rest System Track	200
Bicycle Rest System Galaxy	202
Parker with Frame Rest 2500 & 2500 XBF	204
Parker with Frame Rest 2600 & 2600 XBF	206
Parker with Frame Rest 4500 & 4500 XBF	208
Parker with Frame Rest 4600 & 4600 XBF	210
Vario-Hub Tier Bike Rack System	212
Semi-Vertical Bike Rack SW & SF	214
Hoop Parker 2000	216
Hoop Parker 2000 BF	218
Stand Parker 4000 & 4000 BR	220
Bow Frame Parker 5000	222
Multi Parker 8000 & 8000 Harlekin	224
Floor Parker 3100 & Wall Mounted	226
Parker 3400	228
Bicycle Holder Spacer	230
Serial Hanging Parker 3800	232
Hanging Parker 3900	234
Wall Mounted Bicycle Holder 3730	236
Pedal Parker 3510	238
Advert Bicycle Stand EW 7004	240
Advert Bicycle Security Station	242
Bicycle Stands for Advertising BW 5000	244
Bicycle Stands for Advertising CW 5000	246
Bicycle Stands for Advertising RW 5454	248
Bicycle Stands for Advertising AW 5112	250
Bicycle Locker BikeBox 1	252
Bicycle Locker BikeBox 2	254
BikeBox Accessories Program	255
Scooter Racks	256
Index	258
How to Order	259

01

Our Wall Mounted Canopy range features our most popular canopy, the Consiton, a fully aluminium structure with integral guttering, and our wall mounted Tarnhow canopies which are constructed from Glulam timber with a choice of a polycarbonate or tensile roof covering.

Wall Mounted Canopies

Consiton
Consiton 6
Tarnhow
Ashton







The Coniston wall mounted canopy is our most popular product due to its innate flexibility, which allows it to span to any length with a maximum projection of 6 metres. It can also be installed to fit around internal and external corners, and can even wrap around the complete perimeter of a building.

The Coniston offers shade and shelter with high UV protection to those underneath the canopy, and if fitted above a building's windows it can also provide shade to those internal rooms, deterring unwanted heat and glare on sunny days.



Coniston

Wall Mounted Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

Features and Benefits

10 YEAR GUARANTEE:

The Coniston carries a full 10 year insurance backed guarantee so you can rest assured that your canopy is of the highest quality.

25 YEAR LIFE EXPECTANCY:

Our canopies have a life expectancy of up to 25 years, subject to the chosen finish, giving you peace of mind that our products are made to last.

SIZE:

To your specification.
Length: Unlimited
Projection: Up to 6 metres
Height: To your specification

FLEXIBILITY IN DESIGN:

The Coniston can fit around your entire building due to its ability to fix around external and internal corners.

FRAMEWORK FINISH:

The aluminium framework and posts are powder coated white as standard, or can be powder coated to any RAL colour of your choice.

PANELS:

The Coniston is covered with 35mm structured polycarbonate roof panels which are light in weight and up to 200 times stronger than glass and 10 times stronger than uPVC panels. These panels are also vandal and shatter resistant and offer high levels of UV protection.

WEATHER RESISTANCE:

During the manufacture of our polycarbonate panels, a layer of UV absorber is co-extruded into the surface forming a barrier which gives up to 99% UV protection from the sun. The frame and all structural components are made from aluminium for total weather resistance.

GUTTERING:

Fitted with integral aluminium guttering as standard, this guttering can be fitted to the building's existing guttering system. uPVC downpipes are supplied as standard.

EXCELLENT FIRE PERFORMANCE:

Our structured polycarbonate sheets benefit from excellent fire performance, meeting standards including BS476 Part 7, Class 1 and EN 13501 B-S1, d0. Furthermore, they do not emit toxic gases, unlike uPVC panels.

CANOPY HEALTH CHECK & CLEAN:

We offer an annual Health Check and Clean Service on our Coniston canopy. This service includes an annual visit from our DBS checked operatives who will clean your canopy from top to bottom and perform a free 20 point health check.

USES:

- Playground canopy
- Covered waiting area
- Entrance area
- Covered outdoor learning area
- To reduce heat inside buildings



Coniston Construction

WALL BEAM

The Coniston's fully aluminium wall beam is easy to install and will achieve 2.5 degrees to 45 degrees, giving you maximum scope for the height at the back of your canopy.



OLYCARBONATE 35

Our lightweight 35mm polycarbonate roof panels are up to 100 times stronger than glass and 10 times stronger than uPVC panels.



ROOF BARS

Heavy duty structural aluminium roof bars provide the Coniston with ultimate strength (i value 180).



INTEGRAL GUTTERING

Saves time on installation and has a sleeker design which is also stronger than an external gutter system.



FLASHING STRIP

The flashing strip attaches to the eaves beam with integral guttering to determine the pitch of the canopy.



The Coniston's frame is constructed completely from aluminium which offers unbeatable durability; it also features integral guttering which creates a polished finish to the canopy's aesthetics and allows for easy maintenance.



Design Specifications

The Coniston

The Coniston has been specifically designed to perform in climate conditions that may exist in most given areas of installation. The main factors which are taken into account when deciding on structural design parameters are:

1. Imposed & Super Imposed Load (Wind and Snow)
2. Penetration by Hailstones (Roofing Sheets)
3. Wind Uplift
4. Non – Fragility (Roof)

1. (A) IMPOSED LOAD

In the case of imposed wind loads, our structured polycarbonate sheets, supplied to a maximum width of 1000mm and length of 6000mm, used in conjunction with our canopy system, are capable of withstanding imposed wind loads of up to 1.2 kN per square metre depending on location and size of canopy. A technical specification chart is available on request - please contact us for more details. In the case of “dead” or imposed loading (including snow) these same sheets and glazing bars can withstand loads in excess of 100 kilograms per square metre.

1. (B) SUPER IMPOSED LOAD

An example of super imposed loads would be snow moving from an overhanging or adjacent roof onto a canopy thus exacerbating loads already imposed. Where such a load occurs, it is considered to be over and above any load which has been accounted for in the structural calculations referred to in this design specification. Accordingly, although due account of the possibility of a super-imposed load will be considered prior to installation, the

failure of any canopy due to these factors is deemed to be outside the control of the supplier. We recommend the use of snow guards above the canopy.

2. PENETRATION BY HAILSTONES

The possibility of hail penetration to the roofing sheet has been independently tested and is guaranteed to withstand (simulated) conditions produced using a 20mm diameter shot, travelling at 21 metres per second.

3. WIND UPLIFT

In the case of wind uplift, the main design consideration is given to the size of the concrete footing in relation to the area of the canopy and the distance between the supporting posts. Wall mounted canopies which are designed to be used in urban and suburban areas, up to 5 metres above ground level and are correctly installed according to instruction, require one set of support posts to be fixed into a concrete base of 0.96 cubic metres, with a maximum distance between (any 2) posts of 3.5 metres, up to a 5 metre projection.

The posts are fitted to the eaves beam of the canopy using high grade aluminium cleats (3mm thick), self drilling fixings with a minimum breaking torque of 0.216n/m and bolts with a similar breaking torque. Where climatic (or other) design conditions dictate, the above criteria may be altered. Wall mounted canopies which are designed for use in these areas, require one set of support posts to be fixed into a concrete base from 0.1 cubic metres, dependent upon site conditions, with a maximum distance between (any 2) posts of 3.5 metres, up to a 5 metre projection. This specification is designed to withstand uplift loads in excess of those normally experienced in rural and coastal areas.

Note:

In areas where extreme weather conditions are experienced, including those areas of the United Kingdom which have mean snow levels in excess of 1.2 kN per square metre, site specific calculations may be required in order to assess the suitability of a wall mounted canopy. Such calculations will need to be commissioned by the prospective client, alternatively we can, on your behalf, instruct a structural engineer, with all costs incurred being passed to the client. Projections between 5 and 6 metres may require extra underside support.

4. NON-FRAGILITY


Our Coniston roof system is classified as non-fragile and complies with the ACR[M]001:2014 'Test for Non-Fragility of Profiled Sheet Roofing Assemblies', achieving a B classification which is the highest rating possible for a polycarbonate roof.

➤ Full design specification available on request.

The posts, which can be protected with post pads, give the canopy extra strength

The down force is shared between these two points making the structure much stronger

The aluminium construction and 35mm polycarbonate panels provide a strong low maintenance surface



Valley Canopies

Our valley canopies can cover large areas of up to 12 metres between buildings and can be constructed to any length. This type of canopy benefits from using a single set of posts forming an attractive, cost effective structure, with two wall mounted canopies meeting together at the centre.



Total flexibility in design

The Coniston



Variable Wall Plate

The Coniston can be designed with a variable wall plate which allows the canopy to provide uninterrupted cover along the full stretch of an external wall, incorporating alcoves and other design features easily into its construction.

Elevated Structures

The Coniston can be fitted onto an existing steel balcony structure. The canopy above was installed at Rosehill Nursery in Lancashire. This allowed them to make use of an area which could otherwise only be used on dry days. Side fills were also added to provide complete cover from the wind and rain and also provide high UV protection from the sun.



Colourful Canopies

The Coniston frame is supplied in Hipca White as standard however, it can also be powder coated at an additional cost to any RAL colour to match your existing colour scheme or create a striking contrast. Choose to have just the canopy roof frame, the canopy posts, or the whole canopy frame and posts powder coated to the RAL colour of your choice. View the full RAL colour chart at www.ablecanopies.co.uk.

Available colour options

The Coniston



Rainbow Package

Our Rainbow Package will brighten up any canopy structure and is very popular within nurseries, pre-schools and primary schools. This vibrant package includes coloured posts, post pads and a colourful uPVC banner. This package is also available on the majority of our free standing canopies.



Secure Roller Shutters

The Coniston wall mounted canopy range can be fitted with secure roller shutters to create a secure and lockable storage area, a more enclosed canopy structure, or provide added security to your exterior.

These shutters are particularly suited to schools and early years settings as during the day the canopy can be used for its main purpose, and by night or during school holidays it can be used as a handy storage area. Available in steel or aluminium, they are available in a wide range of powder coated BS or RAL colours.

PRODUCT INFO:

- › Heavy duty construction using corrosion-resistant steel or aluminium
- › Fitted with compact roller-box housing, which minimises visual impact, creating a visually pleasing finish
- › Features an effective locking system
- › Shutters can be operated manually (depending on size) or electrically, they can also be connected to existing alarms or access control systems if required
- › Can be used to protect outside play equipment, sandpits, provide added security, blocking windows and doors out of sight and create additional storage space which can be used all year round.



Optional Extras

Wall Mounted Canopies

The Victorian Upgrade

The Victorian Upgrade transforms the Coniston Wall Mounted Canopy range into ornate Victorian styled canopies which fit perfectly with older and traditional styled buildings.

The upgrade consists of decorative post coverings and brackets which are manufactured from high grade aluminium to create a stunning appearance that will add an extra design element to your canopy. The upgrade is supplied in white as standard, yet it can be powder coated to any RAL colour at an additional cost to match your canopy and/or existing outdoor aesthetics.

- › Decorative, Victorian style canopy posts - perfect for traditional & older styled buildings
- › Adds an extra design element to your canopy
- › Manufactured from durable and long lasting aluminium to match the Coniston
- › Unique to Able Canopies
- › Can be powder coated to any RAL colour
- › 10 year guarantee & 25 year life expectancy.



Safety Barriers

Our uPVC safety barriers can be fitted to your canopy structure at installation or offered as a stand-alone option.

Our safety barriers can be used in many ways, including:

- › Sectioning the canopy into two or three segments
- › Keeping young children safe within the defined canopy area
- › Creating an area for equipment to be stored, protecting it from driving rain and the wind.



Side and Front Fills

Able Canopies side and front fills give maximum protection from the weather and are ideal for sectioning off a walkway or providing a more enclosed area. They are available with our wall mounted canopies and a selection of free standing canopies.

Our Side and Front Fills are constructed from 5mm solid polycarbonate and are UV, vandal, shatter and fire resistant.



Optional Extras

Wall Mounted Canopies



Colour options



Signage


We can offer signage on the majority of our wall mounted and free standing canopies. This is particularly popular with our entrance canopies.

Post Pads

Our Post Pads are available in 15 different colours including yellow, bright orange, black, blue, purple, red and green and can be made to fit any size posts.

Our post pads are available to buy online in two standard sizes to fit 80mm x 80mm and 175mm x 80mm posts.

Bespoke sizes can be ordered by calling 0800 389 9072. Post Pads are also included as part of our Rainbow Package, allowing you to create a colourful and vibrant canopy ideal for Early Years settings.



Coniston 6

Wall Mounted Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Coniston 6 is a strong aluminium wall mounted canopy that can be covered with either 6mm toughened glass or 6mm solid polycarbonate roof panels.

It is similar to the Coniston 35, yet it features a smaller frame making it ideal for more traditional style buildings, particularly when paired with the decorative Victorian Upgrade.

With an unlimited length and a maximum projection of up to 3.1m the Coniston 6 wall mounted canopy can provide weather protection for a range of uses including covered entrances, outdoor learning areas, covered walkways and outside dining areas.

Features and Benefits

10 YEAR GUARANTEE:

The Coniston 6 carries a full 10 year insurance backed guarantee so you can rest assured that your canopy is of the highest quality.

25 YEAR LIFE EXPECTANCY:

The Coniston 6 has a life expectancy of up to 25 years, giving you peace of mind that our products are made to last.

SIZE: To your specification.

Length: Unlimited
Projection: Up to 3.1 metres
Height: To your specification

FRAMEWORK FINISH:

The aluminium framework is supplied powder coated in White as standard, other RAL colours are available at an additional cost.

ALUMINIUM FRAME:

Main frame: 70mm x 75mm x 2mm structural grade aluminium.

PANELS:

The Coniston 6 can be covered with either 6mm toughened glass or 6mm solid, clear polycarbonate. The polycarbonate roof option protects from over 98% of harmful UV rays and is vandal and shatter resistant.

INTEGRAL GUTTERING:

The Coniston 6 features hidden integral guttering with uPVC downpipes for a sleek appearance.

OPTIONAL EXTRAS:

- > The Victorian Upgrade
- > Signage
- > Rainbow Package
- > 5mm Polycarbonate Side Fills
- > Safety Barriers
- > Picnic Tables & Benches

USES:

- > Entrance canopy
- > Covered Walkway
- > Spa or gym canopy
- > Outdoor learning or play area
- > Alfresco dining area





NEW



Ashton

Wall Mounted Glass Canopy



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare



The Ashton Wall Mounted Canopy is a high quality, fully aluminium system with a big span of 6 metres between posts and a maximum projection of 6 metres. Supplied with a 10 year guarantee, the Ashton can be powder coated to any RAL colour to match any existing environment and has a life expectancy of 25 years.

The ornate profiles create a sleek and stylish look and can hide any cabling for additional extras such as heating and lighting, resulting in the aesthetics of this attractive canopy remaining unspoilt. The roof is glazed with 8mm toughened glass which is extremely durable and class 0 fire rated.

The Ashton is the ideal solution where a big span and projection is required in commercial settings, such as covering large outdoor dining areas within restaurants or other settings where protection from the elements is required, such as walkways between buildings or creating outdoor learning or relaxation areas.

Glass sides and sliding doors can also be added to create a completely enclosed outdoor room. Infrared heating and lighting options are also available as well as Post Pads, signage, side fills, safety barriers and seating.



Ashton

Wall Mounted Glass Canopy



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

Features and Benefits

10 YEAR GUARANTEE:

The Ashton carries a full 10 year insurance backed guarantee so you can rest assured that your canopy is of the highest quality.

25 YEAR LIFE EXPECTANCY:

The Ashton has a life expectancy of up to 25 years, giving you peace of mind that our products are made to last.

SIZE: To your specification.

Length: Unlimited
Projection: Up to 6 metres
Height: To your specification

FRAMEWORK FINISH:

The aluminium framework can be powder coated in any standard RAL colour. Non-standard RAL colours are available at an additional cost.

ALUMINIUM FRAME:

Main frame: 150mm x 150mm x 2.5mm structural grade aluminium.

PANELS:

The Ashton can be covered with either 8mm toughened glass or 35mm structured polycarbonate. The polycarbonate roof option protects from over of 98% of harmful UV rays and is vandal and shatter resistant.

INTEGRAL GUTTERING AND DOWNPIPES:


Hidden, integral guttering and downpipes for a sleek, clean appearance and for ease of maintenance.

OPTIONAL EXTRAS:

- > Pergolino Veranda (Roof Blinds)
- > Infrared Heating
- > LED Lighting
- > Glass Side Fills
- > Safety Barriers
- > Picnic Tables & Benches

USES:

- > Loading bay canopy
- > Spa or gym canopy
- > Outdoor learning or play area
- > Outside dining area







Tarnhow

Timber Wall Mounted Canopy



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare



Our Tarnhow canopies create a modern yet natural look and feel to your environment whilst providing you with a safe, sheltered area. Each Tarnhow canopy is constructed from Glulam timber which is sustainable, durable, fire resistant to BS 5268 and energy efficient to produce.



Tarnhow Mono-Pitch

Timber Wall Mounted Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Tarnhow Mono-Pitch Wall Mounted Canopy is the most cost effective structure from the Tarnhow Timber Canopy range. It is ideal for creating a sheltered walkway or waiting area adjacent to your building. The canopy can also be used as an Entrance Canopy creating an attractive entrance to your building.

You can choose to have the Tarnhow Mono-Pitch fitted with either 5mm solid or 16mm structured polycarbonate panels, waterproof tensile fabric, or Ascot Solar Glass, a revolutionary product which incorporates photovoltaic technology into glass to allow you to generate energy whilst providing attractive outdoor cover.

Features and Benefits

SIZE: To your specification.
Length: Unlimited
Projection: Up to 6 metres
Height: To your specification

FRAME & POSTS:
Bespoke Glulam and natural timber sections.

ROOF OPTIONS:
Choice of:
 > Waterproof tensile fabric
 > 5mm solid or 16mm structured vandal and shatter resistant polycarbonate roofing which is UV coated for high protection from the sun.
 > Solar Canopy option - Integrated Photovoltaic (IPV) glass solar panels - see page 110.

DESIGN:
Mono-pitch roof creates a simple architectural feature which suits most building designs.

GUTTERING & DOWNPIPES:
uPVC Guttering and downpipes supplied as standard – available in white, black or brown.

OPTIONAL EXTRAS:
 > Rainbow package
 > Post pads
 > Signage
See pages 28-29

USES:
 > Covered outdoor dining area
 > Covered walkway
 > Entrance canopy
 > Playground canopy



Tarnhow Curved

Timber Wall Mounted Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Tarnhow Curved Wall Mounted Canopy is a stunning shade structure which has a curved timber roof frame and is ideal for creating a contemporary sheltered area adjacent to your building. This timber wall mounted canopy is perfect to use as a sheltered walkway or a covered seating area.

Due to its timber construction, this canopy is ideal for buildings located in areas of natural beauty, alternatively this canopy can make an attractive contrast when fitted against brick or steel structures.

Features and Benefits

SIZE: To your specification.

Length: Unlimited
Projection: Up to 6 metres
Height: To your specification

FRAME & POSTS:

Bespoke Glulam and natural timber sections.

ROOF OPTIONS:

Choice of:
 > Waterproof tensile fabric
 > 5mm solid or 16mm structured vandal and shatter resistant polycarbonate roofing which is UV coated for high protection from the sun.

DESIGN:

Curved roof creates a stylish addition to a building - giving it a contemporary edge.

GUTTERING & DOWNPIPES:

uPVC Guttering and downpipes supplied as standard – available in white, black or brown.

OPTIONAL EXTRAS:

- > Rainbow package
- > Post pads
- > Signage

See pages 28-29

USES:

- > Playground canopy
- > Covered outdoor dining area
- > Covered walkway
- > Entrance canopy

Rainbow Package

Our Rainbow Package will brighten up any canopy structure and is very popular within nurseries, pre-schools and primary schools. This vibrant package includes a colourful uPVC banner and post pads. This package is also available on the majority of our free standing canopies.

Please note: The image to the right shows the rainbow package installed on a Coniston wall mounted canopy.



Optional Extras

Timber Wall Mounted Canopies

Signage

Our Tarnhow canopies are available with signage which can make your entrances stand out with your school or company branding.





Optional Extras

Timber Wall Mounted Canopies

Post Pads

Our Post Pads are available in 15 different colours including yellow, bright orange, black, blue, purple, red and green and can be made to fit any size posts.

Our post pads are available to buy online in two standard sizes to fit 80mm x 80mm and 175mm x 80mm posts.

Bespoke sizes can be ordered by calling 0800 389 9072. Post Pads are also included as part of our Rainbow Package, allowing you to create a colourful and vibrant canopy ideal for Early Years settings.

Colour Options

				
<i>Navy</i>	<i>Maroon</i>	<i>Bottle Green</i>	<i>Light Green</i>	<i>Brown</i>
				
<i>Light Purple</i>	<i>Amber</i>	<i>Pink</i>	<i>Bright Orange</i>	<i>Yellow</i>
				
<i>Light Blue</i>	<i>Red</i>	<i>Black</i>	<i>Green</i>	<i>Mid Blue</i>



02


Able Canopies offer an excellent choice of commercial entrance canopies which are ideal for many organisations such as schools, nurseries, hospitals, care homes, and retail centres.

We offer both wall mounted and free standing entrance canopies which provide attractive and welcoming entry or exit areas to help create the right first impression with customers. All the entrance canopies in our range are constructed from robust, durable materials and have a life expectancy of up to 25 years. If required, signage can also be added to our entrance structures to display your company name or greeting message.

Entrance Canopies

Ullswater
Beck
Kensington Senior
Kensington Junior
Whiteside
Welford Dome
Melbury
Arbour
Orwell
Earlswood

Redford
Abberton
Ferndale
Tintern
Tamworth
Balmoral
Lexden
Fenwick
Nelson
Colwyn







Ullswater

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Ullswater Entrance Canopy is a traditional free standing entrance canopy which is fitted with a unique corner system for ultimate rigidity. It is supplied in white as standard or can be finished in any standard RAL colour.

The Ullswater creates a classic entrance canopy which works particularly well with existing buildings and is very popular with healthcare organisations.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Our canopies have a life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited

Projection: Up to 6 metres

Height: To your specification

UNDERSIDE FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

STEEL UNDERSIDE FRAME:

120mm x 60mm x 3mm steel hollow section.

PANELS:

16mm or 35mm structured polycarbonate roof panels for high levels of UV protection.

GUTTERING & DOWNPIPES:

Integral aluminium guttering and uPVC downpipe

OPTIONAL EXTRAS:

- › Side panels
- › Safety barriers
- › Rainbow package
- › Post pads
- › Signage

See pages 16-17

USES:

- › Entrance/exit canopy
- › Meeting point
- › Waiting area



Beck

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Beck is a stylish entrance canopy that fits in perfectly with architectural and modern buildings. It has a smooth, mono pitch design with a slight pitch angle to allow for water drainage through the integral guttering.

It is fixed to the building with contemporary stainless steel tie rods that are encased within aluminium tubes for added strength and durability. This canopy also benefits from trendy perforated stainless steel brackets beneath the roof bars.

Features and Benefits

SIZE: To your specification.

Length: From 1.4m - unlimited
Projection: from 1m -1.5 metres
Height: To your specification

FRAMEWORK FINISH:

The aluminium framework is supplied powder coated in a choice of 7 standard colours. Additional colours are available on request.

ALUMINIUM FRAME:

The main frame is made from high grade aluminium for strength and durability.

PANELS:

The Beck is covered with 4mm solid polycarbonate roof panels that are UV coated, have a high light transmittance and meets the fire resistance rating for the European fire standard EN 13501-1 B s1 d0 and the UK fire rating BS 476 Part 7 Class 1Y.

INTEGRAL GUTTERING:

The Beck features an integrated guttering system that disperses water through drip spouts.

LOADING CAPABILITIES:

The Beck has passed the tests undertaken by TÜV for uniformly distributed loads up to 170daN/m².

USES:

- › Entrance canopy
- › Window or walkway Canopy
- › Waiting area



Kensington Wall Mounted

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Kensington Wall Mounted Entrance Canopy is a stunning wall mounted structure that fits in effortlessly with new builds and adds a contemporary look to existing buildings. The canopy structure can be fitted with 10.8mm toughened glass panels which create a spectacular high quality finish and have great acoustic properties. Alternatively, 5mm solid polycarbonate or 16mm structured polycarbonate panels are available which offer high quality, cost effective options.

You can also choose to have our Ascot Solar Glass as your roof option. This Integrated Photovoltaic (IPV) material allows you to generate energy whilst keeping a sleek look to your canopy roof (see page 56).

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited

Projection: Up to 2.5 metres

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

STEEL FRAME:

100mm x 150mm steel hollow section 8mm thick steel laser cut roof arms.

PANELS:

Choice of:

- > 10.8mm toughened glass
- > 5mm solid polycarbonate
- > 16mm structured polycarbonate
- > Solar panels available

USES:

- > Entrance/exit canopy
- > Meeting point
- > Wall mounted covered walkway



Kensington Junior

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Kensington Junior is a cost-effective wall mounted entrance canopy that is ideal for many sectors including hospitality and retail. As part of our Junior range, this product has been designed to provide a quality product for organisations with smaller budgets.

With a projection of up to 1.5 metres and an unlimited length, it is a perfect entrance canopy for areas with limited space, or in an area where you would prefer not to have canopy posts.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited

Projection: Up to 1.5 metres

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

STEEL FRAME:

Front beam: 60mm x 60mm x 3mm

Rear beam: 120mm x 60mm x 3mm

8mm thick steel laser cut roof arms.

PANELS:

Choice of:

› 5mm solid polycarbonate

› 16mm structured polycarbonate

USES:

› Entrance/exit canopy

› Meeting point

› Wall mounted canopy



Whiteside

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Whiteside Entrance Canopy is a cost effective structure which has a stylish curved roof allowing you to create a contemporary entrance to a new or existing building.

Due to its design, this canopy can create a large welcoming area for customers and visitors which can also be used as a waiting shelter making it particularly useful in school environments. The Whiteside can be wall mounted or free standing to suit your needs.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Our canopies have a life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Up to 4 metres

Projection: Up to 4 metres

Height: To your specification

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

STEEL FRAME:

89.4mm/139mm (depending on model) x 4mm.

PANELS:

5mm solid/16mm structured vandal and shatter resistant polycarbonate with built in UV protection. Available in clear or opal.

DESIGN:

Simple, contemporary design to fit in with all building styles.

OPTIONAL EXTRAS:

- > Side panels
 - > Safety barriers
 - > Rainbow package
 - > Post pads
 - > Signage
- See pages 16-17*
- > uPVC guttering & downpipes

USES:

- > Entrance/exit canopy
- > Meeting point
- > Small freestanding canopy
- > Waiting area



Welford Dome

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Welford Dome is an exceptionally versatile free standing, modular canopy system which is ideal for most environments. With its high UV protection and contemporary design, this canopy can create a stylish entrance for visitors, or provide a covered waiting area that can be used by your staff.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Our canopies have a life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited
Projection: Up to 6 metres
Height: To your specification

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

STEEL FRAME:

120mm x 60mm x 3mm steel hollow section.

PANELS:

5mm solid/16mm structured vandal and shatter resistant polycarbonate roofing - UV coated for high protection from the sun.

DESIGN:

Domed roof to create a classic entrance area which fits in well with existing structures.

GUTTERING & DOWNPIPES:

uPVC Guttering and downpipes supplied as standard.

OPTIONAL EXTRAS:

- > Side panels
- > Safety barriers
- > Rainbow package
- > Post pads
- > Signage

See pages 16-17

USES:

- > Entrance/exit canopy
- > Meeting point
- > Freestanding canopy
- > Play canopy
- > Covered outdoor dining area



Melbury

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Melbury Entrance Canopy keeps your entrances dry on rainy days. It is ideal for covering the entrances to your building, making them stand out to all visitors and to help keep them dry, reducing the risk of accidents due to wet, slippery floors.

The Melbury has a stylish mono-pitch design that is constructed from galvanised steel and is covered with clear toughened glass sheets for a high-class appearance.

Features and Benefits

SIZE: To your specification.

Length: 3m (multiple structures can be installed together)
Projection: From 2.08m – 4.5m
Height: 2.3 metres

FRAMEWORK FINISH:

The framework can be finished in any RAL or BS colour, excluding pearl and signal colours.

STEEL FRAME:

The main frame is made from galvanised steel and is powder coated as standard.

PANELS:

The Melbury is covered with 8mm laminated safety glass.

INTEGRAL GUTTERING:

Integrated guttering is hidden within the canopy frame and posts. Water is dispersed along the inside of the posts and out through water spouts.

GUARANTEE:

The steel frame is supplied with a 2 year guarantee.

LIFE EXPECTANCY:

Supplied with an up to 25 year life expectancy for complete peace of mind.

OPTIONAL EXTRAS:

- › Glass side panels
- › Visibility stickers for the glass panels

USES:

- › Free standing canopy
- › Entrance canopy
- › Trolley shelter
- › Waiting shelter
- › Cycle shelter
- › Smoking shelter



Arbour

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Arbour is a low cost aluminium entrance canopy that is mounted to the wall and is covered with 5mm solid polycarbonate roof panels. It will enhance the exterior of your building, creating a stylish feature point to your entrance and helps to prevent rain water from entering the building – ideal for those with automatic doors.

It has been designed for organisations who require effective cover to their entrance with a simple and stylish design at a low cost.

Features and Benefits

SIZE: To your specification.

Length: Up to 2.5 metres
Projection: Up to 1 metre

10 YEAR GUARANTEE:

Supplied with a 10 year guarantee for complete peace of mind.

FRAMEWORK FINISH:

The framework is supplied in white as standard. Other colours are available at an additional cost.

ALUMINIUM FRAME:

The main frame is made from 150mm x 50mm aluminium sections.

PANELS:

5mm solid polycarbonate roof panels which are vandal and shatter resistant, making them perfect for busy, well used areas. They also block in excess of 98% of harmful UV rays and have a high fire resistance complying with B-s1,d0 EN 13501.

INTEGRAL GUTTERING:

Hidden guttering gives the canopy a sleek, smooth appearance and also means that less maintenance is required.

GUTTERING & DOWNPIPES:

Supplied with integral guttering and downpipes supplied as standard.

USES:

- Entrance canopy
- Waiting shelter



Orwell

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Orwell entrance canopy has a smooth, slightly curved design that provides effective cover from the weather. The minimal appearance of the canopy enables it to create a feature point of your entrance whilst still allowing it to blend in with your outside aesthetics.

As this cost effective entrance canopy is cantilevered and has no canopy posts, it is ideal for covering busy environments such as schools, shops, leisure centres and hospitals.

Features and Benefits

SIZE: To your specification.

Length: 1.4m - unlimited

Projection: Up to 2.5m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours may be available but will incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Orwell has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

- Entrance canopy
- Walkway canopy
- External stairway shelter
- Waiting shelter



Earlswood

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial

The Earlswood Entrance Canopy features a delicate curve and stunning decorative wall brackets. It will enhance the entrance of any building, and will fit in seamlessly with traditional buildings and rural settings.

As this canopy is cantilevered, it is ideal for those that would like a cost-effective door canopy with quick installation times and no canopy posts, such as shops, hospitals, schools, cafés and bars.

Features and Benefits

SIZE: To your specification.

Length: 1.4m - unlimited

Projection: 0.9m – 1.5m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours may be available but will incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Earlswood has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

- Entrance canopy
- Walkway canopy
- Waiting shelter



Redford

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The extra-deep curve of the Redford Entrance Canopy, allows it to offer additional protection from the weather such as rain and wind whilst still offering high protection from the sun. It is therefore ideal for those that would like to receive full protection from the weather with a small shelter structure.

The frame is constructed from strong aluminium bars and is covered with polycarbonate roof sheets that have a high resistance to impacts.

Due to the simple, cantilevered design, this entrance canopy is ideal for weather protection at schools, hospitals, shops and those in the leisure industry.

Features and Benefits

SIZE: To your specification.

Length: 1.4m - unlimited

Projection: 0.8m - 1.5m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours are available but may incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Redford has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

- Entrance canopy
- Walkway canopy
- External stairway shelter
- Waiting shelter





Abberton

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Abberton is a contemporary styled cantilevered entrance canopy, with perforated steel wall brackets to give an industrial appearance. The main frame is constructed from T5 grade aluminium and is covered with high impact resistant polycarbonate.

It benefits from an unlimited length (minimum of 1.4m) and has a projection of between 0.9m – 1.5m from the wall.

The Abberton's stylish design makes it ideal for many settings, particularly new builds, and healthcare or commercial buildings.



Features and Benefits

SIZE: To your specification.

Length: 1.4m - unlimited

Projection: 0.9m – 1.5m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours are available but may incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in busy areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Abberton has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

- Entrance canopy
- Walkway canopy
- External stairway shelter
- Waiting shelter



Ferndale

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Ferndale Entrance Canopy benefits from a strong curved roof design to offer enhanced protection from the weather. The roof panels are robust polycarbonate sheets that offer high UV protection, making this canopy the ultimate weather shield for entrances.

The frame is fixed to the wall with supporting aluminium arms and small brackets for an elegant, minimal appearance.

The contemporary design of this canopy makes it ideal for leisure centres and shop entrances.

Features and Benefits

SIZE: To your specification.

Length: 1.4m - unlimited

Projection: 0.8m – 1.5m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours are available but may incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Ferndale has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

- Entrance canopy
- Walkway canopy
- Waiting shelter





Tintern

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Tintern Entrance Canopy features a simple curved roof with stainless steel tie rods fixings to create sophisticated yet unobtrusive addition to a building.

This canopy can project up to 2.5 metres from the wall and can be constructed to an unlimited length - making it perfect for extended cover to outside areas such as retail loading bays and busy school or hospital walkways.



Features and Benefits

SIZE: To your specification.

Length: 1.4m - unlimited

Projection: 0.8m – 2.5m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours are available but may incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Tintern has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

- Entrance canopy
- Walkway canopy
- Waiting shelter



Tamworth

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Tamworth is a robust aluminium entrance canopy with a simple modern appearance. It is the most cost effective entrance canopy within our range, yet it does not compromise on quality. The frame is constructed from T5 grade aluminium which is naturally rust resistant and features high impact resistant solid polycarbonate roof panels.

Due to its minimalist design, this cantilevered entrance canopy is the ideal door shelter for new builds at schools, nurseries, shops, factories, and hospitals. It can also be a quick and low cost addition for existing builds, creating an attractive contrast to traditional styles and settings.

Features and Benefits

SIZE: To your specification.

Length: 1.4m – 2m

Projection: 0.8m – 1.2m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours are available but may incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Tamworth has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

- Entrance canopy
- Walkway canopy
- Waiting shelter





Balmoral

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial

The Balmoral is a stunning, low-cost entrance canopy that features attractive ornamental brackets. It is constructed from a fully aluminium frame with hidden guttering and is protected with high impact resistant polycarbonate roof sheets.

Because the Balmoral Entrance Canopy displays exquisite, ornate detailing, it is the ideal entrance shelter for historic and well established buildings. It can provide effective protection from the weather for many organisations including schools, shops, cafés and restaurants, enhancing the appearance of their main entrance.

Features and Benefits

SIZE: To your specification.

Length: 1.4m – unlimited

Projection: 1.1m – 1.5m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours are available but may incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Balmoral has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

- Entrance canopy
- Walkway canopy
- Waiting shelter





Lexden

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Lexden Entrance Canopy has a stylish, minimalist appearance that fits in well with many building styles and makes entrances stand out prominently. It has a strong aluminium construction that is covered with high strength polycarbonate roof sheets.

Due to its square, edgy design, the Lexden Entrance Canopy provides stylish shelter for new builds and contemporary building designs and is particularly popular with offices and commercial settings, including retail and leisure organisations. Its mono-pitch design provides excellent protection from the weather and, if installed above a window or doors, it can also help to keep a buildings interior cool on hotter days.

Features and Benefits

SIZE: To your specification.

Length: 1.4m – unlimited

Projection: 1.4m – unlimited

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours are available but may incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Lexden has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

- › Entrance canopy
- › Walkway canopy
- › Waiting shelter





Fenwick

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Fenwick Entrance Canopy has an attractive curve to the roof and has been designed for buildings that have an existing overhang. It is fixed to the overhang with brackets that are extended from the canopy roof bars for a sleek, minimalistic appearance.

This canopy has an unlimited length and a projection of up to 1.5m. It is ideal for creating shade and shelter above doors, windows, walkways and loading bays. It can also offer additional protection to buildings that have existing integrated canopies which do not offer a large enough projection.

Features and Benefits

SIZE: To your specification.

Length: 1.4m – unlimited

Projection: 0.6m – 1.5m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours are available but may incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:


Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Fenwick has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

- Entrance canopy
- Walkway canopy
- Waiting shelter





Nelson

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Nelson Entrance Canopy has a stylish domed frame that is constructed from aluminium and is covered with curved polycarbonate that is 4mm thick. It has been designed to fit in with many building styles, adding a contemporary feel to traditional buildings and fitting in seamlessly with modern buildings.

The Nelson is the perfect entrance structure for many environments including schools, shops, hospitals, healthcare surgeries, care homes and leisure environments. It can be installed above doors and windows to extend your existing building overhang and offer additional protection from the weather.

Features and Benefits

SIZE: To your specification.

Length: 1.4m – 2.4m

Projection: 0.8m – 1.5m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours are available but may incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Nelson has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

➤ Entrance canopy





Colwyn

Entrance Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Colwyn has a simple domed design to complement modern building styles. Its clean lines give any entrance a clean, fresh look whilst providing cover and highlighting the correct entrance for customers to use.

Its cantilevered design means there are no posts to bump into – making it a perfect choice for schools, shops, leisure and healthcare organisations.



Features and Benefits

SIZE: To your specification.

Length: 1.4m – 2.4m

Projection: 0.8m – 2m

FRAMEWORK FINISH:

The framework is supplied in a choice of 7 colours. Alternative colours are available but may incur additional costs.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with solid polycarbonate panels that are 4mm thick and are light in weight. These panels have a high impact resistance, making them ideal for use in well used areas. They are supplied in clear as standard.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard which disperses water through a drip spout at the sides of the canopy frame.

LOADING CAPABILITIES:

The Colwyn has passed the TÜV tests for uniformly distributed up to 170daN/m².

USES:

➤ Entrance canopy

03

With a wide range of Free Standing Systems on offer including monopitch, apex and domed structures, we are sure to have a stand-alone solution for you.

Free Standing Canopies

Welford Dome
Welford Dome Junior
Ullswater
Devoke
Devoke Junior
Grange
Grange Junior
Double Grange
Hamilton
Kensington Mono-Pitch
Kensington Dual-Pitch

Tarnhow
Tarnhow Dome
Tarnhow Mono
Tarnhow Curved
The Consiton
Whiteside
Melbury
Kendal
Executive







Welford Dome

Free Standing Dome Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Welford Dome is an exceptionally versatile modular canopy, which can be used as a walkway, entrance canopy and a free standing canopy. With its ability to span across large areas and its simple yet contemporary design, the Welford Dome is the ideal canopy for playgrounds and outdoor dining areas.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited
Width: Up to 6 metres
Height: To your specification

FRAMEWORK FINISH:

Framework and posts can be galvanised and/ or powder coated to any standard RAL colour.

STEEL UNDERSIDE FRAME AND POSTS:

Main frame: 120mm x 60mm x 3mm steel box section.

PANELS:

5mm solid/16mm structured vandal and shatter resistant polycarbonate with built in UV protection. Available in clear or opal.

GUTTERING & DOWNPIPES

Deep flow guttering and downpipes fitted as standard.

UNIQUE CORNER STRUCTURE:

Our unique steel corner connection system gives ultimate rigidity to the canopy structure.

OPTIONAL EXTRAS:

- › Secure roller shutters
- › Side panels
- › Safety barriers
- › Rainbow package
- › Post pads
- › Signage

See pages 78-79

USES:

- › Outdoor classroom
- › Covered outdoor dining area
- › Covered outdoor walkway
- › Entrance canopy

Please note: Images show gable ends which are an optional extra.



Welford Dome Junior

Free Standing Dome Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Welford Dome Junior is a cost-effective free standing canopy structure which is extremely versatile and ideal for many uses such as a covered waiting or dining area.

Based on the popular Welford Dome, the Welford Dome Junior has been streamlined to suit organisations that have limited budgets yet still require effective and durable outdoor cover from the weather.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited
Width: Up to 5 metres
Height: To your specification

FRAMEWORK FINISH:

Framework and posts can be galvanised and/ or powder coated to any standard RAL colour.

PANELS:

5mm solid/16mm structured vandal and shatter resistant polycarbonate with built in UV protection. Available in clear or opal.

OPTIONAL EXTRAS:

- › Rainbow package
 - › Post pads
- See pages 78-79*
- › Guttering & downpipes

USES:

- › Playground canopy
- › Outdoor classroom
- › Covered outdoor dining area
- › Covered outdoor walkway



Ullswater

Free Standing Apex Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Ullswater Apex Free Standing Canopy has an attractive design with an apex shaped roof enabling it to fit in seamlessly with traditional building designs.

This canopy system is designed using our unique corner structure which provides ultimate strength and allows for large self-supporting spans. Its robust construction ensures this canopy is particularly suited to areas of heavy use such as school playgrounds and public areas.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited
Width: Up to 6 metres
Height: 2.8m at apex (standard)

ROOF FRAME:

Fully aluminium roof frame, including aluminium roof bars, coloured in white as standard, other colours available on request.

STEEL UNDERSIDE FRAME AND POSTS:

120mm x 60mm x 3mm steel box section. The steel framework can be galvanised and/or powder coated to any standard RAL colour.

PANELS:

16mm or 35mm structured polycarbonate roof panels in clear or opal. Our panels offer high UV protection.

GUTTERING:

Integral aluminium guttering with uPVC downpipes.

OPTIONAL EXTRAS:

- > Secure roller shutters
 - > Side & front panels
 - > Safety barriers
 - > Rainbow package
 - > Post pads
 - > Signage
- See pages 78-79
- > Gable ends

USES:

- > Playground canopy
- > Outdoor classroom
- > Covered outdoor walkway

Please note: Images show gable ends which are an optional extra





Devoke

Free Standing Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Devoke Free Standing Canopy is a striking steel structure that has a stylish curved roof.

This free standing canopy provides shelter from the sun and rain throughout the year and can be constructed to any length with a maximum projection of 6 metres. The Devoke is ideal for educational environments, creating a comfortable outdoor dining area or a spacious playground shelter.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited
Width: Up to 6 metres
Height: To your specification

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

STEEL UNDERSIDE FRAME AND POSTS:

Main frame: 120mm x 60mm x 3mm steel hollow section.

PANELS:

5mm solid/16mm structured vandal and shatter resistant polycarbonate roofing UV coated for high protection from the sun.

GUTTERING:

Fitted with guttering and downpipes as standard.

UNIQUE CORNER STRUCTURE:

Our unique steel corner connection system gives ultimate rigidity to the canopy structure.

OPTIONAL EXTRAS:

- > Secure roller shutters
- > Side panels
- > Safety barriers
- > Rainbow package
- > Post pads
- > Signage

See pages 78-79

USES:

- > Playground canopy
- > Outdoor classroom
- > Airport shelter/linkway
- > Covered outdoor dining/seating area
- > Covered outdoor walkway



Devoke Junior

Free Standing Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Devoke Junior Free Standing Walkway is a contemporary styled walkway which features a strong steel framework and polycarbonate roofing panels to create effective cover for walkways or pathways. This walkway product is part of our Junior range, a selection of products which have been designed for organisations with limited budgets, yet who still require a high quality and long lasting structure.

This popular walkway canopy allows you to connect two or more buildings - giving visitors, students or staff the advantage of moving around your site without being exposed to the elements, it can also double as a covered waiting/queuing area which is particularly useful at entrances to tourist attractions.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited

Width: Up to 5 metres

Height: To your specification

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

STEEL UNDERSIDE FRAME AND POSTS:

Main frame: 60mm x 60mm x 3mm steel hollow section.

PANELS:

Choice of 5mm solid or 15mm structured polycarbonate roof which is both vandal and shatter resistant and offers high UV protection.

OPTIONAL EXTRAS:

- › Side panels
- › Safety Barriers
- › Post Pads
- › Signage
- › Rainbow Package
- › Roller Shutters
- › Guttering
- › Downpipes

See pages 78-79

USES:

- › Playground canopy
- › Outdoor classroom
- › Airport shelter/linkway
- › Covered outdoor dining/seating area
- › Covered outdoor walkway





Grange

Free Standing Mono Pitch Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Grange Free Standing Mono Pitch canopy is perfect for areas where a canopy structure cannot be fixed to a wall. Using the same roof system as the Coniston, which includes 35mm polycarbonate panels and a fully aluminium roof framework, the Grange's roof offers a variable pitch of between 2.5 and 30 degrees. Supported by a strong steel underside, the Grange has a maximum width of 6 metres and an unlimited length.

Due to its unlimited length and robust construction, the Grange is ideal for many organisations and is great for use as a covered meeting/waiting area or an outdoor learning area.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited
Width: Up to 6 metres
Height: To your specification

UNDERSIDE FRAMEWORK FINISH:

The underside framework and posts can be galvanised and/or powder coated to any standard RAL colour.

STEEL UNDERSIDE FRAME AND POSTS:

120mm x 60mm x 3mm steel hollow section.

ROOF FRAME:

Extruded aluminium roof bars.

PANELS:

35mm structured polycarbonate roof panels which are vandal and shatter resistant and offer high levels of UV protection.

GUTTERING & DOWNPIPES

Supplied with integral guttering and uPVC downpipes.

UNIQUE CORNER STRUCTURE:

Our unique steel corner connection system gives ultimate rigidity to the canopy structure.

OPTIONAL EXTRAS:

- > Side panels
- > Safety barriers
- > Rainbow package
- > Secure roller shutters
- > Post pads
- > Signage

See pages 78-79

USES:

- > Covered waiting area
- > Meeting point
- > Playground canopy
- > Covered outdoor learning area



Grange Junior

Free Standing Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Grange Junior is a cost-effective canopy solution that has a practical and simple design and is ideal for areas where a wall mounted canopy is unsuitable.

This canopy can span up to 5 metres and has an unlimited length allowing you to create a large covered area which can be used for many different applications including an outdoor classroom facility, a covered playground area, or an outside dining area.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited
Width: Up to 5 metres
Height: To your specification

FRAMEWORK FINISH:

The framework and posts can be galvanised and/or powder coated to any standard RAL colour.

STEEL UNDERSIDE FRAME AND POSTS:

60mm x 60mm x 3mm steel hollow section.

ROOF FRAME:

Aluminium Barrel bar.

PANELS:

5mm solid/16mm structured vandal and shatter resistant polycarbonate roofing, UV coated for high protection from the sun.

OPTIONAL EXTRAS:

- > Rainbow package
 - > Post pads
 - > uPVC guttering and downpipes
- See pages 78-79

USES:

- > Covered waiting area
- > Meeting point



Double Grange

Free Standing Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Double Grange is a large span free standing canopy which is designed to provide shade and shelter from the weather over large areas.

The canopy is an adaption of the Grange Free Standing Mono-Pitch. It maintains all of the benefits of the Grange yet has the ability to cover larger areas with a maximum span of 12 metres, making it ideal for event venues, large play areas, and outdoor learning areas.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited
Width: Up to 12 metres
Height: To your specification

UNDERSIDE FRAMEWORK FINISH:

The underside framework and posts can be galvanised and/or powder coated to any standard RAL colour.

STEEL UNDERSIDE FRAME AND POSTS:

120mm x 60mm x 3mm steel hollow section.

ROOF FRAME:

Extruded aluminium roof bars.

PANELS:

35mm structured polycarbonate roof panels which are vandal and shatter resistant and offer high levels of UV protection.

GUTTERING & DOWNPIPES

Supplied with integral guttering and downpipes supplied as standard.

UNIQUE CORNER STRUCTURE:

Our unique steel corner connection system gives ultimate rigidity to the canopy structure.

OPTIONAL EXTRAS:

- > Side panels
- > Safety barriers
- > Rainbow package
- > Secure roller shutters
- > Post pads
- > Signage

See pages 78-79

USES:

- > Event venue
- > Covered outdoor learning area



Hamilton

Big Span Free Standing Canopies



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Hamilton Big Span Canopy is one of our largest free standing canopies, spanning up to 11 metres in width, with an unlimited length. It provides exceptional cover from the weather and is perfect for providing shelter for large outdoor dining areas or open air seating areas.

The Hamilton is also a great solution for playgrounds or venues which hold outdoor events.

This big span canopy has been designed for use in busy areas with a high footfall, such as school playgrounds or large open air venues, and so has been constructed to withstand knocks and every day wear and tear.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited
Width: Up to 11 metres
Height: To your specification

HIGH UV PROTECTION:

During the manufacture of our polycarbonate panels, a layer of UV absorber is coextruded on both sides to form a barrier, giving high UV protection from the sun.

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

STEEL FRAME AND POSTS:

Main frame: 150mm x 100mm x 5mm steel hollow section.

PANELS:

16mm structured vandal and shatter resistant polycarbonate roofing.

GUTTERING:

Deep flow uPVC guttering and downpipes included as standard.

OPTIONAL EXTRAS:

- › Secure roller shutters
- › Side panels
- › Safety barriers
- › Rainbow package
- › Post pads
- › Signage

See pages 78-79

USES:

- › Covered outdoor dining area
- › Outdoor event cover
- › Outdoor seating cover
- › Courtyard cover





Kensington Mono-Pitch

Free Standing Canopies



Education



Retail &
Commercial



Healthcare

The Kensington Free Standing Canopy range features a stunning selection of luxury steel canopies which can be covered with a choice of glass, polycarbonate or Ascot Solar Glass panels which allow you to generate energy from sunlight whilst giving a smooth glass finish.

The Kensington Mono-Pitch Free Standing Canopy is particularly suited to the retail and hospitality sectors, and is perfect for organisations looking to provide a high end shelter solution.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited
Width: Up to 3 metres
Height: To your specification

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

STEEL UNDERSIDE FRAME & POSTS:

Main frame: 200mm x 200mm x 6mm steel box section.

STEEL FRAME AND POSTS:

Main frame: 150mm x 100mm x 5mm steel hollow section.

PANELS:

A choice of:

- › 10.8mm toughened laminated glass
- › 5mm solid/16mm structured vandal and shatter resistant polycarbonate
- › Solar Panels - Integrated Photovoltaic (IPV) glass solar panels.

GUTTERING:

Fitted with aluminium guttering and downpipes as standard.

OPTIONAL EXTRAS:

- › Post pads
- See pages 78-79

USES:

- › Entrance canopy
- › Covered walkway
- › Airport shelter/linkway



Kensington Dual-Pitch

Free Standing Canopies



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Kensington Dual-Pitch Free Standing Canopy is a striking free standing canopy that fits in effortlessly with new builds and adds a contemporary look to existing buildings.

This canopy is ideal for a range of different functions including walkways, waiting areas and outdoor dining cover, and is suited to many organisations throughout the public and private sectors.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

Life expectancy of up to 25 years, subject to the chosen finish.

SIZE: To your specification.

Length: Unlimited (6 metres between posts)

Width: Up to 5.5 metres

Height: To your specification

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

STEEL UNDERSIDE FRAME & POSTS:

Main frame: 200mm x 200mm x 6mm steel box section.

STEEL FRAME AND POSTS:

Main frame: 150mm x 100mm x 5mm steel hollow section.

PANELS:

A choice of:

- › 10.8mm toughened laminated glass
- › 5mm solid/16mm structured vandal and shatter resistant polycarbonate
- › Solar Panels - Integrated Photovoltaic (IPV) glass solar panels.

GUTTERING:

Fitted with aluminium guttering and downpipes as standard.

DESIGN:

Elegant, modern design; creates an aesthetically pleasing focal point to your building or outdoor area.

OPTIONAL EXTRAS:

- › Post pads

See pages 78-79

USES:

- › Entrance canopy
- › Covered walkway
- › Airport shelter/linkway





The Tarnhow Range

Sustainable Timber Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

Our Tarnhow canopies are constructed from glue-laminated (glulam) timber frames to create stunning tactile structures which add a modern yet natural feel to your environment.

All glulam timber framework is finished with a natural timber stain for added protection, however, you can choose to have your canopy stained in a wide choice of colours to match or complement your surroundings.

Benefits of Timber

- › Environmentally Friendly – a standard steel beam takes 6 times the energy cost to produce
- › Economical – Glulam is lighter in weight than similar materials resulting in less transport emissions
- › Flawless Timber Finish - all visible fixings are constructed from timber
- › Timber frame is fire resistant to BS 5268
- › Choice of Roof Material – choose from a polycarbonate or waterproof tensile fabric roof system
- › Approved Timber - complies with the requirements of British Standard BS EN 386: 2001
- › Sustainable Materials - Glulam timber frame sourced from PEFC accredited timber merchants.



Tarnhow Curved

Free Standing Timber Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Tarnhow Curved Free Standing Canopy has a maximum span of 6 metres and can be installed to any length required. Its asymmetric curved roof creates an attractive canopy which adds style to any environment, and its glulam frame makes this canopy an ideal addition to a natural garden or park area.

This canopy is very popular with schools and is suitable for a variety of applications, including a covered walkway, a playground shelter or a spacious outdoor classroom.

Features and Benefits

SIZE: To your specification.
Length: Unlimited
Width: Up to 6 metres
Height: To your specification

ROOF OPTIONS:

Choice of:
 > Waterproof tensile fabric
 > 5mm solid or 16mm structured vandal and shatter resistant polycarbonate roofing.

UNDERSIDE FRAME AND POSTS:

Bespoke Glulam timber and natural timber sections, with a natural wood stain finish, alternatively the timber can be painted, if required.

GUTTERING & DOWNPIPES

uPVC guttering & downpipes fitted as standard.

OPTIONAL EXTRAS:

> Rainbow package
 > Post pads
 > Signage
 See pages 78-79
 > Fabric side panels - see page 147

USES:

> Play canopy
 > Medium/large freestanding canopy
 > Covered outdoor dining area
 > Covered outdoor walkway
 > Entrance canopy



Tarnhow Mono-Pitch

Free Standing Timber Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Tarnhow Mono-Pitch Free Standing Canopy is constructed with a mono-pitch roof which blends in easily with existing roofing styles.

This striking timber structure can be used in a variety of applications including covered play areas, walkways and waiting areas within commercial settings.

Features and Benefits

SIZE: To your specification.

Length: Unlimited

Width: Up to 6 metres

Height: To your specification

ROOF OPTIONS:

Choice of:

- › Waterproof tensile fabric
- › 5mm solid or 16mm structured vandal and shatter resistant polycarbonate roofing.

UNDERSIDE FRAME AND POSTS:

Bespoke Glulam timber and natural timber sections, with a natural wood stain finish, alternatively the timber can be painted, if required.

GUTTERING & DOWNPIPES

uPVC guttering & downpipes fitted as standard.

OPTIONAL EXTRAS:

- › Rainbow package
 - › Post pads
 - › Signage
- See pages 78-79
- › Fabric side panels - see page 147

USES:

- › Play canopy
- › Medium/large freestanding canopy
- › Covered outdoor dining area
- › Covered outdoor walkway
- › Entrance canopy



Tarnhow Dome

Free Standing Timber Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Tarnhow Dome Free Standing Timber Canopy is a spectacular timber structure that creates an eye-catching focal point to your outdoor area with a modern touch. It is ideal for making use of large areas that are in need of year round cover from the weather.

Features and Benefits

SIZE: To your specification.
Length: Unlimited
Width: Up to 6 metres
Height: To your specification

ROOF OPTIONS:

Choice of:
 > Waterproof tensile fabric
 > 5mm solid or 16mm structured vandal and shatter resistant polycarbonate roofing UV coated for high protection from the sun.

UNDERSIDE FRAME AND POSTS:

Bespoke Glulam timber and natural timber sections, with a natural wood stain finish, alternatively the timber can be painted, if required.

GUTTERING & DOWNPIPES

uPVC guttering & downpipes fitted as standard.

OPTIONAL EXTRAS:

> Rainbow package
 > Post pads
 > Signage
 See pages 78-79
 > Fabric side panels - see page 147

USES:

> Play canopy
 > Medium/large freestanding canopy
 > Covered outdoor dining area
 > Covered outdoor walkway
 > Entrance canopy



The Coniston

Free Standing Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Coniston Wall Mounted Canopy which can be found on pages 10 -19 can be transformed into a free standing canopy with the use of rear steel goal posts.

The Coniston is a popular, versatile canopy that is strong, long lasting and aesthetically pleasing. It features a strong aluminium frame with rear steel posts and hidden integral guttering.

It is ideal for those that would like a wall mounted canopy but do not have a suitable wall to fix to. This canopy gives the wall mounted canopy effect whilst being completely self-supporting.

Features and Benefits

10 YEAR GUARANTEE:

The Coniston carries a full 10 year insurance backed guarantee and the rear steel goal posts carry a 5 year guarantee so you can rest assured that your canopy is of the highest quality.

25 YEAR LIFE EXPECTANCY:

The Coniston on rear steel goalposts has a life expectancy of up to 25 years, giving you peace of mind that our products are made to last.

SIZE: To your specification.

Length: Unlimited
Projection: Up to 6m

FRAMEWORK FINISH:

The framework is supplied powder coated in Hipca White as standard, however it can be finished in any other RAL colour at an additional cost.

ALUMINIUM FRAME:

The frame is manufactured from T5 grade aluminium to ensure a long lasting, solid construction.

PANELS:

Covered with 35mm structured polycarbonate roof panels that are vandal and shatter resistant and block in excess of 98% of harmful UV rays from those underneath.

INTEGRAL GUTTERING:

Integral aluminium guttering is included as standard for a clean, sleek appearance and for minimal maintenance. With uPVC downpipes as standard.

OPTIONAL EXTRAS:

- › Rainbow Package
- › Secure Roller Shutters
- › The Victorian Upgrade
- › Safety Barriers
- › Side & Front Fills
- › Signage
- › Post Pads

See pages 78-79

USES:

- › Playground canopy
- › Covered waiting & learning areas
- › Entrance area
- › To reduce heat inside buildings



Whiteside

Free Standing Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Whiteside Free Standing Canopy is a cost effective structure which has a stylish curved roof, allowing you to create a contemporary covered area outside.

Due to its design, this canopy can create a large sheltered area within your grounds that is protected from the weather, allowing your pupils, customers or staff to spend more time outdoors. The Whiteside can be wall mounted or free standing to suit your needs.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

The Whiteside has a life expectancy of up to 25 years, giving you peace of mind that our products are made to last.

SIZE: To your specification.

Length: Unlimited
Projection: Up to 4 metres

STEEL FRAME:

The frame is made from galvanised and powder coated steel.

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

PANELS:

Covered with a choice of 5mm solid polycarbonate or 16mm structured polycarbonate.

OPTIONAL EXTRAS:

- > Side panels
 - > Post Pads
- See pages 78-79*
- > uPVC guttering & downpipes

USES:

- > Free standing canopy
- > Entrance canopy
- > Outside dining canopy
- > Playground canopy
- > Waiting shelter



Melbury

Free Standing Canopies



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Melbury Free Standing Canopy can be used for a variety of applications including a covered outdoor seating space, where customers, pupils or visitors can wait outside while being protected from the weather.

It is constructed from a strong steel frame that can be coloured to almost any RAL colour and is galvanised for ultimate corrosion protection. The roof is covered with 8mm thick toughened glass that has a high breakage resistance.

Features and Benefits

2 YEAR GUARANTEE:

Due to the high strength and high quality construction materials, we are able to offer a 2 year guarantee on the canopy frame.

25 YEAR LIFE EXPECTANCY:

The Melbury frame has a life expectancy of up to 25 years, giving you peace of mind that our products are made to last.

SIZE: To your specification.

Length: 3m (can be extended in sections on 1.5m)

Projection: 2.08m

Height: 2.3m

STEEL FRAME:

Made from strong steel sections that are 89.4mm/139mm (depending on model) x 4mm.

FRAMEWORK FINISH:

The steel frame is galvanised as standard and can be coloured to any RAL colour except Pearl or Signal colours.

PANELS:

Covered with 8mm thick laminated safety glass

INTEGRATED GUTTERING:

Integrated guttering is hidden within the shelter frame and posts. Water is dispersed along the inside of the back posts and out through water spouts.

OPTIONAL EXTRAS:

- › Side panels
- › Safety stickers or glass panels
- › Post Pads

See pages 78-79

USES:

- › Free standing canopy
- › Entrance canopy
- › Trolley shelter
- › Waiting shelter
- › Cycle shelter
- › Smoking shelter



Kendal

Free Standing Canopies



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Kendal is a striking tensile free standing structure which can be constructed to an unlimited length with a maximum projection of 5 metres.

The waterproof tensile fabric combined with the steel frame makes this a robust system which provides effective cover from the weather.

Features and Benefits

25 YEAR LIFE EXPECTANCY:

The Kendal frame has a life expectancy of up to 25 years, giving you peace of mind that our products are made to last.

5 YEAR GUARANTEE:

Tensile fabric has a 5 year guarantee against UV degradation

SIZE: To your specification.

Length: Unlimited

Projection: Up to 5 metres

FRAMEWORK FINISH:

The steel framework can be galvanised and/or powder coated to any standard RAL colour.

ROOF:

100% waterproof tensile roof available in 40 vibrant colours, see page 148.

OPTIONAL EXTRAS:

- › Post pads
See pages 78-79
- › Fabric rear wall panels
See pages 147

USES:

- › Covered outdoor walkway
- › Outdoor classroom
- › Waiting area





Optional Extras

Free Standing Canopies

Side and Front Fills

Our Side Fills and Front Fills allow you to create a more enclosed canopy, giving protection from the wind and driving rain.

Constructed from 5mm solid polycarbonate, these panels are UV, vandal, shatter and fire resistant.

Roller Shutters

The majority of our Free Standing canopies can be combined with roller shutters to give a lockable enclosed area.

This can be used to create a secure storage area where equipment can be stored safely. Made from steel or aluminium, these shutters can be coloured to any BS or RAL colour.

Able Canopies Roller Shutters are available on the following products:

- › Grange
- › Double Grange
- › Ullswater
- › Devoke
- › Hamilton
- › Codale Conic
- › Welford Dome
- › Coniston





Optional Extras

Free Standing Canopies



Safety Barriers

Add uPVC safety barriers to your Free Standing Canopy to create a more enclosed area.

These can be added at time of install or retrofitted. Our safety barriers can help split your canopy into sections and provide some additional protection from driving rain and wind.



Signage

Signage can be added to the majority of our free standing canopies enabling you to communicate messages to visitors, pupils or staff or display your logo or branding. This is a particularly popular option for free standing canopies that are used as entrance canopies.



Post Pads

Post pads wrap around your canopy posts to protect those underneath from knocks and bumps when moving around the posts.

Our post pads are available in 15 colours – view our colour chart on **page 17**.

04

The Executive range features a selection of wall mounted and free standing canopies that are stunning, high-end shade and shelter structures.


There is a total of four products within the range which consist of superior aluminium frames with either retractable fabric roofs or aluminium roof slats that can be opened and closed as required.

Executive Range

Imperial Junior
Imperial Senior
Imperial Grand
Kesgrave







Imperial Junior

Executive Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Imperial Junior is a highly attractive canopy that is available as a free standing or wall mounted structure. It features electronic roof slats that can be adjusted from an angle of 0° to 120° with the Somfy remote control supplied.

You can block 100% of the Sun's harmful UV rays when the roof slats are closed as well as create a watertight seal and protect from rainfall. Alternatively, when it is a pleasant summers day, you can choose to have the roof slats open at the angle of your choice to allow a cool breeze to flow through as well as partial shade.

Features and Benefits

5 YEAR GUARANTEE:

The Imperial Junior is supplied with a 5 year guarantee for the frame and roof slats and 2 years for electrical components for complete peace of mind.

SIZE: To your specification.

Length: Up to 6 metres

Width: Up to 4 metres

Multiple structures can be connected to cover much larger areas.

ALUMINIUM FRAME & ROOF:

The canopy frame and roof slats are made from high grade aluminium for the ultimate strength and longevity.

FRAMEWORK FINISH:

The roof frame and slats are supplied powder coated in a choice of three colours as standard. Other RAL colours are available at an additional cost.

100% UV PROTECTION:

When the roof slats are completely closed, they offer 100% UV protection.

INTEGRATED GUTTERING:

Integral guttering is included as standard.


OPTIONAL EXTRAS:

- > Roller Blinds
- > Glass Panels
- > Sliding Panels
- > LED Lights
- > Heaters
- > Sensors

See pages 86-87

USES:

- > Spa canopy
- > Leisure canopy
- > Courtyard shelter
- > Relaxation Shelter
- > Alfresco dining canopy within restaurants & bars
- > Hotel canopy



Imperial Senior

Executive Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Imperial Senior is a mid-range Executive Canopy that is perfect for your outdoor shade and shelter requirements. This stunning canopy will enable your customers and visitors to enjoy your outside space all year round with the UK's ever changing weather.

Using the Somfy motor and remote control supplied, you can adjust the angle of the roof slats from 0° to 120° to enable a pleasant and cooling breeze to flow through with partial shade. You can also completely close the roof slats when you require full shade or shelter from the rain.

Features and Benefits

5 YEAR GUARANTEE:

The Imperial Senior is supplied with a 5 year guarantee for the frame and roof slats and 2 years for electrical components for complete peace of mind.

SIZE: To your specification.

Length: Up to 7 metres

Width: Up to 4 metres

Multiple structures can be connected to cover much larger areas.

ALUMINIUM FRAME & ROOF:

The canopy frame and roof slats are made from high grade aluminium for the ultimate strength and longevity.

FRAMEWORK FINISH:

The roof frame and slats are supplied powder coated in a choice of three colours as standard. Other RAL colours are available at an additional cost.

100% UV PROTECTION:

When the roof slats are completely closed, they offer 100% UV protection.

INTEGRATED GUTTERING:

Integral guttering is included as standard.

OPTIONAL EXTRAS:

- > Roller Blinds
- > Glass Panels
- > Sliding Panels
- > LED Lights
- > Heaters
- > Sensors

See pages 86-87

USES:

- > Spa canopy
- > Leisure canopy
- > Courtyard shelter
- > Relaxation Shelter
- > Alfresco dining canopy within restaurants & bars
- > Hotel canopy



Imperial Grand

Executive Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Imperial Grand features the highest spec from the Imperial Executive Canopy range. It features slightly larger roof profiles and roof slats which makes the frame look a little more stocky yet still extremely aesthetically pleasing.

As with the Junior and Senior, you can also adapt the roof slats from an angle of 0° to 120° to create the weather protection required. The Somfy remote control allows you to open and close the slats quickly and conveniently if the weather changes suddenly. This allows your guests to enjoy their time in your outside area for longer.

Features and Benefits

5 YEAR GUARANTEE:

The Imperial Grand is supplied with a 5 year guarantee for the frame and roof slats and 2 years for electrical components for complete peace of mind.

SIZE: To your specification.

Length: Up to 7 metres

Width: Up to 5 metres

Multiple structures can be connected to cover much larger areas.

ALUMINIUM FRAME & ROOF:

The canopy frame and roof slats are made from high grade aluminium for ultimate strength and longevity.

FRAMEWORK FINISH:

The roof frame and slats are supplied powder coated in a choice of three colours as standard. Other RAL colours are available at an additional cost.

100% UV PROTECTION:

When the roof slats are completely closed, they offer 100% UV protection.

INTEGRATED GUTTERING:

Integral guttering is included as standard.

OPTIONAL EXTRAS:

- > Roller Blinds
- > Glass Panels
- > Sliding Panels
- > LED Lights
- > Heaters
- > Sensors

See pages 86-87

USES:

- > Spa canopy
- > Leisure canopy
- > Courtyard shelter
- > Relaxation Shelter
- > Alfresco dining canopy within restaurants & bars
- > Hotel canopy



Kesgrave

Executive Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

Add a striking feature point to your outside area whilst also offering protection from the weather.

The Kesgrave Retractable Shade Sail has a unique design that creates a stunning feature to any outside area. The high density fabric can be retracted when the sail is not in use or when weather protection is not required to protect the fabric. Impress your guests as you retract or extend the fabric electronically with the remote control supplied.

Due to the unique and stylish design, and the ability to retract the roof when required, the Kesgrave is the perfect addition to gardens and outside areas within hotels, spas, leisure resorts and restaurants.

Features and Benefits

5 YEAR GUARANTEE:

The Kesgrave is supplied with a 5 year guarantee for complete peace of mind.

SIZE: To your specification.

Length: 4 - 11 metres

Width: 4 - 9 metres

ALUMINIUM FRAME:

The framework is made from high grade aluminium for ultimate strength and longevity.

FRAMEWORK FINISH:

The framework is supplied powder coated in Iron Grey as standard. Other RAL colours are available at an additional cost.

ROOF MATERIAL:

Covered with a polyester, high fibre density fabric that has a special Ripstop weft to increase the tilted tightness of the sail. The fabric can be fully retracted around the roller that is located in the centre of the structure.

OPTIONAL EXTRAS:

- > Spot Light
 - > Wind Sensors
- See pages 87*


USES:

- > Courtyard shelter
- > Alfresco dining canopy within restaurants
- > Hotel canopy
- > Spa canopy
- > Leisure canopy
- > Events shelter
- > Sheltered Pool-side retreats



Optional Extras


Executive Canopies



Roller Blinds

Create a private experience which is perfect for alfresco dining and outdoor exercise classes with our Roller Blinds which are available in a choice of three different fabrics with many choices of colours.

They are electronically controlled with the Somfy motor and remote control supplied.



Glass Panels

You can create a glass room with your Imperial by adding glass panels that slide open and shut on smooth guides.



Optional Extras

Executive Canopies

Sliding Panels

Sliding panels allow you to create a screen between the outside and the inside of your canopy whilst still offering visibility and a cool breeze to flow through. Choose from a choice of aesthetically pleasing materials including woods slats, aluminium slats and fabric screens.



Heaters

Warm up your guests and encourage use of your outside area on colder days or evenings by incorporating heaters into your canopy. The heaters are 1500 WATT and are fully waterproof, making them perfect for outdoor use all year round.

LED Lighting


Gain as much use as possible from your canopy by adding LED lighting to enable your customers and visitors to stay outside long into the night, perfect for those late summer evenings. Choose from strip lights or spot lights, both of which are LED.




Heaters

Sensors

Wind, rain, temperature and presence sensors can be incorporated into your canopy so that roof slats automatically open and close when a particular element or setting is sensed.



Sensors



LED Lighting

05

We offer cost effective covered walkways to suit all locations, from universities to shopping arcades, giving your customers or students a safe and dry walk between buildings.

Walkways

Ullswater	Abberton
Coniston	Ferndale
Welford	Tintern
Welford Junior	Beck
Ennerdale Junior	Tamworth
Devoke Junior	Balmoral
Orwell	Lexden
Earlswood	Fenwick
Redford	







Ullswater

Free Standing Apex Walkways



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Ullswater walkway system is completely modular in design, allowing it to be constructed to any length, enabling you to provide covered walkways of any size. The Ullswater is one of our most flexible free standing walkways, with the ability to turn corners and it can be fitted over areas of varying ground levels.

Features and Benefits

- › Constructed to your specification with a maximum width of 6 metres and an unlimited length
- › Life expectancy of up to 25 years, subject to chosen finish, giving you peace of mind that our products are made to last
- › 16mm vandal and shatter resistant polycarbonate roof system
- › All aluminium roof frame, including aluminium roof bars which can be powder coated to any RAL colour
- › Our polycarbonate roofing panels offer up to 99% UV protection
- › Deep flow guttering fitted as standard
- › Steel underside framework features a unique corner system for ultimate rigidity
- › Underside framework can be galvanised and/or powder coated to any RAL colour.

OPTIONAL EXTRAS:

- › Secure roller shutters
 - › Side panels
 - › Safety barriers
 - › Rainbow package
 - › Post pads
 - › Signage
- See pages 16-17**
- › Gable ends

USES:

- › Covered outdoor walkway
- › Outdoor classroom
- › Medium/large free standing canopy
- › Covered outdoor dining area
- › Entrance canopy



Coniston

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Coniston Wall Mounted Walkway is the most versatile walkway in our range. Due to its design, the Coniston can be constructed to any length and can even be constructed to fix around corners, or wrap around the shape of your building, making it an ideal walkway solution.

Due to its wall mounted design, the Coniston is ideal for creating a walkway which extends around the exterior of your building, creating continuous shelter that connects all entrance and exit points.

Features and Benefits

- › Constructed to your specification with a maximum width of 6 metres and an unlimited length
- › 35mm vandal and shatter resistant polycarbonate roof system
- › Integral aluminium guttering for enhanced durability
- › Aluminium framework is coloured white as standard but can be coloured in any standard RAL colour
- › 10 year guarantee and 25 year life expectancy.

For more information on The Coniston see pages 10-17.





Welford Dome

Free Standing Dome Walkways



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Welford Dome Walkway is an exceptionally versatile canopy system which can be used as a walkway, entrance canopy or a free standing canopy.

Ideal for all commercial settings, the Welford Walkway can be constructed to any length with a width of up to 6 metres, giving you superb cover from building to building.

Features and Benefits

- › Life expectancy of up to 25 years, subject to chosen finish
- › Constructed to your specification with a maximum width of 6 metres and an unlimited length
- › Choice of 5mm solid or 16mm structured polycarbonate roof which is both vandal and shatter resistant and offers high UV protection
- › Deep flow guttering fitted as standard
- › The steel framework can be galvanised and/or powder coated to any standard RAL colour
- › Constructed from steel with a unique corner system for ultimate rigidity.

OPTIONAL EXTRAS:

- › Secure roller shutters
 - › Side panels
 - › Safety barriers
 - › Rainbow package
 - › Post pads
 - › Signage
- See pages 16-17**
- › Gable ends

USES:

- › Covered outdoor walkway
- › Outdoor classroom
- › Covered outdoor dining area
- › Waiting canopy
- › Entrance canopy



Welford Dome Junior

Free Standing Dome Walkways



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Welford Junior Walkway can be constructed to any length to create a stylish covered walkway and has a maximum width of 5 metres. It has a strong steel framework and is covered with a choice of 5mm solid or 16mm structured polycarbonate roof panels.

As one of our most cost effective walkways, the Welford Junior is ideal for organisations who have limited funds, yet require a high quality covered walkway solution.

Features and Benefits

- › Constructed to your specification with a width of 5 metres and an unlimited length
- › Life expectancy of up to 25 years, subject to chosen finish
- › Choice of 5mm solid or 16mm structured polycarbonate roof which is both vandal and shatter resistant and offers high UV protection
- › All aluminium roof frame, including aluminium roof bars which can be powder coated to any RAL colour
- › The steel framework can be galvanised and/or powder coated to any standard RAL colour.

OPTIONAL EXTRAS:

- › Side panels
 - › Safety barriers
 - › Post pads
 - › Signage
- See pages 16-17*
- › Guttering

USES:

- › Covered outdoor walkway
- › Outdoor classroom
- › Covered outdoor dining area
- › Waiting canopy



Ennerdale Junior

Cantilever Walkways



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Ennerdale Junior is a cost-effective cantilever walkway system. This versatile canopy structure is modular in design, allowing the walkway to be easily extended at any time.

Ideal for schools and commercial settings, this canopy offers stylish aesthetics and effective cover for organisations with smaller budgets.

Features and Benefits

- › Unlimited length with a maximum projection of 3 metres
- › Life expectancy of up to 25 years, subject to chosen finish
- › Choice of 5mm solid or 16mm structured polycarbonate roof which is both vandal and shatter resistant and offers high UV protection
- › The steel framework can be galvanised and/or powder coated to any standard RAL colour
- › Robust steel framework.

OPTIONAL EXTRAS:

- › Post pads
- See pages 17*

USES:

- › Covered outdoor walkway
- › Freestanding canopy
- › Waiting canopy



Devoke Junior

Free Standing Walkways



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Devoke Junior Free Standing Walkway is a contemporary styled walkway which features a strong steel framework and polycarbonate roofing panels to create effective cover for walkways or pathways. This walkway product is part of our Junior range, a selection of products which have been designed for organisations with limited budgets, yet who still require a high quality and long lasting structure.

This popular walkway canopy allows you to connect two or more buildings - giving visitors, students or staff the advantage of moving around your site without being exposed to the elements. It can also double as a covered waiting/queuing area which is particularly useful at entrances to tourist attractions.

Features and Benefits

- › Constructed to your specification with a width of up to 5 metres and an unlimited length
- › Life expectancy of up to 25 years, subject to chosen finish
- › Choice of 5mm solid or 16mm structured polycarbonate roof which is both vandal and shatter resistant and offers high UV protection
- › The steel framework can be galvanised and or powder coated to any standard RAL colour.

OPTIONAL EXTRAS:

- › Side panels
 - › Safety Barriers
 - › Post Pads
 - › Signage
 - › Rainbow Package
 - › Roller Shutters
- See pages 16-17**
- › Guttering

USES:

- › Covered outdoor walkway
- › Freestanding canopy
- › Waiting canopy



Orwell

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Orwell walkway canopy has a smooth, slightly curved design that provides effective cover from the weather. The minimal appearance of the canopy enables it to create a feature point of your building whilst still allowing it to blend in with your outside aesthetics.

It is perfect for covering extra-long walkways and it can also create cover around corners and above outside stairways as it can be manufactured with varying heights that match the incline of the stairs.

As this cost effective canopy is cantilevered and has no canopy posts, it is ideal for creating cover in busy environments such as schools, shops, leisure centres and hospitals.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 0.8m and 2.5m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

OPTIONAL EXTRAS:

- › Side panels
 - › Safety Barriers
 - › Post Pads
 - › Signage
 - › Rainbow Package
 - › Roller Shutters
- See pages 16-17**

USES:

- › Entrance canopy
- › Walkway canopy
- › External stairway shelter
- › Waiting shelter



Earlswood

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial

The Earlswood covered walkway has a delicate curve and stunning decorative wall brackets. It will enhance the exterior of any building and will fit in seamlessly with traditional buildings and rural settings.

As this canopy is cantilevered, it is ideal for those that would like a cost-effective covered walkway with quick installation times and no canopy posts, such as shops, hospitals, schools, cafés and bars.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 0.9m and 1.5m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

OPTIONAL EXTRAS:

- › Side panels
 - › Safety Barriers
 - › Post Pads
 - › Signage
 - › Rainbow Package
 - › Roller Shutters
- See pages 16-17*

USES:

- › Entrance canopy
- › Walkway canopy
- › External stairway shelter
- › Waiting shelter



Redford

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Redford extra-deep curve, allows it to offer additional protection from the weather such as rain and wind whilst still offering high protection from the sun. It is therefore ideal for those that would like to receive full protection from the weather with a small shelter structure.

Due to the simple, cantilevered design, this covered walkway is perfect for weather protection at schools, hospitals, shops and those in the leisure industry.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 0.8m and 1.5m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

USES:

- › Entrance canopy
- › Walkway canopy
- › External stairway shelter
- › Waiting shelter



Abberton

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Abberton is a contemporary styled cantilevered walkway canopy, with perforated steel wall brackets to give an industrial appearance. The main frame is constructed from T5 grade aluminium and is covered with high impact resistant polycarbonate.

It is covered with polycarbonate roof panels that offer high protection from the sun, wind and rain and the panels will not discolour or fade over time due to the special UV coating that is applied during the manufacturing process.

The Abberton's stylish design makes it ideal for many settings, particularly new builds, healthcare or commercial buildings.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 0.9m and 1.5m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

USES:

- › Entrance canopy
- › Walkway canopy
- › Waiting shelter



Ferndale

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Ferndale Walkway benefits from a strong curved roof design to offer enhanced protection from the weather. The roof panels are robust polycarbonate sheets that offer high UV protection, making this canopy the ultimate weather shield for outside walkways.

The frame is constructed from aluminium which is naturally rust resistant and is coated with polyester powder that is available in a choice of 7 colours as standard. It is fixed to the wall with supporting aluminium arms and small brackets for an elegant, minimal appearance.

The contemporary design of this canopy makes it ideal for leisure centres and shops.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 0.8m and 1.5m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

USES:

- › Entrance canopy
- › Walkway canopy
- › Waiting shelter



Tintern

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Tintern Walkway features a simple curved roof with stainless steel tie rod fixings to create a sophisticated yet unobtrusive addition to a building.

This canopy can project up to 2.5 metres from the wall and can be constructed to an unlimited length - making it perfect for extended cover to outside areas such as retail loading bays and busy school or hospital walkways.

The Tintern can be installed with internal and external corners to allow it to follow the shape of your building; perfect for creating a covered walkway around the whole perimeter of your building.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 0.8m and 2.5m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

USES:

- › Entrance canopy
- › Walkway canopy
- › Waiting shelter



Beck

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Beck is a stylish walkway that fits in perfectly with architectural and modern buildings. It has a smooth, mono pitch design with a slight pitch angle to allow for water drainage through the integral guttering.

It is fixed to the building with contemporary stainless steel tie rods that are encased within aluminium tubes for added strength and durability. This canopy also benefits from trendy perforated stainless steel brackets beneath the roof bars.

With an unlimited length and a maximum projection of 1.5m from the wall, the Beck is the ideal walkway, entrance or stairway canopy for hospitals, schools, shops and leisure environments.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 1m and 1.5m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

USES:

- › Entrance canopy
- › Walkway canopy
- › Stairway canopy
- › Waiting shelter



Tamworth

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Tamworth is a robust aluminium covered walkway with a simple modern appearance. It is the most cost effective walkway canopy within our range, yet it does not compromise on quality. The frame is constructed from T5 grade aluminium which is naturally rust resistant and features high impact resistant solid polycarbonate roof panels.

Due to its minimalist design, this cantilevered walkway canopy is the ideal shelter for new builds at schools, nurseries, shops, factories, and hospitals. It can also be a quick and low cost addition for existing builds, creating an attractive contrast to traditional styles and settings.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 0.8m and 1.2m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

USES:

- › Entrance canopy
- › Walkway canopy
- › Waiting shelter



Balmoral

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial

The Balmoral is a stunning, low-cost walkway canopy that features attractive ornamental brackets. It is constructed from a fully aluminium frame with hidden guttering and is protected with high impact resistant polycarbonate roof sheets.

Because the Balmoral displays exquisite, ornate detailing, it is the ideal wall mounted shelter for historic and well established buildings. It can provide effective protection from the weather for many organisations including schools, shops, cafés and restaurants, enhancing the appearance of their buildings.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 1.1m and 1.5m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

USES:

- › Entrance canopy
- › Walkway canopy
- › Waiting shelter



Lexden

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Lexden Walkway Canopy has a stylish, minimalist appearance that fits in well with many building styles. It has a strong aluminium construction that is covered with high strength polycarbonate roof sheets.

Due to its square, edgy design, the Lexden Walkway provides stylish shelter for new builds and contemporary building designs and is particularly popular with offices and commercial settings, including retail and leisure organisations. Its mono-pitch design provides excellent protection from the weather and, if installed above a window or door, it can also help to keep a building's interior cool on hotter days.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 0.6m and 1.3m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

USES:

- › Entrance canopy
- › Walkway canopy
- › Waiting shelter



Fenwick

Wall Mounted Walkways



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Fenwick has an attractive curve to the roof and has been designed for buildings that have an existing overhang. It is fixed to the overhang with brackets that are extended from the canopy roof bars for a sleek, minimalistic appearance.

This canopy has an unlimited length and a projection of up to 1.5m. It is ideal for creating shade and shelter above doors, windows, walkways and loading bays. It can also offer additional protection to buildings that have existing integrated canopies which do not offer a large enough projection.

Features and Benefits

- › Constructed to your specification with an unlimited length and a projection between 0.6m and 1.5m
- › Made from an aluminium frame that can be powder coated in the RAL colour of your choice except pearl or signal colours
- › Roof panels are 4mm solid polycarbonate that are light in weight and have a high impact resistance
- › The canopy features integral guttering that disperses water through drip spouts.

USES:

- › Entrance canopy
- › Walkway canopy
- › Waiting shelter



06

Generate free electricity and earn an additional income with a solar canopy. Solar canopies enable you to provide shade from the sun and shelter from the rain whilst collecting clean energy for your school or business. They are perfect for organisations that are unable to have solar panels installed on their roof due to the direction that the building is facing, or if shading is a problem. We can position our canopies to ensure that you get the best from your solar panels.

Integrated Solar Canopies

The Albedo Effect

Grange Mono-Pitch

Grange Apex

Kensington Mono-Pitch

Kensington Dual-Pitch



Able Solar Canopies

Generate free electricity and earn an additional income with a solar canopy. Solar canopies enable you to provide shade from the sun and shelter from the rain whilst collecting clean energy for your school or business. They are perfect for organisations that are unable to have solar panels installed on their roof due to the direction that the building is facing, or if shading is a problem. We can position our canopies to ensure that you get the best from your solar panels.

There are five designs of solar canopies within our range for you to choose from, all of which are robust free standing structures constructed from steel frames and covered with high quality solar panels. The solar panels are integrated into the canopy itself using a glass panel design which is like nothing else on the market.

Our solar canopies are energy efficient structures that have a triple purpose of providing shade and shelter whilst also generating free electricity for your organisation; they are perfect for reducing your carbon footprint and saving costs on electricity bills. These canopies will also pay for themselves over the years through the electricity they generate.

Our solar canopies can be used for covered waiting areas and walkways, playgrounds, trolley shelters, car parks, alfresco dining and much more. They are also brilliant for outdoor learning areas, offering the perfect opportunity to teach pupils about how solar energy is generated and how it can help to save the environment.



Energy Security

In a changing world, energy security is becoming an important issue. Fitting a solar canopy will not only pay for the canopy over time but will also contribute to:

- › Significantly reducing overheads
- › Protect against rising energy prices with fixed unit cost
- › Reduce on-site energy usage and reliance on the grid
- › Reduce your carbon footprint, increase sustainability credentials and enhance your reputation.

Colours

We offer a vast range of colours which can be chosen to blend in or contrast with any existing environment and colour scheme.

For those canopies constructed using steel, the posts can be galvanised, powder coated to any standard RAL colour or galvanised and powder coated. Other non-standard RAL colours are available at an additional cost.

The aluminium frame is supplied powder coated to any standard RAL colour, non-standard RAL colours are available at an additional cost.





Bespoke Solar Canopy installed at Capel Manor Primary School in Enfield, Middlesex



The Albedo Effect

Solar Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Albedo Effect Solar Canopy is a stunningly modern free standing canopy structure and its unique design will be a talking point in any setting. With a projection of up to 5 metres and unlimited length it can easily cover large areas and generates even more energy by utilising the light that is reflected back from the ground surface.

It is covered with superior bifacial solar panels that converts sunlight into solar energy from both sides of the panels. This enables the structure to absorb as much solar energy as possible, converting it into renewable energy that you can use and sell any leftover energy to the National Grid.

The posts are constructed from strong steel box sections that can be galvanised and powder coated in the standard RAL colour of your choice – see our website for more information. The roof frame and integrated guttering and downpipes are manufactured from aluminium which is naturally rust resistant and can also be powder coated to any standard RAL colour.

This glass technology ensures high durability and degradation resistance.

This attractive and innovative solar canopy is ideal for a whole range of applications for schools, colleges and universities, airports, retail outlets and hospitals and can be configured as a carpark canopy, waiting shelter, cycle shelter, outside dining canopy and much more.

See more at: www.ablecanopies.co.uk/canopies/solar-canopies/

The Albedo Effect Solar Canopy is a modern free standing canopy that's suitable for car parks, waiting & cycle shelters and outside dining.





Grange Mono-Pitch

Solar Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

Create attractive shade and shelter in your outside area whilst generating free energy and earning an added revenue from any leftover energy you don't use.


The Grange Mono-Pitch Solar Canopy has a simple yet effective design that allows you to create the shade and shelter required for your pupils, customers or visitors whilst your school or company benefit from the government backed Feed in Tariff (FIT).

The design of the Grange Mono-Pitch Solar Canopy works perfectly against a building, making it look like a wall mounted canopy – ideal for those that do not have a building that is suitable for use as a support. It can

also be installed away from buildings to offer protection in your playground, carpark or over your outside dining area.

The canopy is constructed from a strong steel frame, integrated with the highest quality glass solar panels.

See more at: www.ablecanopies.co.uk/canopies/solar-canopies/







Grange Apex

Solar Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

Offer your pupils, staff or customers shade and shelter from the weather whilst generating electricity that you can use and sell – earning you an additional income!

The Grange Apex Solar Canopy features solar panels on both sides of the apex roof, making it perfect for east/west elevations, ensuring you generate high levels of solar energy all day long.

A solar canopy enables you to benefit from the government backed FIT scheme (Feed in Tariff) by getting paid for using the energy you generate and for exporting any leftover energy to the National Grid.

The Grange Apex Solar Canopy can cover extra-large areas making it perfect for creating cover for outdoor sports areas at leisure centres, outdoor learning areas at schools, cover for car parks and covered walkways or picnic areas at retail centres and visitor

attractions. It is also an excellent teaching aid within schools, allowing you to teach your pupils about solar energy whilst sitting under a solar canopy.

The canopy frame is constructed from strong steel box sections that can be powder coated to any RAL colour, the frame can also be galvanised for ultimate corrosion protection. The toughened glass solar panels offer the highest quality and a long life span.

See more at: www.ablecanopies.co.uk/canopies/solar-canopies/



Kensington Mono-Pitch

Solar Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Kensington Mono-Pitch Solar Canopy is a stylish shade and shelter structure that looks great in any environment. The Kensington range is constructed from steel and features a chunky frame which gives it a modern, industrial look. The Kensington Mono-Pitch is a cantilevered structure that only has one set of posts, making it ideal for those that require minimal amount of supports, it also makes the design less obtrusive to your outside area.

The Kensington Mono-Pitch Solar Canopy offers effective protection from rain, sun and snow. The Canopy is constructed from a strong steel frame that has a life expectancy of up to 25 years depending on the chosen finish. It is integrated with high quality solar panels. The solar panels are encased with toughened glass on both sides of the modules and features an above average resistance to the weather.

Choosing a solar canopy for your site will enable you to protect your pupils, staff, visitors or customers from the weather whilst becoming an eco-friendly establishment that lowers carbon emissions by generating solar energy and earning an additional income at the same time.

The Kensington Mono-Pitch is perfect for a range of applications within schools, leisure centres, retail parks and visitor attractions including an outdoor play canopy, an outdoor classroom, an al fresco dining shelter, a carpark canopy, covered waiting collection points and more.

See more at: www.ablecanopies.co.uk/canopies/solar-canopies/



The Kensington Mono-Pitch Solar Canopy offers effective protection from rain, sun and snow. The Canopy is constructed from a strong steel frame that has a life expectancy of up to 25 years depending on the chosen finish.







The Kensington Dual-Pitch is the perfect solar canopy for many businesses including visitor attractions, leisure resorts, sports clubs and hotels as well as schools and colleges.

Kensington Dual-Pitch

Solar Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Kensington Dual-Pitch Solar Canopy is a stylish shade and shelter structure that looks great in any environment. The Kensington range is constructed from steel and features large posts which gives it a modern, industrial look. The Kensington Dual-Pitch is a cantilevered structure that only has one set of posts, making it ideal for those that require minimal amount of posts, it also makes the design less obtrusive to your outside area.

The Kensington Dual-Pitch Solar Canopy offers effective protection from rain, sun and snow. The Canopy is constructed from a strong steel frame that has a life expectancy of up to 25 years depending on the chosen finish. It is integrated with high quality solar panels. The solar panels are encased with toughened glass on both sides of the modules and features an above average resistance to the weather.

Choosing a solar canopy for your site will enable you to protect your pupils, staff, visitors or customers from the weather whilst becoming an eco-friendly establishment that lowers carbon emissions by generating solar energy and earning an additional income at the same time.

The Kensington Dual-Pitch is perfect for a range of applications within schools, leisure centres, retail parks and visitor attractions including an outdoor play canopy, an outdoor classroom, an al fresco dining shelter, a carpark canopy, covered waiting collection points and more.

See more at: www.ablecanopies.co.uk/canopies/solar-canopies/

07

In addition to our comprehensive range of standard canopy and shelter designs, we can also create structures designed to your specific requirements, allowing you to bring an idea to reality and create a truly unique structure.

Bespoke Canopies

Design & Build
Glass Canopies







Design & Build

Bespoke Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

At Able Canopies, we have a dedicated Design & Build team who have extensive expertise in creating unique canopies to meet our customers' individual needs.

With exceptional CAD capabilities and a flair for design, our Design & Build engineers ensure we are light years ahead of our competitors with our ability to create real, practical, and cost effective solutions combined with eye catching and original designs.

We regularly work alongside architects, designers and specifiers to create structures to fit the requirements of specific projects.

Our design engineers can work from hand sketches or CAD drawings to create technical drawings in a range of formats, plus 3D renders of the structure in situ to allow you to gain an understanding of the impact the structure will have to the aesthetics of its surroundings.

Whether money is no object or your budget is very tight, our design team can work alongside you to create a structure that fits with your budget and project deadlines. So if you have a unique canopy structure in mind, please do not hesitate to contact us to find out how we can turn your vision into reality.





Glass Canopies

Bespoke Canopies



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare



Our Design & Build team have particular expertise in creating bespoke glass structures; using cutting edge 3D CAD design, our engineers can design, manufacture and install unique glass entrance, freestanding, walkway or wall mounted canopies which have been constructed to meet your individual requirements.



Glass canopies provide excellent cover from the weather; they have a modern, sleek design, are easy to clean and extremely long lasting, which in turn will enable you to use your outside space more effectively for many years to come.

Glass canopies also have improved acoustic properties when compared with polycarbonate roofing, making them ideal for areas where ambient noise needs to be kept to a minimum.

Our glass canopies are very popular with Contractors, Schools, Councils, Architects and Specifiers and they are perfectly suited for all commercial sectors including Retail, Leisure and the Education sectors.


08

The Able Canopies Shade Sail range offers almost unlimited design and shape potential allowing you to create a stylish and effective shading system. They are ideal for a variety of applications including creating shade for play areas, parks, picnic areas, car parks and outside dining areas for restaurants, pubs or bars.

Our shade sail systems are premium products designed specifically for commercial use and are available in a wide range of fabric colours.

Able Shade Sail systems are long lasting and extremely durable structures which protect those underneath from the sun's powerful UV rays. They are designed specifically to be left outdoors 365 days a year and will not need retensioning.

Able Shade Sails







Able Shade Sails



Education



Hospitality
& Leisure

Able Shade Sails are versatile, practical and easily maintained. They are available in a wide range of colours and offer extremely high levels of UV protection combined with strength and durability.

Our Shade Sails offer great potential within the retail, leisure and education sectors to create visually stunning structures whilst enhancing the comfort and safety of customers and staff.

Features and Benefits

STRONG STRUCTURES:

Able Shade Sails are permanent structures supported by galvanised steel posts which are installed into a concrete base with anchor bars. The posts can be up to 4.5 metres in height (above ground level) and are set in concrete to a maximum depth of 2 metres. Anti-climb cones can be fitted if required to deter vandals - please see page 131.

FABRIC:

The shade sail cloth is made from 340gsm knitted polyethylene fabric which will not absorb moisture. It is lock stitched using advanced technology for more air movement and better channeling of cooling breezeways. It is also recyclable, tear resistant and will not crack, rot or fade.

- › Post structures have a life expectancy of up to 25 years
- › 10 year warranty given against UV degradation of the shade sail fabric
- › Shade sail fabric blocks up to 98.8% of UV rays


- › Rectangle, square and triangular sails are available
- › Maximum sail size is 6 metres x 6 metres.
- › Steel posts galvanised as standard
- › Our shade sail fabric is available in 16 contemporary colours to enhance your surroundings - see page 130.

OPTIONAL EXTRAS:

- › Anti-climb cones
 - › Post pads
- See pages 130-131*

USES:

- › Playground canopy
- › Outdoor classroom
- › Large shaded area
- › Covered outdoor dining/seating area





Fabric Information

Shade Sails

Shade Sail Fabric colour options

Our Shade Sail fabric is available in 16 colours to compliment your surroundings.



Shade and UVR properties chart


PHYSICAL PROPERTIES:

Weight	340gsm
Thickness	1.6mm
Construction:	Monofilament & tape
Yarn:	UV stabilised HDPE
Temperature Range	-30°C to +75°C

SHADE AND UVR PROPERTIES:

Colour	% UVR Block
Aquatic Blue	94.2%
Black	95.1%
Brunswick Green	96.9%
Gun Metal	97.7%
Cherry Red	91.0%
Deep Ochre	96.7%
Desert Sand	94.8%
Natural	95.1%
Navy Blue	98.8%
Rivergum	93.0%
Sky Blue	96.8%
Steel Grey	96.7%
Cayenne	94.0%
Turquoise	95.4%
Yellow	93.2%

Tested according to AS 4174 synthetic shade cloth.



• Fabric sample

Anti Climb Cones

Anti Climb Cones are excellent additions to your shade structure purchase and are designed to prevent vandals climbing the posts. They are available hot dipped galvanised or powder coated to any standard RAL colour of your choice.



Optional Extras

Shade Sails

Post Pads

Our post pads are a popular choice for schools and nurseries as they provide protection from everyday knocks and bumps. They can be fitted to all our Shade Sails and contain the finest non absorbent foam to offer superb protection. They also feature fixing straps and drain holes to maximise the life of the post pads.

- › Protect your children as they run and play
- › Easy to fit, they just wrap around the post using industrial Velcro
- › Filled with high impact absorbing foam for safety
- › Can be removed easily for cleaning
- › Reinforced PVC outers
- › Breathable waterproof lining
- › 1 year guarantee.

Colour options

				
Navy	Maroon	Bottle Green	Light Green	Brown
				
Light Purple	Amber	Pink	Bright Orange	Yellow
				
Light Blue	Red	Black	Green	Mid Blue



Fabric Side Panels

Fabric side panels are available on all our shade sails structures. These side panels help to shelter occupants from the wind and create a more enclosed canopy.

09

Our range of high quality waterproof tensile fabric structures are perfect for use as outdoor classrooms, play areas, walkways, alfresco dining areas and creating covered car parking.

Able Canopies are committed to providing you with the perfect outdoor cover solution. We have ten tensile structures to choose from along with a bespoke Design & Build service. All structures are designed to independent engineer's specifications.

Tensile Fabric Structures

Codale Conic	Evershade
Codale Junior	Drayton Umbrella
Ulverston Umbrella	Richmond Umbrella
Blenheim Umbrella	Kendal
Dallington Umbrella	Fabric Options
Keswick Umbrella	Upgrade Options
Windsor	







Codale Conic

Tensile Fabric Structures



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Codale's elegant design, with its striking curves up to the centre, offers stylish and effective cover from the weather.

The tensile structure can span up to 15 metres in length and 15 metres wide, and due to its modular design, multiple Codales can easily be installed together to create a larger canopy which can be used to create a walkway or large shaded area.

Features and Benefits

- › The canopy frame is galvanised and powder coated to white as standard, however it can be powder coated to a selection of RAL colours
- › Minimum size: 3m length x 3m width
Maximum size: 15m length x 15m width
- › Waterproof tensile fabric available in 17 contemporary colours - please contact us for more details
- › Fabric roof offers complete UV protection
- › The Fabric has a 6 year guarantee and a life expectancy of 15 years. The steel frame has a 10 year guarantee, both are subject to terms and conditions.
- › Integral deep flow guttering - rain water drains down through the leg columns, exiting at a drainage hole at the bottom.

OPTIONAL EXTRAS:

- › Tensile side panels
- › Post pads
See pages 147
- › Secure roller shutters
See pages 78
- › Heating and lighting fixtures
- › PVCu walls and glazing
- › Terrace screens
- › Lux roof skylight

USES:

- › Play canopy
- › Covered outdoor dining area
- › Outdoor classroom



Codale Junior

Tensile Fabric Structures



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Codale Junior is a cost effective version of the Codale Conic that is suited to those that have smaller budgets and would like to cover areas up to 25m².

This steel structure has a waterproof tensile fabric roof that offers high levels of UV protection from the sun and also shelters those underneath from the rain, wind and snow, making it perfect for creating all-year-round outdoor cover.

The frame is supplied galvanised and matt powder coated in a choice of 25 RAL colours and the fabric is also available in a choice of 16 different shades.

Features and Benefits

- › Available from 3m x 3m to 5m x 5m and can be rectangular or square
- › Made from 80mm x 80mm steel box sections that are galvanised as standard
- › Supplied with integral guttering for ease of maintenance and sleek appearance
- › The fabric is waterproof 650g/sm PVC that is lacquered on both sides for a high gloss appearance and also offers high UV protection from the sun
- › The Fabric has a 6 year guarantee and a life expectancy of 15 years. The steel frame has a 10 year guarantee, both are subject to terms and conditions.

OPTIONAL EXTRAS:

- › Heating
 - › Lighting
 - › PVCu fabric walls
 - › Terrace screens
 - › Seating
- See pages 147

USES:

- › Outdoor classrooms
- › Playground canopies
- › Al fresco dining shelters



Ulverston Umbrella

Tensile Fabric Structures



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Ulverston is a striking tensile umbrella structure which is supported by a robust tubular steel post. This design creates an attractive shade and shelter structure which is perfectly suited to outdoor seating and dining areas and looks stunning in both natural and urban landscapes.

This umbrella can be constructed to cover an area of up to 6 metres square, and creates an attractive effect when multiple umbrellas are installed next to each other.

Features and Benefits

- › 100% waterproof tensile roof which also offers high UV protection
- › The umbrella frame can be powder coated to any RAL colour of your choice to allow you to match it to the surrounding environment
- › The frame can also be galvanised for ultimate corrosion protection
- › Available sizes are 3, 4, 5, and 6 metres square
- › Tensile fabric available in 40 vibrant colours including metallic finishes, see page 84 for more details
- › The fabric comes with a 5-year guarantee and a life expectancy of 10 - 15 years. The framework has a life expectancy of up to 25 years.

OPTIONAL EXTRAS:

- › Post pads
- See pages 147

USES:

- › Covered outdoor dining area
- › Outdoor classroom
- › Courtyard cover
- › Waiting canopy
- › Shaded storytelling area



Blenheim Umbrella

Tensile Fabric Structures



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Blenheim is a strong waterproof umbrella structure that can be closed when not in use. This product is perfect for everyday use within restaurants, pubs & cafés for alfresco dining; parks, schools and leisure centres for shade and shelter; and hospitals and care homes for relaxing sheltered outside areas. As an added extra, the Blenheim rarely requires structural calculations or building regulations as it is a collapsible structure, making the installation process simple and fast.

Features and Benefits

- › Available Sizes: 2.8m x 2.8m and 4.2m x 4.2m
- › Can be opened and closed as and when required with simple pulley system
- › Unlike Jumbo parasols the Blenheim is designed to be outside all year
- › Simple to maintain and keep clean
- › 100% waterproof tensile fabric which offers high UV protection, available in 40 vibrant colours including metallic finishes, see page 146 for more details
- › Framework is constructed from a 76mm tubular post which has been precision engineered with either 304 or 316 grade stainless steel
- › Multiple umbrellas can be linked together to create a larger covered area
- › 10 year fabric guarantee against UV degradation. Structure has a life expectancy of 10 - 15 years
- › Easily add branding/advertising to your umbrella fabric.

OPTIONAL EXTRAS:

- › Screen printing/Vinyl branding options
- › Fabric side fills
- › Post Pads
- › Lighting
- › Heating
- › "Fast Bar" (Integrated table)

USES:

- › Alfresco dining
- › Pub garden canopy
- › Playground shelter
- › Collapsible sun



Dallington Umbrella

Tensile Fabric Structures



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Dallington Umbrella is a beautifully styled permanent umbrella structure which is supported by a tubular steel post and is covered with the highest grade waterproof tensile fabric. This structure is similar to the Ulverston Umbrella, yet has an elegant square roof design making it a stunning addition to any environment.

The Dallington is the perfect shade and shelter solution for universities, colleges, pubs and restaurants.

Features and Benefits

- › Can span up to 6 metres x 6 metres
- › Square edged roof to allow umbrellas to be installed adjacent to each other
- › 100% waterproof tensile fabric roof that also offers high UV protection
- › Framework can be powder coated to any RAL colour, allowing us to match it to your required colour scheme
- › Framework also available galvanised for ultimate corrosion protection
- › The fabric comes with a 5-year guarantee and a life expectancy of 10 - 15 years. The framework has a life expectancy of up to 25 years.

OPTIONAL EXTRAS:

- › Post pads
- See pages 147*

USES:

- › Play canopy
- › Covered outdoor dining area
- › Sheltered seating area
- › Outdoor classroom
- › Medium freestanding canopy



Keswick Umbrella

Tensile Fabric Structures



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Keswick is an attractive cantilever umbrella structure which is ideal for small or large outdoor spaces especially in outdoor learning and play environments.

This structure is covered with our exclusive waterproof tensile fabric and due to its design, offers a spacious area underneath the structure which is free from a central post.

Features and Benefits

- › The canopy frame can be galvanised for ultimate corrosion protection and/or powder coated to any RAL colour of your choice
- › Can span up to 4 metres x 4 metres
- › Unique cantilever design
- › 100% waterproof tensile roof
- › The tensile fabric has an unmatched strength with a weight of 590gsm and is available in 40 vibrant colours including metallic finishes, see page 146 for more details
- › High UV protection.
- › The fabric comes with a 5-year guarantee and a life expectancy of 10 - 15 years. The framework has a life expectancy of up to 25 years.

OPTIONAL EXTRAS:

- › Post pads
- See pages 147

USES:

- › Play canopy
- › Covered outdoor seating area
- › Shaded storytelling area
- › Medium freestanding canopy
- › Shaded waiting area



Windsor

Tensile Fabric Structures



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Windsor is an attractive steel canopy that is covered with waterproof tensile fabric, which is available in 16 vibrant colours. It has a modern and fun design and is ideal for enabling your pupils to play and learn outside all year round whilst keeping them protected from the weather.

The steel frame benefits from integral guttering and downpipes for a seamless, streamlined appearance. It is supplied galvanised and powder coated in a choice of 25 standard RAL colours.

Features and Benefits

- › Available from 4m x 4m up to 7m x 7m
- › The frame is constructed from 150mm x 100mm steel box sections and 150mm x 150mm posts, however this will change depending on the size of the structure
- › Supplied with integral guttering for ease of maintenance and sleek appearance
- › The fabric is waterproof 650g/sm PVC that is lacquered on both sides for a high gloss appearance and also offers high UV protection from the sun
- › The Fabric has a 6 year guarantee and a life expectancy of 15 years. The steel frame has a 10 year guarantee, both are subject to terms and conditions.

OPTIONAL EXTRAS:

- › Post pads
 - › Lighting
 - › Heating
 - › Skylights
 - › PVCu walls and glazing
 - › Terrace screens
 - › Roller shutters
 - › Seating and bins
- See pages 147*

USES:

- › Outdoor play
- › Outside learning
- › Al fresco dining
- › Events shelter



Evershade

Tensile Fabric Structures



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Evershade is a steel framed waterproof tensile structure that is perfect for organisations who would like a waterproof shade sail but at a lower cost.

This product is popular with the Education, Hospitality, Sports & Leisure sectors. Restaurants and cafés use this product often to provide covered alfresco dining areas – maximising their seating capacity.

The Evershade is a contemporary fabric structure that has a striking design that will enhance any outside environment. It is a well-designed steel canopy that is covered with commercial grade, waterproof tensile fabric. We have also introduced reinforced webbing to the edges of the fabric for additional strength.

Features and Benefits

- › Supplied in modular squares from 3m x 3m to 6m x 6m, multiple squares can be added together to cover larger areas
- › The frame is constructed from 150mm x 150mm steel box sections
- › The tensile fabric is UV stabilised offering the highest UV protection. It blocks up to 99% of the sun's harmful UV rays.
- › A 25 year life expectancy depending on the chosen finish.

OPTIONAL EXTRAS:

- › Post pads
 - › Seating
- See pages 147

USES:

- › Outdoor play
- › Outdoor learning
- › Alfresco dining
- › A study canopy
- › Time-out shelter



Drayton Umbrella

Tensile Fabric Structures



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Drayton is our classic umbrella that is suitable for outdoor eating and drinking areas, patios, play-areas, decking or any other outdoor setting, the Drayton is constructed with a high quality aluminium frame and state-of-the-art gearbox which is guaranteed for 5 years.

There's a wide range of fabrics to choose from and the fabric can be branded with a logo, image or slogan of your choice.

Depending on individual requirements, the Drayton can be installed using concrete foundations with in-ground sleeves, base plates or portable bases. Stainless steel fixings are also available for coastal or marine environments.

Features and Benefits

- › Supplied in a choice of 3 shapes and a range of sizes:
Round: up to 6m diameter
Square: up to 5m x 5m
Rectangle: up to 6.5m x 4m
- › Can be opened and closed with a crank drive handle which is very smooth
- › The frame is made from extruded aluminium and is supplied in white as standard. Other non-standard RAL colours are available on request
- › Available with a choice of two fabrics; acrylic and polyester which are available in a total of 47 different colours
- › The frame is supplied with a 1 year guarantee and the crank gearbox is supplied with a 5 year guarantee.

OPTIONAL EXTRAS:

- › Branding
 - › Post pads
 - › Seating
- See pages 147

USES:

- › Alfresco dining
- › Outdoor learning
- › A study canopy
- › Relaxation/time-out shelter



Richmond Umbrella

Tensile Fabric Structures



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Richmond is a strong and sturdy umbrella that is suited to windy locations such as seaside pubs and restaurants. It has been wind tunnel tested and is TÜV approved (German Technical Inspection Association) and is suitable for wind speeds of up to 102 km/h.

It has a contemporary design that can be round, square or rectangular and can cover areas up to 36 square metres. The umbrella can be opened and closed easily with the hand crank supplied (which can be removed to avoid tampering once open) making it ideal for those that would like a structure that is not permanently open.

Features and Benefits

- › Supplied in a choice of 3 shapes and a range of sizes:
Round: Up to a maximum of 8m
Square: Up to a maximum of 6m
Rectangle: Up to a maximum of 7.5 x 4m
- › Can be opened and closed with a crank drive handle which can be removed to avoid pupils/customers tampering with it once open
- › The frame is made from extruded aluminium and is supplied in white as standard. Other non-standard RAL colours are available on request
- › Available with a choice of two fabrics; acrylic and polyester which are available in a total of 47 different colours
- › The frame is supplied with a 1 year guarantee and the crank gearbox is supplied with a 5 year guarantee.

OPTIONAL EXTRAS:

- › Branding
 - › Heating
 - › Lighting
 - › Side panels
 - › Rain gutters
 - › Post pads
 - › Seating
 - › Stainless steel fixings are available for coastal and marine environments
- See pages 147

USES:

- › Hotel canopy
- › Restaurant canopy
- › Outside bar shelter
- › Shelter at visitor attractions
- › Outdoor play-areas
- › A picnic canopy



Kendal

Tensile Fabric Structures



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Kendal Cantilevered Walkway is a stunning freestanding walkway system which has a smooth contemporary appearance.

This canopy is constructed from a robust steel frame which is covered with waterproof tensile fabric, creating a stylish walkway system which is ideal for many sectors including the Education sector and the Hospitality and Leisure industry.

Features and Benefits

- › Available in 3 metre, 4 metre and 5 metre widths with an unlimited length
- › The canopy frame is available galvanised and/or powder coated to a RAL colour of your choice
- › 100% Waterproof tensile roof - available in 40 vibrant colours including metallic finishes, see page 84 for more details
- › Offers high UV protection.

OPTIONAL EXTRAS:

- › Tensile side panels
 - › Post pads
- See pages 147

USES:

- › Play canopy
- › Covered walkway
- › Outdoor classroom
- › Freestanding canopy
- › Waiting canopy





Fabric Options

Tensile Fabric Structures

Features and Benefits

- › 100% waterproof
- › Unmatched strength with a weight of 590gsm
- › Consistently smooth finish which is easy to maintain
- › High UV protection with 5 year guarantee against UV degradation.

Colour options

Standard options



Additional options





Optional Extras

Tensile Fabric Structures

Post Pads

Our post pads are a popular choice for schools and nurseries as they provide protection from everyday knocks and bumps. They can be fitted to all our Shade Sails and contain the finest non absorbent foam to offer superb protection. They also feature fixing straps and drain holes to maximise the life of the post pads.

- › Protect your children as they run and play
- › Easy to fit, they just wrap around the post using industrial Velcro
- › Filled with high impact absorbing foam for safety
- › Can be removed easily for cleaning
- › Reinforced PVC outers
- › Breathable waterproof lining
- › 1 year guarantee.

Colour options



Rainbow Package

Our Rainbow Package will brighten up any canopy structure and is very popular within nurseries, pre-schools and primary schools. This vibrant package includes a colourful uPVC banner and post pads. This package is also available on the majority of our free standing canopies.

Tensile Side Panels

Tensile side panels are available on a selection of our tensile structures, including the Codale and Kendal. These side panels help to shelter occupants from the wind and create a more enclosed canopy.



10

Our range of commercial retractable awnings shade unwanted heat and light from your building's interior, helping to keep your office or classroom cool whilst cutting down on the need for expensive air conditioning.

Our awnings also provide temporary cover for external areas, allowing you to provide shade on hot sunny days.

Popular applications include: providing shelter for smoking areas, shade for outdoor eating and seating areas and providing much needed shade in Early Years' play areas.

Due to their durable and robust construction, all our awnings are suited to the rigours of any commercial setting, including restaurants, schools, nurseries and care homes.

Commercial Awnings

Palladio
Australia
Pergolino
Screener Veranda







Palladio

Commercial Awnings



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Palladio is a stylish awning which retracts into a compact cassette when not in use. The neat design ensures the Palladio is unobtrusive but can be easily and quickly extended to create a cooling shade during hot, sunny weather.

High quality design ensures smooth and reliable operation of the flyer chain within the arm. We also ensure the fabric is stretched evenly by using special tensioning mechanisms.

Features and Benefits

GUARANTEE AND WARRANTY:

- › Each Palladio awning comes with a 2 year guarantee, 5 years warranty on fabric and 5 years on Somfy motors.

WIDE RANGE OF COLOURS:

- › Choose from our extensive range of colours. Standard colours can be found on page 153 and for additional colours please visit our website.

AUTOMATIC OPTIONS:

- › Choose the automation that suits your requirements with our intelligent solar or wind sensor options.

FABRIC PROTECTION:

- › Our unique design means our awnings are tightly rolled and completely protected inside the cassette.

THERMAL GLUING OF FABRICS:


- › The fabric is bonded together with a modern hot glue technique using only the highest quality PUR-based reactive glue.

VARIO VOLANT:

- › Vario Volant is an unrolling ruffle, which is discreetly concealed in the front section of the awning. It provides protection against the low sunset and guarantees privacy and comfort. It can be used both with the Palladio and Australia awnings.



Semi-round bar





Australia

Commercial Awnings



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Australia awning fits seamlessly into any setting, creating shade and shelter when needed the most. It can also be configured with an added feature of being able to adjust the inclination of the awning, which is useful depending on the angle of the sun at different times of the day.

The Australia is a popular choice for all environments due to its elegantly simple design and robust construction.

By creating a shaded and sheltered outdoor area, you can protect your expensive garden furniture which can quickly deteriorate if left to the elements.

Features and Benefits

GUARANTEE AND WARRANTY:

- › Each Australia awning comes with a 2 year guarantee, 5 years warranty on fabric and 5 years on Somfy motors.

WIDE RANGE OF COLOURS:

- › You can choose from a vast range of frame and fabric colours depending on whether you want the awning to blend in, or contrast with the existing architecture and surroundings. Standard colours can be found on page 153 and for additional colours please visit our website.

CONTROL OPTIONS:

- › Choose the best automatic control options to suit your needs. Optional sunlight and wind sensors as well as the ability to manually alter the inclination of the awning.

R-PITCH:



- › R-Pitch is an additional option for the Australia awning which enables the inclination of the awning to be manually adjusted with the use of a crank.

THERMAL GLUING OF FABRICS:

- › The fabric is bonded together with a modern hot glue technique using only the highest quality PUR-based reactive glue.

VARIO VOLANT:

- › Vario Volant is an unrolling ruffle, which is discreetly concealed in a front section of the awning. It provides protection against the low sunset and guarantees privacy and comfort. It can be used both with the Palladio and Australia awnings.





Pergolino

Commercial Awnings



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Pergolino provides protection from bright sunshine as well as light rain and is the ideal solution for restaurants, bars and cafes as well as domestic properties.

Due to its high quality and robust construction using the best components, the Pergolino is a very stable structure.

Features and Benefits

GUARANTEE AND WARRANTY:

- › Each Pergolino awning comes with a 2 year guarantee, 5 years warranty on fabric and 5 years on Somfy motors.

COMFORT AND PROTECTION:


- › Summer rain will never again surprise the guests of your restaurant or family at a weekend barbecue. You may enjoy additional space around your home, protected from sun and rain.

WIDE RANGE OF COLOURS:

- › You can choose from a vast range of colours depending on whether you want the awning to blend in, or contrast with the existing architecture and surroundings. Standard colours can be found on page 153 and for additional colours please visit our website.

THERMAL GLUING OF FABRICS:

- › The fabric is bonded together with a modern hot glue technique using only the highest quality PUR-based reactive glue.





Standard Colours



















For Palladio, Australia and Pergolino Awnings

Dickson Colour Range:

Composition:	Acrylic 100%, solution dyed
Finishing:	Cleangard special dirt-resistant and awning water repellent treatment
Weight: 290g/m2 Width:	120cm
Tensile Strength:	140 daN Wrap / 90 daN Weft
Tear Strength:	4 daN Wrap / 2.3 daN Weft
Water Repellency:	>370mm
Colour Fastness Weather Condition:	4-5 / 5



Standard options

								
ECRU ORC-0001	NATUREL ORC-7133	GREGE ORC-6020	GRIS ORC-6088	PIERRE ORC-6196	PERLE ORC-7972	FORET ORC-6687	ROUGE ORC-3914	BORDEAUX ORC-8206
								
JAUNE ORC-6316	DUNE ORC-0681	SOURIS ORC-8396	FLANELLE ORC-U104	ARDOISE ORC-8203	NOIR ORC-6028	CARBONE ORC-U171	CHARCOAL TWEED ORC-7330	



Screeners Veranda

Commercial Awnings



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare



A solid and elegant awning that is designed to be installed on to a veranda or other large vertical or horizontal glazed area.

The Veranda awning has a specially designed traction bar to guarantee constant fabric tension in any position.

The Veranda system ensures efficient air circulation and optimal sun protection which minimises overheating.



Fabric Colours

For the Screener Veranda

Soltis 92 Colour Range:

Serge Ferrari

Weight:	420 g/sqm
Thickness:	0.45 mm
Roll-width:	177 cm
Tensile Strength (warp/weft):	310/210 daN / 5cm
Tear Resistance (warp/weft):	40/20 daN
Flame Retardancy (warp/weft):	M1/NFP 92-507 • METHOD 1/NFPA 701 • CSFM T19 • CLASS A/ASTM E84 B1/DIN 4102-1 • BS 7837 • BS 5867 • LASSE 1/UNI 9177-87 • M1/UNE 23.727-90 • VKF 5.2/SN 198898 • 1530.3 /AS/NZS 1530.3 • G1/GOST 30244-94

Euroclass: B-s2,d0/EN 13501-1

Quality Management System: ISO 9001

The technical data shown here are average values, given for information only, and may be modified.



SOLTIS 92-2046
ALU/OAT



SOLTIS 92-2171
BOULDER



SOLTIS 92-2048
ALU/ALU



SOLTIS 92-2045
BEATEN-METAL



SOLTIS 92-2074
ALU-MEDIUM
GREY



SOLTIS 92-2167
CONCRETE



SOLTIS 92-2047
ANTHRACITE



SOLTIS 92-2053
BLACK

11

Our shelter range includes steel and timber cycle, waiting and buggy shelters and large steel compounds. From the purely functional to the stunningly stylish, we are sure to have the ideal solution for you.

Shelters & Compounds

Langdale
Grasmere
Witton Wall Mounted
Witton Free Standing
Easydale
Coniston
The Albedo

Darcy
Melbury
Sheldon
Denver
Pembroke
Meadley
Easydale







Langdale

Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Langdale Shelter has a contemporary design which provides an attractive shelter solution, ideal for colleges and schools, town and city centres and shopping centres.

Available as a waiting or cycle shelter, the Langdale utilises our unique clamping system on the edge of the shelter which dramatically reduces the need to drill holes, thereby avoiding water leakage and bulging of the panels.

Features and Benefits

- › Standard size: 4.2 metres length x 3 metres depth
- › Standard sized shelter will hold 10 cycles or seating for 12 adults plus standing room
- › Unique clamping system
- › Robust steel construction fitted with 5mm polycarbonate sheets
- › True modular design allowing you to easily extend the shelter size in the future
- › Up to 25 year life expectancy
- › Supplied galvanised and/or powder coated in a range of standard colours.

OPTIONAL EXTRAS:

- › Concrete base
- › Available BREEAM compliant, please ask for details.





Grasmere

Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Grasmere can be installed as a cycle shelter or a waiting shelter, with a standard shelter holding up to 10 cycles or seating for 6 people with additional standing room.

Constructed from a robust steel framework, it is available with a choice of polycarbonate or timber panelling with a corrugated steel roof. Polycarbonate panelling creates a clean, simple finish which allows for all round visibility into the shelter, whilst timber cladding creates a stylish, contemporary look to your bike storage area.

The Grasmere is also available as a bin shelter, for more information see page 180.

Features and Benefits

- › Standard size: 4.1 metres length x 2.1 metres depth x 2.3 metres height
- › Standard 2-bay shelter can be fitted with 5 cycle racks or seating for 6 adults
- › Unique clamping system
- › Robust steel construction fitted with 5mm polycarbonate sheets, or timber cladding with corrugated steel roofing
- › True modular design, extensions without drilling and welding
- › Up to 25 year life expectancy
- › Base plate fixing to existing concrete foundation
- › Supplied galvanised and/or powder coated in a range of standard colours
- › Ideal for overlooked areas with or without CCTV.
- › Available cladded in 5mm solid Polycarbonate or timber panelling

OPTIONAL EXTRAS:

- › Sliding lockable gate
- › Concrete base
- › BREEAM compliant design available on request. Please ask for details





Witton Wall Mounted

Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Witton Wall Mounted Shelter has a sleek, modern look and is ideal for schools with limited space for cycle parking or waiting shelters.

The unique clamping system holds the edge of the 5mm solid polycarbonate sheeting in place which dramatically reduces the need to drill holes, thereby avoiding water leakage and bulging of the panels.

The Witton Wall Mounted Shelter measures 4.2m x 2.1m and can be extended by 2.1m bays.

Features and Benefits

- › Standard size: 4.2 metres length x 2.1 metres depth x 2.1 metres height (at the front)
- › A standard 2 bay shelter can be fitted with 5 cycle racks to accommodate 10 bicycles, or seating for 6 adults
- › Unique clamping system
- › Robust steel construction
- › True modular design, extensions can be easily added without drilling and welding
- › Clear view 5mm polycarbonate roof panels
- › Up to 25 year life expectancy
- › Base plate fixing to existing concrete foundation
- › Supplied galvanised and/or powder coated in a range of standard colours.

OPTIONAL EXTRAS:

- › Polycarbonate side panels
- › Concrete base
- › BREEAM compliant design available on request. Please ask for details.





Witton Free Standing

Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Witton Free Standing Shelter has a unique and eye-catching look to provide an attractive cycle parking or waiting shelter solution which is particularly suited to modern urban settings.

The Witton Free Standing Shelter measures 4.2m x 4.2m and can hold up to 20 bikes or seating for 12 adults, with additional standing room.

Features and Benefits

- › Standard size: 4.2 metres length x 4.2 metres depth x 2.2 metres height (at the front)
- › Standard sized shelter can hold 20 cycles or seating for 12 adults plus standing room.

See Features & Benefits on page 160 (opposite).





Easydale

Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Easydale is our most cost-effective shelter because of its simple design. The Easydale has a robust steel and polycarbonate construction which can be adapted to offer secure cycle parking or a comfortable waiting area. Due to its slim-line design, this shelter is ideal for organisations that have limited space yet need the maximum possible parking or seating capacity.

The Easydale Shelter can also be installed with 2 secure buggy bars to make a secure buggy shelter. For more information please see page 179.

Features and Benefits

- › Size: 4.1 metres length x 1.7 metres depth x 2.1 metres height
- › Standard 2-bay shelter can hold 10 cycles or seating for up to 6 adults
- › Robust steel construction fitted with 5mm polycarbonate sheets
- › True modular design, extensions added without drilling and welding
- › Up to 25 year life expectancy
- › Base plate fixing to concrete foundation
- › Supplied galvanised and/or powder coated in a range of standard colours.

OPTIONAL EXTRAS:

- › Polycarbonate side panels
- › Concrete base
- › Available BREEAM compliant, please ask for details.



Coniston

Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Coniston Wall Mounted Canopy can be utilised as a cost effective cycle shelter by combining it with secure cycle racks.

The Coniston is a heavy duty aluminium structure which is fitted with 35mm structured polycarbonate panels and can be constructed to any length to cover any number of cycle racks.

Features and Benefits

- › Fitted with 35mm polycarbonate panels that are light in weight and up to 200 times stronger than glass and 10 times stronger than uPVC panels
- › Constructed from aluminium with heavy duty structural aluminium roof bars - for ultimate strength
- › Framework is finished in white as standard, however it can be powder coated to any standard colour on request
- › Up to 25 year life expectancy.

OPTIONAL EXTRAS:

- › Polycarbonate side panels
- › Available BREEAM compliant, please ask for details.



The Albedo Effect Cycle Shelter

Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Albedo Effect Solar Cycle Shelter is a stylish and contemporary free standing structure that can be used for a whole range of applications including a cycle shelter, waiting shelter, carpark canopy, outside dining canopy and much more.

It is covered with the highest quality duo solar panels that soak up the sun from not only the top of the panels but the underneath too. Because the panels collect solar energy from both sides, it can generate even more electricity than the standard 1 sided panels, boosting energy production by up to 25%.

Features and Benefits

- › Generate free solar energy with the double sided solar panels
- › Constructed to your specification with an unlimited length and a maximum projection of 5m
- › Made from an aluminium underside roof frame that is supported by strong steel posts
- › Supplied with integral guttering for ease of maintenance and sleek appearance
- › All electrical components are installed by MCS accredited installers and the shelter is installed by fully trained, DBS checked installers
- › Supplied with a 30 year linear performance guarantee on the solar panels and a 10 year guarantee on the frame if a galvanised finish is chosen and a 5 year guarantee without a galvanised finish.

OPTIONAL EXTRAS:

- › Cycle racks
- › Benches and picnic tables
- › Available BREEAM compliant, please ask for details.



Darcy

Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Darcy Cycle Shelter is a cost effective, high quality shelter that is covered with a corrugated steel roof and is enclosed with toughened safety glass side and back panels.

This contemporary and robust structure is ideal for creating a dry and secure cycle parking or waiting area within your premises whether it be a school, shopping centre, leisure complex or visitor attraction. You will be able to offer your visitors, customers or pupils a stylish area to park their bikes or wait, keeping them dry and safe.

Features and Benefits

- › Standard size: 2.16m wide x 1.8m deep x 1.8m high. Multiple modules can be installed together to cover much larger areas
- › The Main Frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Roof covered with corrugated steel panels that are galvanised as standard and finished in Grey White (RAL 9002).
- › The side and back panels are made from 8mm thick toughened safety glass
- › Supplied with integral guttering, the water is dispersed through water spouts at the base of the rear posts
- › The frame is supplied with a 2 year guarantee and a 5 year life expectancy.

OPTIONAL EXTRAS:

- › Cycle racks
- › Benches
- › Front glass panels
- › Visibility stickers for the glass panels



Melbury

Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Melbury Cycle Shelter is a contemporary cycle & waiting shelter that features clear glass panels which are fixed to the steel frame with glass locks for a sleek appearance. With its understated, yet striking design, the Melbury is the perfect cycle shelter for a range of settings including town centres, schools and colleges, retail outlets, leisure and commercial sites.

The steel frame is galvanised as standard, giving the frame a life expectancy of up to 25 years and a guarantee of 2 years. You can choose to have it powder coated in any RAL colour of your choice, excluding pearl and signal colours.

Features and Benefits

- › Standard size: 3m wide x 2.08m deep x 2.3m high. The Melbury can be installed back to back to create a dual—pitch shelter
- › The Main Frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Enclosed with 8mm laminated safety glass on the roof, back and sides
- › Supplied with integral guttering, the water is dispersed through water spouts at the base of the rear posts
- › The frame is supplied with a 2 year guarantee and a 5 year life expectancy.

OPTIONAL EXTRAS:

- › Cycle racks
- › Benches
- › Front glass panels
- › Visibility stickers for the glass panels



Sheldon

Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Sheldon cycle & waiting shelter is made from galvanised steel round tubing and is covered with a corrugated steel sheet roof. It is a cost effective and versatile system and enclosed with side panels which are available in corrugated steel sheets or transparent polyester and back panels are also available in corrugated steel sheets or corrugated PVC.

This model can be expanded very easily with adding additional units either side by side or back to back to create larger shelters of different widths and lengths providing opportunity to cover large areas easily.

Features and Benefits

- › Standard size: 2.16m-4.3m wide x 2.33m – 2.5m deep x 2.2m high. Multiple modules can be installed together to cover much larger areas
- › The Main Frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Covered with corrugated steel panels on the roof and back that are galvanised as standard and finished in Grey White (RAL 9002)
- › Fixed to a suitable concrete base with base plates & bolts for a quicker installation
- › The frame is supplied with a 2 year guarantee.

OPTIONAL EXTRAS:

- › Cycle racks
- › Benches
- › Side panels



Denver

Timber Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Denver Timber Shelter features a simple curved design that offers a compact cycle or waiting shelter solution, ideal for customers with limited space.

Its Glulam construction creates an attractive shelter which looks great in green environments such as parks and wildlife areas; it also makes a stylish addition to urban environments.

Features and Benefits

- › Standard shelter size: 4.2 metres length x 1.6 metres width x 2.1 metres height
- › A standard 2-bay shelter can be fitted with 5 cycle racks to accommodate 10 bicycles, or seating for up to 6 adults
- › Has an attractive curved roof/back panel design which is achieved through the use of Glulam timber.
- › 5mm polycarbonate panels to provide complete protection from the weather
- › Steel feet to prevent rot at ground level. Feet are also adjustable to allow shelters to be fitted to uneven ground.





Pembroke

Timber Cycle & Waiting Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Pembroke Timber Shelter has an expertly designed framework which features curved posts and a curved roof to create a striking shelter structure.

This contemporary shelter design has 8 cycle hoops as standard which can park up to 16 cycles or benches which seats up to 8 adults. Due to its open design there is easy access to the shelter, which is ideal for public areas such as shopping centres or public parks and gardens.

Features and Benefits

- › Standard shelter size: 4.7 metres length x 3 metres width x 2.6 metres height
- › Standard sized shelter will hold up to 16 cycles or seating for 8 adults plus standing room
- › High quality Glulam construction incorporating curved posts and roofing to create a modern styled shelter
- › 5mm or 16mm polycarbonate panels to provide excellent cover from the weather
- › Steel feet to prevent rot at ground level. Feet are also adjustable to allow shelters to be fitted to uneven ground.





Darcy

Shopping Trolley Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

Refresh your retail carpark with the Darcy Trolley Shelter. This cost effective trolley shelter has an attractive, high-class appearance that will enhance and refresh any outside area. It is constructed from a strong steel frame that is galvanised and powder coated as standard for extra longevity and is covered with toughened safety glass that has a high breakage resistance.

Supplied with a 2 year guarantee and a 25 year life expectancy, the Darcy is the perfect, long lasting trolley shelter solution for your supermarket, superstore or shop.

Features and Benefits

- › Standard size: 2.16m wide x 1.8m deep x 1.8m high. Multiple modules can be installed together to cover much larger areas
- › The Main Frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Covered with corrugated steel panels that are galvanised as standard and finished in Grey White (RAL 9002).
- › The side and back panels are made from 8mm thick toughened safety glass
- › Supplied with integral guttering, the water is dispersed through water spouts at the base of the rear posts
- › The frame is supplied with a 2 year guarantee and a 5 year life expectancy.

OPTIONAL EXTRAS:

- › Front glass panels
- › Visibility stickers for the glass panels



Melbury

Shopping Trolley Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

Make your shopping centre or retail outlet stand out with the elegantly designed Melbury Trolley Shelter.

The Melbury is constructed from the highest quality materials including a strong steel frame that is galvanised and powder coated in any RAL colour as standard. It also features toughened glass panels on the roof and sides of the shelter for full visibility and extra breakage resistance.

The Melbury is the perfect shelter for keeping your trolleys dry and organised in a neat and tidy designated area.

Features and Benefits

- › Standard size: 3m wide x 2.08m deep x 2.3m high. The Melbury can be installed back to back to create a dual—pitch shelter
- › The Main Frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Enclosed with 8mm laminated safety glass on the roof, back and sides
- › Supplied with integral guttering, the water is dispersed through water spouts at the base of the rear posts
- › The frame is supplied with a 2 year guarantee and a 5 year life expectancy.

OPTIONAL EXTRAS:

- › Front glass panels
- › Visibility stickers for the glass panels



Darcy

Storage Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Darcy Storage Shelter is ideal for storing items when unloading them or moving them from one building to another. It offers a dry and designated place where you can store them until you are ready to move them inside.

It is constructed from a strong galvanised steel frame which can be powder coated to the colour of your choice. It is enclosed with 8mm toughened safety glass for extra strength giving it a superior appearance.

Features and Benefits

- › Standard size: 2.16m wide x 1.8m deep x 1.8m high. Multiple modules can be installed together to cover much larger areas
- › The Main Frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Covered with corrugated steel panels that are galvanised as standard and finished in Grey White (RAL 9002).
- › The side and back panels are made from 8mm thick toughened safety glass
- › Supplied with integral guttering, the water is dispersed through water spouts at the base of the rear posts
- › The frame is supplied with a 2 year guarantee and a 5 year life expectancy.

OPTIONAL EXTRAS:

- › Front glass panels
- › Visibility stickers for the glass panels



Sheldon

Storage Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Sheldon Storage Shelter is the perfect solution to enable you to store bulk items when transferring them or moving them from one place to another. It provides a dry and designated place and protects from bad climate conditions such as wind, driving rain and snow.

This shelter is a high quality structure that is made from galvanised steel round tubing to withstand bad weather conditions for longer periods of time. It can easily be enclosed with side and back panels to make a secure but still stylish and elegant look as well.

Features and Benefits

- › Standard size: 2.16m-4.3m wide x 2.33m – 2.5m deep x 2.2m high. Multiple modules can be installed together to cover much larger areas
- › The Main Frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Covered with corrugated steel panels on the roof and back that are galvanised as standard and finished in Grey White (RAL 9002)
- › Fixed to a suitable concrete base with base plates & bolts for a quicker installation
- › The frame is supplied with a 2 year guarantee.

OPTIONAL EXTRAS:

- › Side panels



Darcy

Bus Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Darcy is a stylish, contemporary bus shelter that creates a dry, sheltered area for bus passengers to stand in whilst waiting for their bus. A range of benches can also be added to the shelter to offer comfortable seating to your customers.

The 8mm toughened safety glass panels offer full visibility both inside and outside of the shelter for health and safety purposes, this makes the Darcy particularly perfect for public spaces where bus stops are situated.

Features and Benefits

- › Standard size: 2.16m wide x 1.8m deep x 1.8m high. Multiple modules can be installed together to cover much larger areas
- › The Main Frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Covered with corrugated steel panels that are galvanised as standard and finished in Grey White (RAL 9002).
- › The side and back panels are made from 8mm thick toughened safety glass
- › Supplied with integral guttering, the water is dispersed through water spouts at the base of the rear posts
- › The frame is supplied with a 2 year guarantee and a 5 year life expectancy.

OPTIONAL EXTRAS:

- › Benches
- › Front glass panels
- › Visibility stickers for the glass panels

NEW





NEW





Melbury

Bus Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Melbury Bus Shelter provides the ultimate weather protection, keeping individuals dry whilst waiting outside.

It features a strong steel frame that is galvanised and powder coated for extra weather resistance. The frame can also be powder coated in the RAL colour of your choice to match your branding colours (please see colours tab for details). The shelter is enclosed with 8mm thick toughened glass panels that are completely clear and can be supplied with visibility stickers to add a modern, yet decorative touch to your new shelter.

Features and Benefits

- › Standard size: 3m wide x 2.08m deep x 2.3m high. The Melbury can be installed back to back to create a dual—pitch shelter
- › The Main Frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Enclosed with 8mm laminated safety glass on the roof, back and sides
- › Supplied with integral guttering, the water is dispersed through water spouts at the base of the rear posts
- › The frame is supplied with a 2 year guarantee and a 5 year life expectancy.

OPTIONAL EXTRAS:

- › Benches
- › Front glass panels
- › Visibility stickers for the glass panels



Meadley

Buggy Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Meadley Buggy Box provides a safe and secure place to store buggies. It is manufactured from steel with vandal and shatter resistant polycarbonate panels and is available as a single and double shelter.

The Meadley is available with secure lockable doors, which can be secured with the use of a padlock.

Features and Benefits

- › Robust steel construction
- › True modular design, extensions added without drilling and welding
- › Fitted with 5mm solid vandal and shatter resistant polycarbonate sheeting
- › Base plate fixing to your existing concrete area. If you do not have a concrete area we can provide a quote for this
- › Up to 25 year life expectancy, subject to chosen finish
- › Supplied galvanised and/or powder coated in a range of standard colours.

Buggy Box Capacity

SINGLE BUGGY BOX

- › Standard size: 2050mm length x 1200mm depth x 1200mm height
- › Can hold up to 4 buggies

DOUBLE BUGGY BOX

- › Standard size: 4060mm length x 1200mm depth x 1200mm height
- › Can hold up to 8 buggies

OPTIONAL EXTRAS:

- › Concrete base
- › Secure lockable doors



Easydale

Buggy Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Easydale Buggy Shelter is our most cost-effective buggy shelter because of its simple, yet stylish design. It is the perfect shelter solution for safe, secure storage for buggies and prams, keeping them protected from theft, vandalism and poor weather conditions.

The Easydale Buggy Shelter is ideal for use in nurseries and pre schools, providing a secure space for parents and staff to store buggies during the day.

A standard shelter measures 4.1 metres x 1.7 metres and can be extended by 2 metre bays, as required.

Features and Benefits

- › Supplied with buggy bars for secure pram parking
- › Available with hinged doors as an optional extra for added security
- › Adjustable feet: beneficial when installing to existing concrete surfaces
- › Base plate fixing to your existing concrete area. If you do not have a concrete area we can provide a quote for this
- › Fitted with 5mm solid polycarbonate roof panels available in clear or opal
- › Steel frame is available galvanised and/or powder coated in a range of standard colours
- › High UV protection – helps prevent the colour of the prams fading due to the sun's UV rays
- › Up to a 25 year life expectancy, subject to chosen finish.

OPTIONAL EXTRAS:

- › Hinged lockable doors
- › Concrete base



Grasmere

Bin Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

The Grasmere Bin Shelter is a cost-effective storage solution for large industrial refuse or recycling bins. It can also be used for storing a large amount of domestic sized bins.

This shelter is an ideal solution if you need to protect against vandalism and bad weather, ensuring a safer, cleaner environment. Manufactured to meet your requirements, the Grasmere can be fitted with lockable doors which can be secured with the use of a padlock, swipe card or key fob.

Features and Benefits

- › Standard size: 4.1 metres length x 2.1 metres width, this shelter can be easily extended by 2 metre bays
- › Standard 2 bay design can fit a maximum of 6 standard 240 litre bins or 2 standard 1100 litre bins
- › Fitted with 5mm solid polycarbonate panels, available in clear or opal
- › Steel corrugated roof which can be powder coated to a choice of colours
- › Unique clamping system around the edge of the shelter to avoid water leakage
- › Framework can be supplied galvanised and/ or powder coated in a range of standard RAL colours
- › Ideal for overlooked areas with or without CCTV
- › Up to a 25 year life expectancy, subject to chosen finish.

OPTIONAL EXTRAS:

- › Hinged lockable gate
- › Concrete base



Darcy

Bin Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

Store your industrial or wheelie bins in a stylish bin shelter that can be installed in the area of your choice, away from the view of visitors, customers or clients.

The Darcy is a fully clear view shelter due to the glass panels and therefore does not provide warm or hidden areas where rodents can nest. You will also find that if rubbish is accidentally spilt across the glass panels, they will simply wipe clean as they are smooth rather than textured, making it very hygienic and ideal for use as a bin shelter.

Features and Benefits

- › Standard size: 2.16m wide x 1.8m deep x 1.8m high. Multiple modules can be installed together to cover much larger areas
- › The Main frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Covered with corrugated steel panels that are galvanised as standard and finished in Grey White (RAL 9002).
- › The side and back panels are made from 8mm thick toughened safety glass
- › Supplied with integral guttering, the water is dispersed through water spouts at the base of the rear posts
- › The frame is supplied with a 2 year guarantee and a 5 year life expectancy.

OPTIONAL EXTRAS:

- › Front glass panels
- › Visibility stickers for the glass panels



Sheldon

Bin Shelters



Residential



Education



Hospitality
& Leisure



Retail &
Commercial



Healthcare

Keep your area clean and hygienic with the installation of a Sheldon Bin shelter that is constructed from high quality galvanised steel round tubing for ultimate corrosion protection and mono pitch roof which is covered with corrugated steel sheets. It can be easily enclosed with side and back panels with a choice of different materials.

The Sheldon bin shelter is an ideal solution to store the wheelie bins safely to avoid attracting pests which can carry deadly diseases. A bin shelter keeps your outside area more sanative and avoids the spreading of germs.

Features and Benefits

- › Standard size: 2.16m-4.3m wide x 2.33m – 2.5m deep x 2.2m high. Multiple modules can be installed together to cover much larger areas
- › The Main frame is constructed from galvanised steel sections that are powder coated to any RAL colour of your choice (except pearl and signal colours).
- › Covered with corrugated steel panels on the roof and back that are galvanised as standard and finished in Grey White (RAL 9002)
- › Fixed to a suitable concrete base with base plates & bolts for a quicker installation
- › The frame is supplied with a 2 year guarantee.

OPTIONAL EXTRAS:

- › Side panels



12

Our range of Bicycle Parking Solutions includes wall mounted and floor mounted cycle racks and stands and are made from high strength aluminium profiles.

Bicycle Parking

Bicycle Rest System Trust
Safety Bicycle Rest
Safety Bicycle Rest Strap
Safety Bicycle Rest & Lock
Bicycle Rest System Track
Bicycle Rest System Galaxy
Parker with Frame Rests
Vario-Hub Tier Bike Rack
Semi Vertical Bike Rack
Hoop Parker
Stand Parker
Bow Frame Parker
Multi Parker Harlekin

Floor Parker & Wall Mounted
Parker Bicycle Holder Spacer
Serial Hanging Parker
Hanging Parker
Wall Mounted Bicycle Holder
Pedal Parker
Advert Bicycle Stand
Advert Bicycle Security Station
Bicycle Stands for Advertising
Bicycle Locker BikeBox





System Versatility

Bicycle parking solutions save space within your outside area for cycle parking and the elegant designs fit in perfectly with public places. There are many different systems, allowing us to supply a solution for all requirements.

Parking areas and bicycle dimensions can vary enormously, so the bicycle stands and parking systems from Able Canopies for household use and public areas have to be versatile as well. Our range includes: The Hoop Parker, Stand Parker, Multiparker, and the full range of frame rest parking systems and modular parking facilities. However, they all have one thing in common; they fit in with the environment and are highly functional.



Unlimited possibilities for carefully parking your bicycle.



Our Logistics Service

Able Canopies storage and logistic service is a modern, intelligent and pinpoint service. Flexible logistics open up economic advantages.

We go to great lengths to make sure your items are in the right place at the right time, just how you expect it. We do everything possible to ensure that ordered goods are safely on their way. Behind all this is an efficient infrastructure: modern warehousing, designed according to the newest concepts.



State-of-the-art technology and trusted partners, we aim to fulfil the high expectations of our clients for prompt delivery.

Our logistic service ensures a reliable and safe delivery.



High Quality Solutions

Cycling is on the rise in all parts of the UK and ensuring there is a safe and secure parking solution that is easily accessible is important to all cyclists who naturally want to protect their bicycle from theft, vandalism and the worst of the elements.

We are confident that all our bicycle parking solutions will fulfil the requirements of today's cyclists offering safe, secure and convenient parking and storage. Our mostly modular solutions can be expanded to accommodate any number of cycles and offer space saving and elegant designs to suit any environment.



**Parker with
Frame Rest
Model 2500 XBF**
See pages 204-205



**Parker with Frame Rest
Model 2600 XBF**
See pages 206-207



Manufactured to exacting standards

The following minimum distances are maintained between each bicycle: 70 cm when the wheels are at the same level and 50 cm when the wheels are alternating between high and low. For bicycle lockers, a useable width of at least 75 cm is required. The underlying guidelines pay particular attention to the wider tyre sizes on the market, bicycle lock measurements and current frame design.

⑤ Bicycle Locker BikeBox 1

Full protection from theft and vandalism. The BikeBox 1 Locker gives your bike the protection it deserves. See pages 250-251



①-④ Modern bicycle parker

With functional frame rests. Protects the bicycle from buckled rims through willful twisting. Space-saving bicycle parking thanks to alternating low and high hoop positions. Optimised anti-theft protection because the frame can be locked to the integrated steel eyelets.

⑥ Bicycle Locker BikeBox 2

Stylish protection for your bicycle and luggage in all weather. Easy parking with the parking guide track, which is designed for almost every type and size of bicycle. See pages 252-253

Parker with Frame Rest Model 4500 XBF

See pages 208-209



Parker with Frame Rest Model 4600 XBF

See pages 210-211



Bicycle Rest System Trust

The upright bike parking option which deserves your trust offering a secure support and anti-theft protection.

- › Every size and type of bike can be attached to the frame.
- › Optimised anti-theft protection through the possibility of using a lock to attach the bike frame to the integrated steel eyelets.
- › Sturdy tubular steel construction, 48 mm diameter. Corrosion protection and lasting value thanks to galvanising.
- › Supplied optionally for setting in concrete or with base plates for bolting.
- › Supplied dismantled in boxes.
- › Shipped in recyclable packaging.
- › Available galvanised and RAL colour-coated on request.

PRICES

ITEM NO.	TYPE	UNIT	PRICE
105500001	Bicycle Rest System TRUST 10 galvanised	1 pcs.	£68.58
105500002	Bicycle Rest System TRUST 20 galvanised	1 pcs.	£71.03
105500003	Bicycle Rest System TRUST 30 galvanised	1 pcs.	£73.56
105500006	Bicycle Rest System TRUST 11 galvanised	3 pcs.	£146.51
105500007	Bicycle Rest System TRUST 31 galvanised	3 pcs.	£189.34
105500010	Bicycle Rest System TRUST 21 galvanised	1 pcs.	£80.22
105500081	Bicycle Rest System TRUST 10 galvanised	3 pcs.	£141.76
105500082	Bicycle Rest System TRUST 30 galvanised	1 pcs.	£83.47
105500083	Bicycle Rest System TRUST 11 galvanised	1 pcs.	£77.69
105500084	Bicycle Rest System TRUST 20 galvanised	3 pcs.	£146.51
105500085	Bicycle Rest System TRUST 30 galvanised	3 pcs.	£158.41
105500089	Bicycle Rest System TRUST 21 galvanised	3 pcs.	£182.20

Prices shown include UK delivery and VAT




Saving twice over: Advantageous freight costs for the 3-piece set!

SAVINGS TIP

Particularly attractive prices for a purchase of at least 3 pcs. (see price list)



Model TRUST 10




FROM
£68.58
inc. VAT &
UK Delivery

Model TRUST 20



SAVINGS TIP

Savings tip. Advantageous freight costs for a 3 piece set!



Dimensions in mm

Option: Base plate for bolting



Securing the complete bike is possible.



		Length in mm				
			750	1000	1250	
TRUST	For setting in concrete		Model	TRUST 10	TRUST 20	TRUST 30
		Galvanised	Item No.	105500001	105500002	105500003
		Packing unit 1 pcs.				
		Galvanised	Item No.	105500081	105500084	105500085
		Packing unit 3 pcs.				
	For bolting		Model	TRUST 11	TRUST 21	TRUST 31
		Galvanised	Item No.	105500083	105500010	105500082
		Packing unit 1 pcs.				
		Galvanised	Item No.	105500006	105500089	105500007
		Packing unit 3 pcs.				

Safety Bicycle Rest 9100 and 9200

Tried and tested parking facility for bicycles – offer stability and anti-theft protection.

- › Bicycles of all sizes and types can be locked to the frame.
- › Sturdy steel tube, 48 mm diameter, corrosion protected and lasting value thanks to galvanising.
- › Alternatively available in rustproof stainless steel (V2A)
- › 9100: Stability for your bicycle.
- › Supplied with base plates for bolting
- › A vertical extension (+200 mm) for paving over is available on request.
- › Available galvanised and RAL colour-coated on request.
- › Mounting tracks for row extension available on request.

PRICES

ITEM NO.	TYPE	PRICE
105900034	Safety Bicycle Rest 9111 galvanised	£87.67
105900102	Safety Bicycle Rest 9111 E stainless steel	£236.11

Prices shown include UK delivery and VAT


Model 9111



FROM
£87.67
inc. VAT &
UK Delivery





The high-quality stainless steel version is rustproof and long-lasting.



Base plate for bolting.



Length in mm		1000			
9100	For bolting	Model	9111		
	Galvanised	Item No.	105900034		
		Model	9111 E		
	Stainless steel	Item No.	105900102		



Safety Bicycle Rest 9400 and 9500

Proven and protective stand for outdoors.

- › Protection for bicycles, gardens, parks.
- › Marking out parks and paths.
- › Sturdy tubular steel, hot dip galvanised.
- › For setting in concrete.

PRICES

ITEM NO.	TYPE	PRICE
105900070	Safety Bicycle Rest 9530 galvanised	£85.99
105900071	Safety Bicycle Rest 9420 galvanised	£71.86
105900072	Safety Bicycle Rest 9430 galvanised	£79.34
105900073	Safety Bicycle Rest 9510 galvanised	£77.69
105900074	Safety Bicycle Rest 9520 galvanised	£80.18
105900081	Safety Bicycle Rest 9410 galvanised	£68.54

Prices shown include UK delivery and VAT





Sturdy, variable and functional – the 9000 model range provides security and protection.

FOR SETTING IN CONCRETE		48 mm		
	Length in mm	270	350	650
	Model	9410	9420	9430
Hot galvanised	Item - No.	105900081	105900071	105900072
	Length in mm	270	350	650
	Model	9510	9520	9530
Hot galvanised	Item - No.	105900073	105900074	105900070

Safety Bicycle Rest Strap

Assemble your own bike parking system in a few minutes - tailored to your needs. Save time and money through intelligent installation.

- › Suitable for all types and sizes of bicycle.
- › Sturdy tubular steel construction with integrated front wheel bracket.
- › Corrosion resistant and long lasting, thanks to hot-dip galvanising.
- › Bike spacing through alternating low/high setting 500 mm.
- › Fast assembly on optional mounting rail – additional cost savings in civil engineering.
- › The stand features a post extension of 200 mm for paving over.
- › Models for single or double sided bike parking available.

PRICES

ITEM NO.	TYPE	PRICE
105600028	Safety Bicycle Rest STRAP 12 galvanised	£228.18
105600029	Safety Bicycle Rest STRAP 22 galvanised	£244.04
105600030	Safety Bicycle Rest STRAP 12 DS galvanised	£267.83
105600031	Safety Bicycle Rest STRAP 22 DS galvanised	£315.41

Prices shown include UK delivery and VAT



FROM
£228.18
inc. VAT &
UK Delivery

Model strap 12

Connection of the individual bicycle stands via the optional mounting rail under the paving ensures a stable footing.



Secure parking for all bicycle types and sizes.



Optimised anti-theft protection: fastens to bike frame.



Space-saving row system of models with alternating low/high setting.

Dimensions in mm		Length 1000 mm	
strap 12	Model	Single-sided bike parking	
Galvanised	Item-No.	105600028	
strap 22	Model	Single-sided bike parking	
Galvanised	Item-No.	105600029	
strap 12 DS	Model	Double-sided bike parking	
Galvanised	Item-No.	105600030	
strap 22 DS	Model	Double-sided bike parking	
Galvanised	Item-No.	105600031	

Safety Bicycle Rest & Lock 9700 and 9800

Clear contours – while providing stability and locking options for theft prevention.

- Suitable for all types and sizes of bicycle.
- Sturdy steel construction made of flat steel, 60 x 10 mm.
- Corrosion protected and long-lasting, thanks to hot-dip galvanising.
- Available in two different lengths (850/1000 mm), height above floor 800 mm.
- Optional for concreting or with base plate to bolt in place.
- Vertical extension of 200 mm for paving over available upon request.
- Design Parker for attractive urban design.
- Model 9800: with additional crossbar.

PRICES

ITEM NO.	TYPE	PRICE
105900105	Safety Bicycle Rest 9710 galvanised	£89.42
105900106	Safety Bicycle Rest 9720 galvanised	£93.19
105900107	Safety Bicycle Rest 9711 galvanised	£97.86
105900108	Safety Bicycle Rest 9721 galvanised	£102.07
105900109	Safety Bicycle Rest 9710 galvanised & colour coated	£107.18
105900110	Safety Bicycle Rest 9720 galvanised & colour coated	£109.40
105900111	Safety Bicycle Rest 9711 galvanised & colour coated	£111.18
105900112	Safety Bicycle Rest 9721 galvanised & colour coated	£115.39
105900113	Safety Bicycle Rest 9810 galvanised	£107.18
105900114	Safety Bicycle Rest 9820 galvanised	£113.40
105900115	Safety Bicycle Rest 9811 galvanised	£115.62
105900116	Safety Bicycle Rest 9821 galvanised	£123.17
105900117	Safety Bicycle Rest 9810 galvanised & colour coated	£112.42
105900118	Safety Bicycle Rest 9820 galvanised & colour coated	£136.04
105900119	Safety Bicycle Rest 9811 galvanised & colour coated	£138.94
105900120	Safety Bicycle Rest 9821 galvanised & colour coated	£148.26

Prices shown include UK delivery and VAT



Model 9720

Model 9820





Bow-shaped model available on request.



With additional crossbar.



		Length in mm	850	1000
		For setting in concrete	9710	9720
	Galvanised	Item No.	105900105	105900106
		Model	9710 RAL	9720 RAL
	Galvanised and colour coated	Item No.	105900109	105900110
		Model	9810	9820
	Galvanised	Item No.	105900113	105900114
		Model	9810 RAL	9820 RAL
	Galvanised and colour coated	Item No.	105900117	105900118
		For bolting	9711	9721
	Galvanised	Item No.	105900107	105900108
		Model	9711 RAL	9721 RAL
	Galvanised and colour coated	Item No.	105900111	105900112
		Model	9811	9821
	Galvanised	Item No.	105900115	105900116
		Model	9811 RAL	9821 RAL
	Galvanised and colour coated	Item No.	105900119	105900120

Bicycle Rest System Track

The economical and functional upright bike parking system.

**No concreting and no foundations needed.
Just assemble in position – and it's ready to use!**

- Supplied ready for extending in rows and for floor fastening. Can be extended as required.
- Optimised anti-theft protection through possibility of locking the bike frame to the integrated steel eyelets.
- Robust bolttable steel design, 48 mm diameter. Assembly on sturdy angle iron base frame. Corrosion protected and long lasting through galvanisation.
- Available galvanised and RAL colour-coated on request.
- The product is supplied disassembled in boxes.
- Supplied with screws and assembly instructions.
- Shipped in recyclable packaging.

PRICES


ITEM NO.	TYPE	PRICE
105500019	Bicycle Rest System TRACK 31 galvanised	£102.66
105500020	Bicycle Rest System TRACK 32 galvanised	£179.03
105500021	Bicycle Rest System TRACK 33 galvanised	£269.22
105500022	Bicycle Rest System TRACK 34 galvanised	£345.35
105500023	Bicycle Rest System TRACK 35 galvanised	£447.44
105500024	Bicycle Rest System TRACK 36 galvanised	£516.43

Prices shown include UK delivery and VAT

FROM
£102.66
*inc. VAT &
UK Delivery*



Model TRACK 33



Supplied ready for extending in rows and floor fastening.




Optimised anti-theft protection: fastens to frame of bike.




No. of modules	1	2	3	4	5	6
No. of spaces	2	4	6	8	10	12
Length in mm	850	1700	2550	3400	4250	5100

TRACK	Model	TRACK 31	TRACK 32	TRACK 33	TRACK 34	TRACK 35	TRACK 36
	Galvanised	Item No. 105500019	105500020	105500021	105500022	105500023	105500024



Model TRACK 32




Bicycle Rest System Galaxy

Function and contemporary spirit come as standard!
The lean-to parking option for variable assembly and use, to protect bikes.

- › Supplied ready for extending in rows and for floor fastening; can be extended as required.
- › Robust boltable steel design, 48 mm diameter. Corrosion protected and long lasting through galvanisation.
- › Supplied with screws and assembly instructions.
- › Available galvanised and RAL colour-coated on request.
- › The product is supplied boxed in parts.
- › Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
Galaxy UK	Bicycle Rest System GALAXY UK	POA




Model GALAXY UK



Space optimised to allow parking on both sides.

		No. of modules	1	
		No. of spaces	10	
		Length in mm	3800	
GALAXY		Model	GALAXY UK	
	Galvanised	Item No.	Galaxy UK	



Parker with Frame Rest 2500 and 2500 XBF

A modern bicycle parker with functional frame rests. You can park an expensive bicycle here without concern.

- Protects the bicycle against wilful damage through buckling of wheel rims.
- Multiple parkers can be connected and anchored to the ground.
- Optimised anti-theft protection because frame can be locked to the integrated steel eyelet.
- Space-saving bicycle parking thanks to alternating low and high hoop positions, space between bicycle centres 350 mm.
- Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- Parking space depth approx. 1850 mm in the double sided version approx. 3200 mm.
- Fixings and assembly instructions included.
- Available galvanised and RAL colour-coated on request.
- Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105000002	Floor mounting bracket (set of 2) galvanised	£5.17
105000003	Ground tie-bolts (set of 2) galvanised	£16.34
105700078	Parker with Frame Rest 2502 galvanised	£145.72
105700079	Parker with Frame Rest 2504 galvanised	£286.67
105700101	Parker with Frame Rest 2506 galvanised	£432.37
105700138	Parker with Frame Rest 2502 XBF galvanised	£170.30
105700143	Parker with Frame Rest 2504 XBF galvanised	£340.58
105700144	Parker with Frame Rest 2506 XBF galvanised	£510.88
105700176	Parker with Frame Rest 2514 XBF galvanised	£330.28
105700177	Parker with Frame Rest 2518 XBF galvanised	£612.56
105700178	Parker with Frame Rest 2522 XBF galvanised	£916.07

Prices shown include UK delivery and VAT

Model 2500 XBF:

- For one or two-sided parking.
- Space between bicycle centres 500 mm, two-sided parking 540 mm.
- Floor mounting bracket (set of 2) included.


FROM
£146.72
*inc. VAT &
UK Delivery*




Model 2504 XBF



2500: Protection when parking or removing by means of bright red plastic covering.



Optional ground tie-bolts, galvanised (set of 2).
Item no 105000003



Optional galvanised floor-mounting bracket (set of 2). 2500 XBF: incl. in scope of delivery.
Item no 105000002






		No. of spaces	2	4	6
		Length in mm	700	1400	2100
One-sided parking, 90°		Model	2502 XBF	2504 XBF	2506 XBF
	Galvanised	Item No.	105700138	105700143	105700144
		No. of spaces	2	4	6
		Length in mm	700	1400	2100
One-sided parking, 90°		Model	2502 XBF	2504 XBF	2506 XBF
	Galvanised	Item No.	105700138	105700143	105700144
		No. of spaces	4	8	12
		Length in mm	1080	2160	3240
Two-sided parking, 90°		Model	2514 XBF	2518 XBF	2522 XBF
	Galvanised	Item No.	105700176	105700177	105700178

Model 2502

Model 2502 XBF

Model 2514 XBF



Parker with Frame Rest 2600 and 2600 XBF

A modern bicycle parker with functional frame rests.
You can park an expensive bicycle here without concern.

- Protects the bicycle against wilful damage through buckling of wheel rims.
- Ready-made for row connection and ground anchoring; can be infinitely extended.
- Optimised anti-theft protection because frame can be locked to the integrated steel eyelets.
- Space-saving bicycle parking thanks to alternating low and high hoop positions, space between bicycle centres 350 mm.
- Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- Parking space depth approx. 1850 mm in the double-sided version approx. 3200 mm.
- Bolts and assembly instructions included.
- Available galvanised and RAL colour-coated on request.
- Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105000002	Floor mounting bracket (set of 2) galvanised	£5.17
105000003	Ground tie-bolts (set of 2) galvanised	£16.34
105700111	Parker with Frame Rest 2602 galvanised	£163.96
105700112	Parker with Frame Rest 2604 galvanised	£326.32
105700113	Parker with Frame Rest 2606 galvanised	£490.26
105700140	Parker with Frame Rest 2602 XBF galvanised	£180.61
105700153	Parker with Frame Rest 2604 XBF galvanised	£361.20
105700154	Parker with Frame Rest 2606 XBF galvanised	£541.80
105700182	Parker with Frame Rest 2614 XBF galvanised	£346.14
105700183	Parker with Frame Rest 2618 XBF galvanised	£652.21
105700184	Parker with Frame Rest 2622 XBF galvanised	£976.33

Prices shown include UK delivery and VAT

Model 2600 XBF:


- For single or double-sided parking.
- Space between bicycle centres 500 mm, double-sided parking 540 mm.
- Floor mounting bracket (set of 2) included.

FROM
£163.96
 inc. VAT &
 UK Delivery

Model 2604 XBF




2600: Protection when parking or removing by means of bright red plastic covering.



Optional ground tie-bolts, galvanised (set of 2).

Item no 105000003



Optional galvanised floor-mounting bracket (set of 2). 2600 XBF: incl. in scope of delivery

Item no 105000002




		No. of spaces	2	4	6
		Length in mm	700	1400	2100
One-sided parking, 90°		Model	2602 XBF	2604 XBF	2606 XBF
		Item No.	105700140	105700153	105700154


		No. of spaces	2	4	6
		Length in mm	700	1400	2100
One-sided parking, 90°		Model	2602 XBF	2604 XBF	2606 XBF
		Item No.	105700140	105700153	105700154

		No. of spaces	4	8	12
		Length in mm	1080	2160	3240
Two-sided parking, 90°		Model	2614 XBF	2618 XBF	2622 XBF
		Item No.	105700182	105700183	105700184


Model 2602



Model 2602 XBF



Model 2614 XBF



Parker with Frame Rest 4500 and 4500 XBF

A modern bicycle parker with functional frame rests. You can park an expensive bicycle here without concern.

- Protects the bicycle against wilful damage through buckling of wheel rims.
- Ready-made for row connection and ground anchoring; can be infinitely extended.
- Optimised anti-theft protection because frame can be locked to the integrated steel eyelets.
- Space-saving bicycle parking thanks to alternating low and high hoop positions, space between bicycle centres 350 mm.
- Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- Parking space depth approx. 1850 mm in the double sided version approx. 3200 mm.
- Bolts and assembly instructions included.
- Available galvanised and RAL colour-coated on request.
- Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105000002	Floor mounting bracket (set of 2) galvanised	£5.17
105000003	Ground tie-bolts (set of 2) galvanised	£16.34
105800057	Parker with Frame Rest 4502 galvanised	£159.20
105800058	Parker with Frame Rest 4504 galvanised	£315.22
105800061	Parker with Frame Rest 4506 galvanised	£476.78
105800088	Parker with Frame Rest 4502 XBF galvanised	£180.61
105800100	Parker with Frame Rest 4504 XBF galvanised	£361.20
105800101	Parker with Frame Rest 4506 XBF galvanised	£541.80
105800135	Parker with Frame Rest 4514 XBF galvanised	£346.14
105800136	Parker with Frame Rest 4518 XBF galvanised	£647.46
105800137	Parker with Frame Rest 4522 XBF galvanised	£968.41

Prices shown include UK delivery and VAT


Model 4500 XBF:

- For single or double-sided parking.
- Space between bicycle centres 500 mm, double-sided parking 540 mm.
- Floor mounting bracket (set of 2) included.






4500: Protection when parking or removing through bright red plastic sheathing.



Optional ground tie-bolts, galvanised (set of 2).

Item no 105000003




Optional galvanised floor-mounting bracket (set of 2). 4500 XBF: incl. in scope of delivery.

Item no 105000002




		No. of spaces	2	4	6
		Length in mm	700	1400	2100
One-sided parking, 90°		Model	4502	4504	4506
	Galvanised	Item No.	105800057	105800058	105800061
		No. of spaces	2	4	6
		Length in mm	1000	2000	3000
One-sided parking, 90°		Model	4502 XBF	4504 XBF	4506 XBF
	Galvanised	Item No.	105800088	105800100	105800101
		No. of spaces	4	8	12
		Length in mm	1080	2160	3240
Two-sided parking, 90°		Model	4514 XBF	4518 XBF	4522 XBF
	Galvanised	Item No.	105800135	105800136	105800137


Model 4502



Model 4502 XBF



Model 4514 XBF



Parker with Frame Rest 4600 and 4600 XBF

A modern bicycle parker with functional frame rests. You can park an expensive bicycle here without concern.

- › Protects the bicycle against wilful damage through buckling of wheel rims.
- › Ready-made for row connection and ground anchoring; can be infinitely extended.
- › Optimised anti-theft protection because frame can be locked to the integrated steel eyelets.
- › Space-saving bicycle parking thanks to alternating low and high hoop positions, space between bicycle centres 350 mm.
- › Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- › Parking space depth approx. 1850 mm in the double-sided version approx. 3200 mm.
- › Bolts and assembly instructions included.
- › Available galvanised and RAL colour-coated on request.
- › Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105000002	Floor mounting bracket (set of 2) galvanised	£5.17
105000003	Ground tie-bolts (set of 2) galvanised	£16.34
105800065	Parker with Frame Rest 4602	£178.22
105800066	Parker with Frame Rest 4604	£357.24
105800067	Parker with Frame Rest 4606	£540.22
105800090	Parker with Frame Rest 4602 XBF	£193.30
105800110	Parker with Frame Rest 4604 XBF	£386.58
105800111	Parker with Frame Rest 4606 XBF	£579.86
105800141	Parker with Frame Rest 4614 XBF	£374.69
105800142	Parker with Frame Rest 4618 XBF	£745.39
105800143	Parker with Frame Rest 4622 XBF	£1119.28

Prices shown include UK delivery and VAT

Model 4600 XBF:


- › For single or double-sided parking.
- › Space between bicycle centres 500 mm, double-sided parking 540 mm.
- › Floor mounting bracket (set of 2) included.



Model 4604 XBF




Parker with Frame Rest model 4604 XBF.



Optional ground tie-bolts, galvanised (set of 2).

Item no 105000003



Optional galvanised floor-mounting bracket (set of 2). 4500 XBF: incl. in scope of delivery.




Item no 105000002



<i>No. of spaces Length in mm</i>		2 700	4 1400	6 2100
<i>One-sided parking, 90°</i>		<i>Model</i> 4602	4604	4606
	<i>Galvanised</i>	<i>Item No.</i> 105800065	105800066	105800067

<i>No. of spaces Length in mm</i>		2 1000	4 2000	6 3000
<i>One-sided parking, 90°</i>		<i>Model</i> 4602 XBF	4604 XBF	4606 XBF
	<i>Galvanised</i>	<i>Item No.</i> 105800090	105800110	105800111

<i>No. of spaces Length in mm</i>		4 1080	8 2160	12 3240
<i>Two-sided parking, 90°</i>		<i>Model</i> 4614 XBF	4618 XBF	4622 XBF
	<i>Galvanised</i>	<i>Item No.</i> 105800141	105800142	105800143



Vario-Hub Two Tier Bike Rack System

Resolves your parking problems.

Doubles the amount of spaces in the same area.

- › Secure and functional frame rests top and bottom. Protect the bicycle against wilful damage through buckling of wheel rims.
- › Optimised anti-theft protection through multiple locking possibilities.
- › Minimum effort required to store bicycles through robust lifting aid (gas springs).
- › Easy parking of bicycles with very little effort required due to its push and swing function (lifting aid).
- › Space-saving bicycle parking thanks to alternating low and high hoop positions, space between bicycle centres 375 mm, optional up to 500 mm.
- › Galvanised steel construction.
- › Robust and durable for long-term use in public places.
- › Hoop spacing for bicycles with tyre width of up to 55 mm.
- › For single or double-sided parking.
- › Bolts and assembly instructions included.

POA








Ideal use of existing space.

Easy parking of bicycles with very little effort required due to its push and swing function.

TWO-TIER BIKE RACK SYSTEM

Galvanised

We can provide you with a detailed quote for your very own customized two-tier bike rack. Ask us!



Semi Vertical Bike Rack SW and SF

An “oblique” design provides more parking spaces. Parking bicycles safely and orderly – now this is possible even in confined spaces with Able’s new High Angle Parker.

- › Comfortable, safe and orderly parking of bicycles even when space is limited.
- › Space-saving parking through alternating high/low setting. Bike spacing: 350 mm
- › Single and double-sided parking available.
- › Locking options for anti-theft devices.
- › Weatherproof steel construction.
- › Easy to assemble.
- › RAL colour coatings available optionally.
- › Suitable for tyres up to 60 mm.

PRICES

ITEM NO.	TYPE	PRICE
105500138	Semi Vertical Bike Rack SW 4 galvanised	£325.36
105500139	Semi Vertical Bike Rack SW 5 galvanised	£366.59
105500140	Semi Vertical Bike Rack SW 6 galvanised	£407.03
105500141	Semi Vertical Bike Rack SF 4 galvanised	£432.41
105500142	Semi Vertical Bike Rack SF 5 galvanised	£499.02
105500143	Semi Vertical Bike Rack SF 6 galvanised	£567.20
105500144	Semi Vertical Bike Rack SF 8D galvanised	£590.21
105500145	Semi Vertical Bike Rack SF 10D galvanised	£673.46
105500146	Semi Vertical Bike Rack SF 12D galvanised	£756.72

Prices shown include UK delivery and VAT

Model SF 4



FROM
£325.36
inc. VAT &
UK Delivery



Secure stable stand with the large wraparound base frame.





Simple locking options.



A clever solution: The new Semi Vertical Bike Rack installed under a canopy shelter from the Able range. This provides optimal weather protection for your bicycle.



No. of spaces		4	5	6
Length in mm		1400	1750	2100
Wall Mounted	Model	SW 4	SW 5	SW 6
Galvanised	Item No.	105500138	105500139	105500140
Free Standing	Model	SF 4	SF 5	SF 6
Galvanised	Item No.	105500141	105500142	105500143
No. of spaces		8	10	12
Length in mm		1400	1750	2100
Free Standing	Model	SF 8D	SF 10D	SF 12D
Galvanised	Item No.	105500144	105500145	105500146



Hoop Parker 2000

Best selling bicycle stands, solid and beautifully shaped. Proven design.

- › Space-saving bicycle parking thanks to alternating low and high hoop positions, space between bicycle centres 350 mm.
- › Sturdy steel construction with robust round tubing hoops.
- › Optimised design: Narrows down at rear to hold bikes safely.
- › Ready-made for row connection and ground anchoring.
- › For single or double-sided parking.
- › Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- › Parking space depth. approx. 1850 mm, in the double-sided version approx. 3200 mm.
- › Supplied dismantled in boxes.
- › Robust bolted tubular hoops.
- › Corrosion-proof thanks to galvanising.
- › Delivery incl. bolts and assembly instructions.

Model Series 2200 E, stainless steel – for those who want something special.

- › Stainless steel is rust-proof and retains its appearance over many years.

PRICES


ITEM NO.	TYPE	PRICE
105000002	Floor mounting bracket (set of 2) galvanised	£5.17
105000003	Ground tie-bolts (set of 2) galvanised	£16.34
105700011	Hoop Parker 2052 galvanised	£67.78
105700012	Hoop Parker 2053 galvanised	£80.22
105700013	Hoop Parker 2054 galvanised	£99.34
105700014	Hoop Parker 2055 galvanised	£117.96
105700015	Hoop Parker 2056 galvanised	£136.99
105700017	Hoop Parker 2252 E stainless steel	£155.23
105700018	Hoop Parker 2253 E stainless steel	£192.50
105700019	Hoop Parker 2254 E stainless steel	£249.60
105700020	Hoop Parker 2255 E stainless steel	£304.31
105700021	Hoop Parker 2256 E stainless steel	£356.65
105700022	Hoop Parker 2354 E stainless steel	£249.60
105700023	Hoop Parker 2356 E stainless steel	£356.64
105700191	Hoop Parker 2358 E stainless steel	£463.69
105700024	Hoop Parker 2360 E stainless steel	£569.95
105700025	Hoop Parker 2362 E stainless steel	£675.41
105700026	Hoop Parker 2154 galvanised	£99.34
105700188	Hoop Parker 2156 galvanised	£174.26
105700027	Hoop Parker 2158 galvanised	£136.99
105700028	Hoop Parker 2160 galvanised	£210.74
105700029	Hoop Parker 2162 galvanised	£247.21

Prices shown include UK delivery and VAT


FROM
£67.78
inc. VAT &
UK Delivery




Model 2056



Optimised design: Narrows down at rear to hold the bike safely.



Ground tie-bolts, galvanised (set of 2)
Item no 105000003




Floor mounting bracket, galvanised (set of 2).
Item no 105000002




Model 2156 for double-sided parking.

		No. of spaces	2	3	4	5	6
		Length in mm	700	1050	1400	1750	2100
One-sided parking, 90°		Model	2052	2053	2054	2055	2056
	Galvanised	Item No.	105700011	105700012	105700013	105700014	105700015
		Model	2252 E	2253 E	2254 E	2255 E	2256 E
	Stainless steel	Item No.	105700017	105700018	105700019	105700020	105700021
		No. of spaces	4	6	8	10	12
		Length in mm	700	1050	1400	1750	2100
Two-sided parking, 90°		Model	2154	2156	2158	2160	2162
	Galvanised	Item No.	105700026	105700027	105700188	105700028	105700029
		Model	2354 E	2356 E	2358 E	2360 E	2362 E
	Stainless steel	Item No.	105700022	105700023	105700191	105700024	105700025



Model 2056



Model 2156

Hoop Parker 2000 BF

**Supplements the successful 2000 series.
Adequate space for modern bikes with wide handlebars.**

- › Space-saving bicycle parking thanks to alternating low and high hoop positions, space between bicycle centres 390 mm.
- › Further details see pages 38/39.
- › Compatible with model series 2000.


PRICES

ITEM NO.	TYPE	PRICE
105000002	Floor mounting bracket (set of 2) galvanised	£5.17
105000003	Ground tie-bolts (set of 2) galvanised	£16.34
105700060	Hoop Parker 2052 BF galvanised	£71.03
105700061	Hoop Parker 2053 BF galvanised	£86.81
105700062	Hoop Parker 2054 BF galvanised	£108.46
105700063	Hoop Parker 2055 BF galvanised	£128.28
105700064	Hoop Parker 2056 BF galvanised	£149.69
105700068	Hoop Parker 2154 BF galvanised	£108.46
105700190	Hoop Parker 2156 BF galvanised	£190.92
105700069	Hoop Parker 2158 BF galvanised	£149.69
105700070	Hoop Parker 2160 BF galvanised	£233.74
105700071	Hoop Parker 2162 BF galvanised	£274.18


Prices shown include UK delivery and VAT



Model 2056 BF




**Ground tie-bolts, galvanised
(set of 2)**
Item no 105000003



**Floor mounting bracket,
galvanised (set of 2).**
Item no 105000002

No. of spaces Length in mm		2	3	4	5	6
One-sided parking, 90°		780	1170	1560	1950	2340
<i>Model</i>		2052 BF	2053 BF	2054 BF	2055 BF	2056 BF
<i>Item No.</i>		105700060	105700061	105700062	105700063	105700064



Galvanised


No. of spaces Length in mm		4	6	8	10	12
Two-sided parking, 90°		780	1170	1560	1950	2340

Two-sided parking, 90°


Model

Item No.


Galvanised



Model 2056 BF



Model 2156 BF



Stand Parker 4000 and 4000 BR

**Optimised safe parking for your bicycle.
No risk for tyres and wheel rims.**

- › Space-saving bicycle parking thanks to alternating low and high hoop positions, space between wheels 350 mm (BR: 390 mm).
- › Robust steel construction with stable bolted tubular hoops.
- › Corrosion-proof thanks to galvanising.
- › Ready-made for row connection and ground anchoring.
- › For single or double-sided parking.
- › Parking space depth approx. 1850 mm, in the double sided version approx. 3200 mm.
- › Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- › Delivery incl. bolts and assembly instructions.
- › Supplied dismantled in boxes.
- › Packaging is recyclable.

PRICES

ITEM NO.	TYPE	PRICE
105000002	Floor mounting bracket (set of 2) galvanised	£5.17
105000003	Ground tie-bolts (set of 2) galvanised	£16.34
105800002	Stand Parker 4052 galvanised	£79.34
105800003	Stand Parker 4053 galvanised	£98.46
105800004	Stand Parker 4054 galvanised	£124.31
105800005	Stand Parker 4055 galvanised	£149.69
105800006	Stand Parker 4056 galvanised	£174.26
105800017	Stand Parker 4154 galvanised	£124.31
105800018	Stand Parker 4156 galvanised	£174.26
105800019	Stand Parker 4158 galvanised	£223.43
105800020	Stand Parker 4160 galvanised	£273.38
105800021	Stand Parker 4162 galvanised	£322.55
105800001	Stand Parker 4052 BR galvanised	£103.45
105800022	Stand Parker 4053 BR galvanised	£131.45
105800083	Stand Parker 4054 BR galvanised	£166.33
105800084	Stand Parker 4055 BR galvanised	£214.70

Prices shown include UK delivery and VAT

Model 4000 BR

- › The “wide one” - the solution for bicycles with wide tyres, such as fat bikes and mountain bikes.
- › Hoop spacing for bicycles with tyre widths up to 64 mm.
- › Also designed for 29” wheels.




Model 4056



Model 4056 BR




Maximum safety – specially high shaped hoops.



Optional ground tie-bolts, galvanised (set of 2).

Item no. 105000003



Optional galvanised floor-mounting bracket (set of 2).


Item no. 105000002




4000 BR suitable for tyre widths up to 64 mm.

<i>No. of spaces</i>		2	3	4	5	6
<i>Length in mm</i>		700	1050	1400	1750	2100
One-sided parking, 90°		4052	4053	4054	4055	4056
	<i>Model</i>					
	<i>Item No.</i>	105800002	105800003	105800004	105800005	105800006
<i>Galvanised</i>						
	<i>No. of spaces</i>	4	6	8	10	12
	<i>Length in mm</i>	700	1050	1400	1750	2100
Two-sided parking, 90°		4154	4156	4158	4160	4162
	<i>Model</i>					
	<i>Item No.</i>	105800017	105800018	105800019	105800020	105800021
<i>Galvanised</i>						
<i>No. of spaces</i>		2	3	4	5	
<i>Length in mm</i>		780	1170	1560	1950	
One-sided parking, 90°		4052 BR	4053 BR	4054 BR	4055 BR	
	<i>Model</i>					
	<i>Item No.</i>	105800001	105800022	105800083	105800084	
<i>Galvanised</i>						


Model 4056



Model 4156



Model 4053 BR



Bow-Frame Parker 5000

Elegant and high functionality.

- › Space-saving bicycle parking thanks to alternating low and high hoop positions, space between bicycle centres 350 mm.
- › Bolted bow-shaped tubular hoops.
- › Ready-made for row connection and ground anchoring.
- › For single or double-sided parking. Bike spacing 350 mm.
- › Parking space depth approx. 1850 mm, in the double-sided version approx. 3200 mm.
- › Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- › Delivery incl. bolts and assembly instructions.
- › Supplied dismantled in boxes.
- › Packaging is recyclable.

Model Series 5000

- › Robust steel construction.
- › Corrosion-proof thanks to galvanising.

Model Series 5000 E

- › Stainless steel – attractive design.
- › Robust stainless steel construction.

- › Stainless steel is rust-proof and retains its appearance over many years.

PRICES

ITEM NO.	TYPE	PRICE
105000002	Floor mounting bracket (set of 2) galvanised	£5.17
105000003	Ground tie-bolts (set of 2) galvanised	£39.14
105800027	Bow-Frame Parker 5052 galvanised	£67.78
105800028	Bow-Frame Parker 5053 galvanised	£80.22
105800029	Bow-Frame Parker 5054 galvanised	£99.34
105800030	Bow-Frame Parker 5055 galvanised	£117.96
105800031	Bow-Frame Parker 5056 galvanised	£136.99
105800042	Bow-Frame Parker 5154 galvanised	£99.34
105800043	Bow-Frame Parker 5156 galvanised	£136.99
105800044	Bow-Frame Parker 5158 galvanised	£174.26
105800045	Bow-Frame Parker 5160 galvanised	£210.74
105800046	Bow-Frame Parker 5162 galvanised	£247.21
105800047	Bow-Frame Parker 5252 E stainless steel	£155.23
105800048	Bow-Frame Parker 5253 E stainless steel	£192.50
105800049	Bow-Frame Parker 5254 E stainless steel	£249.60
105800050	Bow-Frame Parker 5255 E stainless steel	£304.31
105800051	Bow-Frame Parker 5256 E stainless steel	£356.64
105800052	Bow-Frame Parker 5354 E stainless steel	£249.60
105800053	Bow-Frame Parker 5356 E stainless steel	£356.64
105800054	Bow-Frame Parker 5358 E stainless steel	£462.11
105800055	Bow-Frame Parker 5360 E stainless steel	£569.95
105800056	Bow-Frame Parker 5362 E stainless steel	£675.41

Prices shown include UK delivery and VAT




Model 5056



Beautiful in its simplicity:
The basic hoop form.




Stainless steel – for those who
want something special, model
series 5200 E.



Optional ground tie-bolts,
galvanised (set of 2).

Item No. 105000003




Optional galvanised floor-
mounting bracket (set of 2).


Item No. 105000002

No. of spaces Length in mm		2	3	4	5	6
One-sided parking, 90°		700	1050	1400	1750	2100
	Model	5052	5053	5054	5055	5056
	Galvanised	Item No. 105800027	105800028	105800029	105800030	105800031
	Stainless steel	Item No. 105800047	105800048	105800049	105800050	105800051
No. of spaces Length in mm		4	6	8	10	12
Two-sided parking, 90°		700	1050	1400	1750	2100
	Model	5154	5156	5158	5160	5162
	Galvanised	Item No. 105800042	105800043	105800044	105800045	105800046
	Stainless steel	Item No. 105800052	105800053	105800054	105800055	105800056

Model 5056



Model 5156



Multi Parker 8000 + 8000 Harlekin

Safe parking for your bicycle.

Especially easy on axles, spokes and disc brakes.

- › Space-saving bicycle parking thanks to alternating low and high hoop positions, space between bicycle centres 350 mm.
- › Robust steel construction and corrosion proof thanks to galvanising.
- › Ready-made for row connection and ground anchoring.
- › For single or double-sided parking.
- › Parking space depth approx. 1850 mm, in the double-sided version approx. 3200 mm.
- › Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- › Bolts and assembly instructions included.
- › Supplied dismantled in boxes.
- › Shipped in recyclable packaging.

Model Harlekin

- › Multicoloured coating of hoops and frame in up to six different colours. (Colours are selected as standard - choice of colours is not available).

PRICES

ITEM NO.	TYPE	PRICE
105900001	Multi Parker 8052 galvanised	£71.89
105900002	Multi Parker 8053 galvanised	£86.00
105900003	Multi Parker 8054 galvanised	£107.65
105900004	Multi Parker 8055 galvanised	£127.48
105900005	Multi Parker 8056 galvanised	£148.09
105900006	Multi Parker 8154 galvanised	£107.65
105900007	Multi Parker 8156 galvanised	£148.09
105900008	Multi Parker 8158 galvanised	£188.54
105900009	Multi Parker 8160 galvanised	£227.39
105900010	Multi Parker 8162 galvanised	£268.62
105200010	Multi Parker 8053 HARLEKIN multicolour coated	£131.45
105200011	Multi Parker 8056 HARLEKIN multicolour coated	£229.78

Prices shown include UK delivery and VAT






Disc brakes? We foresee and respond to technical progress.




Reverse parking also possible e.g. as dealer's sales and display stand.




The colourful hoops and frame of the Harlekin models are especially loved by children.

		No. of spaces	2	3	4	5	6
		Length in mm	700	1050	1400	1750	2100
One-sided parking, 90°		Model	8052	8053	8054	8055	8056
	Galvanised	Item No.	105900001	105900002	105900003	105900004	105900005


		No. of spaces	4	6	8	10	12	
		Length in mm	700	1050	1400	1750	2100	
Two-sided parking, 90°		Model	8154	8156	8158	8160	8162	
<div></div>		Galvanised	Item No.	105900006	105900007	105900008	105900009	105900010

No. of spaces Length in mm		3	6
One-sided parking, 90° <div>Model</div>		1050 8053 HARLEKIN	2100 8056 HARLEKIN
<div><div><div></div><div></div><div></div></div><div></div><div>Galvanised and colour coated</div><div>Item No.</div></div>		105200010	105200011

Model 8056
and
8056 HARLEKIN



Model 8156



Floor Parker 3100 + Wall Mounted Parker 3400

The elegant space-saving solution for a secure single parking place.

- Robust tubular steel construction.
- No risk of injury as the hoops are rounded on all sides.
- Corrosion-proof and long-lasting thanks to galvanising.
- Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- Recommended installation spacing where several parkers are installed in line: 650 mm.
- Available galvanised and RAL colour-coated on request.
- Shipped in recyclable packaging.

Model 3100

- Can be supplied with single or double-sided parking.
- Can be supplied for direct fixing in concrete or with base plates for bolting, diam. 150 mm.

Model 3400

- Very robust tubular steel construction with broad solid steel mounting plate, 250 x 80 mm.
- For simple bolting to wall.

PRICES

ITEM NO.	TYPE	PRICE
105700030	Floor Parker 3110 galvanised	£51.12
105700031	Floor Parker 3120 galvanised	£76.90
105700033	Floor Parker 3111 galvanised	£53.58
105700034	Floor Parker 3121 galvanised	£83.47
105700036	Wall mounted Parker 3445 galvanised	£63.56
105700127	Wall mounted Parker 3490 galvanised	£63.56

Prices shown include UK delivery and VAT

FROM
£51.12
inc. VAT &
UK Delivery

Model 3111




Model 3490







Model 3100:
Can be supplied
for single or
double-sided
parking.




Model 3111




Model 3121



Model 3400:
45° left/right parking angle.



Model 3490



Model 3445

No. of spaces		1	→	2	↔
Parking space depth approx. in mm					
For setting in concrete		<i>Model</i>	3110	3120	
Galvanised		<i>Item No.</i>	105700030	105700031	
No. of spaces		1	→	2	↔
Setting angle				45° left / right	90° straight
Parking space depth approx. in mm			1850	3700	1600
For bolting		<i>Model</i>	3111	3121	3445
Galvanised		<i>Item No.</i>	105700033	105700034	105700036
					105700127

Bicycle Holder Spacer


The space-saving solution – threefold variability.


- › As double-decker parking facility, bicycles are held safely by the frame.
- › Easily assembled without drilling or bolting – gripped between ceiling and floor.
- › Load-bearing telescopic aluminium column, silver anodised.
- › Large adjusting screw at base.
- › Adjustable for heights between 2050 and 2600 mm.
- › Continuously adjustable brackets with plastic coated hooks in RAL 3000 flame red.
- › Maximum load 25 kg per bicycle.
- › Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105500031	Bicycle Holder SPACER RAL 3000	£130.66

Prices shown include UK delivery and VAT







Adjustable inclination for ladies' bicycles and sloping MTB frames.



Secure space-saving storage as a double-decker bicycle parking column.

No. of spaces		2
Length in mm		2050-2600
Model		SPACER
<div>  <div> <p>Telescopic aluminium column, brackets colour coated RAL 3000 flame red</p> </div> </div> <div>  <div> <p>Parking space depth 700mm</p> </div> </div>		Item No. 105500031

Model SPACER

Serial Hanging Parker 3800

Minimum space requirement – maximum use.
Space-saving parking system which creates space and order.

- › Suitable for bicycles of all kinds and all tyre widths up to 65 mm.
- › For easy mounting on ceilings or walls.
- › High load-bearing capacity sectional steel with solid steel suspension hooks.
- › Steel eyelet for anti-theft protection.
- › Suspension hooks plastic coated in bright red for rim protection.
- › Available galvanised and RAL colour-coated on request.
- › Distance between hooks only 350 mm thanks to height-adjusted low/high suspension.
- › Recommended hook height approx. 2000 mm.
- › Parking space depth of hanging bicycles only approx. 1100 mm.

- › Delivery dismantled in boxes.
- › Supplied with assembly instructions.
- › Shipped in recyclable packaging.


PRICES

ITEM NO.	TYPE	PRICE
105700037	Serial Hanging Parker 3802 galvanised	£60.24
105700038	Serial Hanging Parker 3803 galvanised	£77.69
105700039	Serial Hanging Parker 3804 galvanised	£88.46
105700080	Serial Hanging Parker 3806 galvanised	£108.46
105700081	Serial Hanging Parker 3808 galvanised	£136.99
105700085	Serial Hanging Parker 3872 galvanised	£79.34
105700086	Serial Hanging Parker 3873 galvanised	£97.67
105700087	Serial Hanging Parker 3874 galvanised	£108.46
105700088	Serial Hanging Parker 3876 galvanised	£140.96
105700089	Serial Hanging Parker 3878 galvanised	£172.68
318000162	Wall cross members galvanised	£35.78
318000163	Connecting element galvanised	£32.81

Prices shown include UK delivery and VAT



Model 3874



- ① **Connecting element**
Connector for subsequent assembly in series, 200 mm long

Galvanised Item No.318000163


- ② **Wall cross member**


Galvanised Item No.318000162




Rim-protecting plastic coating, steel eyelet for anti-theft protection.



		No. of spaces	2	3	4	6	8
		Length in mm	500	850	1200	1900	2600
Ceiling mounting		Model	3802	3803	3804	3806	3808
	Galvanised	Item No.	105700037	105700038	105700039	105700080	105700081

		No. of spaces	2	3	4	6	8
		Length in mm	500	850	1200	1900	2600
Wall mounting		Model	3872	3873	3874	3876	3878
	Galvanised	Item No.	105700085	105700086	105700087	105700088	105700089

Model 3874



Hanging Parker 3900

...and you park in the third dimension.

The space-saving solution for confined parking spaces, cellars or public bicycle compounds.

- › For easy mounting on walls.
- › Very robust tubular steel construction with solid, large-format attachment plate.
- › Corrosion-proof and long-lasting thanks to galvanising.
- › Suitable for bicycles of all kinds and all tyre widths.
- › Protection from wheel rim damage through plastic coated hook.
- › Recommended hook height approx. 2000 mm.
- › Recommended installation spacing where several parkers are installed in line: 650 mm.
- › Shipped in recyclable packaging.
- › Available galvanised and RAL colour-coated in your colour choice on request.

PRICES

ITEM NO.	TYPE	PRICE
105700095	Hanging Parker 3970 galvanised	£67.78
105700096	Hanging Parker 3971 galvanised	£67.78
105700097	Hanging Parker 3990 galvanised	£67.78

Prices shown include UK delivery and VAT



Model 3990

£67.78
inc. VAT &
UK Delivery







Plastic coating prevents damage.




Available in three variations.



			
Setting angle	70° left	70° right	90° straight
No. of spaces	1	1	1
Parking space depth in mm	900	900	1100
Model	3970	3971	3990
Galvanised	Item No. 105700095	105700096	105700097



Model 3990



Wall Mounted Bicycle Holder 3730

The rim-saving parking space for your high-quality bicycle in garages and basements. The bicycle is held safely by its frame.

- › Suitable for almost all bicycle sizes, types and models.
- › Robust steel construction.
- › 3 variable settings.
 1. The rotating brackets can be adapted to suit any bicycle.
 2. Adjustable angle of inclination. Also ideal for ladies' bicycles with no crossbar.
 3. Swing away to save space and prevent injury when not in use.
- › Plastic coating on the holding hooks to protect against scratching.
- › Hooks for hanging helmet and accessories.
- › Colour-coated in RAL 3000 flame red.
- › Maximum load 30 kg – also suitable for most Pedelecs!
- › Shipped in recyclable packaging.

PRICES


ITEM NO.	TYPE	PRICE
105700126	Wall mounted Bicycle Holder 3730 RAL 3000	£90.22

Prices shown include UK delivery and VAT




Model 3730

£90.22
inc. VAT &
UK Delivery



Rotating brackets



Adjustable angle of inclination




Swing away if not in use




Brackets lock in place

No. of spaces	1
Parking space depth in mm	700
Model	3730
RAL 3000 flame red	
Item No.	105700126



Model 3730



Pedal Parker 3510

The miracle space saver for basements and garages. Hang the bicycle on the wall by its pedals. A material-friendly method as the pedal is especially suitable for withstanding high loads and weights.

- › Two-piece set with hanging hook and tyre support.
- › The hanging hook is made from steel plate which is suitable for all bicycles sizes.
- › Tyre support for extra stability, even if the bicycle is heavily loaded.
- › With bike lock eyelet to prevent theft.
- › Colour coated in RAL 3000 flame red.
- › Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE		PRICE
105700123	Pedal Parker 3510 RAL 3000		£35.26
105700192	Pedal Parker 3510 RAL 3000	3 pcs.	£56.35

Prices shown include UK delivery and VAT



Saving twice over: Advantageous freight costs for the 3-piece set!

SAVINGS TIP

Particularly attractive prices for a purchase of at least 3 pcs. (see price list)







The Space Saver for your cellar and garage.




Hanging hook.



Tyre support with theft protection eyelet.

No. of spaces		1
Parking space depth in mm		700
<i>Model</i>		3510
	RAL 3000 flame red	
	1 per pack.	<i>Item No.</i> 105700123
	3 per pack.	<i>Item No.</i> 105700192

Model 3510



Advertising Bicycle Stand EW 7004

A service to your customer. The bicycle stand that gives parked bikes security as well as showing off your advertising.

- Robust construction made from colour coated tubular steel.
- Stability through wide frame.
- Comfortable and easy parking – bicycle spacing 580 mm.
- Corrosion-proof and long-lasting thanks to galvanising.
- Double-sided bicycle parking, 4 spaces.
- Hoops designed for bicycle tyre width of up to 60 mm (also suitable for mountain bikes).
- Easy to move by means of side-mounted castors.
- Parking space depth approx. 3200 mm with double-sided parking.
- Colour coated in RAL 3000 flame red or RAL 9010 pure white.
- Optional coating in a RAL colour of your choice.

- Advertising area on an aluminium sandwich plate, white (934 x 250 mm) included.
- Flat packed delivery incl. bolts and assembly instructions.
- Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105200046	Advertising Bicycle Stand EW 7004 RAL	£257.52
105200047	Advertising Bicycle Stand EW 7004 RAL 3000	£236.11
105200048	Advertising Bicycle Stand EW 7004 RAL 9010	£236.11
700000316	Digital print	£70.74

Prices shown include UK delivery and VAT



Model EW 7004



Secure and space-saving parking on two sides.



Quick and secure locking possibilities.



Easy to move by means of side-mounted castors.



Advertising area screwed on, thus making it easy to change.

EW 7004		Model	EW 7004
	Galvanised and colour coated RAL 3000 flame red	Item No.	105200047
	Galvanised and colour coated RAL 9010 pure white	Item No.	105200048
	Galvanised and colour coated RAL on request	Item No.	105200046
ACCESSORIES			
Multi coloured and laminated digital print, one-sided with the supply of an appropriate printable file.		Item No.	700000316

Advertising Bicycle Stand Security Station

The advertising bicycle stand with that extra plus in security! Park your bicycle quickly, easily and safely.

Our Security Station bicycle stand makes it possible. The Security Station is specially designed so that the security arm can be locked to the frame of the bicycle. The whole unit is on side-mounted castors and can therefore be positioned easily.

- Constructed with stable and robust steel parts.
- Double-sided bicycle parking, 6 spaces.
- Comfortable and easy parking – bike spacing 510 mm.
- Parking hoop suitable for tyre widths up to 60 mm.
- Corrosion-proof and long lasting due to galvanising.
- Easy to move by means of side-mounted castors.
- Parking space depth approx. 3200 mm.
- Colour coated in RAL 9006 white aluminium or RAL colour of your choice.

- Incl. a blank board for advertising purposes in white.
- Flat packed delivery incl. bolts and assembly instructions.
- Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105000077	Advertising Bicycle Stand SECURITY STATION RAL 9006	£454.38
105000078	Advertising Bicycle Stand SECURITY STATION RAL of your choice	£478.18
700000312	Digital print	£70.74

Prices shown include UK delivery and VAT





Safe and space saving double-sided parking.




Easy to move by means of side-mounted castors.



Optimised anti-theft protection: fastens to bike frame.

SECURITY STATION



Galvanised and colour coated RAL 9006 white aluminium

Galvanised and colour coated RAL on request


Model

Item No.

105000077

Item No.

105000078



ACCESSORIES

Multi-coloured and laminated digital print, one-sided with the supply of an appropriate printable file.

Item No.

700000312

Bicycle Stands for Advertising BW 5000

Long-term advertising in a functional setting! The right place for a long-term campaign.

- › Advertising spaces are sheet metal panels, off-white colour-coated RAL 9016. Size 890 x 645 mm and 890 x 300 mm (W/H). Both sides can be used.
- › For one or two-sided parking.
- › Easy to move by means of side-mounted castors.
- › Steadfast thanks to 2 extra stabilising bars!
- › Robust steel construction with bow-shaped hoops.
- › Corrosion-proof and long-lasting thanks to galvanising.
- › Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- › Parking space depth approx. 3200 mm.

- › Delivery incl. fixings and assembly instructions.
- › Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105100024	Advertising Bicycle Stand BW 5053 galvanised	£223.24
105100025	Advertising Bicycle Stand BW 5156 galvanised	£249.40
105100047	Advertising Bicycle Stand BW 5156/300 galvanised	£249.40
105100051	Advertising Bicycle Stand BW 5053/300 galvanised	£223.24
700000253	Digital print	£70.74

Prices shown include UK delivery and VAT

Model BW 5156



YOUR ADVERTISING
Customised advertising space

FROM
£223.24
inc. VAT &
UK Delivery



Large wheels for easy relocation.



Models BW 5053 and BW 5156: Including additional outriggers (lockable with springpins).



Two models (height 645 or 300 mm) with double-sided advertising space are available.




Over 180 RAL colours possible.


No. of spaces	3	3	6	6
Dimensions in mm	1050 x 1750 L/H	1050 x 1400 L/H	1050 x 1750 L/H	1050 x 1400 L/H
Two-sided parking, 90°				
Model	BW 5053	BW 5053/300	BW 5156	BW 5156/300
Galvanised				
Item No.	105100024	105100051	105100025	105100047



Model BW 5156



Model BW 5156/300



Accessories

Multi-coloured and laminated digital print, one-sided with the supply of an appropriate printable file.

Item No.

700000253

Bicycle Stands for Advertising CW 5000

Let it rain! Your advertising stays dry. Waterproof thanks to special poster-pocket. Customer parking space and advertising space in one compact package!

- › Advertising space with two aluminium snap frames in DIN A1 horizontal format, silver anodised. Posters changed in seconds using Quick-Clip system.
- › Poster protection due to anti-reflection, waterproof poster-pocket.
- › For double-sided bicycle parking.
- › Easy to move by means of side-mounted castors.
- › Steadfast thanks to 2 extra stabilising bars.
- › Robust steel construction with bow-shaped hoops.
- › Corrosion-proof and long-lasting thanks to galvanising.
- › Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.

- › Parking space depth approx. 3200 mm.
- › Delivery incl. fixings and assembly instructions.
- › Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105100038	Advertising Bicycle Stand CW 5053 galvanised	£286.67
105100039	Advertising Bicycle Stand CW 5156 galvanised	£312.05

Prices shown include UK delivery and VAT

Model CW 5156



YOUR ADVERTISING
Customised advertising space

FROM
£286.67
inc. VAT &
UK Delivery



Large wheels for easy relocation.



Including additional outriggers (lockable with springpins).





With an extra antireflection, waterproof poster-pocket.



Over 180 RAL colours possible.

No. of spaces		3	6
Length in mm		1050	1050
Two-sided parking, 90°		CW 5053	CW 5156
Galvanised	Model	CW 5053	CW 5156
	Item No.	105100038	105100039



Model CW 5156

Bicycle Stands for Advertising RW 5454

Elegantly designed advertising medium for permanent lettering, on both sides if desired.

Effective promotion in pedestrian zones, outside shops and restaurants etc.

Parking for up to four bicycles.

- Advertising areas on a white sandwich plate, diameter 600 mm. Lettering on request.
- For single or double-sided parking.
- Easy to move by means of side-mounted castors.
- Robust steel construction with bow-shaped hoops.
- Corrosion-proof and long-lasting thanks to galvanising.

- Optional RAL colour coatings available.
- Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.
- Parking space depth approx. 3200 mm.
- Delivery incl. fixings and assembly instructions.
- Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105500038	Advertising Bicycle Stand RW 5454 galvanised	£216.89
700000255	Digital print	£70.74

Prices shown include UK delivery and VAT

Model RW 5454

YOUR ADVERTISING


Customised advertising space



FROM
£216.89
inc. VAT &
UK Delivery



Optional: Colour coating RAL



	No. of spaces	4
	Length in mm	700
Two-sided parking, 90°		Model
		RW 5454
	Galvanised	Item No.
		105500038



Accessories	
Multi-coloured and laminated digital print, one-sided with the supply of an appropriate printable file.	700000255

Bicycle Stands for Advertising AW 5112

Let it rain! Your advertising stays dry. Waterproof thanks to special poster-pocket. Customer parking space and advertising space in one! Compact package.

- › Advertising space with two aluminium snap frames in DIN A1 vertical format, silver anodised. Posters changed in seconds using Quick-Clip system.
- › Poster protection due to anti-reflection, waterproof poster-pocket.
- › For double-sided bicycle parking.
- › Easy to move by means of side-mounted castors.
- › Robust steel construction with bow-shaped hoops.
- › Corrosion-proof and long-lasting thanks to galvanising.
- › Also suitable for mountain bikes. Hoop spacing for bicycles with tyre widths of up to 55 mm.

- › Parking space depth approx. 3200 mm.
- › Delivery incl. bolts and assembly instructions.
- › Shipped in recyclable packaging.

PRICES

ITEM NO.	TYPE	PRICE
105100028	Advertising Bicycle Stand AW 5112 galvanised	£229.57

Prices shown include UK delivery and VAT



Model AW 5112



Now with larger castors.



With an extra anti-reflection, waterproof poster-pocket.




Advertising space with aluminium snap frame – posters changed in seconds.




Over 180 RAL colours possible.

Aluminium snap frame	2 x DIN A1
No. of spaces	2
Length in mm	1050
Two-sided parking, 90°	Model AW 5112
Galvanised	Item No. 105100028



Model AW 5112 N



Bicycle Locker Bikebox 1

Full protection from theft and vandalism. The BikeBox 1 gives your bike the protection it deserves.

- › Security when parking any bike, including expensive bikes.
- › Perfect weather protection for both bicycle and luggage.
- › Can be used anywhere, including schools, sports halls, councils, companies, camping grounds housing complexes, family homes etc....
- › For employees, customers or for own use.
- › Robust steel construction.
- › Corrosion proof and long lasting, thanks to hot galvanising.
- › Powder coated with Distant Blue, RAL 5023 (Side elements and roofing) and Window Grey RAL 7040 (Door, back element and frame).
- › Standard flush fitting handles with cylinder locks.

- › Modular elements: Exchange of individual elements if they become damaged.
- › External measurements (W/H/L) in mm:
Gable roof 850 x 1250 x 2050
Bowed roof 850 x 1350 x 2050
(Doorway measurement 750 x 1150)
- › Locker is flat packed and supplied with building materials and instructions.

PRICES

ITEM NO.	TYPE	PRICE
122000001	Bicycle Locker BikeBox 1G	£623.68
122000002	Element BikeBox 1G with side wall	£551.51
122000003	Element BikeBox 1G without side wall	£499.97
122000022	Bicycle Locker BikeBox 1B	£623.68
122000023	Element BikeBox 1B with side wall	£551.51
122000024	Element BikeBox 1B without side wall	£499.97

Prices shown include UK delivery and VAT

FROM
£499.97
*inc. VAT &
UK Delivery*



Model BikeBox 1 G
with gable roof
in a row.



Model BikeBox 1 G
Bicycle Locker with gable
roofing, complete.

Model BikeBox 1 B
Bicycle Locker with bowed
roofing, complete.

Information about accessories
such as security locks, advertising
options, colour options
and e-bike charging
can be found on pages 254-255.



Element with side wall.



Element without side wall.

BikeBox 1 G	Model	Bicycle Locker, complete	Element with side wall	Element without side wall
	Item No.	122000001	122000002	122000003

BikeBox 1 B	Model	Bicycle Locker, complete	Element with side wall	Element without side wall
	Item No.	122000022	122000023	122000024

Bicycle Locker Bikebox 2

The new home for your bicycle – secure and good looking! Wind and weather can no longer maltreat your bike.

The fear of theft, vandalism or having to carry into the basement are a thing of the past. Universal applications through innovative design: at home, in housing complexes, for councils, companies, camping sites, hotels, sports facilities...

- › Space for nearly every type and size of bicycle:
External measurements (W/H/L) in mm: 850 x 1380 x 2080 (Doorway measurement 760 x 1120).
- › Maxi: External measurements (W/H/L) in mm: 1055 x 1820 x 2580 (Doorway measurement 965 x 1540).
- › Robust steel sheeting construction, corrosion proof and long lasting, thanks to hot galvanising.
- › Can be extended as required.
- › Additionally powder coated carcass, back wall and doors (RAL 3020 traffic red), frame (RAL 7016 anthracite grey).

- › Reinforced door construction with a practical coat and accessories hook.
- › Security when parking any bike, including expensive bikes, with its three point closure.
- › Easy installation: position, secure to the ground – ready!

PRICES

ITEM NO.	TYPE	PRICE
122000048	Bicycle Locker BikeBox 2	£1500.37
122000050	Bicycle Locker BikeBox 2 MAXI	£2139.80

Prices shown include UK delivery and VAT



**Outside: Good design and secure protection.
Inside: Functional and comfortable.
With the BikeBox 2 you have done the best for your bicycle, and for the comforting feeling of security.**

£1500.37
inc. VAT &
UK Delivery



Robust and secure locking mechanism



Cylinder lock

Easy parking with the parking guide track. Designed for almost all types and sizes of bicycle. Reinforced door construction with a practical coat and accessories hook.



BikeBox 2		Model	Bicycle Locker, complete
	Item No.		122000048
	Item No.	Maxi	122000050



Bicycle Accessories Program



POA

Scooter Racks



Features and Benefits

- › Create a designated area to store the scooters – to avoid trip hazards
- › Easy installation – can be installed by caretaker/handyman
- › Fixing: Base plates at each end to bolt to concrete
- › Lockable - children can secure scooters with the use of padlocks (not provided)
- › Compatible with all our shelters for ultimate weather protection
- › Size: 1800mm length x 600mm height
- › Available powder coated in a choice of yellow, blue, red or green.

Your Bikebox as advertising space:

Secure bicycle lockers from Able Canopies can now be used as attractive advertising space.

Your advertising is protected from the elements and can still be easily replaced. Alternatively, a more permanent advert is possible, e.g. with printed adhesive foil on a robust metal rear wall.

Our tip:

Position your BikeBox as an eye-catching advertising medium in frequented places.

Individual colour design:

You can also receive Able Canopies BikeBoxes in colours of your choice. The whole RAL colour chart is available to you.

PRICES


ITEM NO.	TYPE	PRICE
122000006	SAFE-O-MAT Deposit Lock	POA
122000020	SAFE-O-MAT Collect Lock	POA
122000021	E-Bike Charging Unit	£259.12

Prices shown include UK delivery and VAT

E-Bike/Pedelec Charging Unit – SVK 250/16

Here's where to recharge (your bike)!

- › Robust steel sheet construction, galvanised and powder coated in RAL 7035 light grey.
- › Terminal box in impact resistant plastic with a 250V / 16A IP44 power socket.
- › Separately fused.
- › Drop down shelf for charger.
- › Warning: Connection to the mains power may only be carried out by a qualified electrician.



Two variations of a SAFE-O-MAT® Promax security cylinder lock are available for all our bikeboxes.



SAFE-O-MAT® with coin selection.

SAFE-O-MAT® coin collect lock with coin selection.

The ABUS Key Garage with its key compartment with combination is optionally available for all our BikeBox models.

- › For storage of keys by authorised, frequently changing groups of people (e.g. bicycle rental, tourists, guests, etc.).
- › Determining accessibility by passing on the 4-digit code.
- › For wall mounting indoors or in protected outdoor areas.
- › Colour: black-silver. Dimensions: 80 x 120 x 45 mm (W x H x D).
- › Robust metal housing, end cap made of die-cast zinc.



Key specialist for Bikebox with number combination

Item No. 122000006

Item No. 122000020

Item No. 122000047

Index

A

Abberton Entrance Canopy	43
Abberton Wall Mounted Walkway	99
Advertising Bicycle Stand EW 7004	238-239
Advertising Bicycle Stand Security Station	240-241
Albedo Effect Cycle and Waiting Shelter	164
Albedo Effect Solar Canopy	112-113
Arbour Entrance Canopy	39
Ashton Wall Mounted Canopy	20-23
Australia Commercial Awning	151
Awnings Standard Colour Options	153
Balmoral Entrance Canopy	47
Balmoral Wall Mounted Walkway	104
Beck Entrance Canopy	33
Beck Wall Mounted Walkway	102

B

Bicycle Accessories Program	254-255
Bicycle Holder Spacer	228-229
Bicycle Locker Bikebox 1	250-251
Bicycle Locker Bikebox 2	252-253
Bicycle Rest System Galaxy	202-203
Bicycle Rest System Track	200-201
Bicycle Rest System Trust	190-191
Bicycle Stands for Advertising AW 5112	248-249
Bicycle Stands for Advertising BW 5000	242-243
Bicycle Stands for Advertising CW 5000	244-245
Bicycle Stands for Advertising RW 5454	246-247
Blenheim Umbrella Tensile Fabric Structure	137
Bow-Frame Parker 5000	222-223

C

Codale Conic Tensile Fabric Structure	134
Codale Junior Tensile Fabric Structure	135
Colwyn Entrance Canopy	51
Coniston 6 Wall Mounted Canopy	18-19
Coniston Cycle and Waiting Shelter	163
Coniston Free Standing Canopy	73
Coniston Wall Mounted Canopy	10-15
Coniston Wall Mounted Walkway	91

D

Dallington Umbrella Tensile Fabric Structure	138
Darcy Bin Shelter	181
Darcy Bus Shelter	174-175
Darcy Cycle and Waiting Shelter	165
Darcy Shopping Trolley Shelter	170
Darcy Storage Shelter	172
Denver Timber Cycle and Waiting Shelter	168
Design & Build Bespoke Canopy	124
Devoke Free Standing Canopy	58
Devoke Junior Free Standing Canopy	59
Devoke Junior Free Standing Walkway	95
Double Grange Free Standing Canopy	63
Drayton Umbrella Tensile Fabric Structure	142

E

Earlswood Entrance Canopy	41
Earlswood Wall Mounted Walkway	97
Easydale Buggy Shelter	179
Easydale Cycle and Waiting Shelter	162
Ennerdale Junior Cantilever Walkway	94
Evershade Tensile Fabric Structure	141

F

Fenwick Entrance Canopy	49
Fenwick Wall Mounted Walkway	106-107
Ferndale Entrance Canopy	44
Ferndale Wall Mounted Walkway	100
Floor Parker 3100 and Wall Mounted Parker 3400	226-227

G

Glass Bespoke Canopy	125
Grange Apex Solar Canopy	116-117
Grange Junior Free Standing Canopy	62
Grange Mono Pitch Free Standing Canopy	60-61
Grange Mono Pitch Solar Canopy	114-115
Grasmere Bin Shelter	180
Grasmere Cycle and Waiting Shelter	159

H

Hamilton Big Span Free Standing Canopy	64-65
Hanging Parker 3900	232-233
Hoop Parker 2000	216-217
Hoop Parker 2000 BF	218-219

I

Imperial Grand Executive Canopy	84
Imperial Junior Executive Canopy	82
Imperial Senior Executive Canopy	83

K

Kendal Free Standing Canopy	76
Kendal Tensile Fabric Structure	144-145
Kensington Dual Pitch Free Standing Canopy	67
Kensington Dual Pitch Solar Canopy	120-121
Kensington Junior Wall Mounted Canopy	35
Kensington Mono Pitch Free Standing Canopy	66
Kensington Mono Pitch Solar Canopy	118-119
Kensington Wall Mounted Entrance Canopy	34
Kesgrave Executive Canopy	85
Keswick Umbrella Tensile Fabric Structure	139

Index

L

Langdale Cycle and Waiting Shelter	158
Lexden Entrance Canopy	48
Lexden Wall Mounted Walkway	105

M

Meadley Buggy Shelter	178
Melbury Bus Shelter	176-177
Melbury Cycle and Waiting Shelter	166
Melbury Entrance Canopy	38
Melbury Free Standing Canopy	75
Melbury Shopping Trolley Shelter	171
Multi Parker 8000 and 8000 Harlekin	224-225

N

Nelson Entrance Canopy	50
------------------------	----

O

Optional Extras – Executive Canopies	86-87
Optional Extras – Shade Sails	131
Optional Extras – Free Standing Canopies	78-79
Optional Extras - Tensile Fabric Structure	147
Optional Extras – Timber Wall Mounted Canopies	28-29
Optional Extras – Wall Mounted Canopies	16-17
Orwell Entrance Canopy	40
Orwell Wall Mounted Walkway	96

P

Palladio Commercial Awning	150
Parker with Frame Rest 2500 and 2500 XBF	204-205
Parker with Frame Rest 2600 and 2600 XBF	206-207
Parker with Frame Rest 4500 and 4500 XBF	208-209
Parker with Frame Rest 4600 and 4600 XBF	210-211
Pedal Parker 3510	236-237
Pembroke Timber Cycle and Waiting Shelter	169
Pergolino Commercial Awning	152

R

Redford Entrance Canopy	42
Redford Wall Mounted Walkway	98
Richmond Umbrella Tensile Fabric Structure	143

S

Safety Bicycle Rest 9100 and 9200	192-193
Safety Bicycle Rest 9400 and 9500	194-195
Safety Bicycle Rest and Lock 9700 and 9800	198-199
Safety Bicycle Rest Strap	196-197
Screener Veranda Commercial Awning	154
Screener Veranda Fabric Colours	155
Semi Vertical Bike Rack SW and SF	214-215
Serial Hanging Parker 3800	230-231
Shade Sails	128-130
Sheldon Bin Shelter	182-183
Sheldon Cycle and Waiting Shelter	167
Sheldon Storage Shelter	173
Stand Parker 4000 and 4000 BR	220-221

T

Tamworth Entrance Canopy	46
Tamworth Wall Mounted Walkway	103
Tarnhow Curved Free Standing Canopy	70
Tarnhow Dome Free Standing Canopy	72
Tarnhow Mono Pitch Free Standing Canopy	71
Tarnhow Mono Pitch Timber Wall Mounted Canopy	26
Tarnhow Timber Wall Mounted Canopy	24-25
Tarnhow Curved Timber Wall Mounted Canopy	27
Tensile Fabric Options	146
Tintern Entrance Canopy	45
Tintern Wall Mounted Walkway	101

U

Ullswater Apex Free Standing Canopy	56-57
Ullswater Entrance Canopy	32
Ullswater Free Standing Walkway	90
Ulverston Umbrella Tensile Fabric Structure	136

V

Vario-Hub Two Tier Bike Rack System	212-213
-------------------------------------	---------

W

Wall Mounted Bicycle Holder 3730	234-235
Welford Dome Entrance Canopy	37
Welford Dome Free Standing Canopy	54
Welford Dome Free Standing Walkway	92
Welford Dome Free Standing Walkway	93
Welford Dome Junior Free Standing Canopy	55
Whiteside Entrance Canopy	36
Whiteside Free Standing Canopy	74
Windsor Tensile Fabric Structure	140
Witton Free Standing Cycle and Waiting Shelter	161
Witton Wall Mounted Cycle and Waiting Shelter	160

Please call.
We're here to help.

How to order

Contact us



0800 389 9072

Call us and speak to our friendly sales advisors who will be happy to discuss your needs in detail, book a site survey, or organise a quick estimate for you.



01255 425 541

Fax us. Once we receive your enquiry one of our team will contact you as soon as possible to assist you further.



sales@ablecanopies.co.uk

Send us an email. Your email will be passed to the correct person who can help with your specific enquiry and we'll do our best to respond within 2 working days.





Our Address

If you prefer to write to us please send your letter to:

Able Canopies Ltd
Head Office
9-11 Faraday Close
Gorse Lane Industrial Estate
Clacton-on-Sea
Essex CO15 4TR




www.ablecanopies.co.uk

You can contact us via our 'Contact Us' form on our website. You can also view detailed information on all our products and order any of our Accessories directly from our website.



Free Site Survey

We offer a free no-obligation site survey to qualifying customers who enquire about a canopy, shelter, shade sail or awning. Our surveyor will visit your site at a time most convenient for you, to discuss your requirements in depth and assess your site. This allows us to provide you with a firm quotation based on your exact requirements. Contact us today to see if you qualify.



Wall Mounted Canopies <
 Entrance Canopies <
 Free Standing Canopies <
 Executive Canopies <
 Walkways <
 Solar Canopies <
 Bespoke Canopies <
 Able Shade Sails <
 Tensile Fabric Structures <
 Commercial Awnings <
 Shelters & Compounds <
 Bicycle Parking <

Design, manufacture and installation of Canopies, Shade Systems and Shelters

Head Office

9-11 Faraday Close
 Gorse Lane Ind. Estate
 Clacton-on-Sea
 Essex CO15 4TR

Regional Offices

- > South West
- > Wales
- > Eastern England
- > Northern England
- > Southern England

0800 389 9072

sales@ablecanopies.co.uk
www.ablecanopies.co.uk

