

Yeast Infection

Market Sentiments

Web Search Interest in 1 Year (2010-2011)

Shows general market interest, attention and curiosity online about the topic.



Regional Interest

Shows general market interest online according to geographical location


Regional interest		
1.	Jamaica	100
2.	United States	38
3.	Canada	34
4.	Singapore	10
5.	South Africa	9
6.	Philippines	9
7.	Ireland	6
8.	Australia	6
9.	New Zealand	6
10.	United Arab Emirates	4

Note: All results from Google Insights are normalized. So just because a particular region doesn't appear on the top Regional interest list, it doesn't necessarily mean that the niche isn't popular at all - it just means that the term is more popular in other regions.

Demographics (data based on candida-yeast-infection-relief.com)

Demographics are the characteristics of a population. In the field of marketing, it is important to define the demographic profile of your target audience. This is to identify target audience in the overall population and to create a clear and complete picture of the characteristics of the target consumer.

The following data tells you the gender, age, children per household, education status, income levels, and other demographic insights of your target audience.



The “index” represents the delivery of a specific audience segment compared to the internet average of 100. Composition, which is represented by the % of audience figure on the left side of the chart, represents the percentage of a property’s total audience that meets a specific demographic criteria.

For example, an index of 100 indicates the target audience is equivalent to the demographic make-up of the total internet population. Any increase over 100 means that the property is “over indexed” and attracts a more concentrated group of a particular demographic group than in the general internet population.



Psychographics (data based on candida-yeast-infection-relief.com)

In the field of marketing, psychographic variables are any attributes relating to personality, values, attitudes, interests, or lifestyles.

The following data profile shows other topics that the audience is likely to be interested to visit and the affinity indicates how much more likely than average.

An affinity of 10x means that your target audience is ten times likelier to be interested in the topics than the average internet user.



Frequently Asked Questions

- What yeast infection medication over the counter can I use while pregnant?
- Homeopathic yeast infection pills have yeast in them? How does that work?
- Can a yeast infection affect when you start your period?
- When my yeast infection goes away will I start to lose weight easier?
- How long does yeast infection medication take to fully work?
- Can a yeast infection escalate to a cervical infection if left untreated? Or are they different?
- Can a yeast infection be caused by the antibiotic cream prescribed for bacterial vaginal infections?
- Can a combined yeast infection and bladder infection cause a delay in your period?
- Can a vaginal yeast infection spread to the anus or cause anal itching?
- Can a yeast infection affect your fertile cervical mucus?
- Can a yeast infection and spotting before your period is due, be a sign of pregnancy?
- How to prevent yeast infection when on antibiotics?
- Can a yeast infection cause my partner to get bumps on his penis?
- How do I cure a yeast infection when I am allergic to the over the counter drugs like Monistat and Gynolotrim?
- What are the symptoms of yeast infection and how do you cure it?
- How to get rid of yeast infection while trying to get pregnant?

- How long should a yeast infection last?
- Can a yeast infection from diabetes be transmitted sexually?
- Can a cat get a yeast infection from licking a yeast infection?
- How long will a yeast infection take to cure without any special treatment?
- How prevalent is yeast infection and what is it?
- How long after you have a yeast infection can you become sexually active?
- What kind of yeast infection medicines should pregnant women use?
- What is the difference between a yeast infection and vaginal discharge?
- What are the symptoms of a yeast infection?
- What are the signs of a yeast infection?
- Can a yeast infection cause and unborn child to become blind?
- When yeast infection creams drain out of the vagina, are they supposed to smell bad?
- How long before my yeast infection stops itching?
- How to cure a yeast infection?
- How long does it take for a yeast infection to start showing symptoms?
- How to treat a yeast infection in the belly button?
- How long does a yeast infection take to go away?
- Is it possible to get a vaginal yeast infection from a man?
- How long after a yeast infection can I start using tampons?
- What are symptoms of a yeast infection? Are they similar to symptoms of herpes?

- How can I avoid a yeast infection while taking an antibiotic?
- How to heal a yeast infection naturally?
- What is the difference between yeast infection and a bladder infection? How do you get them?
- How do I prevent a yeast infection while on antibiotics?
- If I recently cured a yeast infection but still have the same symptoms, is it okay to purchase more medicine?
- What are the symptoms/signs of a yeast infection and what is a yeast infection in a male?
- How can I treat yeast infection without Monistat?

Problems & Frustrations

- **Keep getting yeast infections after gastric bypass**

I had my gastric bypass Jan 7th and I'm doing ok so far for south nj weather but I'm on the nuva ring and I keep getting yeast infections....my obgy gave me a gel like Monistat but it keeps coming back.....I lost weight and everything I try and keep everything down there non sweaty or yeasty but keeps coming back she says it normal...have any females experienced this problem????

- **Don't know if yeast infection will affect birth control**

I have been sexually active for three months with my boyfriend of six months. We use a condom always and he also pull out before coming. Today I discovered I have a yeast infection. My period is due in three days and I also have an appointment for birth control in two weeks. I am fairly certain I can get rid of the infection by the appointment but will the infection affect anything with the birth control appointment? And will it affect my period and how can I apply medicine while on my period?

- **Don't know if yeast infection is gone**

I've had a yeast infection. I went to the doctors with my mom, and my doctor per-scribed me medicine to take. I had to take two pills, one pill a week. I took the pills on time. That was around 2 weeks ago. My symptoms from my yeast infection were clumping looking discharge, and an odor. I never had any burning or itching. I don't have the clumpy discharge anymore, and the odor went down. So now that I looked at my panty liner, it had a tiny bit of odor. It wasn't strong and fishy. And the discharge is kind of light brown. I haven't started my period at all yet. I'm 12. is the light brown discharge normal? Is it a sign of my period coming? Is my yeast infection gone?

- **Itchy after using Monistat**

Last night I inserted the Monistat in my vagina, went to bed, and woke up to it extra itchy! I am not sexually active, I'm only 15 so it's not an STD or anything. Please help! It is so itchy I can't stand it. Why is it so itchy after using the Monistat? Does this happen sometimes? I have to apply vagisil its pretty bad.

- **Yeast infection misdiagnosed as bacterial infection**

I went to the doctor about 8 months ago and was told that I did not have a yeast infection, I had a bacterial infection. The doctor gave me metronidazole and everything was fine for a few weeks. I started having discharge again and figured that the infection didn't do away. The symptoms were too bad so I let it slide for a few weeks. I went out to the pool with a friend and we sat around in the Texas heat and wet swim suits all day and the next day, I had symptoms of a yeast infection. I went to the doctor and she said that all of the bacteria had been taken care of but that I did in fact have a yeast infection. She then gave me 2 tablets of the 150mg diflucan. I took 1 and then 7 days later I took the other one. I also followed this up with a 3 day course of Monistat and then another 3 day course of Monistat, followed by a 3 day course of clotrimazole and then finally I did a 1 day treatment of the Monistat day or night ovule. Anyway, right after I started the 1 day treatment of the day or night stuff, I started my period so I haven't had a chance to let my skin breathe and I'm still having symptoms of a yeast infection. I took note of my diet and I don't eat a lot of sugar or fruits. I'm mainly on an all raw veggie diet with minor (non yeasty) slip ups here and there. I do drink a little alcohol every now and then and noticed that my symptoms get worse when I drink so I stopped drinking all together. It just seems that no matter what I do it doesn't make the yeast infection go away.



- **Daughter has yeast infection**

My daughter has had an ongoing yeast infection after taking an antibiotic for Strep throat for 10+ weeks now and tried everything the docs have given her. Went to the Primary care doc first and when they were exhausted from this went to the gyno doc....No better and now I'm having her eat plain yogurt and she has recently started drinking Danactive every morning. I cannot help but wonder if this could be w/d related since it's just not going away.

- **Bad case of yeast infection**

I have been on Trinessa for about a 1 year and 10 months. I switched because I switched jobs and the nuva ring was getting to expensive under the new insurance plan. However, I have been on BC since I was 19; I have not had any problem since this past January, when I got the worse yeast infection ever. However, before the yeast infection, I have been on Ortho Tri Cyclen, Ortho Evra (patch), and the nuva ring and have not had any problems. Plus, I have only had protected sex with my boyfriend of 4 years (we have never had unprotected sex). Now, since January I have had recurrent yeast infections, back to back. I have continued to take Trinessa because my GYN insists that the Trinessa is not causing the yeast infections; Although, I have been to the GYN almost one a month since January. Also, figured it may be diabetes; so, I had my General Practitioner test for Blood sugar and I was fine. My last Blood sugar reading was in April. Finally, this past visit (2 weeks ago) the GYN tells me that I have BV!? So, then I figure I have been misdiagnosed all these months. The GYN does a culture on my last visit and I come back negative for everything. But, I still have the same discharge that I had for months - very pasty, sometimes a little clumpy, but thick, associated with external vaginal itching. The discharge is more heavy when I workout. So, I go back to the GYN and she tells me everything is fine, but gives me a diflucan to see if that helps. I did not take the pill because she said it was not yeast so why take it. So, today I finally take the pill because the discharge is still the same, but the external itch is gotten worse. I am really at a lost here; I never had this issue before. I have come to the conclusion that I may have to stop taking the Trinessa, because I tried of hitting up the GYN once a

month. My mothers and sisters think I am being over dramatic but this really needs to be resolved. Moreover, my boyfriend is getting pretty irritated with the fact of matter, as he wants to have unprotected sex in the near future.

- **Not seeing desired results after treatment**

My vagina started to feel itchy with odorless cottage cheese-like discharge 3-4 months ago but I did not reach any treatment until 3 days ago. All I did was washing with anti-bacteria soap which made it so much worse. So 3 days ago I used Monistat 1 day treatment (only because I was too lazy to go with the 7 days one) and the itchiness went away immediately after I inserted the pill inside and applied the cream around the area. The next morning I felt some burning but I thought it was normal, that the thing was working. The burning went away in the evening and I felt fine the next several hours but then the next day it started to itch again and today (which is the 3rd day after I started with the treatment) I found some white cream thing around my vagina which smelled a bit like the medication. I wonder if it is the medication or discharge with weird smell and if it is the medication then why isn't it working? I don't understand why the package said to wait 7 days while this is a 1 day treatment? I was paranoid so I went and did some STD test, including the HIV test and everything came back negative. Anybody has the same experience with Monistat 1 day treatment? Is it the medication that couldn't clear up my yeast or something else?

I have had problems with yeast infections for a long time now. I have tried all different types of creams and powders to no avail. It is very embarrassing because I'm young still! does anyone know of any tips or could help me?

I am dealing with my first yeast infection. My symptoms started after I had been swimming. I had external vulval redness and vulval/anal itching, tingling, discomfort. No discharge that I noticed. I let the infection go for 6 weeks before seeing a Gyn. I tried treating at home first,

with Monistat 3 - and when that didn't work at all - natural remedies like tea tree oil, but to no avail. It took a couple of weeks to get in to see the gyn so I drugged myself with Benadryl to sleep at night, which stopped helping after a few days. At my appointment my Gyn did an annual pap smear, and tested for yeast, Chlamydia, Gonorrhoea, Syphilis, HIV, Hepatitis - all came back normal except yeast was positive. She gave me 2 diflucan to be taken a few days apart and told me it was ok to continue to use the Monistat cream externally if I wanted. Well I used the Monistat cream day and night for 3 more days. Took both doses of diflucan as directed, and have been keeping the area dry and wearing loose clothing - but it has been 12 days since I took the first dose of diflucan and the external redness, itching is still there!

I know yeast infection can happen when anything is unbalanced down there, so I am wondering if there is a root problem that hasn't been treated yet. I also read that many women test positive for yeast all the time.

I have been suffering chronic yeast infections since I was 15 years old and I'm 24 now. At first I wasn't sure what they were and here and there I would have relief from them... In the last 5 years I have treated with Monistat and that is so unhelpful. It honestly does nothing but irritate me further. I have talked to my GYNO and she gave me Diflucan... but I don't want to continue taking a drug that barely helps either. I have explained to her that the drug barely helps and she instead gave me two doses to take a week apart... Still it came back a week later.

- **Severe itching**

I have had severe itching for almost a week, no discharge or odor but my mom says that it is probably a yeast infection.. so we got a generic form of Monistat and I put that in. the cream seems to make it worse for whatever reason idk. after I put it in, the cream started seeping

out a little, and today it's kind of a yellowish discharge and it smells a bit like fish, is this normal? and it's still itchy, not as bad, but it's still very itchy

I do a lot of sitting I work at home from the computer. I have been wearing loose clothes. I have had yeast infections before many years ago before I had children, but this one has been off and on for 6 months. Just when I think it is gone it comes back. It does not smell bad but it is white cottage cheese and it is so excruciatingly itchy I rub the skin with a wet towel until it bleeds and hurts I can stand the pain but NOT the itch. I am diabetic.

So I am so miserable. I finally get it cleaned out and stopped itching. I then put Vaseline on it to keep it from hurting so much. It comes back in a few days. I AM SO DESPERATE to find out what is wrong or at least what might work for it. I used Monistat and it made it burn and did not make it feel better. Please help me!

I can't sleep through the night. I wake up at 3-4am like clockwork itching like crazy for an hour and then I sleep though the rest of the night without issue. During the day it hasn't been bad at all as long as I keep the area dry with vagisil powder- this doesn't have anti-itch ingredients btw, it's mostly corn starch based.

- **Forgot to administer medication**

Ok, I've always had problems with my "girl parts" ... I went to the doctor 2 weeks ago and they said I had a yeast infection. They gave me one little pill and this nasty cream stuff to put up in "there" ... I took the pill and totally forgot to use the cream stuff... 2 weeks later ... is it still ok to use that stuff? ... I haven't called my doctor because she knows how I am about forgetting my medicine. I just don't want her annoyed again

- **Don't know the cause of yeast infection**

After the second time of having sex, I got a yeast infection. Went to the doctor & they said it was from me not being wet enough while having sex. Ever since then, I've had 3 more yeast infections. It's been about a month & a half since the first one. BUT I have also started using a birth control pill (sprintec) since my first yeast infection. What could be the issue?

- **Cannot afford medical services**

I have a normal immune system, and am generally healthy, but I took too many antibiotics a few months back, when I had a bad case of strep throat, and it killed off too much of the ""good bacteria"" and I caught a nasty male yeast infection. Being uncircumcised made the problem much worse. I went to the doctor, but because I don't have insurance, because I can't afford it... I received limited care.

I really can't pay expensive doctor bills, and I can't take this problem anymore! Right now because I keep it dry as I can my symptoms are foreskin infection, with mild inflammation, and small red rash like bumps on the glands of the head of my penis. And, I don't know what I can do to kill this thing forever! But I really... REALLY want to!!!

- **Problem worsen after medication**

They gave me some FLUCONAZOLE, 5 tablets exactly/ Which I took as directed once per day. And, some anti-stringent power to mix in water to dry it out. They also gave me some 1% NAFTIN anti fungal cream. The pills seem to work out well enough to get rid of the visible yeast, and I've been keeping as dry as I can, but the problem persist in a mild, but truly

infuriating way. However, I've never been able to use the cream because the moisture in the cream seems to only aggravate the problem worse.

- **Can't seem to get rid of yeast infection**

I've been dealing with yeast infections on and off for years (ever before I became sexually active). they usually clear up on their own but I just recently got rid of one using an anti-fungal suppository. what can I do to keep them from coming back. I bathe frequently, once or twice a day washing only with plain white soap like dove or ivory, I don't douche or use any other feminine products. I do use tampons from time to time during my period but I alternate between pads throughout the day. I don't wear tight underwear at night, I usually sleep n male boxers or just loose underwear. so I don't know what I could possibly b doing wrong from them to keep coming back. is there anything I can do to eliminate this problem for good???

- **Suffering from yeast infection during pregnancy**

I am 25 weeks pregnant and suffering through my 2nd yeast infection. I have swelling and intense itching internally and esp. externally. It is affecting my sleep and really unbearable. The first time I used gynotravogen 7 day treatment internal. two weeks after this treatment the same symptoms are back. This time pharmacist gave me a onetime use capsule and cream for external use. However, relief was so brief. One night after the night of treatment and I'm suffering. How soon can I start another treatment? What other things should I be doing or not doing?

- **Possibly infecting partner**

"I had a yeast infection around a month or so ago and took cream to get rid of it. My boyfriend and I had stopped having sex during that time because it was really irritating and

since taking the cream and my symptoms going away, we've continued having sex. However, it seems as if I have another infection and I'm wondering if he could have been infected and now we're passing it back and forth? He has also had bad canker sores the past month, which I know have to do with yeast, but I have not received oral sex from him--can this still be a sign that he is carrying the infection and giving it back to me?

I am sexually active with my boyfriend, but it isn't always that I get them right after or a week after doing anything with him.. I hear that the male can ""reinfect"" but since I didn't always end up with a yeast infection after being intimate with him I'm not sure about this.

- **Yeast infection affects intimacy**

I have been battling yeast infections increasingly over the past few years. I am now in a very good relationship where I want very much to be intimate. The problem is that each time I think the infection is cleared up, it comes back. When it's clear, sex is very enjoyable with no pain, we can even enjoy this multiple times per day. When I'm having a bout with an infection though, sex is painful, but just superficially...it feels as if there is some tearing. It stings a little and there is usually some blood smear on the sheets (embarrassing!) afterward. Again, no inner pain at all.

I've tried everything except going off the pill and going to a sugar-free diet to attack the chronic infections. I now take 20 billion cfu per day of an expensive probiotic blend and use Rephresh every 3 days. I'm going off the pill when this pack is finished to see if that fixes the problem, but in the meantime sex is still painful. I'm just so embarrassed and frustrated at this point! I've treated for an infection four times in 6 months...with prescriptions, not OTC because it doesn't work on the strain I get. I would think it's normal except that when it's all clear, there's no discharge and no pain or bleeding with sex, so I'm pretty sure that is what's normal, not the other.