



Index

- \cap , 427
- \cup , 427
- \Rightarrow , 164
- ∞ , 265
- 24 game, 51

- abscissa, 210
- absolute value, 209, 562–569
- Abu Ja'far Muhammad ibn Musa al-Khwarizmi, 401
- al-jabr, 401
- al-muqabala, 401
- algebra, 1, 401
- AM-GM Inequality, 438, 450
- AMC, vii
- American Mathematics Competitions, *see* AMC
- American Regions Math League, *see* ARML
- analytic geometry, 208–251, 404–424
- arithmetic, 3
- arithmetic mean, 200, 438, 592, 602
- arithmetic sequences, 590–594
- arithmetic series, 594–602
- ARML, viii
- Art of Problem Solving, v
- associative property of addition, 9
- associative property of multiplication, 10
- asymptote, 576
- axis of symmetry, 405

- base, 28, 546
- Binomial Theorem, 331

- binomials, 289
 - multiplying, 288–292
 - squares of, 324–332, 372–378

- carbon dating, 531
- Cartesian plane, 209
- ceiling function, 569–573
- center, 415
- circles, 415–421
 - standard form, 416
- coefficients, 54, 104, 286
- combining like terms, 58, 108
- common denominators, 68–73, 115–118
- common difference, 591
- common logarithms, 547
- common ratio, 603
- commutative, 482
- commutative property of addition, 6
- commutative property of multiplication, 8
- completing the square, 372–392, 402–403
- complex conjugate, 365
- complex numbers, 357–371
 - magnitude, 371
- complex plane, 371, 588
- composition, 464–467
- compound interest, 532
- congruent, 243
- conjugate, 365
- constant, 53
- constant of proportionality, 188, 191
- constant term, 513

INDEX

- continued fractions, 633
- continuous, 581
- convergent series, 613
- conversion factors, 166–172
- Conway, John, xvi
- coordinates, 210
- Cramer's Rule, 155
- cross-multiplying, 25
- cube root, 46

- degenerate, 418
- degree, 512
- Descartes, René, 208
- determinant, 154
- diameter, 421
- difference of cubes, 339–344
- difference of squares, 332–338
- Diophantine equations, 336
- direct proportion, 187–190
- discriminant, 390, 398
- distance formula, 214
- distributive property, 12–18, 62–68, 110–115
- divergent series, 613
- domain, 451
- double root, 296
- dummy variable, 451

- e , 539
- Elements*, 251
- elimination, 131–136
- equations
 - linear, 77–98
 - properties of, 18–28, 118–120
 - quadratic, 372–403
 - systems of, 123–150
- Euclid, 251
- Euler, Leonhard, 358
- exponential function, 528
- exponential growth, 528
- exponents, 28–48
 - fractional, 37–48
- expressions, 52–73, 103–118
- extraneous solution, 97, 100

- factor, 294
- factoring, 12–18, 62–68, 110–115
 - quadratics, 293–307

- factorization
 - difference of cubes, 339–344
 - difference of squares, 332–338
 - Simon's Favorite Factoring Trick, 348–352
 - sum of cubes, 339–344
- Fibonacci numbers, 627
- Fibonacci sequence, 627
- fixed points, 481
- floor function, 569–573
- fractals, 483
- fractional part, 570
- functional equations, 473
- functions, 451–483
 - composition, 464–467
 - exponential, 528
 - graphs of, 484–511
 - inverse, 467–472, 502–506
 - piecewise defined, 578–583
 - rational, 573–578
 - transformations, 491–502

- Game of Life, xvi
- general term, 591
- geometric mean, 438, 604
- geometric sequences, 602–605
- geometric series, 605–617
- geometry, 208
- Golden ratio, 401
- graph, 215
- greatest integer function, 569

- half-life, 531
- harmonic mean, 200
- Harvard-MIT Math Tournament, *see* HMMT
- Hippasus, 357
- Hisab al-jabr w'al-muqabala*, 401
- HMMT, vii
- horizontal asymptote, 576
- horizontal line test, 505

- i , 358
- Ideal Gas Law, 194
- imaginary axis, 371
- imaginary numbers, 357–371
- imaginary part, 362
- indeterminate series, 613
- inequalities, 252–285

- graphing, 269–272
- quadratic, 425–430
- inequality chain, 254
- infinite geometric series, 606, 609
- integers, 2
- intercepts, 233
- interest rates, 532–545
- intersection, 427
- interval notation, 264, 427
- inverse functions, 467–472
 - graphing, 502–506
- inverse proportion, 190–192
- irrational numbers, 2, 358
- joint proportion, 192–197
- lattice points, 210
- law of exponents, 31
- limit, 610, 631
- line segment, 213
- linear algebra, 155
- linear equations
 - graphs of, 208–245
 - multi-variable, 123–150
 - one-variable, 77–98
 - two-variable, 123–145
- linear programming, 274–279
- lines
 - graphs of, 208–245
- logarithms, 545–553
 - base, 546
 - common, 547
 - natural, 547
- magnitude, 209, 371
- Mandelbrot Competition, vii
- Mandelbrot set, 511
- MATHCOUNTS, vii
- matrix, 154
- mental math, 18, 323, 329
- midpoint, 225
- monic polynomial, 513, 522
- multiplicity, 296
- natural logarithms, 547
- negative, 2
- nondegenerate, 420
- nonnegative, 2
- nonpositive, 2
- nonstrict inequalities, 252
- number line, 208
- numbers
 - complex, 357–371
 - imaginary, 357–371
 - irrational, 2, 358
 - rational, 2, 357
 - real, 2
- operations, 3, 477–479
 - order of, 3–5
- optimization, 272–280
- order of operations, 3–5
- ordered pair, 124, 209
- ordinate, 210
- origin, 209
- parabolas, 404–415
 - axis of symmetry, 405
 - vertex, 406
- parallel lines, 238
- parameter, 134, 237
- parity, 303
- partial fraction decomposition, 577
- Pascal’s Triangle, 331
- percents, 173–182
- perpendicular, 213
- perpendicular lines, 238, 242
- piecewise defined functions, 578–583
- Plato, 208
- point-slope form, 230
- polynomials, 512–524
- positive, 2
- power, 28
- present value, 542
- principal, 532
- problem solving, iii
- proof by contradiction, 357
- proportion, 187–207
 - direct, 187–190
 - inverse, 190–192
 - joint, 192–197
- Pythagoras, 357
- Pythagorean Theorem, 211, 213

INDEX

- Pythagoreans, 357
- quadrants, 210
- quadratic equations, 372–403
- quadratic formula, 385–392
- quadratic optimization, 439–446
- quadratics, 286–323
 - factoring, 293–307
 - general form, 385
 - graphing, 404–424
 - inequalities, 425–430
 - standard form, 408
 - sum and product of roots, 307–311
- radicals, 42–48, 558–562
- radius, 415
- range, 451
- rate problems, 196–203
- rational functions, 573–578
- rational numbers, 2, 357
- rationalized denominators, 344–348
- ratios, 157–166
- real axis, 371
- real numbers, 2, 358
- real part, 362
- repeating decimals, 614–615
- resources, v
- Richter magnitude scale, 548
- right angles, 242
- right triangle, 213
- roots, 294
- roots of unity, 588
- Rule of 72, 549
- self-similarity, 631–635
- sequences, 589–627
 - arithmetic, 590–594
 - finite, 589
 - geometric, 602–605
- series, 589–627
 - arithmetic, 594–602
 - convergent, 613
 - divergent, 613
 - geometric, 605–617
 - telescoping, 617–620
- sets, 427
- sigma, 625
- Simon’s Favorite Factoring Trick, 348–352
- simple interest, 532
- slope, 219
- slope-intercept form, 235
- squares of binomials, 324–332
- standard form
 - of a circle, 416
 - of a line, 230
 - of a quadratic, 408
- strict inequalities, 252
- subscripts, 214, 513
- substitution, 127–131
- sum of cubes, 339–344
- summation symbol, 625
- symmetric property of equality, 22
- symmetric systems of equations, 635–638
- systems of equations, 123–150
- tangent, 424
- telescoping series, 617–620
- terms, 54
- transitive property of equality, 28
- Trivial Inequality, 259, 435–438, 450
- UNCC, viii
- union, 427
- variables, 1, 7, 53
 - dummy, 451
- vertex, 406
- vertical asymptote, 576
- vertical line test, 488
- word problems, 136–141
- x -axis, 210
- x -coordinate, 210
- x -intercept, 233
- y -axis, 210
- y -coordinate, 210
- y -intercept, 233
- Zeno of Elea, 265
- zeros, 294