

INDEX

---

Index

- !, 120
- $<$ , 230
- $>$ , 230
- %, 320
- $^\circ$ , 380
- $\geq$ , 230
- $\dots$ , 3
- $\leq$ , 230
- $\neq$ , 13
- $\pi$ , 432
- $24^\circ$  game, xviii
- 30-60-90 triangle, 455–456
- 45-45-90 triangle, 455
  
- 0, *see* zero
  
- acute angle, 385
- acute triangle, 402
- addition, 4–9
  - identity, 32
  - is associative, 6
  - is commutative, 5
  - of decimals, 248–250
  - of fractions, 181–188
  - of zero, 8
  - repeated, 16
- additive inverse, 18
- adjacent angles, 385
- altitude, 429
- AMC, ix
- American Mathematics Competitions, *see* AMC
- angle, 379
  - acute, 385
  - base, 453
  - exterior, 407
  - interior, 397
  - obtuse, 385
  - reflex, 386
  - right, 385
  - straight, 388
  - vertex, 453
- angle chasing, 405
- angles
  - adjacent, 385
  - and parallel lines, 392–396
  - complementary, 388
  - congruent, 390
  - of a polygon, 397–409
  - of a quadrilateral, 403
  - of a triangle, 400
  - supplementary, 388
  - vertical, 390
- Annairizi of Arabia, 458
- any-order principle, 7, 11
- arc, 457
- area, 422–431
  - of a circle, 433, 435
  - of a parallelogram, 463
  - of a rectangle, 422
  - of a rhombus, 461
  - of a right triangle, 425
  - of a trapezoid, 465
  - of a triangle, 429
  - of an equilateral triangle, 453
- arithmetic mean, 477, 505
- arithmetic, properties of, 1–52
- Art of Problem Solving, 590
- associative property, 6, 11, 29, 44, 51, 52
  - of addition, 6

- of multiplication, 11
- average, 476–493
- bar chart, 498
- bar graph, 498
- base
  - of a parallelogram, 463
  - of a trapezoid, 464
  - of a triangle, 427
  - of an isosceles triangle, 419
- base (of a power), 53, 63
- base angle, 453
- base ten, 247
- bisect, 461
  
- cancellation, 45, 173, 174
- casework (counting), 525–530
- center (of a circle), 432
- chart
  - bar, 498
  - pie, 502
- check your answer, 213, 518
- chord, 457
- circle, 432–437
  - arc, 457
  - area, 433, 435
  - center, 432
  - chord, 457
  - circumference, 432
  - diameter, 432
  - radius, 432
  - sector, 457
- circumference, 432
- coefficient, 200
- combining like terms, 205
- common denominator, 178
  - least common denominator, 179
- common divisor, 134–144
- common factor, 15, 134–144
- common multiple, 120–129
- commutative property, 5, 6, 29, 44, 51, 52
  - of addition, 5
  - of multiplication, 10, 11
- comparing fractions, 177–181
- complement, 388
- complementary angles, 388
- composite number, 105–112
- compound interest, 345
- concave, 404, 406
- concurrent lines, 427
- congruent
  - angles, 390
  - segments, 416
- constant, 200
- conversion factor, 296–302
- convex, 404, 406
- counting
  - casework, 525–530
  - diagonals of a polygon, 535
  - independent events, 521
  - lists of numbers, 510
  - multiple events, 519–524
  - overlapping groups, 514
  - pairs of objects, 530–535
  - using Venn diagrams, 518
- counting number, 3
- cross-multiplying, 220
- cryptarithm, 568
- cube (of a number), 63
  - perfect, 63
- cube root, 376
  
- data, 476
- decagon, 397
- decimal, 247–280
  - arithmetic, 247–258
  - convert to/from fraction, 263–278
  - convert to/from percent, 325–327
  - finite, 270
  - infinite, 267–278
  - repeating, 267–278
  - rounding, 258–263
  - terminating, 270
- decimal point, 247
- degree, 380
- denominator, 149

## INDEX

---

- common, 178
- least common, 179
- diagonal, 397
- diameter, 432
- difference, 25
- digit sum, 97, 556
- distributive property, 14, 17
  - division by a number over addition, 46
  - division by a number over subtraction, 47
  - multiplication over addition, 14
  - multiplication over subtraction, 31
  - negation over addition, 24
  - reciprocals over multiplication, 36
- divisibility test, 97–105, 143
  - for eight, 105
  - for five, 100
  - for four, 101
  - for nine, 102
  - for products, 143
  - for ten, 100
  - for three, 103
  - for two, 100
- divisible, 97
- division, 38–47
  - by a number distributes over addition, 46
  - by negation, 43
  - by one, 41
  - by reciprocal, 41
  - by zero, 38
  - canceling in, 45
  - definition, 38
  - into negation, 43
  - into one, 41
  - into zero, 41
  - is multiplication by reciprocal, 38
  - is reverse of multiplication, 40
  - of decimals, 250–255
  - of fractions, 162–167
- divisor, 129–133
  - common, 134–144
  - greatest common, 134–144
- dodecagon, 397
- draw a picture, 556–559
- ellipsis, 3
- endpoint, 379
- equation, 209
  - linear, 209–223
- equilateral triangle, 418
  - angles, 455
  - area, 453
- equivalent expression, 200
- Eratosthenes, 112
- exclusive, 525
- expanding, 15
- exponent, 53–91
  - laws, 53, 88
  - negative, 76–88
  - square, 54–63
  - zero, 73–76
- exponentiation, 53
- expression, 200–208
  - equivalent, 200
  - simplify, 200
- exterior angle, 407
- factor, 15, 112, 129
  - common, 134–144
  - greatest common, 134–144
  - prime, 113
- factor tree, 113
- factorial, 120
- factoring, 15, 112
- Fibonacci sequence, 552
- find a pattern, 547–552
- finite decimal, 270
- fraction, 149–199
  - addition, 181–188
  - cancellation, 174
  - common denominator, 178
  - comparison, 177–181
  - convert to/from decimal, 263–278
  - convert to/from percent, 322–325
  - denominator, 149
  - division, 162–167
  - exponentiation, 167–171
  - least common denominator, 179

- mixed number, 188–196
- multiplication, 155–162
- numerator, 149
- power of, 167–171
- reciprocal, 164
- simplest form, 171–176
- subtraction, 181–188
- fraction bar, 149
- fractional part
  - of a mixed number, 188
- Fundamental Theorem of Arithmetic, 116
- Gauss, Carl Friedrich, 533
- gcd, *see* greatest common denominator
- generalizing, 531
- geometric mean, 375
- GIMPS, 107
- graph, 559
  - bar, 498
  - line, 500
- graph theory, 559
- Great Internet Mersenne Prime Search, 107
- greatest common divisor, 134–144
- greatest common factor, 134–144
- grid, 520
- harmonic mean, 307
- height
  - of a parallelogram, 463
  - of a trapezoid, 464
  - of a triangle, 427
- hexagon, 397
- histogram, 502
- hypotenuse, 442, 469
- icosahedron, 536
- identity
  - addition, 32
  - multiplication, 33
- imaginary number, 364
- in proportion, 293
- inclusive, 511
- independent events, 521
- inequality, 230–240
  - nonstrict, 230
  - strict, 230
- inequality chain, 233
- infinite decimal, 267–278
- integer, 3
- integer part
  - of a mixed number, 188
- interior angle, 397
- inverse
  - additive, 18
  - multiplicative, 33
- irrational number, 277, 359, 377, 433
- isolate, 210
- isosceles triangle, 419, 451–453
  - base, 419
  - base angle, 453
  - leg, 419
  - vertex angle, 453
- kite, 467
- lcm, *see* least common multiple
- least common denominator, 179
- least common multiple, 120–129
- leg
  - of a right triangle, 424, 442, 469
  - of a trapezoid, 464
  - of an isosceles triangle, 419
- length, 415
- line, 379
  - number, 3
  - parallel, 392
  - perpendicular, 385
- line graph, 500
- line segment, 379
- linear equation, 209–223
- lune, 475
- $m\angle$ , 381
- majority, 498
- make a list, 552–556
- MATHCOUNTS, ix
- mean, 477
  - arithmetic, 505

## INDEX

---

- geometric, 375
- harmonic, 307
- median
  - as statistic, 476–493
  - of a trapezoid, 465
  - of a triangle, 429
- memorization, 509
- midpoint, 415
- minus, 25
- mixed number, 188–196
  - fractional part, 188
  - integer part, 188
- mode, 477
- MOEMS, ix
- multi-way ratio, 287–293
- multiple, 92–97
  - common, 120–129
  - least common, 120–129
- multiplication, 9–17
  - and repeated addition, 16
  - by negation, 23
  - by negative one, 22
  - by one, 12
  - by zero, 17
  - distributes over addition, 14
  - distributes over subtraction, 31
  - identity, 33
  - is associative, 11
  - is commutative, 10, 11
  - notation for, 11
  - of decimals, 250–255
  - of fractions, 155–162
- multiplicative inverse, 33
- natural number, 3
- negation, 17–24
  - divided by negation, 43
  - of negation, 21
  - of subtraction, 28
  - of sum, 24
  - times negation, 23
- negative, 3
  - times negative, 23
  - times positive, 23
- negative exponent, 76–88
- nonagon, 397
- nonnegative, 3
- nonpositive, 3
- nonstrict inequality, 230
- nonzero, 3
- number
  - composite, 105–112
  - decimal, 247–280
  - fraction, 149–199
  - imaginary, 364
  - irrational, 277, 359, 377, 433
  - mixed, 188–196
  - prime, 105–112
  - rational, 277
  - real, 277
- number line, 3
- number theory, 92–148
- numerator, 149
- obtuse angle, 385
- obtuse triangle, 402
- octagon, 397
- opposite, 18
- order of operations, 13, 54
- organization
  - importance of, 521
- origin, 379
- orthocenter, 427
- outlier, 493
- palindrome, 524
- parallel lines, 392
  - and angles, 392–396
- parallelogram, 462–464
  - area, 463
  - base, 463
  - height, 463
- parenthesis, 6
- partition, 553, 554
- patterns, 547–552
- pentagon, 397

- per, 303
- percent, 320–346
  - convert to/from decimal, 325–327
  - convert to/from fraction, 322–325
  - decrease, 337–345
  - increase, 337–345
  - word problem, 331–336
- percentage, *see* percent
- perfect cube, 63
- perfect square, 54
- perimeter, 416
- permutation, 524
- perpendicular, 385
- pi, 432
- pie chart, 502
- planar figure, 378
- plurality, 498
- point, 378
- polygon, 397
  - diagonal, 397
  - regular, 405
  - side, 397
  - sum of interior angles, 405
  - vertex, 397
- positive, 3
  - times negative, 23
- power, 53, 63
  - of a fraction, 167–171
  - of negation, 67
  - of power, 70–71, 85
  - of product, 64, 69
  - of quotient, 64, 69–70
  - of reciprocal, 64, 83
- prime factor, 113
- prime factorization, 113
  - Fundamental Theorem of Arithmetic, 116
- prime number, 105–112
- probability, 536–541
  - maximum and minimum possible, 538–539
- problem solving, iii, 547–568
- proof by contradiction, 377
- properties of arithmetic, 1–52
- proportion, 285, 293–296
- proportional, 293
- protractor, 380
- Pythagorean Theorem, 442–450
- Pythagorean triple, 448
- quadrilateral, 397, 457–469
  - kite, 467
  - parallelogram, 462–464
  - rectangle, 457
  - rhombus, 460–462
  - square, 457
  - sum of interior angles, 403
  - trapezoid, 464–466
- quotient, 38
- radical, 351
- radius, 432
- Ramanujan, Srinivasa, 90
- range, 477
- rate, 302–314
- ratio, 281–293
  - multi-way, 287–293
  - simplest form, 282
  - simplify, 282
  - two-way, 281–287
- rational number, 277
- ray, 379
- real number, 277
- reciprocal, 32–37, 41
  - and negative exponents, 78
  - dividing by, 41
  - of a fraction, 164
  - of negation, 37
  - of product, 36
  - of reciprocal, 35, 36
  - of zero, 33, 34
- reciprocal strategy, 35
- rectangle, 457
  - area, 422
  - length, 417
  - perimeter, 417
  - width, 417
- reflex angle, 386

## INDEX

---

- regular polygon, 405
- relatively prime, 139
- repeated addition, 16
- repeating decimal, 267–278
- resources, v
- rhombus, 460–462
  - area, 461
- right angle, 385
- right triangle, 402
  - area, 425
  - hypotenuse, 442, 469
  - leg, 424, 442, 469
  - Pythagorean Theorem, 442–450
- round-robin tournament, 530, 531
- rounding, 258–263
  
- sales tax, 333
- scale, 500
- scalene, 420
- scientific notation, 279
- sector, 433, 457
- segment, 379
- self division, 41
- self subtraction, 27
- semicircle, 380
- shortcuts, 513
- side
  - of a polygon, 397
  - of an angle, 379
- Sieve of Eratosthenes, 112
- similarity, 294
- simplest form
  - of a fraction, 171–176
  - of a ratio, 282
- simplify
  - a fraction, 171–177
  - an expression, 200
  - ratio, 282, 288
  - square root, 370–372
- solution
  - to an equation, 209
  - to an inequality, 231
- solve
  - an equation, 209
  - an inequality, 231
- speed, 302–309
- square (geometry), 457
- square (of a number), 54–63
  - definition, 54
  - of product, 58
  - of quotient, 59–60
  - of reciprocal, 59
  - of sum, 60–62
  - of negation, 56–57
  - of product, 59
  - of sum, 91
  - perfect, 54
- square root, 351–377
  - approximation, 358–363
  - simplification, 370–372
- statistic, 476
- stem-and-leaf plot, 501
- straight angle, 388
- strict inequality, 230
- subtraction, 24–32
  - from negation, 28
  - from zero, 27
  - is addition of negation, 25
  - is reverse of addition, 25
  - of decimals, 248–250
  - of fractions, 181–188
  - of negation, 28
  - of zero, 27
- sum of first  $k$  positive integers, 533
- supplement, 388
- supplementary angles, 388
  
- table, 496
- tax, 333
- term, 200
- terminal zeros, 120
- terminating decimal, 270
- tick mark, 3
- transversal, 393
- trapezoid, 464–466
  - area, 465

- base, 464
- height, 464
- leg, 464
- median, 465
- tree, 520, 522
  - factor, 113
- triangle
  - 30-60-90, 455–456
  - 45-45-90, 455
  - acute, 398, 402
  - area, 429
  - equilateral, 418, 455
  - height, 427
  - isosceles, 419, 451–453
  - median, 429
  - obtuse, 398, 402
  - orthocenter, 427
  - right, 398, 402
  - scalene, 420
  - sum of exterior angles, 407
  - sum of interior angles, 400
- Triangle Inequality, 421
- unit square, 422
- variable, 5
  - choosing a, 226, 517
- Venn diagram, 514–518
  - strategy for using, 516
- vertex
  - of a polygon, 397
  - of an angle, 379
- vertex angle, 453
- vertical angles, 390
- whole number, 3
- word problem, 223–230
  - involving percents, 331–336
- working backwards, 560–564
- zero
  - as an exponent, 73–76
  - can't divide by, 38
  - dividing into, 41
  - has no reciprocal, 33, 34
  - multiplying by, 17
  - negation of, 19
  - subtracting, 27
  - subtracting from, 27