



Mini DisplayPort Monitor Cable

Mini DisplayPort Male to DisplayPort Male, 2 m (6.6 ft.), White

Part No.: [393812](#)

EAN-13: 0766623393812 | UPC: 766623393812

High-definition performance for personal computing

Manhattan Mini DisplayPort Cables provide a single-cable solution that delivers both high-definition digital audio and video signals between desktop and notebook computers and an output device. With 10.8 Gbps bandwidth, DeepColor and 24-bit, eight-channel uncompressed audio capability, the 20-pin connector is small, compact and ideal for use with Mini DisplayPort-equipped devices, flat-panel displays, slim-profile devices and many future consumer electronics. Full foil-and-braided shielding, molded boots with strain relief, protective PVC jackets and gold-plated connections help Manhattan Mini DisplayPort Cables provide maximum conductivity and clear, crisp signal transmissions with reduced EMI interference and distortion.

Features:

- Provides Mini DisplayPort 20-pin male to DisplayPort 20-pin male connections
- Delivers high-bandwidth, digital audio/visual signals from Mini DisplayPort and DisplayPort enabled displays and devices - up to 1080p@60Hz resolution
- Fully shielded to reduce EMI and other interference sources
- Plug and Play for box-to-box applications
- ABS connectors and strain relief
- Lifetime Warranty

Specifications:

Standards and Certifications

- UL 20276

Connectors

- (1) Mini DisplayPort 20-pin male
- (1) DisplayPort 20-pin male with latch
- Gold-plated contacts
- ABS
- Built-in strain relief

Cable

- Length: 2 m (6.6 ft.)
- 32 AWG conductors
- Withstanding voltage: 300 V DC
- PVC jacket
- Shielded

General

- Meets or exceeds existing DisplayPort 1.1 standards
- Supports 10.8 Gbps data rate, 2560 x 1600 resolution (WQXGA) and HDCP

Package Contents

- Mini DisplayPort Monitor Cable



