



USB Modem

56k

Part No.: [154109](#)

EAN-13: 0766623154109 | UPC: 766623154109

The Manhattan USB Modem with V.92 compatibility offers enhanced features and faster connections over standard phone lines.

Get the most from dial-up! Enjoy faster downloads, quicker attachment uploads and enhanced Web browsing. Just plug into a USB port for the fastest and easiest route to the Web using a standard phone line.

Easy to Use

Simple USB connection, software and driver CD make it easy to install and use. Portable size makes it ideal for anyone who travels but needs to stay connected to the network.

Lifetime Warranty

Strict manufacturing standards ensure the highest quality in all Manhattan products. All items carry a full Lifetime Warranty — the strongest quality commitment anyone can make.

Features:

- Easy USB installation — no external power supply needed
- Quick Connect, auto dial/answer, tone/pulse dialing and improved download speeds
- Supports Digital Telephone Answering Machine (TAM)
- Downstream speeds up to 56 kbps
- Three-Year Warranty

Specifications:

Data Mode Capabilities

- ITU-T V.92 data mode with receive rates up to 56 kbps and transmit rates up to 48 kbps
- ITU-T V.90 data mode with receive rates up to 56 kbps and transmit rates up to 33.6

kbps

- ITU-T V.44, V.42 vis and MNP 5 data compression
- ITU-T V.42 LAPM and MNP 2.4 error correction
- ITU-T v.34, V.32bis, V.32, V.23, V.22bis, V.22, V.21; Bell 212A and Bell 103

FAX Mode Capabilities

- Fax mode with send and receive rates up to 14.4 kbps
- ITU-T V.17, V.29, V.27 ter and V.21 channel 2
- EIA/TIA 578 Fax Class 1 or T.31 Fax Class 1.0 commands

TAM

- 8-bit U-Law/A-Law coding (G.711) and 8-bit/16-bit linear coding; 8 kHz sample rate
- TAM supports with concurrent DTFM Detect, Ring Detect and Caller ID

Caller ID

- Caller ID detect
- On-Hook Caller ID detection
- Off-Hook Call Waiting, Caller ID detection during data mode in V.92, V.90, V.34, V.32
- Hardware-based modem controller and DSP

Hardware

- RJ11 port
- USB A-type male connection
- Weight: 31.2 g (1.1 oz.)
- Dimensions: 178 x 25.5 x 19 mm (7 x 1 x 0.75 in.)

Operating System Requirements

- Windows 2000/XP/Vista/7/8 Linux compatible

Package contents:

- USB Modem
- User manual and driver CD included



