



SuperSpeed+ USB-C 3.1 PCI Express Card

Two external SuperSpeed+ USB 3.1 ports, 1 Type-C and 1 Type-A

Part No.: [151757](#)

EAN-13: 0766623151757 | UPC: 766623151757

Create a computing platform that balances cost, performance and compatibility.

Computers today can take full advantage of SuperSpeed+ USB and PCI Express efficiency with the Manhattan SuperSpeed+ USB 3.1 PCI Express Card. Easily installed, the Manhattan SuperSpeed+ USB 3.1 PCI Express Card provides up to 3000 mA of power and adds two external SuperSpeed+ USB ports to a desktop PC for more USB connections and added convenience. With SuperSpeed+ USB data transfer rates of up to 10 Gbps and hot-swap capability, this SuperSpeed+ USB 3.1 PCI Express Card fits PCI Express x4, x8 and x16 lane buses to ensure that connected SuperSpeed+ USB and other USB peripherals operate at peak performance.

Features:

- Easily adds two SuperSpeed+ USB ports to desktop computers: one type-A and one type-C
- Each port supports USB 3.1 data transfer rates of up to 10 Gbps
- Fits PCI Express x4, x8 and x16 lane buses
- 4-pin power connector for receiving extra power from system
- Compliant with eXtensible Host Control Interface (xHCI), rev. 1.1
- Plug-and-play installation; hot-swappable; Windows compatible
- Supports overcurrent detection
- Backward compatible with USB 3.0, 2.0 and 1.1
- Three-Year Warranty

Specifications:

Standards and Certifications

- USB 3.1

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- CE
- FCC
- PCI Express Specification 2.0
- RoHS2
- WEEE

Port Specifications

- 1 USB 3.1 type-A port
 - Up to 900 mA power to attached devices
- 1 USB 3.1 type-C port
 - Up to 3,000 mA power to attached devices
- Data transfer rate: up to 10 Gbps
- ASMedia USB controller

Bus Specifications

- PCI Express x4
- Bus speed: 10 Gbps
- Fully compliant with PCI Express Specification 2.0

Physical

- Dimensions: 12.1 x 2.3 x 10 cm (4.75 x 0.9 x 3.9 in.)
- Weight: 59.5 g (2.1 oz.)

System Requirements

- Windows 7/8/10 32- or 64-bit
- PCI Express-enabled system with an available PCI Express slot

Package Contents

- SuperSpeed+ USB 3.1 PCI Express Card
- Instructions
- CD Driver
- Low-profile bracket



