



19" Double Section Wallmount Cabinet

15U, Flatpack, Gray, 600 mm (23.62") depth

Part No.: **713894**

EAN-13: 0766623713894 | UPC: 766623713894

The Intellinet Network Solutions wallmount cabinets offer you a flexible and comprehensive solution for your network installations. Our service starts with the shipping condition – get the completely assembled cabinet delivered or save space and money with the flatpack version.

In terms of housing, you can choose from among the extra-compact 10" cabinets and numerous 19" versions, with installation depths that range from 300 to 600 mm. With heights from 6 to 20 units in black (RAL9005) or gray (RAL7035), we offer you a solution for every need. The removable side panels, the lockable tempered glass-door that can be opened more than 180° and the optional double section make cabling and component exchange particularly easy.

Features:

- Flat Pack Design
- Ideal for 19" rackmount applications
- Maximum static load of 30 kg
- Usable depth: 385 mm (15.16 in.)
- Cable entry via rear or top panel
- 4MM toughened glass door
- Rear door for easy access to back of cabinet

For more information on Intellinet products, consult your local dealer or visit www.intellinet-network.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- Reversible Front door
- Cold-rolled, galvanized SPCC steel with up to 1.5 mm thickness
- Ships Flatpacked
- Three-Year Warranty

Specifications:

General

- 19"
- Height: 15U
- Color: Gray RAL7035
- Complies with: ANSI/EIA RS-310-D; IEC60297-2; DIN41494, Part 1; DIN41494, Part 7

Physical

- 725 (h) x 540 (w) x 600 (d) mm
- 28.54 (h) x 21.26 (w) x 23.62 (d) in.
- Usable depth: 385 mm (15.16 in.)
- Maximum static load: 30 kg (66 lbs.)

Package Contents

- 2 Rail frames
- Top, Bottom, Front, Back & Side Panels
- Installation hardware



