



High Speed HDMI Extension Cable with Ethernet

HDMI Male to Female, Port Saver, 4K, HEC, ARC, 3D, Shielded, 1.8 m (6 ft.), Black

Part No.: [354370](#)

EAN-13: 0766623354370 | UPC: 766623354370

High-speed cables deliver high-definition performance.

HDMI has become the standard digital connection, delivering the highest-quality audio and video over a single cable. Manhattan High Speed HDMI Extension Cables with Ethernet provide the best resolution possible at 4K x 2K, contain an audio return channel and support a bandwidth of 10.2 Gigabits per second at 340 MHz. These high-quality cables offer ultra high-definition video and multi-channel, digital audio with increased performance characteristics, greater accuracy and expanded features.

Features:

- Extends port for easier device management or adds length to shorter cable
- Supports HDMI Ethernet Channel, Audio Return Channel, 3D Video, 4K@30Hz Display and Deep Color
- 4K, UHD resolution supports video resolution four times 1080p; up to 1080p resolution in 3D and Deep Color
- ARC-allows TV's audio to transmit through your audio system; no need for additional audio cable
- High-speed Ethernet, bi-directional networking at up to 100 Mbps
- Up to 10.2 Gbps at 340 MHz bandwidth
- Compliant with High Speed HDMI with Ethernet specifications
- Ensures the integrity of the signal between HDMI devices
- Double shielded to reduce EMI and other interference sources
- Compatible with any HDMI device such as Amazon Fire TV Stick, Google Chromecast, Apple TV, Oculus Rift and more
- Lifetime Warranty

Specifications:

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

Standards and certifications

- UL 20276
- ISO9002

General

- Bandwidth: 10.2 Gbps at 340 MHz
- HEC support
- Meets or exceeds existing HDMI standards
- Length: 1.8 m (6 ft.)

Connectors

- One HDMI 19-pin male
- One HDMI 19-pin female
- Gold-plated contacts
- Molded PVC boot
- Built-in strain relief

Cable

- 30 AWG cable
- Double shielded
- Current rating: 0.5 A DC
- Withstanding voltage: 300 V DC
- Insulation resistance: 5 MOhms
- Conductive resistance: 5 Ohms
- Thermal plastic casing

Package Contents

- High Speed HDMI Extension Cable with Ethernet



