



## SuperSpeed USB 3.0 to DVI Converter

Supports Additional DVI-I Display; Accommodates HDMI or VGA Display with Adapter

Part No.: **152310**

---

Easily connect another monitor, HD projector or another DVI device to notebook or desktop computers.

### Improved Productivity and Versatility

The Manhattan SuperSpeed USB 3.0 to DVI Converter increases productivity, improves "desktop" arrangements and extends the visual work area across multiple monitors. It makes word processing, editing and multi-tasking more effective with less overlapped windows, fewer hidden palettes and better-organized views. Read e-mail on one monitor and open attachments on the other. Expand and view large, complicated spreadsheets without scrolling. Make presentations more compelling with one display for attendees and one for the speaker to view notes.

### Easy to Install.

The convenient SuperSpeed USB 3.0 connection eliminates the need to install another graphics card or struggle with compatibility issues. It's an ideal, portable solution for notebook computers and desktop systems with graphics cards that lack additional outputs. With Plug-and-Play and hot-swap capabilities, it's easily installed without an external power supply on any Windows computer or Mac.

### Features:

- Easily adds a DVI-I monitor to a computer to increase productivity and expand visual areas; connects HDMI or VGA displays with included adapters

- Ideal for connecting PCs, Laptops, Ultrabooks and more to high-definition (HD) monitors, projectors, and TVs
- Connect up to 6 displays or monitors in extended, mirror and screen rotation modes (one adapter per display)
- Delivers clear, sharp resolution up to 2048x1152 and 16-bit or 32-bit color; supports 1080p full HD video with a widescreen aspect ratio of 16:9
- Slim, bus powered design makes for clutter free desktop; travel-bag portability makes it the perfect companion to Ultrabook or laptop
- Supports standard (4:3) and widescreen (16:9) aspect ratio; Full HD 1080p @ 16:9
- Windows and Mac compatible
- Backward compatible, though picture quality may decrease
- Three-Year Warranty

## Specifications:

### Standards and Certifications

- SuperSpeed USB 3.0
- CE
- FCC
- RoHS

### General

- Display memory: 16 MB SDRAM
- Bus powered
- Supports Suspend and Wake modes
- Functionality: primary, extended, mirror or rotation
- Rotation modes: 0°, 90°, 180°, 270°
- Resolution: up to 2048 x 1152 @ 32-bit color; 1080p Full HD video

### Connections

- Input: USB 3.0 Type-A male
- Output: DVI-I female

### Supported DVI Video Resolutions (common)

- Widescreen:
  - 16:9; 2048 x 1152; 16/32 bits
  - 16:9; 1920 x 1080; 16/32 bits (1080p)
  - 16:9; 1360 x 768; 16/32 bits
  - 16:9; 1280 x 720; 16/32 bits (720p)
- Standard monitor:
  - 4:3; 1600 x 1200; 16/32 bits
  - 4:3; 1400 x 1050; 16/32 bits
  - 4:3; 1280 x 960; 16/32 bits
  - 4:3; 1152 x 864; 16/32 bits
  - 4:3; 1024 x 768; 16/32 bits
  - 4:3; 800 x 600; 16/32 bits

#### Physical

- Dimensions: 8 x 5 x 2 cm (3 x 2 x 0.8 in.)
- Cable: 26 cm (10 in.)
- Weight: 32 g (2 oz.)
- Housing: plastic

#### Operating Environment

- Operation temperature: 0 – 40°C (32 – 104°F)
- Storage temperature: -20 – 60°C (-4 – 140°F)
- Humidity (noncondensing): 0 – 96%

#### System Requirements

- Compatible with Windows XP/Vista/7/8.1/10 and Mac OS X 10.6.8 and above

#### Package Contents

- SuperSpeed USB 3.0 DVI Converter
- DVI to HDMI Adapter
- DVI to VGA Adapter
- Driver CD
- Quick Installation Guide



