



## 4K 2-Port HDMI Splitter

4K@60Hz, AC Powered, HDCP 2.2, Black

Part No.: [207591](#)

EAN-13: 0766623207591 | UPC: 766623207591

---

Easily distribute a single Ultra-High-Definition (UHD) signal to multiple displays.

The Manhattan 2-Port HDMI Splitter streams a 4K HDMI signal from a single UHD source to up to two UHD displays.

### Flexible Solution for Many A/V Applications

Ideal for trade shows, classrooms, video conferencing, presentations and retail applications, the Manhattan 4K 2-Port HDMI Splitter features a built-in booster for added signal strength. It's a great choice for splitting and distributing a synchronous signal to multiple 4K HDMI displays when source equipment is remotely stored in a secured room or cabinet. Cascade multiple units up to three levels to output HDMI video/audio to additional displays in widely distributed applications.

### Quality Construction and Easy Installation

Full compliance with HDMI, HDCP 2.2 and DVI 1.0 ensures that the Manhattan 4K 2-Port HDMI Splitter can provide long service and reliable performance. Quickly connect HDMI cables (not included) and the 5 V / 1 A power adapter without software/hardware configuration or complicated settings to complete this affordable Ultra-High-Definition, 4K HDMI solution.

### Features:

- Duplicates an Ultra-High-Definition (UHD) digital audio/video signal for up to two UHD HDMI displays
- 4K@60Hz resolution, full 3D video and Deep Color
- Supports video amplifier bandwidth up to 300 MHz, 3 Gbps per channel (10.2 Gbps total) for 4Kx2K displays
- Supports compressed DTS-HD Master Audio, uncompressed LPCM 8 channel (7.1 surround sound) audio and Dolby TrueHD as well as 32-channel audio
- Supports 48-bit Deep Color (12-bits per channel), xvYCC (x.vColor), Rec. 2020 color space and 21:9 aspect ratio
- Supports LPCM, DTS Digital, DTS-HD Master Audio, Dolby TrueHD audio, four audio streams and 32-channel audio
- HDCP 2.2 compliant
- AC powered with Plug and Play installation; no special setup or remote required
- Rugged metal housing for maximum durability; built-in wall-mounting holes
- Up to three splitters may be cascaded to support four 4K displays
- Gold-plated contacts for corrosion-free connections
- Works with PlayStation and Xbox game systems, Blu-ray players, set-top boxes, satellite receivers and more
- Three-year warranty

## Specifications:

### Standards and Certifications

- HDCP 2.2
- DVI 1.0
- CTS 1.4a
- CE
- FCC
- RoHS2

### Connections

- One HDMI female (input)
- Two HDMI female (output)
- One 5 V / 1 A DC power female (input)

### Signal Input/Output

- Input video signal: 0.5 – 1.0 V p-p
- Input DDC signal: 5 V p-p (TTL)
- Maximum single-link range: 10.2 Gbps, 4096x2160 at 60 Hz resolution
- Output video: HDCP 2.2, DVI 1.0

### Video Resolutions

- VGA: 640x480, 800x600, 1024x768, 1920x1200
- DTV/HDTV: 480i/480p/576i/576p/720p/1080i/1080p/4K@60Hz

### Physical

- LED indicators: power and port connection

- Dimensions: 80 x 80 x 20 mm (3.2 x 3.2 x 0.8 in.)
- 5 V / 1 A power adapter: 1.2 m (3.9 ft.)
- Weight: 150 g (5.3 oz.)
- Housing: metal
- Two wall-mount holes

#### Operating Environment

- Operation Temperature: 0 – 40°C (32 – 104°F)
- Storage Temperature: -20 – 60°C (-4 – 140°F)
- Humidity (noncondensing): 0 - 96%

#### Package Contents

- 4K 2-Port HDMI Splitter
- 5 V / 1 A power adapter
- Quick Instruction Guide



