

Rackmount 17" LCD Console

17-Inch LCD Panel, 1U, Modular System, Italian Layout

Part No.: 507998

EAN-13: 0766623507998 | UPC: 766623507998

Features:

- Integrated LCD console, keyboard & mouse
- Manage/control PS/2 or USB computers from one keyboard, monitor and mouse (KVM module needed)
- Standard 19-inch 1U rack drawer
- Flip-open 17-inch LCD panel supports 1280 x 1024 resolution
- Gain complete control with easy-to-use OSD interface
- Adjustable for rack cabinets with depths from 600 mm to 1000 mm (23.6 to 39.37 in.)
- 100-key, low-profile, sturdy keyboard included
- Ergonomic hand rest design
- Ultra-sturdy rear bracket and extension design
- OSD control and adjustment
- Auto-scan automatically selects computers sequentially
- Supports both PS/2 and USB mouse
- Operating system independent, transparent to all applications
- Three-Year Warranty

Specifications:

Standards

- PS/2
- USB
- Compatible with Windows, MAC and Unix

General

- PC connections: Dependent on KVM module purchased alongside
- Computer selection:
- Via buttons
- Via hotkeys
- OSD: yes
- FCC Class B, CE, RoHS

Power

Power input (AC): approx. 100 - 240 V

LCD Panel

• Active display area: 337.9 x 270.3 mm

• Pixel pitch: 0.264 (H) x 0.264 (W)



intellinet-network.com

• Resolution: 1280 x 1024 at 60 Hz

• Brightness: 250 (Typ)

Contrast ratio: 1000:1 (Typ)Display color: 16.7M colors

User control: OSD control (auto saving)

Backlight unit: LEDMTBF: 100,000 hours

Keyboard

- Ultra-thin 100-key, Italian-layout, stand-alone, removable keyboard (keyboard language format optional)
- Microsoft Windows9, Me/NT/2000/XP, WIN7, Server2003, WIN8, WIN10
- Service life > 1,000,000 times

Mouse

- Touch Mouse
- 1000 point/inch 40 x 40 mm
- Service life > 1,000,000 times

Environmental

- Operating temperature: 0 50°C (32 122°F)
- Storage temperature: -20 60°C (-4 140°F)

Package Contents

- 17" Rackmount Console
- · Rear bracket and extension kit
- Power adapter
- User manual





intellinet-network.com

