



USB-C to 5GBASE-T Ethernet Adapter

SuperSpeed USB 3.2 Gen 1 with 5 Gbps USB & Multi-Gigabit Ethernet Connection Speeds, Black

Part No.: [153461](#)

EAN-13: 0766623153461 | UPC: 766623153461

A USB-C to 5GBASE-T Ethernet Adapter for upgrading a computer or tablet to 5 Gbps speeds

Wired Ethernet through USB-C

Since smaller laptops, notebooks and tablets omit the Ethernet port, you need an external adapter to get a wired Ethernet connection. The Manhattan USB-C to 5GBASE-T Ethernet Adapter delivers that at faster-than-gigabit speeds to help you enhance your productivity and move at the speed of business. The adapter's USB-C reversible connector lets you connect it right the first time, so you save time and avoid damage to your USB port. It's also the perfect replacement for your device's broken internal network card.

Fast and Frugal

This 5G Ethernet Adapter has a fully auto-sensing Gigabit LAN port that is capable of delivering a peak performance of 5 Gbps in full-duplex mode. It offers exceptional service for everyone who requires an ultra-fast and solid network connection. The latest in power-saving technology ensures the adapter does not drain your device's battery in the process.

Portable Design

The Manhattan USB-C to 5GBASE-T Ethernet Adapter is compact and takes up little space, so it can be added to your work area without adding clutter. Configure it to as many computers or tablets as you want. When it's time to leave one workspace, unplug it and add it to your bag. When you're at the next, plug it in and you're all set with a super-fast wired-Ethernet connection.

Features:

- Adds a 5GBASE-T Ethernet port to any USB-C-enabled device
- USB 3.2 Gen 1 compliant (supports up to max 5 Gbps transfer rates)
- IEEE 802.3az (Energy Efficient Ethernet) compliant
- IEEE 802.3bz 5GBASE-T compliant
- Supports jumbo frames up to 16K bytes
- QoS (Quality of Service) bandwidth management
- Compatible with Cat6 or better cabling
- Thunderbolt 3 compatible
- Windows compatible
- Three-year warranty

Specifications:

Standards & Certifications

- CE
- RoHS
- FCC
- USB 3.2 Gen 1
- IEEE 802.3bz (2.5GBASE-T & 5GBase-T)
- IEEE 802.3az (Energy Efficient Ethernet)

General

- USB-C connector
- RJ45 port
- Cable length: 20 cm (7.87 in.)

Chipset

- Aquantia AQC111U

Power

- USB bus-powered
- Operating mode: 420 mA
- Suspend mode : 38 mA

Physical

- Dimensions: 85 (L) x 38 (W) x 21 (H) [mm] / 3.34 (L) x 1.5 (W) x 0.83 (H) [in.]
- Weight: 66 g (2.33 oz.)

Environmental

- Operating temperature: 0 – 40°C (32 – 104°F)
- Storage temperature: -10 – 55°C (14 – 131°F)
- Storage humidity: 5 – 90%, non-condensing

System Requirements

- Windows 7, 8, 8.1, 10

Package Contents

- USB-C to 5GBASE-T Ethernet Adapter
- Quick Instruction Guide



