

20-Port USB Power Delivery Charging Cabinet

20 USB-C PD Ports, up to 18 W / 3 A / 5 V per Port, 360 W Total, Lockable Split Door, Surge Protection, Silent Ventilation, Metal Housing, Black

Part No.: [102568](#)

EAN-13: 0766623102568 | UPC: 766623102568

Features:

- Safely stores and charges up to 20 USB devices
- USB-C charging ports with up to 18 W / 3 A / 5 V per port; no additional wall chargers required
- Smart power management system that prevents overload at any time
- Built-in safety with fuse between mains power and power supply
- Protection against overload, overcurrent, short circuit, voltage spikes and lightning strikes
- Sturdy, secure, powder-coated metal housing; lockable with two included keys
- Bays [175 (D) x 24 (W) x 190 (H) mm each] with cable management built into the dividers
- Silent fan and ventilation slots for maximum airflow and cooling efficiency
- Vertically split double-door ideal for confined spaces
- LED indicators for easy status monitoring
- Rubber feet for non-slip desktop use
- Not stackable
- Built in USB-C PDU with 2 m power cable, EU plug and cable management
- Three-year warranty

Specifications:

Standards and Certifications

- CE
- RoHS
- REACH
- UKCA

Electrical

- AC input: 100.0 - 240.0 V; 50 - 60 Hz
- Voltage/current: 5.0 V/3.0 A, 9.0 V/2.0 A, 12.0 V/1.5 A
- 18.0 W max. per port, 360.0 W total on all 20 ports
- Made for handheld USB devices

Protection Characteristics

- Overload protection
- Leakage protection
- Isolation protection
- Overcurrent protection
- Input overvoltage protection
- Input undervoltage protection
- Output short circuit protection

Physical

- On/off switch
- LED status indicators (red: charging / green: fully charged)
- Vertically split double door
- Housing: 1 - 1.5 mm cold-rolled steel
- External housing dimensions: 250 (D) x 610 (W) x 345 (H) mm
- Bay dimensions (20): 175 (D) x 24 (W) x 190 (H) mm
- AC Power cable length: 2 m
- Weight: 17 kg

Operating Environment

- Operation temperature: 0 - 45°C
- Storage temperature: -15 - 45°C
- Humidity (noncondensing): 20 - 80%

Package Contents

- 20-Port USB Charging Cabinet
- AC Power cable length: 2 m
- Two door keys
- Instructions



