




## **UK/EU Travel Adapter Europlug Socket to BS1363 Plug**

**Power Plug Adapter, CEE 7/16 Type C Female to British Mains 3-pin Male, 3 A, 250 V, Black**

Part No.: [120258](#)

EAN-13: 0766623120258 | UPC: 766623120258

---

### **Europlug socket to UK Power Plug Adapter for Connecting European devices in Great Britain (England, Scotland, and Wales) and Northern Ireland**

Traveling to the UK? Whether on holiday, a business trip, or exploring new destinations, this UK/EU travel adapter from Manhattan makes staying connected simple and hassle-free. It connects devices with a European CEE 7/16 plug to a standard three-slot UK AC power socket. Be it your electric shaver, hairdryer, USB wall charger, or other travel essentials, this adapter ensures your devices stay powered and ready to use.

#### **Built for Performance and Safety**

Designed with high-temperature resistance, this power adapter performs safely and efficiently, even in areas without air conditioning. It's built to handle challenging travel environments while maintaining durability and reliability for your devices.

#### **Compact, Lightweight, and Travel-Friendly**

With its compact and lightweight design, it is the perfect travel companion. It easily fits into your suitcase, backpack, or carry-on, ensuring you always have power access wherever your journey takes you.

**Features:**

- Connects a device with a European CEE 7/16 plug to a standard three-slot UK AC or similar power socket
- Ideal for devices like electric shavers, hairdryers, USB wall chargers, and other travel essentials
- High-temperature resistance for use in areas that are not air conditioned
- Compact and lightweight design, ideal for travel
- Lifetime warranty

**Specifications:****Standards and Certifications**

- UKCA
- CE
- RoHS
- REACH
- IEC 60320

**General**

- One BS1363A male with 3.0 A fuse
- One IEC 60320 CEE 7/16 Type C female
- Maximum current: 3.0 A
- Maximum voltage: 250.0 V AC
- Insulation resistance: 100 MOhm
- Dielectric withstanding voltage: 2,000 V

**Physical**

- Dimensions (L x W x H): 73 x 48 x 53 mm (2.87 x 1.89 x 1.77 in.)
- Net weight: 60 g (1.32 lbs.)
- Gross weight: 65 g (1.43 lbs.)
- Materials: PVC

**Environmental**

- Operation temperature: -10 - 60°C (14 - 140°F)
- Operating humidity (non-condensing): 10 - 85%
- Storage temperature: -20 - 70°C (-4 - 158°F)
- Storage humidity (non-condensing): 5 - 90%

**Package Contents**

- Power Plug Adapter EU to UK

