



USB-C PD 5-in-1 HDMI 4K Docking Station / Multiport Hub

USB 3.2 Gen 1 Type-C Male to HDMI (4K@60Hz), Two USB-A (5 Gbps), USB-C Power Delivery (100 W) and USB-C Data (5 Gbps) Ports, Aluminum, Space Gray

Part No.: [190411](#)

EAN-13: 0766623190411 | UPC: 766623190411

USB Type-C Multiport Adapter to Connect Laptop, MacBook, Tablet or Phone to an HDMI Monitor - plus 100 W Power Delivery Charging and USB Ports

Unlock the full potential of your USB-C device with the Manhattan USB-C to HDMI 5-in-1 Dock. Designed to enhance productivity and convenience, this versatile adapter connects your laptop (or other device) to an HDMI display, two USB-A peripherals, and a USB-C peripheral, all while keeping it charged with up to 100 W of Power Delivery.

Stunning 4K UHD Display Support

Experience crystal-clear visuals with resolutions up to UHD 4K@60Hz. Whether you're presenting in a meeting, streaming your favorite content, or working on detailed projects, this adapter ensures that everything looks sharp and vibrant.

USB-A and USB-C Ports for Fast Transfers and Peripherals

The three USB 3.2 Gen 1 (formerly known as USB 3.0) ports offer SuperSpeed data transfer rates up to 5 Gbps, making it great for connecting peripherals like mice, keyboards, and portable memory devices or syncing phones and tablets.

Charge and Connect Simultaneously

With support for USB Power Delivery (PD) up to 100 W, you can keep your laptop, tablet, or smartphone powered up while using all the adapter's connectivity features. Just connect an external PD charger and you're set.

Universal Compatibility with Plug-and-Play Simplicity

Compatible with a wide range of USB-C DP-Alt-Mode-supported devices, including Apple® MacBook®, Chromebook™, and Pixel™, this adapter is perfect for any setup. With no drivers or software required, this it offers hassle-free plug-and-play installation. It's compatible with Windows®, macOS®, Linux®, Chrome OS™, iPadOS®, iOS®, and Android™, making it a versatile solution for any user.

Transform Your Smartphone into a Desktop PC

For devices that support video output over USB-C, this adapter can turn your smartphone into a desktop-like experience, complete with HDMI display and USB peripherals, all while charging your phone.

Features:

- Connects your USB-C device to an HDMI display and USB peripherals while charging it with Power Delivery
- One HDMI port with resolutions up to Ultra-High-Definition (UHD) 4K@60Hz (3840×2160)
- Two USB 3.2 Gen 1 (formerly USB 3.0) Type-A ports with SuperSpeed transfer rates up to 5 Gbps and charging up to 4.5 W (5 V / 0.9 A)
- USB-A ports to connect mice, keyboards, flash drives and more or to charge and sync mobile devices
- One USB 3.2 Gen 1 Type-C data-only port with transfer rates up to 5 Gbps, great for synchronizing mobile devices
- Charges your laptop with USB Power Delivery (PD) up to 100 W; requires an external PD charger - available from Manhattan
- Compatible with all USB-C DP-Alt-Mode-supported desktops, notebooks and tablets including Apple® MacBook®, Chromebook™, and more
- Compliant with DisplayPort 1.4 Alternate Mode (DP Alt Mode)
- Lets your smartphone work like a desktop PC while also charging it (desktop setup requires devices that support DP Alt Mode and video output over USB-C)
- Plug-and-play installation; Windows®, macOS®, Android™, iOS®, Chrome OS®, iPadOS®, and Linux® compatible
- Supports PD 3.0 Fast Role Swap (FRS) - the connection between the docking station and laptop is not interrupted when the charger is unplugged
- Sturdy, sleek aluminum housing, great for both desktop and travel
- Compatible with USB4® and Thunderbolt™ 3 / 4 interfaces
- Fully HDCP 2.3 compliant, backward compatible
- Three-year warranty

Specifications:

Standards and Certifications

- DP 1.4 Alt Mode over USB-C
- USB 3.2 Gen 1
- HDMI 2.0
- HDCP 2.3
- FCC

General

- Available video resolutions: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 4K@30Hz, 4K@60Hz
- USB-A port data transfer speed: 5 Gbps
- USB-C port data transfer speed: 5 Gbps
- Bus powered operation (except charging functions)
- USB-A charging: 4.5 W (5.0 V at 0.9 A) max.
- USB-C PD charging port: 100.0 W (15.0 V at 4.25 A) max.
- Voltage/current settings (maximum):
 - 5.0 V / 1.5 A
 - 9.0 V / 1.33 A
 - 12.0 V / 1.75 A
 - 15.0 V / 2.6 A
 - 15.0 V / 4.25 A

Connections

- One USB-C 24-pin, male
- One USB-C 16-pin, Power Delivery, female
- One USB-C 24-pin, data only, female
- Two USB-A 9-pin, female
- One HDMI 19-pin, female

Physical

- Dimensions (L x W x H): 110 x 32 x 12 mm (4.33 x 1.26 x 0.42 in.)
- Cable length: 30 cm (11.8 in.)
- Cable OD: 4.5 mm (0.18 in.)
- Net weight: 55 g (0.12 lbs.)
- Gross weight: 83 g (0.18 lbs.)
- Aluminum housing

Operating Environment

- Operation temperature: 0 - 50°C (32 - 122°F)
- Storage temperature: -20 - 60°C (-4 - 140°F)
- Humidity (non-condensing): 0 - 85% RH

System Requirements

- Windows 7/8.1/10/11, Chrome OS, macOS, iPadOS, iOS, Android or Linux

Package Contents

- USB-C PD 5-in-1 Docking Station / Multiport Adapter for One HDMI Monitor
- Instructions

