



## **RS232 Serial Null Modem Cable**

**DB9 Female to DB9 Female, 1.8 m (6 ft.), 30 AWG, Aluminum Foil Shielding, Beige**

Part No.: **317375**

EAN-13: 0766623317375 | UPC: 766623317375

---

### **DB9 to DB9 RS232 Serial Cable for Reliable Direct Communication**

The RS232 Serial Null Modem Cable provides a direct connection between computers and serial devices, eliminating the need for a modem. Featuring DB9 female-to-female connectors, this cable ensures seamless data transfer and communication between compatible devices.

Built for stability and durability, it includes integrated thumbscrews for a secure, stable connection, while the molded ABS boot with strain relief enhances longevity and prevents cable wear. Aluminum foil shielding effectively reduces EMI and other interference, ensuring a clear and reliable signal.

Ideal for networking, industrial applications, and legacy systems, this cable is the perfect solution for error-free serial communication

#### **Features:**

- DB9 female to DB9 female to connect computers and serial devices for direct communication
- Aluminum foil shielding to reduce EMI and other interference sources

For more information on Manhattan products, consult your local dealer or visit [www.manhattan-products.com](http://www.manhattan-products.com).

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- Integrated thumbscrews for a secure and stable connection
- Molded ABS boot with strain relief
- Lifetime warranty

## **Specifications:**

### Standards and Certifications

- CE
- RoHS
- REACH

### General

- Two DB9 females
- Shielding: aluminum foil
- Contacts: nickel-plated
- 30 AWG
- Length: 1.8 m (6 ft.)
- Net weight: 82 g (0.18 lbs.)
- Gross weight: 90 g (0.2 lbs.)



