



## **USB 3.2 Gen 2 Type-C Cable, 60 W, 1 m**

**USB-C Male to USB-C Male, SuperSpeed+ USB, 10 Gbps, 3 A, 4K@60Hz, Black**

Part No.: [394918](#)

EAN-13: 0766623353526 | UPC: 766623353526

Manhattan SuperSpeed USB Type-C Cables easily connect USB type-C peripherals and accessories with type-C device ports. Ideal for use with any USB type-C, plug-and-play devices. Manhattan SuperSpeed USB Type-C Cables support data transfer rates up to 10 Gbps on Windows and Mac systems for fast, reliable transmissions and current up to 3 amps. Nickel-plated contacts, shielding and fully molded boots with strain relief help provide dependable connections, maximum conductivity and minimal data loss with reduced EMI interference.

### **Features:**

- USB-C male to USB-C male
- Connects and charges phones, laptops, tablets or other USB-C devices
- USB 3.2 Gen 2 compliant with SuperSpeed+ transfer rates up to 10 Gbps and charging up to 60 W
- Compliant with DP Alt Mode 1.2 for resolutions up to 4K@60Hz on supported devices and displays
- Lifetime warranty

### **Specifications:**

#### **Standards and Certifications**

- CE
- RoHS

For more information on Manhattan products, consult your local dealer or visit [www.manhattan-products.com](http://www.manhattan-products.com).

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- REACH
- UKCA
- USB 3.2 Gen 2
- UL 2725

#### Connectors

- Two USB-C males
- Nickel plated
- Molded PVC boot

#### Cable

- Shielded
- Withstanding voltage: 300 VDC 10 ms
- Insulation resistance: 10 MOhm
- Contact resistance: 2 Ohm
- Supported power throughput: 60 W
- Thermal plastic casing
- Length: 1 m
- Net weight: 38 g
- Gross weight: 61 g

#### Package Contents

- SuperSpeed+ USB-C to USB-C Cable



