



Enhanced USB Keyboard, Spanish layout

**Teclado Estándar USB En Español, tecnología de conexión USB,
Número de teclas: 107, Negro**

Part No.: **181242**

EAN-13: 0766623181242 | UPC: 766623181242

Upgrade your workspace with the Enhanced Keyboard, designed for comfort, durability, and productivity. Its intuitive key layout and full-sized numeric keypad offer a familiar typing experience, ideal for fast-paced environments. Enjoy quiet, responsive keystrokes thanks to low-force key switches, perfect for reports, spreadsheets, and data entry. High-contrast lettering enhances visibility, while adjustable tilt legs ensure ergonomic support. With a streamlined design and rubber feet to prevent slipping, this keyboard is a perfect addition to any setup. Compatible with multiple Windows versions and backed by a three-year warranty, elevate your typing experience today!

Features:

- Spanish layout | Distribución del teclado en español
- Streamlined, durable design ideal for new systems and replacement applications
- Low-force key switches provide quiet and positive tactile response
- Long-lasting performance: 10,000,000-keystroke switch life
- Rubber feet to prevent slipping and to protect your desk from scratches
- Three-Year Warranty

Specifications:

Standards and Certifications

- USB
- CE
- WEEE

General

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- 107 keys
- Number, Scroll and Caps Lock LED indicators
- USB connection
- Windows XP/Vista/7/8.1/10 compatible
- Cable: 1.3 m (51 in.)
- 45 x 16 x 2 cm (17.75 x 6 x 0.78 in.); 490 g (17.3 oz.)

Mechanical

- 10,000,000-keystroke switch life
- Total travel: 4.0 +/- 0.5 mm
- Operating force: 55 +/- 8 g

Electrical

- Maximum rating: + 5 VDC +/-10% 200 mA (maximum)
- Contact resistance: 500 Ohm (maximum)
- Insulation resistance: 100 VDC 50 MOhm (minimum)

Environmental

- Operating temperature: 0 - 50°C
- Storage temperature: -20 - 60°C
- Humidity: 80 - 95%

Package Contents

- Teclado Estándar USB En Español
- Reference guide



