



## 4-Port 10G USB-A / USB-C Combo Hub 3+1

USB-C Male to Three USB-A Ports and One USB-C Port, 10 Gbps SuperSpeed USB+ (USB 3.2 Gen 2), Bus Powered, Aluminum, Space Gray

SKU: 181389 | EAN-13: 0766623181389 | UPC: 766623181389

### 10G USB-C Hub with both USB Type-A and Type-C Ports Expands Your Connectivity

The Manhattan 4-Port 10G USB-A / USB-C Combo Hub 3+1 transforms a single USB-C port into a powerful expansion solution for all your essential devices. With a sleek aluminum body in Space Gray, this compact hub brings both style and high performance to your everyday workflow - whether you're working at home, in the office, or on the go.

#### Four Ports. Many Possibilities.

Equipped with three USB-A ports and one USB-C port, this hub gives you the flexibility to connect peripherals such as mice, keyboards, external storage, card readers, and more. It also supports charging and syncing for smartphones and tablets - making it the perfect companion for modern USB-C laptops and notebooks.

#### Ultra-Fast Performance

Built to the USB 3.2 Gen 2 SuperSpeed+ standard, the hub delivers blazing data transfer rates of up to 10 Gbps, allowing you to move large files, back up devices, or transfer media in seconds. Each port supports power up to 7.5 W, which lets you also charge your phone or tablet.

#### Designed for Modern Devices

Whether you use a MacBook®, Windows® laptop, Chromebook™, Ultrabook™, Surface® device, or desktop PC, the hub works seamlessly across platforms. It is fully compatible with USB4® and Thunderbolt™ 3 / 4, giving you maximum flexibility no matter your setup.

#### Effortless Use, Anywhere

Thanks to true plug-and-play functionality, no drivers or configuration are needed. The hub is bus powered, so it requires no external power adapter - ideal for travel or minimalistic workspaces. A sturdy 15 cm (6 in.) built-in USB-C cable ensures a secure connection, while the compact, lightweight design slips easily into an external pocket of your laptop bag.

#### Features:

- Adds one USB-C and three USB-A ports to connect mice, keyboards, flash drives and more or to charge and sync mobile devices
- USB 3.2 Gen 2 compliant with SuperSpeed+ transfer rates up to 10 Gbps and power supply up to 7.5 W (5 V / 1.5 A)
- Great for laptops, MacBooks®, desktop PCs, Ultrabooks™, Chromebooks™, notebooks, Surface® devices, and more
- Compatible with Windows®, macOS®, Linux® and Chrome OS™
- Supports battery-charge specification 1.2 (BC 1.2) on all ports to deliver higher charging currents to devices like phones, tablets, power banks, and accessories
- Plug-and-play installation; no configuration or drivers required
- Bus powered: no external power supply needed
- USB ports backward compatible with USB 3.0, USB 2.0, and USB 1.1
- Compatible with USB4® and Thunderbolt™ 3 / 4 interfaces
- Supports Hot Swapping
- Built-in, sturdy 15 cm (6 in.) cable with USB-C host connector
- Portable, compact and lightweight design that easily fits into laptop bag pockets
- Three-year warranty

#### Specifications:

Standards and Certifications

- USB 3.2 Gen 2
- BC 1.2

For more information on Manhattan products, consult your local dealer or visit [www.manhattan-products.com](http://www.manhattan-products.com).

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- CE
- FCC
- RoHS
- REACH
- UKCA

#### General

- Data transfer speeds: 10 Gbps
- USB charging power output: 7.5 W (5.0 V at 1.5 A) max.
- Withstanding voltage: 300.0 V DC
- Insulation resistance: 10 MOhm
- Conductive resistance: 5 Ohm

#### Connections

- One USB-C 24-pin, male
- Three USB-A 9-pin, female
- One USB-C 24-pin, female

#### Physical

- Dimensions (L x W x H): 100 x 32 x 11 mm (3.94 x 1.26 x 0.43 in.)
- Net weight: 48 g (0.11 lbs.)
- Gross weight: 81 g (0.18 lbs.)
- Cable length: 15 cm (6 in.)
- Cable OD: 4.5 mm (0.18 in.)
- Housing: aluminum

#### Operating Environment

- Operation Temperature: 0 - 50°C (32 - 122°F)
- Storage Temperature: -20 - 60°C (-4 - 140°F)
- Humidity (non-condensing): 0 - 85%

#### System Requirements

- Windows XP/Vista/7/8.1/10/11, Linux, Chrome OS or macOS

#### Package Contents

- 4-Port 10G USB-A / USB-C Combo Hub 3+1
- Instructions



