



Conference Room Solutions

Curated stocking recommendations for distributors and installers



The Installer's
Choice
since 1987



German
Owned & Managed



Video Cables



USB Cables



HDMI Extenders



Display Mounts





Solutions for Smarter Meeting Spaces

Manhattan offers a comprehensive range of conference room solutions designed to simplify installation, enhance collaboration and deliver great visual performance. At the heart of every setup is video and data signal transmission – the process of sending content from a source to a display using cables, wireless frequencies or optical fibers. This involves compressing, encoding and transmitting the signal across technologies ranging from Wi-Fi to high-speed digital links used in modern streaming and video conferencing.

To support every scenario, Manhattan provides multiple transmission options:

- **Twisted Pair:** A cost-effective cable method for video/data delivery, with length depending on resolution and data rate.
- **Fiber Optics:** Converts signals into pulses of light for long-distance runs with minimal loss.
- **Wireless:** Uses Wi-Fi, Bluetooth and similar protocols to send signals through the air without cabling.
- **Ethernet/IP:** Breaks signals into packets and transports them across a network using standard Ethernet infrastructure.

Whether you need state-of-the-art 8K@60Hz performance or solid 1080p reliability, Manhattan solutions cover every requirement – including long-distance extension via direct cabling, over-IP technologies, or optical fiber.

Display installation is just as straightforward. Choose from fixed, tilt or full-motion Display Mounts, bring mobility with Display Carts, or install projectors easily with our projector mounts.

With Manhattan, you can close the gaps in your conference room setup and create a seamless, modern environment for every meeting.

manhattanproducts.eu



High Speed HDMI Active Optical Cables (AOC), fiber and copper-wire hybrid for extra long distances without interference.



Detachable plug for a narrower connection through walls

Image	Model #	Max. Res. /Hertz	Connection	Length	Description	Cable Type
	355933	8K@60Hz	HDMI Male/Male	1 m		Passive
	355940	8K@60Hz	HDMI Male/Male	2 m		Passive
	355957	8K@60Hz	HDMI Male/Male	3 m		Passive
	356145	8K@60Hz	HDMI Male/Male	7.5 m		Active Optical
	356152	8K@60Hz	HDMI Male/Male	10 m		Active Optical
	356169	8K@60Hz	HDMI Male/Male	12 m		Active Optical
	356176	8K@60Hz	HDMI Male/Male	15 m		Active Optical
	356183	8K@60Hz	HDMI Male/Male	20 m		Active Optical
	354837	4K@60Hz	HDMI Male/Male	1 m		Passive
	355346	4K@60Hz	HDMI Male/Male	1.8 m		Passive
	355353	4K@60Hz	HDMI Male/Male	3 m		Passive
	355360	4K@60Hz	HDMI Male/Male	5 m		Passive
	353946	4K@60Hz	HDMI Male/Male	3 m	In-wall CL3-rated	Passive
	353960	4K@60Hz	HDMI Male/Male	8 m		Passive
	353977	4K@60Hz	HDMI Male/Male	10 m		Passive
	353243	4K@60Hz	HDMI Male/Male	20 m	Plenum-rated, CMP/CPR-certified	Active Optical
	355193	4K@60Hz	HDMI Male/Male	30 m		Active Optical
	355513	4K@60Hz	HDMI Male/Male	20 m	Economy	Active Optical
	355520	4K@60Hz	HDMI Male/Male	30 m		Active Optical
	356633	4K@60Hz	HDMI Male/Male	1 m	Economy	Passive
	356640	4K@60Hz	HDMI Male/Male	1.5 m		Passive
	356657	4K@60Hz	HDMI Male/Male	2 m		Passive
	356664	4K@60Hz	HDMI Male/Male	3 m		Passive
	356671	4K@60Hz	HDMI Male/Male	5 m		Passive
	356688	4K@60Hz	HDMI Male/Male	7.5 m		Passive
	356695	4K@60Hz	HDMI Male/Male	10 m		Passive
	356701	4K@60Hz	HDMI Male/Male	15 m		Passive
356718	4K@60Hz	HDMI Male/Male	22.5 m	Passive		
	353595	8K@60Hz	DP Male/Male	1 m	Braided Jacket	Passive
	353618	8K@60Hz	DP Male/Male	2 m		Passive
	353625	8K@60Hz	DP Male/Male	3 m		Passive
	355568	8K@60Hz	DP Male/Male	1 m		Passive
	355575	8K@60Hz	DP Male/Male	2 m		Passive
	355582	8K@60Hz	DP Male/Male	3 m		Passive

Wireless HDMI Adapters

Mirror Your Device on Any HDMI Display



No Wi-Fi



No Bluetooth



No Cables



No Drivers



Wireless HDMI Display Presentation Kit with USB-C Transmitter

[208420] 2-Piece Set with HDMI Receiver and USB-C Transmitter Dongle to Wirelessly Display a Video Signal from a Laptop/Tablet/Smartphone on an HDMI TV or Projector



Wireless HDMI Display Presentation Kit with HDMI Transmitter

[154468] 2-Piece Set with HDMI Receiver and HDMI Transmitter Dongle to Wirelessly Display a Video Signal from a Laptop/Tablet/Smartphone on an HDMI TV or Projector



Additional USB-C Transmitter for Wireless HDMI Display Presentation Kit

[208437] Dongle Wirelessly Displays a Video Signal from a USB-C Device on an HDMI TV or Projector, Requires Receiver from #208420 Wireless HDMI Presentation Kit



Additional HDMI Transmitter for Wireless HDMI Display Presentation Kit

[208444] Dongle Wirelessly Displays a Video Signal from an HDMI Device on an HDMI TV or Projector, Requires Receiver from #208420 Wireless HDMI Presentation Kit



1080p HDMI KVM over IP Extender Kit

[208413] Extends a 1080p@60Hz HDMI Signal up to 120 m over a Cat6 Cable or an IP-enabled Network. USB-A Ports for PC/Mouse/Keyboard on Transmitter and Receiver



1080p HDMI over IP Extender Splitter Kit

[207959] Extends an HDMI signal from an HDMI source to a display or projector up to 120 m (396 ft.) using a single Cat6 Ethernet Cable or to an unlimited range over an IP-enabled network



1080p Compact HDMI over Ethernet Extender Kit

[207539] Extends an HDMI Signal up to 60 m at 1080p@60Hz with a single Cat6 Ethernet Cable, Transmitter and Receiver, Power over Cable, Ultra Slim Design




1080p HDMI over Ethernet Extender Kit

[207461] Extends an HDMI signal up to 50 m 1080p@60Hz with a single Cat6 Ethernet Cable, Transmitter and Receiver



4K@30Hz HDMI over Ethernet Extender Kit

[168397] Extends a 4K@30Hz HDMI Signal up to 40 m or a 1080p@60Hz HDMI Signal up to 70 m over a Single Cat6 Ethernet Cable, Transmitter and Receiver, Power over Cable



Video Adapters & Docking Stations



Turn Any Conference Room into a Plug-and-Play Workspace

Modern conference rooms need to be flexible, efficient, and easy to use. **Docking stations and USB-C to video converters play a key role in creating a seamless meeting experience** – no matter who is presenting.

With a docking station, **laptops can be connected to displays, projectors, cameras, networks, and power using a single cable**. This reduces setup time, eliminates cable clutter, and ensures that meetings start on time. Participants can simply plug in and focus on the discussion instead of dealing with technical issues. Docking stations also support **wired network connections, providing a stable and secure internet connection that is essential for video conferencing and data sharing**.

USB-C to video adapters add even more flexibility by enabling quick and reliable connections to **HDMI DisplayPort, or legacy VGA displays**. They are ideal for guest presenters or shared meeting spaces, ensuring compatibility with a wide range of devices without the need for permanent installations or adapters. Whether switching between presenters or connecting different laptops, converters make transitions smooth and hassle-free.

Together, docking stations and USB-C to video adapters create a standardized, user-friendly conference room setup that increases productivity, minimizes downtime, and supports modern hybrid meetings – making every presentation simple, professional, and reliable.



USB-C to HDMI & VGA 4-in-1 Docking Converter with Power Delivery

[130691] USB 3.2 Type-C Male to HDMI (4K@30Hz), VGA (1080p@60Hz), USB-A (5 Gbps) and USB-C PD (87 W) Ports, Pass-through Charging, Aluminum




USB-C to HDMI 3-in-1 Docking Converter with Power Delivery

[190299] 4K@60Hz
[130707] 4K@30Hz
USB 3.2 Type-C Male to HDMI, USB-A (5 Gbps) and USB-C PD (100 W) Ports, Multiport Converter with PD Charging Port, Aluminum



USB-C PD to Dual-HDMI Monitor Adapter for Laptop and Tablet


[154321] Multiport Adapter with USB Type-C Male to Two HDMI (up to 4K@60Hz), USB-A (480 Mbps), and USB PD Charging (100 W) Ports, Aluminum



4K@60Hz USB-C to HDMI Adapter


[153973] USB 3.2 Type-C Male to HDMI Female Converter, Active, Aluminum





USB-C PD 12-in-1 Triple-Monitor Docking Station with MST, 4K@60Hz

[190305] USB 3.2 Gen 1 Type-C Male to Two HDMI (up to 4K@60Hz), One DisplayPort (up to 4K@60Hz), Three USB-A (up to 5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps), Gigabit RJ45, SD/ microSD Card Reader and 3.5 mm Audio Ports, Aluminum



USB-C PD 10-in-1 Dual-HDMI Monitor Docking Station, 4K@60Hz

[190398] USB 3.2 Gen 1 Type-C Male to Two HDMI (up to 4K@60Hz), Three USB-A (up to 5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps), SD/microSD Card Reader, Gigabit RJ45 Ports, Aluminum



USB-C PD 9-in-1 HDMI 4K Docking Station, 4K@60Hz

[190459] USB 3.2 Gen 1 Type-C Male to HDMI (4K@60Hz), Three USB-A (5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps), SD/microSD Card Reader and Gigabit Ethernet Ports, Aluminum



USB-C PD 7-in-1 HDMI 4K Docking Station, 4K@60Hz

[190442] USB 3.2 Gen 1 Type-C Male to HDMI (4K@60Hz), Two USB-A (5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps) and SD/microSD Card Reader Ports, Aluminum



USB-C PD to HDMI 4-in-1 Travel Docking Station for Tablet, Phone, and Laptop, 4K@30Hz

[190404] USB 3.2 Type-C Male to HDMI (4K@30Hz), USB-A (10 Gbps), USB-C Power Delivery (100 W) and 3.5 mm Audio Ports, Multiport Converter with Pass-through Charging Port, Aluminum


USB-C to Video Cables

Image	Model #	Transfer Speed	Connection	Length	Description	Cable Type
	395137	4K@60Hz	USB-C Male/ HDMI Male	10 m	USB-C to HDMI Cable	Active Optical
	395144	4K@60Hz	USB-C Male/ HDMI Male	15 m		Active Optical
	153591	4K@60Hz	USB-C Male/ HDMI Male	1 m	USB-C to HDMI Cable	Passive
	153607	4K@60Hz	USB-C Male/ HDMI Male	2 m		Passive
	354844	8K@60Hz	USB-C Male/ DP Male	2 m	USB-C to DisplayPort Cable	Passive
	354851	8K@60Hz	USB-C Male/ DP Male	3 m		Passive

How Long-Range USB Cables Benefit Your Conference Room


Long-range USB cables give your conference room the freedom it's been missing. They let you place cameras exactly where they capture the room best, position speakerphones in the ideal spot for clear voice pickup, and support true BYOD by allowing participants to connect from anywhere at the table without stretching short, awkward cables. A simple upgrade – yet it makes every meeting feel smoother and more flexible.

Image	Model #	Transfer Speed	Connection	Length	Description	Cable Type
	395151	10 Gbps	C-Male/C-Male	3 m	USB 3.2 Gen 2 100 W PD 4K@60Hz	Active Optical
	356442	10 Gbps	C-Male/C-Male	7.5 m	USB 3.2 Gen 2 60 W PD 4K@30Hz	Active Optical
	356428	10 Gbps	C-Male/C-Male	10 m		Active Optical
	356541	10 Gbps	C-Male/C-Male	15 m		Active Optical
	356190	10 Gbps	C-Male/C-Male	7.5 m	USB 3.2 Gen 2 Plenum-rated, CMP/CPR-certified	Active Optical
	356206	10 Gbps	C-Male/C-Male	10 m		Active Optical
	395106	10 Gbps	A&C-Male/ C-Male	10 m	USB 3.2 Gen 2	Active Optical
	395113	10 Gbps	A&C-Male/ C-Male	15 m		Active Optical
	356497	10 Gbps	A-Male/A-Female	10 m	USB 3.2 Gen 2 Plenum-rated, CMP/CPR-certified	Active Optical
	356398	10 Gbps	A-Male/A-Female	20 m		Active Optical
	356404	10 Gbps	A-Male/A-Female	30 m		Active Optical
	356411	10 Gbps	A-Male/A-Female	50 m		Active Optical
	355230	10 Gbps	C-Male/C-Female	0.5 m	USB 3.2 Gen 2	Passive
	395120	5 Gbps	A-Male/C-Male	20 m	USB 3.2 Gen 1 (USB 3.0) Plenum-rated, CMP/CPR-certified	Active Optical
	322379	5 Gbps	A-Male/A-Female	2 m	USB 3.2 Gen 1 (USB 3.0)	Passive
	150712	5 Gbps	A-Male/A-Female	5 m	USB 3.2 Gen 1 (USB 3.0)	Active
	308519	480 Mbps	A-Male/A-Female	1 m	USB 2.0 Extension Cables	Passive
	338653	480 Mbps	A-Male/A-Female	1.8 m		Passive
	519779	480 Mbps	A-Male/A-Female	5 m	USB 2.0, Daisy-chainable	Active
	150248	480 Mbps	A-Male/A-Female	10 m		Active
	150958	480 Mbps	A-Male/A-Female	20 m		Active




Low-Profile Fixed TV Wall Mount

[\[462396\]](#) Holds One 32" to 70" TV up to 45 kg (100 lbs.), Fixed TV Bracket, Ultra Slim Design



Low-Profile Fixed TV Wall Mount

[\[461948\]](#) Holds One 43" to 100" TV up to 70 kg (154 lbs.), Fixed TV Bracket, Ultra Slim Design, Foldable for Extra-Small and Shipping-Friendly Packaging



Heavy-Duty Low-Profile Large-Screen TV Wall Mount

[\[461993\]](#) Holds One 60" to 100" TV up to 100 kg (220 lbs.), Fixed, Ultra Slim Design




Heavy-Duty Low-Profile Large-Screen Fixed TV Wall Mount

[461917] Holds One 60" to 120" TV up to 120 kg (264 lbs.), Fixed TV Bracket, Ultra Slim Design



Outdoor Anti-Theft Tilting TV Wall Mount

[462143] Holds One 37" to 86" TV up to 80 kg (176 lbs.), Weatherproof, Lockable Design, +5 to -10° Tilt, +/-5 mm Post-installation Leveling



Low-Profile Tilting TV Wall Mount

[462402] Holds One 32" to 70" TV up to 45 kg (100 lbs.), 0° to -8° Tilt, Ultra Slim Design



Anti-Theft Tilting TV Wall Mount with Extension

[461863] Holds One 43" to 90" TV up to 75 kg, Extends 75 to 136 mm for Easier Cabling, +5 to -10° Tilt, +/-5° Swivel, +/- 6 mm Post-installation Leveling



Tilting TV Wall Mount

[423830] Supports One 37" to 86" TV up to 75 kg, +/-10° Tilt



Low-Profile Tilting TV Wall Mount

[462020] Holds One 43" to 100" TV up to 70 kg (154 lbs.), +3 to -12° Tilt, Foldable for Extra-Small and Shipping-Friendly Packaging




Heavy-Duty Large-Screen Tilting TV Wall Mount

[461931] Holds One 60" to 120" TV up to 120 kg (264 lbs.), +/-10° Tilt



Heavy-Duty Large-Screen Full-Motion TV Wall Mount

[461290] Holds One 37" to 90" Flat-Panel or Curved TV up to 75 kg, Adjustment Options to Tilt, Swivel and Level



Full-Motion TV Wall Mount

[461283] Single Arm Supports One 37" to 70" Television up to 50 kg



Heavy-Duty Large-Screen Full-Motion TV Wall Mount

[461221] Holds One 60" to 100" Flat-Panel or Curved TV up to 80 kg; Adjustment Options to Tilt, Swivel and Level



Full-Motion TV Wall Mount

[462440] Holds One 37" to 80" TV up to 40 kg (88 lbs.), Adjustment Options for Tilt, Swivel and Post-installation Leveling



Heavy-Duty Large-Screen Full-Motion TV Wall Mount

[462358] Holds One 60" to 120" TV up to 120 kg, +/-60° Swivel, +5 to -15° Tilt, +/- 5° Post-installation Leveling Adjustment



Economy Height-Adjustable Multimedia TV Cart
 [461238] Holds One 37" to 70" TV up to 40 kg (88 lbs.); +/- 10° Tilt, Removable Camera and AV Shelves



Aluminum Height-Adjustable Multimedia TV Cart
 [462327] Holds One 37" to 86" TV up to 50 kg, -10 to 5° Tilt, 90° Rotation, Shelf for Laptop or AV Device



Compact Height-Adjustable TV Cart / Stand
 [462068] Holds One 34" to 55" TV up to 35 kg (77 lbs.); +/-10° Tilt, Space-saving Design, Includes Casters and Rubber Feet for Use as Trolley or Stand



Multimedia TV Cart with Tool-Free Height Adjustment
 [462693] Holds One 37" to 86" TV up to 70 kg (154 lbs.); -12 to 5° Tilt, 90° Rotation, Camera and AV Shelves, Pegboard, Height-Adjustable with Crank Handle



Compact Height-Adjustable TV Cart
 [462679] Holds One 23" to 70" TV up to 40 kg (88 lbs.); +45° Tilt, Low Height Ideal for Stages and Presenter Notes



Ultra Heavy-Duty Height-Adjustable Multimedia TV Cart
 [462334] Holds One 37" to 100" TV up to 150 kg, Shelf and Base for Laptop or AV Device



Aluminum Height-Adjustable Multimedia TV Cart

[462563] Holds One 60" to 100" TV up to 80 kg (176 lbs.), -10 to 5° Tilt, Camera and AV Shelves




Large-Screen Multimedia TV Cart with Tool-Free Height Adjustment

[462709] Holds One 60" to 120" TV up to 120 kg (265 lbs.), -10 to 5° Tilt, Camera and AV Shelves, Height-Adjustable with Crank Handle




Aluminum Heavy-Duty Large-Screen Height-Adjustable Multimedia TV Cart

[462341] Holds One 70" to 120" TV up to 140 kg, -10 to 5° Tilt, Shelves for Laptop/AV Devices and Camera



Heavy-Duty Height-Adjustable Projector Ceiling Mount

[462686] Holds One Projector up to 35 kg (77 lbs.), for Sloped and Flat Ceilings, Full Motion with +/-180° Rotation, +/-20° Tilt, +/-8° Swivel, 745 to 1145 mm, Telescopic Extension



Projector Wall or Ceiling Mount

[461207] Securely Holds Most Projectors up to 20 kg, Optimized Views with ±15° Tilt and ±8° Swivel, Multi-Purpose Design for Mounting to Wall or Ceiling



manhattanproducts.eu



TV Carts

For Every Screen Size and Budget

