



2-Port Dual-Monitor DisplayPort MST KVM Switch 4K@60Hz

2x DP Input, 2x DP Output, 2x USB-A Input (5 Gbps), 3x USB-A Output (5 Gbps), 1x USB-C Output (5 Gbps), 1x 3.5 mm Audio Output, Gray

SKU: 154666 | EAN-13: 0766623154666 | UPC: 766623154666

4K 2-Port Dual-Monitor DP KVM Switch for Efficient Multi-System Workstations

Streamline your workspace and boost productivity with this 2-Port Dual-Monitor DisplayPort KVM Switch from Manhattan. Designed to control two desktop computers from a single keyboard, mouse, and up to two monitors, it eliminates desktop clutter while enabling seamless switching between systems. Whether managing a personal and work PC or maintaining multiple systems in a professional environment, this KVM switch offers a convenient and efficient solution.

Control Two Computers with One Workspace

Switch instantly between two DisplayPort and USB-equipped computers using either the front-panel button or the included wired remote control. By sharing monitors, input devices, and peripherals between systems, the KVM switch creates a cleaner and more organized workstation while reducing hardware duplication and simplifying daily workflows. Ideal for home offices, professional workstations, and IT environments, it allows users to move effortlessly between systems without reconnecting cables or changing peripherals.

Dual-Monitor 4K DisplayPort Performance with Multi-Stream Transport (MST)

Featuring two DisplayPort 1.4 outputs, the switch supports dual-monitor setups with resolutions up to Ultra-High-Definition 4K@60Hz (3840 × 2160) on each display. Thanks to DisplayPort Multi-Stream Transport (MST) technology, both monitors can be driven from a single DisplayPort connection on each connected computer, reducing cable clutter while maintaining full extended-desktop functionality. With bandwidths up to 32.4 Gbps, it delivers sharp image quality, smooth video playback, and reliable performance for productivity applications, content creation, system administration, and everyday computing. Broad operating system compatibility ensures seamless integration with Windows, macOS, ChromeOS, Linux, and other platforms.

Integrated USB Hub and Audio Connectivity

In addition to dedicated keyboard and mouse connections, the integrated USB hub provides one USB-A and one USB-C port with data transfer speeds up to 5 Gbps. This makes it easy to share storage drives, printers, scanners, and other USB peripherals between connected computers without additional equipment. A built-in 3.5 mm stereo audio connection allows convenient sharing of headphones or speakers, creating a complete workstation solution for both productivity and multimedia applications.

Compact Design with Rugged Metal Construction

Built for everyday professional use, the compact desktop design fits neatly into any workspace while the durable metal housing provides long-lasting reliability. Combining high-resolution dual-monitor support, USB peripheral sharing, and effortless switching between two systems, this DisplayPort KVM switch is an ideal solution for efficient and organized multi-computer environments.

Features:

- Controls two DP and USB-A equipped desktop computers from a single keyboard and mouse and up to two monitors
- Switching via front-panel button or included wired remote control
- Two DisplayPort 1.4 outputs, each with resolutions up to Ultra-High-Definition (UHD) 4K@60Hz (3840 × 2160)
- MST technology supports dual-monitor operation through a single DisplayPort connection per computer
- Compatible with any operating system including Windows, macOS, ChromeOS, and Linux
- Two USB-A ports for mouse and keyboard, one additional USB-A and one USB-C as hub ports, all with 5 Gbps, to connect storage drives, printers, scanners, and more
- Stereo audio support through single 3.5 mm AUX jack for headphones or speakers
- HDR10+ for superior contrast and brilliant colors
- Bandwidth up to 32.4 Gbps
- Ideal for switching between a personal and a work PC or for IT admins managing two systems during maintenance tasks
- Compact desktop format with rugged metal housing
- Built-in ESD protection prevents damage from static electricity
- Fully NDAA-compliant
- Note: Does not include DisplayPort cables (available separately from Manhattan)

- Three-year warranty

Specifications:

Standards and Certifications

- USB 3.2 Gen 1 (USB 3.0)
- FCC

Connections

- Console ports
 - 2 x DisplayPort 20-pin, female (for monitors)
 - 2 x USB-A 9-pin, female (for mouse and keyboard)
 - 1 x 3.5 mm stereo, female (for headphones/speaker audio)
 - 1 x USB-C 24-pin, female, 5 Gbps (for peripherals)
 - 1 x USB-A 9-pin, female, 5 Gbps (for peripherals)
 - 1 x 3.5 mm jack, female (for optional remote-controlled switching)
- Computer/host ports
 - 2 x USB-A 9-pin, female
 - 2 x DisplayPort 20-pin, female
- Other
 - 1 x 5.0 V DC / 2.0 A barrel power jack (DC connector: 5.5 x 2.1 mm; polarity: outer = negative, inner = positive)

General

- Resolutions: 4096x2160, 3840x2160, 5120x1440, 3440x1440, 2560x1440, 2560x1080, 1920x1200, 1920x1080; other resolutions may be supported
- MTBF: 423,282 hours
- Impedance: 100 Ohm
- Power consumption: 10.0 W (max.)

LEDs

- PC 1
- PC 2

Physical

- Metal housing
- Dimensions (L x W x H): 131 x 63 x 30 mm (5.16 x 2.48 x 1.18 in.)
- Net weight: 400 g (0.88 lbs.)
- Gross weight: 460 g (1.01 lbs.)

Operating Environment

- Operation temperature: -5 to 70°C (23 to 158°F)
- Storage temperature: -10 to 75°C (14 - 167°F)
- Humidity (non-condensing): 5 to 90% RH

Recommended DP cable lengths

- 4K@60Hz: Input cable up to 2 m (7 ft.), output cable up to 2 m (7 ft.), 24 AWG
- 4K@30Hz: Input cable up to 3 m (10 ft.), output cable up to 3 m (10 ft.), 26 AWG
- 1080p@60Hz: Input cable up to 5 m (16 ft.), output cable up to 5 m (16 ft.), 26 AWG

Package Contents

- 2-Port Dual-Monitor DisplayPort MST KVM Switch 4K@60Hz
- 2 x USB-A male to USB-A male connection cable, 1 m (3 ft.), 5 Gbps
- DC Power adapter, 1.2 m (4 ft.) cable
- Wired remote control with 3.5 mm connection, 1.5 m (5 ft.) cable
- Instructions



