



Short USB-C Charging Cable 60 W, 20 cm (8 in.), 5-Pack

Type-C Male to Male, One Plug Angled/One Straight, Hi-Speed USB 2.0, 480 Mbps, Ideal for Charging Stations, Power Banks and Charging Cabinets, Gold-Plated Contacts, Black

SKU: 357067 | EAN-13: 0766623357067 | UPC: 766623357067

Compact USB-C PD Cable for Charging Stations, Power Banks, Charging Cabinets and Travel

Keep charging setups organized and efficient with this short USB Type-C charging cable 5-pack from Manhattan. Designed for convenient close-range charging, the compact 20 cm (8 in.) cable length reduces excess cable management in charging stations, charging cabinets, vehicles, travel bags, and desktop setups. Supporting USB Power Delivery up to 60 W, these USB-C male-to-male charging cables provide reliable power delivery for a wide range of modern USB-C devices. The practical multi-pack includes five cables, making it easy to equip multiple charging locations at home, in the office, in classrooms, hospitality environments, or on the go.

Clutter-Free Length with Angled Plug for Maximum Convenience

The ultra-short cable length is ideal for situations where long cables create unnecessary clutter. Whether connected to a power bank, car charger, charging cabinet, or USB-C docking station, the cable stays convenient and portable. One 90° angled USB-C connector allow easy connection in tight corners and hard-to-reach spaces, reducing strain on connectors and helping maintain a cleaner cable routing path.

Reliable 60 W USB-C Power Delivery Charging

Supporting USB Power Delivery up to 60 W with currents up to 3 A and voltages up to 20 V, the cable is suitable for charging smartphones, tablets, laptops, gaming accessories, wireless headphones, GPS devices, and many other USB-C powered electronics. The charging cable is compatible with a wide range of popular devices including Apple MacBook, iPhone, iPad, Google Pixel, Chromebook, Samsung Galaxy, Amazon Kindle, and more. Designed exclusively for charging applications, the cable does not support data transmission.

Durable Construction with UL-Approved Premium Materials

Built for reliable everyday performance, the cable features gold-plated contacts for corrosion-resistant connections and pure bare copper conductors for maximum conductivity and stable power transfer. The flexible PVC jacket further enhances everyday usability while providing long-lasting durability for repeated use and transport. Designed for demanding charging environments, the cable supports operating temperatures up to 80°C (176°F) and is UL listed for additional quality and safety assurance.

Features:

- USB-C male to male for charging a USB-C device from a USB-C port
- Short cable length reduces clutter for a clean setup, ideal for charging stations, power banks, charging cabinets, car chargers, and travel
- Supports USB Power Delivery (PD) up to 60 W
- One 90° angled plug for easy connection in inconvenient places like tight corners or hard-to-reach ports
- Supports data transfer speeds up to 480 Mbps
- Convenient multi-pack includes five cables for multiple devices and locations
- Suitable for any USB-C powered device such as phone, tablet, laptop, GPS, gaming controller, wireless headphones, and more
- Works with Apple Macbook, iPhone, iPad, Google Pixel, Chromebook, Samsung Galaxy, Amazon Kindle, and more
- Gold-plated contacts for corrosion-free connections
- Pure bare copper wire for maximum conductivity
- Flexible, durable PVC jacket
- Supports current up to 3 A and voltage up to 20 V
- Suitable for high operating temperatures up to 80°C (176°F)
- UL listed
- Lifetime warranty

Specifications:

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

Standards and Certifications

- CE
- RoHS
- REACH
- UKCA
- UL 2725

General

- Connectors: two USB-C 24-pin males
- Pins: gold-plated
- Shell: nickel-plated
- Wire: pure bare copper
- Jacket: PVC
- Boot: PVC
- Conductor gauge: 28 AWG
- Length: 20 cm (8 in.)
- Outer diameter (OD): 3.5 mm (0.14 in.)
- Max. data transfer speed: 480 Mbps
- Net weight (5-pack): 55 g (0.12 lbs.)
- Gross weight (5-pack): 60 g (0.13 lbs.)

Electrical

- Withstanding voltage: 250 V DC
- Insulation resistance: 5 MOhm min.
- Contact resistance: 2 Ohm max.
- Supported power throughput: 60.0 W at 20.0 V / 3.0 A max.

Environmental

- Operating temperature: 0 - 80°C (32 - 176°F)
- Storage temperature: -10 - 85°C (14 - 176°F)
- Operating humidity (non-condensing): 10 - 90% RH

Package Contents

- 5 x USB Type-C Charging Cable 60 W, 20 cm (8 in.), One Plug Angled



