



10-Port USB-C Desktop Charging Cabinet - 30W per Port

USB-C PD Fast-Charging with 10 Bays for Devices up to 14" like Tablets, Chromebooks, Phones and MacBook Airs/Neos, Lockable with Key or Pin Code, 350 W Total, Multi-Protection Safety System, Black
SKU: 181501 | EAN-13: 0766623181501 | UPC: 766623181501

USB-C Charging Cabinet, 30W per Port, for Schools and Hospitality without the Need for AC Adapters or Wall Chargers

Charging, storing, and protecting portable devices is easy with this reliable Manhattan 10-Port USB-C Charging Cabinet. It's the ideal solution for tablets, phones, Chromebooks, MacBook Air/Neo and other devices up to 14 inch in schools, restaurants, gyms, doctor's offices, universities, hotels, offices, and more, so you can efficiently assist your students, guests, patients, customers, and patrons.

Fast, Powerful USB-C PD Charging with 30 W and Maximum Device Safety

Each of the ten USB-C Power Delivery ports delivers up to 30 watts of fast, intelligent charging - no bulky power adapters or wall chargers needed. With a total power of 320 watts, the cabinet ensures that every device receives optimal energy for quick, efficient charging. Ventilation slots dissipate heat and keep all devices cool.

Lockable with Key or Pin Code

The sturdy, durable steel housing offers a visible sign of professional device management and protection. The security lock can be opened with a four-digit combination or the two included keys.

Organized and Versatile - with USB-C Charging Cables Included

Keep your devices organized in the bay slots that offer plenty of space (330 x 25 x 235 mm each), even for bulky cases. The built-in cable-management clips on the bay dividers let you structure your charging cables for better organization and a cleaner look. A plastic pad on each shelf prevents slipping and protects your sensitive devices from scratches. The included power cable is removable for better storage. Status LEDs on each shelf provide a clear overview of charging progress for all connected devices - red indicates active charging, while green shows when devices are fully charged. USB-C charging cables (10 pcs) come included with the product so you are set with everything you need.

Features:

- Safely stores and charges tablets, iPads, Chromebooks, MacBook Airs, MacBook Neos, phones, and other devices up to 14"
- USB-C Power Delivery fast-charging ports with up to 30 W per port; no AC adapters or wall chargers required
- Protection against short circuit, overload, overvoltage, and overtemperature
- Sturdy, secure powder-coated metal housing with perforated steel front and rear doors
- Door locks on front and back; lockable with included keys or four-digit combination
- Ten spacious device slots, 330 (D) x 25 (W) x 235 (H) mm each, with cable management built into the dividers
- Built-in handles for easy lifting
- Ten USB-C to USB-C charging cables included
- Status LEDs indicate charging progress with red for charging and green for fully charged
- PVC pads on each shelf prevent slipping and protect your devices from scratches
- Ventilation slots for maximum airflow and cooling efficiency
- Two-pole on/off switch
- Round edges to avoid injuries in busy environments
- Power cable with C13 to NEMA 5-15 plug, 2 m, included
- Earthing kit included to protect equipment from external electrical surges
- For indoor use only
- Not stackable and not wall-mountable
- Three-year warranty

Specifications:

Standards and Certifications

- NOM
- PD 3.0

Electrical

- AC input: 110.0 - 132.0 V; 10.0 A; 60 Hz; IEC 60320 C14
- Rated voltage: 127.0 V
- Maximum load: 350.0 W for up to 30 W per port
- Built-in PSU: 1 x 350.0 W
- Voltage/current/power settings
- USB-C PD output (30.0 W max.per port):
 - 5.0 V / 3.0 A / 15.0 W
 - 9.0 V / 3.0 A / 27.0 W
 - 12.0 V / 2.5 A / 30.0 W
 - 15.0 V / 2.0 A / 30.0 W
 - 20.0 V / 1.5 A / 30.0 W

Protection Characteristics

- Short-circuit (SCP)
- Overvoltage (OVP)
- Overload (OLP)
- Overtemperature (OTP)

Physical

- Materials: cold-rolled, powder-coated steel, flame retardant ABS plastic
- Perforated steel front and rear door
- External unit dimensions (D x W x H): 405 x 463 x 354
- Internal device bay dimensions (D x W x H) (10): 330 x 25 x 235 mm
- Device size compatibility: Suitable for most 14" devices; please check your device's dimensions before use
- AC power cable length: 2 m
- Cable type: SJT 3/C 16AWG (1.31mm²)
- Net weight: 18.5 kg
- Gross weight: 22 kg

Environment

- Operation temperature: 0 to 45°C
- Storage temperature: -15 to 45°C
- Humidity (non-condensing): 20 to 80%

Package Contents

- 10-Port USB-C Charging Cabinet - 350 W
- AC Power cable, 2 m, C13 to NEMA 5-15 plug
- Four door keys (two keys each for front and back door)
- Ten charging cables, USB-C male to USB-C male, 0.7 m
- Grounding cable
- Documentation



