



5-Port Fast Ethernet Office Switch

Plastic

Part No.: 502023

EAN-13: 0766623502023 | UPC: 766623502023

Easily add more computers or other Ethernet devices to your network

The INTELLINET NETWORK SOLUTIONS 5-Port Fast Ethernet Office Switch is perfect for the small and medium-size business looking a durable switch that is reliable and easy to install.

Versatile

The Fast Ethernet Office Switch connects up to five computers, servers, printers, switches or any other Ethernet devices at 10 or 100 Mbps over Ethernet cables, and works with any operating system.

Easy to Install and Maintain

The auto features of this switch make installation Plug and Play and hassle free. There is no configuration required, and you don't need to worry about using special cables for uplink ports, since each port is equipped with Auto MDI/MDI-X crossover.

Features:

- Five 10/100 auto-sensing ports - automatically detect optimal network speeds
- Supports any combination of 10 Mbps or 100 Mbps network devices
- Compact case
- LEDs for Link, Activity
- 10/100 Mbps and half/full duplex
- NWay auto-negotiation
- Non-blocking design
- Store and forward switching architecture
- Supports 1000 MAC address entries
- 48 kBytes buffer memory
- Three-Year Warranty

Specifications:

Standards

- IEEE 802.3 10Base-T Ethernet
- IEEE 802.3u 100Base-TX Fast Ethernet
- IEEE802.3x Flow Control and Backpressure

General

- Ports: 5 10/100 Mbps N-Way switch T ports
- Cable: Cat3, 4, 5 UTP/STP
- Duplex modes: all ports (up to 200 Mbps)
- Uplink: all ports Auto MDI/MDX (Auto Uplink)
- Protocol: CSMA/CD
- Switch architecture: store and forward switch technology
- Filter/forward rate:
 - 10BaseT: 14,880 pps (packets per second)
 - 100Base-TX: 148,800 pps (packets per second)
- MAC address entries: 1000
- Buffer size: 48 kBytes

LEDs

- Power
- 10/100 Mbps Link (1 per port)
- Collision (1 per port)

Power

- External AC adapter: 9 V, 0.5 A

Environmental

- Operating temperature: 0 – 40°C (32 – 104°F)
- Storage temperature: -10 – 65°C (10 – 149°F)
- Humidity: 10 – 90% (non-condensing)
- Physical size: 125 x 72 x 25 mm (5 x 3 x 1 in.)

Package Contents

- 5-Port Fast Ethernet Switch
- Power adapter
- User manual

