




Installer Essentials

Curated stocking recommendations for distributors and installers



The Installer's
Choice
since 1987

manhattanproducts.eu
intellinetnetwork.eu



ABOUT US



Over 35 Years of Market Experience

Founded in 1987, Manhattan and Intellinet Network Solutions were one of the first European-owned cable companies in Taiwan.



ISO 9001:2015 Certified

You can count on service and performance in accordance with ISO 9001:2015.



Global Expertise, Local Mentality

With offices in North America, Europe and Asia, we're keen on international market needs and can swiftly overcome challenges on a global scale.



Guaranteed Quality

Our In-house quality-control teams test each product before it's shipped to personally ensure the excellence that's synonymous with the Manhattan and Intellinet Network Solutions brands.



Superior Warranty

To show our commitment to superior quality, we offer a 3-year-warranty on all active products and a lifetime warranty on almost all passive products.



Your Projects - Tailored to Your Business

Beyond our stocked range in Germany, we help you source customized solutions directly from Asia for stronger margins and a secure supply chain.



One-Stop Shop

Manhattan and Intellinet Network Solutions are your comprehensive source for network and connectivity with more than 2000 products.



Expert advice from people instead of chatbots

Our team creates customized solutions for your needs. From buying advice to tech support, you can rely on detailed industry and product knowledge.

Manhattan and Intellinet Network Solutions are two trusted connectivity and networking brands from ISO-certified manufacturer IC Intracom.

Our 35+ years of global market experience has resulted in a wide and growing range of products at competitive prices for installers, system integrators and resellers, with added value through high-standard product management in Germany.

Through OEM relationships and strategic partnerships in the IT channels, our products are available from more than 70,000 companies around the globe. We do this with enhanced features, simplicity, quality and performance at reasonable prices. We work hard to provide the right tools, so your customers can focus on what's important to them... and so can you.

We stand by our products with industry leading warranties that provide outstanding overall value. Our dedicated quality assurance team is located overseas and is responsible for thorough inspections to ensure products meet customer's expectations, specifications and quality standards. Our aim is to be your primary source for your product sourcing needs.

TABLE OF CONTENTS

CONNECTIVITY

BARCODE SCANNERS.....	32
CHARGERS.....	29
CHARGING CABINETS.....	28
DISPLAY MOUNTS.....	33-39
DOCKING STATIONS.....	23-25
HDMI & AUDIO/VIDEO.....	20-22, 26
USB CABLES.....	30-31
USB HUBS.....	27

NETWORKING

NETWORK CABLES.....	15-16
PATCH PANELS.....	18
PDUS.....	17
POE ACCESSORIES.....	13-14
POE SWITCHES.....	10-12
SELF-HEALING NETWORKS.....	7-9
SERVER & NETWORK CABINETS.....	3-6
TRANSCEIVERS.....	19



19" Rackmount



Maximum Static Load of 1500 kg



Perforated Front and Rear Door



Zinc-Plated 19" Mounting Rails



Multipoint Door Lock



Antistatic Powder Coating on All Panels



Cable Entries at Top and Bottom




Easily Removable and Lockable Side Panels



IP20-Rated Housing



Three-Year Warranty



Flatpack Model #	Assembled Model #	U	Height (mm)	Width (mm)	Depth (mm)	Adjustable Depth Range (mm)	Color
713245	713344	26	1322	600	1000	123-773	Black
713207	713351	26	1322	600	1000	123-773	Gray
713672	-	26	1322	600	1200	123-973	Black
713252	713320	36	1766	600	1000	123-773	Black
713214	713337	36	1766	600	1000	123-773	Gray
713696	715164	36	1766	600	1200	123-973	Black
713269	713306	42	2033	600	1000	123-773	Black
713221	713313	42	2033	600	1000	123-773	Gray
713719	715201	42	2033	600	1200	123-973	Black
713276	713283	42	2033	800	1000	123-773	Black
713238	713290	42	2033	800	1000	123-773	Gray
713733	715317	42	2033	800	1200	123-973	Black
714129	-	47	2280	800	1000	123-773	Black
714105	-	47	2280	800	1200	123-973	Black



19" Rackmount



Tempered-Glass Door



Single-Point Door Lock



Cable Entries at Top and Bottom



IP20-Rated Housing



Maximum Static Load of 1500 kg



Zinc-Plated 19" Mounting Rails



Antistatic Powder Coating on All Panels



Easily Removable and Lockable Side Panels



Three-Year Warranty



Flatpack Model #	Assembled Model #	U	Height (mm)	Width (mm)	Depth (mm)	Adjustable Depth Range (mm)	Color
713061	713627	16	887	600	600	123-373	Black
712927	713634	16	887	600	600	123-373	Gray
713078	713603	22	1144	600	600	123-373	Black
712934	713610	22	1144	600	600	123-373	Gray
713085	713566	22	1144	600	800	123-573	Black
712941	713573	22	1144	600	800	123-573	Gray
713092	713580	26	1322	600	600	123-373	Black
712958	713597	26	1322	600	600	123-373	Gray
713108	713542	26	1322	600	800	123-573	Black
712965	713559	26	1322	600	800	123-573	Gray
713115	713528	32	1588	600	600	123-373	Black
712972	713535	32	1588	600	600	123-373	Gray
713122	713481	32	1588	600	800	123-573	Black
712989	713498	32	1588	600	800	123-573	Gray
713139	713405	32	1588	800	800	123-573	Black
712996	713412	32	1588	800	800	123-573	Gray
713146	713504	36	1766	600	600	123-373	Black
713009	713511	36	1766	600	600	123-373	Gray
713153	713467	36	1766	600	800	123-573	Black
713016	713474	36	1766	600	800	123-573	Gray
713160	713382	36	1766	800	800	123-573	Black
713023	713399	36	1766	800	800	123-573	Gray
713177	713443	42	2033	600	600	123-373	Black
713030	713450	42	2033	600	600	123-373	Gray
713184	713429	42	2033	600	800	123-573	Black
713047	713436	42	2033	600	800	123-573	Gray
713191	713368	42	2033	800	800	123-573	Black
713054	713375	42	2033	800	800	123-573	Gray



Tempered-Glass Door Opens 180°



Removable & Lockable Sides with 19" Standard Models*



Reversible Front Door



Galvanized SPCC Steel Frame




Removable Sides with 19" Double-Section Models*



Three-Year Warranty

*Sides of 10" models not removable



Rails with static load up to 30 kg



Earthing kit included



Double-Section models make access to the rear cabling easy

Black Model #	Gray Model #	Special Feature	U	Height (mm)	Width (mm)	Depth (mm)
711692	711708	10" Format	6	320	300	300
711739	711760		6	370	600	450
711753	711746		6	370	600	600
711814	711838		9	500	600	450
712071	711821		9	500	600	600
711906	711920		12	635	600	450
712088	711913		12	635	600	600
711982	712002		15	770	600	450
712019	712026	Double-Section	15	770	600	550
711975	711999		15	770	600	600
712033	712064		20	994	600	450
712057	712040		20	994	600	600

Low-Profile 19" Wall Mount Cabinet with 4U Horizontal and 2U Vertical Rails

Slim, Space-saving Enclosure with Only 170 mm Depth

Ideal for AV, Multimedia and Surveillance Applications

Black Model #	Gray Model #	U	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
713689	713641	4 (horizontal) 2 (vertical)	170	550	540	8.5

19" Basic Wall Mount Cabinets

Your Economy Option with Good Quality at Low Price, Flatpack



"S-shaped" mounting rails instead of regular "L-shaped" mounting rails for more stability.

Rubber feet to protect the glass door in daily use.

Black Model #	Gray Model #	U	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
714143	714150	6	353	540	400	10
714785	714792	6	353	540	560	12
714174	714167	9	487	540	400	12
714808	714815	9	487	540	560	15



Powered Device Monitor

Energy Efficient Ethernet

Loop Back Protection

PoE Scheduling

Watchdog

Cloud Management

Self-Healing Networks


intellinetnetwork.eu

- ✓ HTTP + SNMP based
- ✓ On/Off of PoE ports
- ✓ Port Mapping
- ✓ Port PoE Consumption
- ✓ Firmware Version Info
- ✓ Model Info

Intellinet-Link PoE Automation

If a master port is connected, the Switch activates additional ports to provide **data** and **PoE connectivity**

Assign a master port and a group of additional ports on the switch **to work together**





Great networks need IT professionals, installers and integrators who can see and respond to what's happening at any time.

That's why our managed switches are now compatible with Domotz Pro, the premier platform in Remote Network Monitoring and Management. Intellinet Network Solutions managed switches and Domotz help network professionals monitor and manage every endpoint to proactively prevent connectivity issues and solve problems in real time — anytime, anywhere.


FEATURES:

- VPN on Demand, for troubleshooting and remote monitoring
- Secure remote connection via app or web
- Create customizable alerts for email and mobile devices
- Change device configurations and system programming
- Troubleshoot issues and resolve problems
- Power cycle devices and initiate reboots
- Complete maintenance and perform upgrades; and much more



Domotz Pro Box

[561631] Unified System for Remote Monitoring and Cloud Management of Networks and IP Devices



Learn more on intellinetnetwork.eu/cloud

Superior Layer 3 Features for Advanced Network Management



54-Port L3 Fully Managed PoE+ Switch with 48 Gigabit Ethernet Ports and 6 SFP+ Uplinks

[562041] IEEE 802.3at/af (PoE+/PoE) Compliant, 850 W PoE Power Budget, Layer 3, Six 10G SFP+ Open Slots, Self-Healing Network, Desktop or 19" Rackmount

- Layer 3 solution with dynamic IP routing, including OSPF, RIP and VRRP for enterprise networks
- Provides up to 48 PoE network devices with power and data
- Six small-form-factor pluggable SFP/SFP+ module slots for 10G uplink capability
- PoE power budget of 850 watts
- Power output up to 30 watts per port
- Power output up to 30 watts per port
- Supports 802.1Q VLAN (tag-based and port-based)
- 216 Gbps switch fabric / switching capacity
- Supports static and dynamic IP routing, MAC-based and IPv4/IPv6 IP-based ARP ACL
- Supports static and policy routing, RIP (Routing Information Protocol), OSPF (Open Shortest Path First) and VRRP (Virtual Router Redundancy Protocol)
- IGMP and MLD Snooping for multicast filtering

Find all our switches on intellinetnetwork.eu/switches



54-Port L2+ Fully Managed PoE+ Switch with 48 Gigabit Ethernet Ports and 6 SFP+ Uplinks

[561969] IEEE 802.3at/af (PoE+/PoE) Compliant, 450 W PoE Power Budget, Layer 2+/Layer 3 Lite, Six 10G SFP+ Open Slots, Self-Healing Network, 19" Rackmount



28-Port L2+ Fully Managed PoE+ Switch with 24 Gigabit Ethernet Ports and 4 SFP+ Uplinks

[561846] IEEE 802.3at/af (PoE+/PoE) Compliant, 370 W PoE Power Budget, Layer 2+/Layer 3 Lite, Four 10G SFP+ Open Slots, Self-Healing Network, 19" Rackmount



10-Port L2+ Fully Managed PoE++ Switch with 8 Gigabit Ethernet Ports and 2 SFP Uplinks

[562003] IEEE 802.3bt (4PPoE) Compliant (2 x 90 W Ports, 6 x 30 W Ports), 242 W PoE Power Budget, Layer 2+/Layer 3 Lite, Two 1G SFP Open Slots, Self-Healing Network, Desktop Format, Includes Optional 19" Rackmount Brackets



Outdoor PoE-Powered 5-Port Gigabit Switch with PoE Passthrough / 4-Port PoE+ Extender

[509220] One IEEE 802.3bt (PoE++ / 4PPoE) PD PoE Port with 90 W Power Input, Four IEEE 802.3at/af Compliant PSE PoE ports, Rainproof IP65, for Wall- and Pole-Mounting



10-Port Switch with 8 x 10G Ethernet Ports and 2 SFP+ Uplinks

[562218] Eight 100 Mbps/1G/2.5G/5G/10G RJ45 Ports, Two 10G SFP+ Open Slots, Unmanaged, Desktop Format, Optional 19" Rackmount Brackets



5-Port 10G Ethernet Switch

[562201] Five 100 Mbps/1G/2.5G/5G/10G RJ45 Ports, Unmanaged, Desktop Format, Wall-mount Option



5-Port Gigabit Ethernet PoE+ Switch


[561839] Four PSE PoE Ports, IEEE 802.3at/af (PoE+/PoE) Compliant, PoE Power Budget up to 62 W, Desktop Format



5-Port Gigabit Ethernet PoE+ Switch with SFP Port

[561822] Four PSE PoE Ports, IEEE 802.3at/af (PoE+/PoE) Compliant, PoE Power Budget of 91 W, Desktop Format, Wall-mount Option

Get the Most out of each PoE Connection with **PoE Passthrough**.
Save time and money by delivering data and power via existing network cables.
Double the connection distance between your PoE source and device from 100 m to 200 m.



PoE-Powered 6-Port Lite Smart Managed PoE+ Switch with 4 GbE Ports / 2 GbE Uplinks and PoE Passthrough

[562034] One IEEE 802.3bt (PoE++ / 4PPoE) PD PoE Port with up to 95 W Power Input, Four PSE PoE+ Gigabit Ports, 60 W PoE Power Budget, Self-Healing Network, Desktop Format, Wall-mount Option

PoE-Powered 8-Port Gigabit Ethernet PoE+ Industrial Switch with PoE Passthrough

[561624] One PD PoE Port with 95 W Power Input, Seven PSE PoE Ports, PoE Power Budget up to 120 W, IEEE 802.3at/af Compliant, DIN-Rail Mount



Outdoor Vandalproof Gigabit PoE++ Injector

[561785] One 60 W Port, IEEE 802.3bt (4PPoE) Compliant, IP67 Waterproof, IK10 Vandalproof, Metal Housing



PoE++



10G PoE++ Injector

[561945] One 95 W Port, IEEE 802.3bt (4PPoE) Compliant, Plastic Housing, Wall-mount Option

PoE++



Gigabit PoE++ Injector

[561495] One 95 W Port, IEEE 802.3bt (4PPoE) Compliant, Plastic Housing, Wall-mount Option



Gigabit Ultra PoE Injector

[561235] One 60 W Port, IEEE 802.3at/af Compliant, Plastic Housing, Wall-mount Option



Fast Ethernet PoE+ Splitter

[560443] IEEE 802.3at/af, Splits into RJ45 Data and 5, 7.5, 9 or 12 V DC, Metal Housing




PoE++




Gigabit Ultra PoE Splitter with USB-C Output

[561693] IEEE 802.3bt (PoE++ / 4PPoE) Compliant, RJ45 In and Out Ports, Up to 45 W USB-C Output Port, Plastic Housing



Ultra Long Range Outdoor Fast Ethernet PoE+ Extender Kit

[\[561952\]](#) Extends PoE up to 1000 m, One PD Port up to 95 W, IEEE 802.3bt (4PPoE) Compatible, IP67 Waterproof and Dustproof, Set of Two Modules, Plastic Housing



PoE++



2-Port Outdoor Vandalproof Gigabit PoE++ Extender

[\[561648\]](#) Two 30 W Ports, Extends PoE up to 100 m, 60 W Power Budget, IEEE 802.3bt (4PPoE) Compliant, IP67 Waterproof, IK10-rated, Metal Housing

PoE++



2-Port Gigabit PoE++ Extender

[\[561600\]](#) Adds up to 100 m to PoE Range, PoE++ Power Budget 60 W, Two PSE Ports with 30 W Output Each, IEEE 802.3bt (4PPoE) Compliant, Metal Housing

Gigabit PoE+ Extender Repeater

[\[560962\]](#) One 30 W Port, IEEE 802.3at/af Power over Ethernet (PoE+/PoE), Daisy-chainable up to Five Times, Metal Housing

PoE++



4-Port Gigabit PoE++ Extender

[\[561617\]](#) Adds up to 100 m to PoE Range, 90 W PoE Power Budget, Four PSE Ports with up to 30 W Output, IEEE 802.3bt (PoE++ / 4PPoE) Compliant, Metal Housing

Ideal for building-structure cabling in secondary and tertiary areas




Type	Wire	Color	Length	AWG	Model #
Cat5e Compatible, CCA					
U/UTP	Solid	Gray	305 m	24	362320
Cat6 Compatible, CCA					
U/UTP	Solid	Gray	305 m	23	704663
Cat6 Certified, Copper					
S/FTP	Solid	Gray	305 m	23	341165
U/UTP	Solid	Gray	305 m	23	334136
Cat6a Certified, LSZH, Copper, CPR-Dca Rated					
S/FTP	Solid	Gray	100 m	23	704953
S/FTP	Solid	Gray	305 m	23	705035
Cat7 Certified, LSZH, Copper, CPR-Dca Rated					
S/FTP	Solid	Gray	100 m	23	704922
S/FTP	Solid	Gray	305 m	23	705011



Length	Gray	Black	Red	Yellow	Green	Blue	White
Cat6 certified, 100% copper, S/FTP, LSZH							
0.25 m	739788	739795	739801	739818	739825	739832	
0.5 m	733212	735209	735247	735261	735223	735216	735254
1.0 m	733229	735308	736145	735339	735322	735315	735360
1.5 m	739849	739856	739863	739870	739887	739894	
2.0 m	733243	735391	735445	735469	735407	735384	735452
3.0 m	736138	735476	735506	735520	735483	735353	735513
5.0 m	733267	735568	735629	735643	735582	735575	735636
7.5 m	733274	735667	735728	735742	735681	735674	735735
10.0 m	733281	735766	735803	735827	735780	735773	735810
15.0 m	733298	735858	735889	735902	735872	735865	735896
20.0 m	733304	735940	735988	736008	735964	735957	735995
30.0 m	733328	736022	736060	736084	736046	736039	736077
50.0 m	737289						

A full line of Cat6a patch cables and more available for immediate shipment –

Find them all on intellinetnetwork.eu/cablefinder



Power Up Your Network



10" 1U Rackmount 4-Output PDU

[714020] EU CEE 7/3 Outlets, With Power Indicator, Built-in 1.8 m Power Cord with EU CEE 7/4 Plug, Aluminum



19" 1U Rackmount 7-Output PDU / Surge Protector

[715140] EU CEE 7/3 Outlets, 500 Joule/19,500 A Surge Protection, Built-in 3 m Power Cord with EU CEE 7/7 Plug



19" 1U Rackmount Anti-Shedding 8-Output C13 PDU

[163651] With Removable Power Cable and Rear C20 Input



19" 2U Rackmount 15-Output PDU / Surge Protector


[714051] EU CEE 7/3 Outlets, With Double Air Switch, Built-in 3 m (10 ft.) Power Cord with EU CEE 7/4 Plug



19" 1U Rackmount 8-Outlet Smart PDU / Surge Protector

[163682] Intelligent Power Distribution Unit; Monitors Power, Temperature and Humidity

- Eight-port, IEC320 C13 power output with total current of 16 A
- Displays total delivered power in voltage and watts
- Built-in temperature and humidity sensor monitors the operating environment
- Embedded technology, supports Java and web browsing
- Customizable Warning and Overload alarms
- Power cycle of each port via web interface
- Digital display shows real-time value of voltage and current, IP address, or temperature and humidity
- Built-in lightning-protection circuit and voltage-surge circuit



Solid and Reliable Connections



0.5U

1U

High-Density Blank Patch Panel

[721011] 24-Port, **0.5U (ultra compact)**, Black
 [721028] 48-Port, **1U (ultra compact)**, Black

Wall Mount Patch Panel

[162470] Cat5e, 12-Port, UTP, Black
 [560269] Cat6, 12-Port, UTP, Black

19" Cat6 Patch Panel

[560283] 48-Port, UTP, 2U, Black

19" Cat6 Shielded Patch Panel

[720038] 24-Port, FTP, 1U, Black
 [720014] 24-Port, FTP, 1U, Gray

Cat6a Shielded Desktop Patch Panel

[720908] 8-Port, FTP, Black
 [720915] 12-Port, FTP, Black

19" Cat6a Shielded Patch Panel

[720922] 24-Port, FTP, **0.5U (ultra compact)**, Black

19" Cat6a Shielded Patch Panel

[720861] 24-Port, FTP, 1U, Black
 [720854] 24-Port, FTP, 1U, Gray

Compatible with Cisco, HPE, and many more



Our Transceiver Modules are either HPE- or MSA-compliant and therefore designed, programmed and tested to work with IntelNet Network Solutions, but also compatible switches and routers from Cisco, HPE, ZyXEL, TP-Link, Ubiquiti, D-Link & many more. For all compatible brands, please check intellinetwork.eu.

MSA-compliant models

Model #	Speed	Distance	Note	Form Factor	Wavelength	Interface	Medium
523882	1G	100 m		SFP	-	RJ45	Copper
545006	1G	550 m		SFP	850 nm	LC	MMF
545013	1G	10 km		SFP	1310 nm	LC	SMF
507486	1G	10 km	WDM BiDi, use with #507509	SFP	1310/1550 nm	LC	SMF
507509	1G	10 km	WDM BiDi, use with #507486	SFP	1550/1310 nm	LC	SMF
508568	1G	10 km	Industrial Grade	SFP	1310 nm	LC	SMF
506724	1G	20 km		SFP	1310 nm	LC	SMF
508797	1G	80 km	WDM BiDi, use with #508629	SFP	1550/1490 nm	LC	SMF
508650	1G	120 km	WDM BiDi, use with #508643	SFP	1490/1550 nm	LC	SMF
508179	10G	30 m		SFP+	-	RJ45	Copper
507462	10G	300 m		SFP+	850 nm	LC	MMF
507479	10G	10 km		SFP+	1310 nm	LC	SMF

HPE-compliant models

Model #	Speed	Distance	Note	Form Factor	Wavelength	Interface	Medium
508766	10G	300 m		SFP+	850 nm	LC	MMF
508742	1G	550 m		SFP	850 nm	LC	MMF
508735	1G	10 km		SFP	1310 nm	LC	SMF
508759	10G	10 km		SFP+	1310 nm	LC	SMF



HDMI Cables & Couplers

Image	Model #	Res. /Hertz	Connection	Length	Description	Ethernet Channel	Packaging
	355933	8K@60Hz	Male/Male	1 m		Yes	Bag
	355940	8K@60Hz	Male/Male	2 m		Yes	Bag
	355957	8K@60Hz	Male/Male	3 m		Yes	Bag
	354837	4K@60Hz	Male/Male	1 m		Yes	Bag
	355346	4K@60Hz	Male/Male	1.8 m		Yes	Bag
	355353	4K@60Hz	Male/Male	3 m		Yes	Bag
	355360	4K@60Hz	Male/Male	5 m		Yes	Bag
	353946	4K@60Hz	Male/Male	3 m	In-wall CL3-rated	Yes	Bag
	353960	4K@60Hz	Male/Male	8 m		Yes	Bag
	353977	4K@60Hz	Male/Male	10 m		Yes	Bag
	394352	4K@60Hz	Male/Male	1 m	Ultra-thin	Yes	Bag
	394369	4K@60Hz	Male/Male	2 m		Yes	Bag
	394376	4K@60Hz	Male/Male	3 m		Yes	Bag
	153591	4K@60Hz	Male/Male	1 m	USB-C to HDMI Adapter Cable	No	Bag
	153607	4K@60Hz	Male/Male	2 m		No	Bag
	353465	4K@60Hz	Female/Female	-	HDMI Coupler, connects two cables for extension	No	Bag



High Speed HDMI Active Optical Cables (AOC), fiber and copper-wire hybrid for extra long distances without interference.



Detachable plug for a narrower connection through walls

Model #	Resolution/Hertz	Connection	Length	Ethernet Channel	Packaging
355513	4K@60Hz	Male/Male	20 m	Yes	Brown Box
355520	4K@60Hz	Male/Male	30 m	Yes	Brown Box
355537	4K@60Hz	Male/Male	50 m	Yes	Brown Box
355544	4K@60Hz	Male/Male	70 m	Yes	Brown Box
355551	4K@60Hz	Male/Male	100 m	Yes	Brown Box

DisplayPort Cables

Image	Model #	Res. /Hertz	Connection	Length	Description	Packaging
	353595	8K@60Hz	DP Male/DP Male	1 m	DisplayPort 1.4, Braided	Bag
	353618	8K@60Hz	DP Male/DP Male	2 m		Bag
	353625	8K@60Hz	DP Male/DP Male	3 m		Bag
	355568	8K@60Hz	DP Male/DP Male	1 m	DisplayPort 1.4	Bag
	355575	8K@60Hz	DP Male/DP Male	2 m		Bag
	355582	8K@60Hz	DP Male/DP Male	3 m		Bag
	354844	8K@60Hz	USB-C Male/DP Male	1 m	USB-C to DisplayPort 1.4 Adapter Cable	Bag
	354851	8K@60Hz	USB-C Male/DP Male	2 m		Bag



4K@30Hz 4-Port HDMI Multiviewer Switch

[\[208406\]](#) Displays up to Four HDMI Input Sources on One HDMI Output Screen (4x1). Multiple Viewing Options Including Picture-in-Picture and Dual/Quad Screen



1080p HDMI KVM over IP Extender Kit

[\[208413\]](#) Extends a 1080p@60Hz HDMI Signal up to 120 m over a Cat6 Cable or an IP-enabled Network. USB-A Ports for PC/Mouse/Keyboard on Transmitter and Receiver



Wireless HDMI Adapters

Mirror Your Device on Any HDMI Display



No Wi-Fi



No Bluetooth



No Cables



No Drivers



1080p Wireless HDMI Display Presentation Kit

[208420] 2-Piece Set with HDMI Receiver and USB-C Transmitter Dongle to Wirelessly Display a Video Signal from a Laptop/Tablet/Smartphone on an HDMI TV or Projector

- Quick and easy pairing, great for presentations, professional trainings, and video streaming without cable clutter
- Plug-and-play; for Windows®, macOS®, Chrome OS™, iPadOS®, iOS®, and Android™



Additional USB-C Transmitter for 1080p Wireless HDMI Display Presentation Kit


[208437] Dongle Wirelessly Displays a Video Signal from a USB-C Device on an HDMI TV or Projector, Requires Receiver from #208420 Wireless HDMI Presentation Kit



Additional HDMI Transmitter for 1080p Wireless HDMI Display Presentation Kit


[208444] Dongle Wirelessly Displays a Video Signal from an HDMI Device on an HDMI TV or Projector, Requires Receiver from #208420 Wireless HDMI Presentation Kit

Connectivity Powerhouses



USB-C PD 10-in-1 Dual Monitor 8K Docking Station / Multiport Hub

[130714] USB 3.2 Gen 2 Type-C Male to Two HDMI Ports (up to 8K@30Hz / 4K@60Hz), Five USB-A Ports (up to 10 Gbps), USB-C Power Delivery Port (100 W), USB-C Data Port (10 Gbps) and Gigabit RJ45 Port, Aluminum




USB-C PD 12-in-1 Triple-Monitor Docking Station with MST, 4K@60Hz

[190305] USB 3.2 Gen 1 Type-C Male to Two HDMI (up to 4K@60Hz), One DisplayPort (up to 4K@60Hz), Three USB-A (up to 5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps), Gigabit RJ45, SD/microSD Card Reader and 3.5 mm Audio Ports, Aluminum



Aluminum Gas Spring Dual Monitor Desk Mount with 8-in-1 Docking Station

[461887] Full-Motion Arms Supporting Two 17" to 32" Monitors up to 9 kg Each; USB-C Connectivity with 100 W Power Delivery, Two 4K HDMI Ports, Three USB 3.0 Ports, Gigabit RJ45 Port



USB-C PD 10-in-1 Dual-HDMI Monitor Docking Station, 4K@60Hz

[190398] USB 3.2 Gen 1 Type-C Male to Two HDMI (up to 4K@60Hz), Three USB-A (up to 5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps), SD/microSD Card Reader, Gigabit RJ45 Ports, Aluminum



USB-C PD 9-in-1 HDMI 4K Docking Station, 4K@60Hz

[190459] USB 3.2 Gen 1 Type-C Male to HDMI (4K@60Hz), Three USB-A (5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps), SD/microSD Card Reader and Gigabit Ethernet Ports, Aluminum



USB-C PD 7-in-1 HDMI 4K Docking Station, 4K@60Hz

[190442] USB 3.2 Gen 1 Type-C Male to HDMI (4K@60Hz), Two USB-A (5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps) and SD/microSD Card Reader Ports, Aluminum



USB-C PD to HDMI 4-in-1 Travel Docking Station for Tablet, Phone, and Laptop, 4K@30Hz

[190404] USB 3.2 Type-C Male to HDMI (4K@30Hz), USB-A (10 Gbps), USB-C Power Delivery (100 W) and 3.5 mm Audio Ports, Multiport Converter with Pass-through Charging Port, Aluminum

Connect, Convert & Charge



USB-C PD to Dual-HDMI Monitor Adapter for Laptop and Tablet

[154321] Multiport Adapter with USB Type-C Male to Two HDMI (up to 4K@60Hz), USB-A (480 Mbps), and USB PD Charging (100 W) Ports, Aluminum



USB-C to HDMI & VGA 4-in-1 Docking Converter with Power Delivery

[130691] USB 3.2 Type-C Male to HDMI (4K@30Hz), VGA (1080p@60Hz), USB-A (5 Gbps) and USB-C PD (87 W) Ports, Pass-through Charging, Aluminum



USB-C to HDMI 3-in-1 Docking Converter with Power Delivery

[190299] 4K@60Hz
[130707] 4K@30Hz
USB 3.2 Type-C Male to HDMI, USB-A (5 Gbps) and USB-C PD (100 W) Ports, Multiport Converter with PD Charging Port, Aluminum



4K@60Hz USB-C to HDMI Adapter

[153973] USB 3.2 Type-C Male to HDMI Female Converter, Active, Aluminum



7-Port 10G/5G USB-C / USB-A Hub 4+3 with Power Delivery

[181167] USB-C Male to Four USB-C Ports and Three USB-A Ports, up to 10 Gbps SuperSpeed+ USB (USB 3.2 Gen 2), Bus Powered or 100 W USB-C PD Charging Port, Aluminum



4-Port USB 3.0 Type-C / Type-A Combo Hub 2x2

[181150] USB-C Male to Two USB-C Ports and Two USB-A Ports, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Angled Shape for Easy Port Access, Bus Powered



3-Port USB 3.0 Type-C/A Combo Hub with Gigabit Ethernet Adapter

[180894] USB-A Male with Attachable USB-C Male Adapter to RJ45 Port and Three USB-A Ports, 5 Gbps USB 3.2 Gen 1, Bus Powered



4-Port USB 3.0 Type-C / Type-A Combo Hub

[181006] USB-C Male and USB-A Male to Four USB-A Ports, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered, Aluminum



3-Port USB 3.0 / 2.0 Type-C Combo Mini Hub

[180993] USB-C Male to Three USB-A Females, One 5 Gbps SuperSpeed USB (USB 3.2 Gen 1) Port, Two 480 Mbps USB 2.0 Ports, Bus Powered, Ultra-Compact Design



4-Port USB 3.0 / 2.0 Combo Hub

[168427] USB-A Male to Four USB-A Females, One 5 Gbps SuperSpeed USB (USB 3.2 Gen 1) Port, Three 480 Mbps USB 2.0 Ports, Bus Powered, Aluminum



4-Port USB 3.0 Type-C / Type-A Combo Hub 2x2

[181075] USB-C Male and USB-A Male to Two USB-C Ports and Two USB-A Ports, 5 Gbps, USB 3.2 Gen 1, Bus Powered, Aluminum


Charging Solutions for Classrooms and Hospitality



Find details on all models in our **Charging Solutions brochure**



Schools



Universities



Offices




Hotels



Restaurants



Bars & Cafés



Gyms



Doctor's Offices

From students to customers and guests to employees, we all enjoy a **fully charged device and a secure place to store it**. A Manhattan Charging Cabinet gives you the upper hand in education and hospitality with a lockable space to keep phones, tablets, Chromebooks and laptops ready to go.

This reduces downtime and simplifies daily handling for teachers, lecturers, and IT teams – especially when tablets are shared across classes and must be fully charged for every lesson. Our **charging solutions make digital learning more reliable and easier to manage**.

In restaurants, event venues, and other **hospitality** environments, **they enhance the guest experience** by offering secure charging options for smartphones – an added convenience your customers don't even expect, but will immediately appreciate.

Learn more at manhattanproducts.eu/charging-cabinets


Image	Model#	Charging Ports	Suitable Devices	Alternative Model	Max. Output per Port	Lock	Placement
	181297	7 x USB-C PD	Laptop, Tablet, Chromebook up to 16"	-	65W	Key	Desktop or Wall-mount
	715942	10 x USB-C PD	Phone, Tablet up to 11"	#181266 for laptops	18W	Key	Desktop
	181266	12 x USB-C PD	Laptop, Tablet, Chromebook up to 16"	#715942 for phones & tablets	65W	Key or Pin Code	Desktop, wall-mount or casters
	715959	20 x USB-C PD	Phone, Tablet up to 11"	-	18W	Key	Desktop
	181273	30 x USB-C PD	Laptop, Tablet, Chromebook up to 16"	#716000 for phones & tablets	65W	Key or Pin Code	Floor on Casters
	716000	32 x USB-C PD	Phone, Tablet up to 14"	#181273 for laptops	18W	Pin Code	Floor on Casters
	102353	32 x USB-C PD	Tablet, Chromebook up to 15.6"	-	18W	Key	Floor on Casters
	181310	11 x USB-C PD	Laptop, Tablet, Chromebook up to 17.3"	-	65W	User-selected Pin Code	Wall-mount or Floor-mount
	181327	16 x USB-C PD	Laptop, Tablet, Chromebook up to 17.3"	#181334 for phones & tablets	65W	User-selected Pin Code	Wall-mount or Floor-mount
	181334	16 x USB-C PD	Phone, Tablet up to 11"	#181327 for laptops	30W	User-selected Pin Code	Wall-mount or Floor-mount
	181280	7 x AC	Laptop, Tablet, Chromebook up to 16"	-	-	Key	Desktop or Wall-mount
	181204 181211	10 x AC	Laptop, Tablet, Chromebook up to 15.6"	-	-	Key	Desktop or Wall-mount
	181129 181105	20 x AC	Laptop, Tablet, Chromebook up to 15.6"	-	-	Key	Desktop on Feet or Floor on Casters
	181198 181174 181433	30 x AC	Laptop, Tablet, Chromebook up to 15.6"	-	-	Key	Floor on Casters



USB4 Type-C 40 Gbps 8K Video and 240 W EPR Charging Cable / PD 3.1

[356374] 1 m
[356381] 2 m

USB-C Male to USB-C Male, USB4 Gen 3x2, 8K@60Hz Single-Display / 4K@60Hz Dual-Display, Thunderbolt 4 Compatible, Power Delivery 3.1 Backward Compatible with 140/100/65 W



Future-proof connection "USB 4.0"

This Manhattan USB4 Type-C Charging Cable is your future-proof connection for high-power USB chargers and laptops to come. It is compliant with the latest USB Power Delivery standard 3.1, which introduced Extended Power Range (EPR). Cables and devices with EPR support power up to 240 watts (48 V / 5 A).

Superior wattage, backward compatible with older chargers

Such a superior wattage for USB-C has a lot of benefits: High-end devices like the latest 16" MacBook Pro® or a modern gaming laptop already take advantage of input power above 100 W, which they currently receive from a proprietary charging brick. Those bricks use custom DC tips that are not interchangeable between different brands. If you lose such a brick, it is frustrating and expensive to replace. The universal USB-C connector puts an end to that frustration, allowing Laptops from every manufacturer to be charged from any PD 3.1-compliant charger. This is also why a new EU regulation requires laptops to be chargeable via USB-C starting in 2026. PD 3.1 is backward compatible with PD 3.0, so you can still use your legacy chargers with 140, 100, 65 W or lower.

Ultra-Fast 40G data transfer and 8K single-display or 4K dual-display resolution

Transfer movies, music, or an entire photo library quickly with 40 Gbps data transfer speeds on this cable. If you use it for video (e.g., with your docking station) it delivers images in brilliant 8K (7680 x 4320) at rapid 60 Hz or 4K UHD at blazing fast 144Hz with Dynamic HDR10 for perfect contrast and colors.



Image	Model #	Transfer Speed	Connection	Length	Description	Packaging
	355223	10 Gbps	C Male/C Male	1 m	USB 3.2 Gen 2 Cable, 100 W, ideal for laptops and docking stations	Bag
	355964	10 Gbps	C Male/C Male	3 m	USB 3.2 Gen 2 Cable, 60 W, long-range, 10G without signal loss, ideal for docking stations	Bag
	355971	10 Gbps	C Male/C Male	5 m		Bag
	354899	10 Gbps	C Male/C Male	0.5 m	USB 3.2 Gen 2 Cable, 60 W, ideal for PD chargers	Bag
	353526	10 Gbps	C Male/C Male	1 m		Bag
	356367	480 Mbps	C Male/C Male	1 m	USB 2.0 Cable 240 W, Extended Power Range (EPR), Power Delivery (PD) 3.1	Retail Box
	355810	-	C Male/ 2 x C Male	2 m	Dual USB-C Charging Cable, 100 W for single charging, up to 70W+28W for dual charging	Retail Box
	356329	5 Gbps	A Male/C Female + C Male/A Female	-	2-Piece Set: USB-C to USB-A & USB-A to USB-C Adapters	Retail Box
	153980	10 Gbps	A Male/ C Female	-	USB 3.2 Gen 2 Type-A to Type-C Adapter	Bag
	394826	Cat6 with 10/100/1000 Mbps	C Male to Gigabit Ethernet	2 m	USB to RJ45 Adapter Cable, FTP, Braided Jacket, Aluminum Boot	Retail Box
	353632	-	Surface Male/C Male	1.8 m	Surface® Connect to USB-C Charging Cable	Bag
	333405	480 Mbps	A Male/ B Male	1.8 m	Great for printers and other legacy products	Bag
	340458			3 m		
	345408			4.5 m		
	150712	5 Gbps	A Male/ A Female	5 m	Active Extension Cable, built-in repeater extends 5 m without signal loss	Retail Box

Digital Workflows Made Easy



2D LED Barcode Scanner

[\[153997\]](#) 320 mm Scan Depth, Wired USB, 1D/2D, 100K Lux



2D Long Range LED Barcode Scanner

[\[154116\]](#) 450 mm Scan Depth, Wired USB, 1D/2D, 100K Lux, Rugged IP52-rated Housing



Wireless 2D Long Range LED Barcode Scanner

[\[154185\]](#) 450 mm Scan Depth, Wireless 4.2 and 2.4 GHz with USB-A Nano Dongle, 1D/2D, 100K Lux, Rugged IP52-rated Housing



Wireless 2D CCD Barcode Scanner

[\[179768\]](#) 250 mm Scan Depth, Wireless Range up to 80 m, 1D/2D, 100K Lux, Rugged IP42-rated Housing




USB-C Smart Card Reader with microSD Slot

[\[102742\]](#) USB Type-C Male to Contact Reader Interface and microSDXC, Supports Windows, macOS and Linux, 1 m (3 ft.) Cable





Smart Card Reader

USB-A, Contact Reader
[\[102049\]](#) Low-profile
[\[102025\]](#) Stand




Heavy-Duty Aluminum Mechanical Spring Single Monitor Desk Mount

[\[462570\]](#) Jointed Arm Holds One 17" to 49" Monitor up to 20 kg, Full-Motion Height, Tilt, Swivel and Rotation Adjustments, C-Clamp or Grommet Installation




Heavy-Duty Aluminum Mechanical Spring Dual Monitor Desk Mount

[\[462587\]](#) Jointed Arms Hold Two 17" to 45" Monitors up to 20 kg (44 lbs.) Each, Full-Motion Height, Tilt, Swivel and Rotation Adjustments, C-Clamp or Grommet Installation



Universal Gas Spring Monitor Mount with Height-Adjustable Arms

[\[461597\]](#) Two Gas-Spring Jointed Arms, Supports Two 17" to 32" TVs or Monitors up to 9 kg Each




Fits above baseboards for perfect stability against the wall

**Fits Behind
TV Consoles**




Ultra Slim TV Floor Standing Mount

[462044] Holds One 32" to 70" TV up to 40 kg (88 lbs.), -10 to 3° Tilt, Height Adjustable, Fits Behind TV Console, Aluminum-steel Construction




Easel Tripod TV Mount Stand

[461795] Holds One 45" to 65" TV up to 32 kg (70.4 lbs.), Portable Design, +/-180° Swivel, Height Adjustable, Aluminum-steel Construction, Walnut-wood Legs




Portable Tripod Stand for Monitors, Projectors and Laptops

[461788] Multi-Purpose Tray for Devices up to 15 kg (33 lbs.), VESA Mount Pattern to Install a 13" to 32" Monitor, 90° Tilt, +/-180° Swivel, Height-adjustable



Aluminum Heavy-Duty Large-Screen Height-Adjustable Multimedia TV Cart

[462341] Holds One 70" to 120" TV up to 140 kg, -10 to 5° Tilt, Shelves for Laptop/AV Devices and Camera



Aluminum Height-Adjustable Multimedia TV Cart

[462327] Holds One 37" to 86" TV up to 50 kg, -10 to 5° Tilt, 90° Rotation, Shelf for Laptop or AV Device



Ultra Heavy-Duty Height-Adjustable Multimedia TV Cart

[462334] Holds One 37" to 100" TV up to 150 kg, Shelf and Base for Laptop or AV Device



Compact Height-Adjustable TV Cart / Stand

[462068] Holds One 34" to 55" TV up to 35 kg (77 lbs.), +/-10° Tilt, Space-saving Design, Includes Casters and Rubber Feet for Use as Trolley or Stand




Economy Height-Adjustable Multimedia TV Cart

[461238] Holds One 37" to 70" TV up to 40 kg (88 lbs.); +/- 10° Tilt, Removable Camera and AV Shelves




Cart for Projectors and Laptops

[461726] Cart for Projectors and Laptops, Two Trays for Devices up to 10 kg (22 lbs.) Each, +/- 35° Tilt, 360° Swivel, Height Adjustable



Heavy-Duty Large-Screen Full-Motion TV Wall Mount

[462358] Holds One 60" to 120" TV up to 120 kg, +/-60° Swivel, +5 to -15° Tilt, +/- 5° Post-installation Leveling Adjustment



Heavy-Duty Large-Screen Full-Motion TV Wall Mount

[461221] Holds One 60" to 100" Flat-Panel or Curved TV up to 80 kg; Adjustment Options to Tilt, Swivel and Level



Heavy-Duty Large-Screen Full-Motion TV Wall Mount

[461290] Holds One 37" to 90" Flat-Panel or Curved TV up to 75 kg, Adjustment Options to Tilt, Swivel and Level



Heavy-Duty Large-Screen Tilting TV Wall Mount

[461931] Holds One 60" to 120" TV up to 120 kg (264 lbs.), +/-10° Tilt



Low-Profile Tilting TV Wall Mount

[462020] Holds One 43" to 100" TV up to 70 kg (154 lbs.), +3 to -12° Tilt, Foldable for Extra-Small and Shipping-Friendly Packaging



Heavy-Duty Low-Profile Large-Screen Fixed TV Wall Mount

[461917] Holds One 60" to 120" TV up to 120 kg (264 lbs.), Fixed TV Bracket, Ultra Slim Design



Anti-Theft Tilting TV Wall Mount with Extension

[461863] Holds One 43" to 90" TV up to 75 kg, Extends 75 to 136 mm for Easier Cabling, +5 to -10° Tilt, +/- 5° Swivel, +/- 6 mm Post-installation Leveling



Outdoor Anti-Theft Tilting TV Wall Mount

[462143] Holds One 37" to 86" TV up to 80 kg (176 lbs.), Weatherproof, Lockable Design, +5 to -10° Tilt, +/- 5 mm Post-installation Leveling



Universal Soundbar Mount

[461849] Wall Mount or VESA Mount, Compatible with Soundbars up to 15 kg (33 lbs.), Depth-Adjustable, Mounts Above or Below TV



manhattanproducts.eu



intellinetnetwork.eu



Self-Healing Networks

- ⌚ HTTP + SNMP based
- ⌚ On/Off of PoE ports
- ⌚ Firmware Version Info
- ⌚ Port mapping
- ⌚ Port PoE Consumption
- ⌚ Model Info

- ⌚ Powered Device Monitor
- ⌚ Link PoE Automation
- ⌚ Energy Efficient Ethernet
- ⌚ Loopback Protection
- ⌚ PoE Scheduling
- ⌚ Cloud Management
- ⌚ Watchdog