
manhattan®
Life just got easier.™

INTELLINET®
NETWORK SOLUTIONS

Installer Essentials









Connectivity



Display Mounts



Charging Cabinets



Active Networking



PoE Solutions



Passive Networking

The Installer's Choice
Since 1987

manhattanproducts.eu
intellinetnetwork.eu

German
Owned & Managed

Vol. 4.02

ABOUT US

Over 40 Years of Market Experience

Founded in 1987, Manhattan and Intellinet Network Solutions were one of the first European-owned cable companies in Taiwan.

ISO 9001:2015 Certified

You can count on service and performance in accordance with ISO 9001:2015.

Global Expertise, Local Mentality

With offices in North America, Europe and Asia, we're keen on international market needs and can swiftly overcome challenges on a global scale.

Guaranteed Quality

Our In-house quality-control teams test each product before it's shipped to personally ensure the excellence that's synonymous with the Manhattan and Intellinet Network Solutions brands.

Superior Warranty

To show our commitment to superior quality, we offer a 3-year-warranty on all active products and a lifetime warranty on almost all passive products.

On-going Product Evolution

We are capturing unfiltered feedback, ideas and inspiration to improve and enhance product experience.

One-Stop Shop

Manhattan and Intellinet Network Solutions are your comprehensive source for network and connectivity with more than 2000 products.

Expert advice from real people instead of AI

Our team creates customized solutions for your needs. From buying advice to tech support, you can rely on detailed industry and product knowledge.

Manhattan and Intellinet Network Solutions are two trusted connectivity and networking brands from ISO-certified manufacturer IC Intracom.

Our 40+ years of global market experience has resulted in a wide and growing range of products at competitive prices for installers, system integrators and resellers, with added value through high-standard product management in Germany.

Through OEM relationships and strategic partnerships in the IT channels, our products are available from more than 70,000 companies around the globe. We do this with enhanced features, simplicity, quality and performance at reasonable prices. We work hard to provide the right tools, so your customers can focus on what's important to them…and so can you.

We stand by our products with industry leading warranties that provide outstanding overall value. Our dedicated quality assurance team is located overseas and is responsible for thorough inspections to ensure products meet customer's expectations, specifications and quality standards. Our aim is to be your primary source for your product sourcing needs.

TABLE OF CONTENTS

NETWORKING

10" PRODUCTS 24-25
BULK CABLES 34
CABINETS 4-13
CABINET ACCESSORIES 14-17
CLOUD MANAGEMENT & SELF-HEALING NETWORKS 45-47
DAC CABLES 50
KEYSTONE JACKS, PLUGS & COUPLERS 26-27
MEDIA CONVERTERS 48
MODULAR PLUGS 29
NETWORK ADAPTERS & HOME NETWORKING SWITCHES 55
PATCH CABLES 30-33
PATCH PANELS 22-23
PDUS & POWER CABLES 18-21
POE ACCESSORIES 51-54
SWITCHES 35-44
TOOLS & TESTERS 28-29
TRANSCEIVERS 49

CONNECTIVITY

AUDIO/VIDEO CONVERTERS 63-64
BARCODE SCANNERS 77-78
CARD READERS & USB SHARING SWITCH 65
CHARGING SOLUTIONS 118-155
DISPLAY MOUNTS 79-117
DISPLAYPORT & MINI DISPLAYPORT CABLES 71
DOCKING STATIONS 59-62
DVI, VGA AND AUDIO CABLES 72
HDMI CABLES 68-71
HDMI EXTENDERS, SPLITTERS & SWITCHES 57-58
HEADSETS 154
KEYBOARDS 152
LAPTOP BAGS 155-157
LAPTOP LOCKS 161
MICE & MOUSEPADS 153
PROJECTOR MOUNTS 116
SERIAL CONVERTERS 76
USB CABLES & USB EXTENDERS 73-76
USB HUBS 66-67
WIRELESS HDMI ADAPTERS AS PRESENTATION SYSTEM 56

INDEX..... 158-159

intellinetnetwork.eu | manhattanproducts.eu

© IC Intracom. All rights reserved. Manhattan and Intellinet Network Solutions are globally registered trademarks of IC Intracom. Other trademarks and trade names are the property of their respective owners. Some products may be discontinued and are only available while supplies last. Some product images are simulated, actual appearance may vary.

INTELLINET® NETWORK SOLUTIONS

Your Comprehensive Network Solution



Sample Cabinet Configuration:

42U Server Cabinet

Cable Entry Panel

Shielded Patch Panels

Cable Management Panels

48-Port Gigabit PoE+ Managed Switch

14-Slot Media Converter Chassis

Multimode Media Converters

16-Port Rackmount Console KVM Switch

Shielded RJ45 Modular Plugs, 90 pcs in jar

Cutter Tool from 4-Piece Network Tool Kit

Blank Panel, 4U

Rackmount 6-Way Power Strip

... and much more. Find all your networking needs for small and medium-sized businesses on the following pages.


Find the right cabinets and accessories online:

intellinetnetwork.eu/cabinetfinder

intellinetnetwork.eu/cabinetaccessories

Assembled in **Germany**

- 19" Rackmount
- Perforated Front and Rear Door
- Multipoint Door Lock
- Cable Entries at Top and Bottom
- IP20-Rated Housing
- Maximum Static Load of 1500 kg
- Zinc-Plated 19" Mounting Rails
- Antistatic Powder Coating on All Panels
- Easily Removable and Lockable Side Panels
- 3 Year Three-Year Warranty





Flatpack Model #	Assembled Model #	U	Height (mm)	Width (mm)	Depth (mm)	Adjustable Depth Range (mm)	Color
713245	**713344**	26	1322	600	1000	123-773	Black
713207	**713351**	26	1322	600	1000	123-773	Gray
713252	**713320**	36	1766	600	1000	123-773	Black
713214	**713337**	36	1766	600	1000	123-773	Gray
713696	**715164**	36	1766	600	1200	123-973	Black
713269	**713306**	42	2033	600	1000	123-773	Black
713221	**713313**	42	2033	600	1000	123-773	Gray
713719	**715201**	42	2033	600	1200	123-973	Black
713276	**713283**	42	2033	800	1000	123-773	Black
713733	**715317**	42	2033	800	1200	123-973	Black
714129	-	47	2280	800	1000	123-773	Black
714105	-	47	2280	800	1200	123-973	Black

Assembled in **Germany**

- 19" Rackmount
- Tempered-Glass Door
- Single-Point Door Lock
- Cable Entries at Top and Bottom
- IP20-Rated Housing
- Maximum Static Load of 1500 kg
- Zinc-Plated 19" Mounting Rails
- Antistatic Powder Coating on All Panels
- Easily Removable and Lockable Side Panels
- 3 Year Three-Year Warranty



Flatpack Model #	Assembled Model #	U	Height (mm)	Width (mm)	Depth (mm)	Adjustable Depth Range (mm)	Color
713061	**713627**	16	887	600	600	123-373	Black
712927	**713634**	16	887	600	600	123-373	Gray
713078	**713603**	22	1144	600	600	123-373	Black
712934	**713610**	22	1144	600	600	123-373	Gray
713085	**713566**	22	1144	600	800	123-573	Black
712941	**713573**	22	1144	600	800	123-573	Gray
713092	**713580**	26	1322	600	600	123-373	Black
712958	**713597**	26	1322	600	600	123-373	Gray
713108	**713542**	26	1322	600	800	123-573	Black
712965	**713559**	26	1322	600	800	123-573	Gray
713115	**713528**	32	1588	600	600	123-373	Black
712972	**713535**	32	1588	600	600	123-373	Gray
713122	**713481**	32	1588	600	800	123-573	Black
712989	**713498**	32	1588	600	800	123-573	Gray
713139	**713405**	32	1588	800	800	123-573	Black
713146	**713504**	36	1766	600	600	123-373	Black
713153	**713467**	36	1766	600	800	123-573	Black
713016	**713474**	36	1766	600	800	123-573	Gray
713160	**713382**	36	1766	800	800	123-573	Black
713023	**713399**	36	1766	800	800	123-573	Gray
713177	**713443**	42	2033	600	600	123-373	Black
713030	**713450**	42	2033	600	600	123-373	Gray
713184	**713429**	42	2033	600	800	123-573	Black
713191	**713368**	42	2033	800	800	123-573	Black
713054	**713375**	42	2033	800	800	123-573	Gray

Sealed protection against dust and water

These IP55 cabinets are equipped even for challenging environment conditions. Their IP55-rated, powder coated steel housing is compliant with the IEC standard EN 60529 for safe protection against dust ingress and water jets from any direction. Sealed cable glands allow for cable entry. To ensure the neatly sealed design, the cabinet comes fully assembled, which also makes your installation quick and convenient.

Industrial IP55 19" Wall Mount Cabinet with Integrated Fans

600 mm Depth, Roof-mount 2-Fan Ventilation Unit, Dust- and Water-proof Enclosure, Assembled





Model #	U	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Color
716086	6	370	615	600	32	Gray
716093	9	500	615	600	36	Gray
716109	12	635	615	600	39	Gray
716123	18	902	615	600	46	Gray

Industrial IP55 19" Floor-Standing Cabinet with Integrated Fans

800 mm Depth, Floor-mount 4-Fan Ventilation Unit, Dust- and Water-proof Enclosure, Assembled




Model #	U	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Color
716147	42	2145	600	800	100	Gray



- Tempered-Glass Door Opens 180°
- Removable & Lockable Sides with 19" Standard Models*
- Reversible Front Door
- Galvanized SPCC Steel Frame
- Removable Sides with 19" Double-Section Models*
- 3 Year Three-Year Warranty

**Sides of 10" models not removable*



Rails with static load up to 30 kg




Earthing kit included



Double-Section models make access to the rear cabling easy

Black Model #	Gray Model #	Special Feature	U	Height (mm)	Width (mm)	Depth (mm)
711692		10" Format	6	320	300	300
711739	**711760**		6	370	600	450
711753	**711746**		6	370	600	600
711814	**711838**		9	500	600	450
712071	**711821**		9	500	600	600
711906	**711920**		12	635	600	450
712088	**711913**		12	635	600	600
711982	**712002**		15	770	600	450
711975	**711999**		15	770	600	600
712033	**712064**		20	994	600	450
712057	**712040**		20	994	600	600




Model #	Description
Spare Rails for 19" Wall Mount Cabinets	
712439	6U, 2-piece set, black
712446	9U, 2-piece set, black
712453	12U, 2-piece set, black
712705	15U, 2-piece set, black

- Tempered-Glass Door Opens 180°
- Galvanized SPCC Steel Frame
- Reversible Front Door
- Removable Sides with Standard Models*
- 3 Year Three-Year Warranty

*Sides of double-section models not removable










Black Model #	Gray Model #	Special Feature	U	Height (mm)	Width (mm)	Depth (mm)
713740		Double-Section	6	327	540	450
711715	**711722**		6	370	570	450
711777	**711784**		9	500	570	450
711791	**711807**		9	500	570	600
711869	**711876**		12	635	570	450
711883	**711890**		12	635	570	600
711937	**711944**		15	770	570	450
711951	**711968**		15	770	570	600

Low-Profile 19" Wall Mount Cabinet with 4U Horizontal and 2U Vertical Rails

Slim, Space-saving Enclosure with Only 170 mm Depth

Ideal for AV, Multimedia and Surveillance Applications





Black Model #	Gray Model #	U	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
713689	**713641**	4 (horizontal) 2 (vertical)	540	550	170	8.5



Saving Valuable Space
with a Hybrid of Two Mounting Directions


- Tempered-Glass Door Opens 120°
- Galvanized SPCC Steel Frame
- Reversible Front Door
- IP20 IP20-Rated Housing
- 3 Year Three-Year Warranty

NEW



Your Budget-Friendly Choice
For Cost-Conscious Projects





* four threaded mounting points for optional casters

Black Model #	Gray Model #	Weight Capacity	U	Height (mm)	Width (mm)	Depth (mm)
714143	**714150**	60 kg	6	353	540	400
714785	**714792**	60 kg	6	353	540	560
714174	**714167**	60 kg	9	487	540	400
714808	**714815**	60 kg	9	487	540	560
716697 NEW	**716703** NEW	60 kg	12	754	540	400
716758 NEW	**716765** NEW	60 kg	12	621	540	560
716710 NEW	**716727** NEW	60 kg	15	754	540	400
716772 NEW	**716789** NEW	60 kg	15	754	540	560
716734 NEW	**716741** NEW	60 kg	20	976	540	400
716796 NEW	**716802** NEW	60 kg	20	976	540	400

NEW



Casters for 19" Basic Wall Mount Network Cabinets

[716819] Set of Four Casters, Two with Brakes, Load Capacity 60 kg (132 lbs.), **Compatible with 12U-20U Models**, Black/Silver

19" Toolless Wall Mount Network Cabinet

Easy and Quick to Assemble Rack Enclosure, Flat Pack, Free-Standing or Wall-Mount, Black RAL 9005

Designed for installers who value speed and simplicity



NEW

- Tempered-Glass Door Opens 270°
- Galvanized SPCC Steel Frame
- Removable Side Panels
- Cable Entries at Top and Bottom
- IP20 IP20-Rated Housing
- 3 Year Three-Year Warranty









Black Model #	Special Feature	U	Height (mm)	Width (mm)	Depth (mm)	Weight Capacity(kg)
716826 NEW	IP20-rated housing	6	368	600	450	60
716833 NEW	IP20-rated housing	9	501	600	450	60

- 19" Rackmount
- Option to Use Casters or Feet (included)
- Fast, Easy Setup with Hassle-Free Assembly
- Numbered Rackmount Spaces
- 3 Year Three-Year Warranty





Model #	Type	# of Posts	U	Height (mm)	Width (mm)	Depth (mm)	Shipment	Color
714648	Desktop	2	8	416	504	294	Flatpack	Black
714747	Desktop	2	12	584	504	294	Flatpack	Black
716444	Floor-standing	2	26	1296	600	600	Flatpack	Black
716451	Floor-standing	2	42	2007	600	600	Flatpack	Black
714242	Floor-standing	4	26	1295	515	559	Flatpack	Black
714259	Floor-standing	4	45	2140	515	559	Flatpack	Black
714419	Floor-standing	4	48	2273	515	559	Flatpack	Black



5" 127 mm Depth

19" Use with 19" Patch Panels

Screws Included

19" Hinged Wall Bracket
402446 *2U*



Desktop model

Space-saving hinged open frame wall racks

These wall mount open frames are a simple, cost-effective way for housing IT equipment in secure environments that don't require a lockable rack solution. They are a great fit in places where small rack solutions are often dispersed throughout an organization, like at a remote location or branch office. Their relatively compact design lets you place them out of the way on a desk or mount it on a wall instead of taking up floor space.

19" Wall Mount 2-Post Open Frame Network Rack

Hinged Swing Frame, 450 mm Depth, Flat Pack, Black RAL 9004

Maximum load capacity of 30 kg with frame closed or 10 kg with frame opened





Model #	U	Height (mm)	Width (mm)	Depth (mm)	Installation Depth (mm)	Shipment	Color
716178	6	360	500	450	400	Flatpack	Black
716185	9	493	500	450	400	Flatpack	Black










Easy Access

The open frame design ensures maximum airflow to your equipment for smoother operation and a longer lifespan. It also allows your cabling to enter through all sides. A hinged front frame can be swung open for easy component exchange and maintenance. This construction makes it a smart choice as a test center rack for server and networking equipment.


High-Quality Steel

The strong and durable housing, constructed of high-quality SPCC cold-rolled steel with antistatic powder coating, carries a load capacity up to 30 kg with the frame closed. Its flat-packed shipping condition saves you space and freight costs. The enclosure also saves you the expense of 20 rack screws and cage nuts to securely mount your equipment because it ships with them included.



Image	Barcode	Accessory	Designed for
	714877	19" Double-Sided Cantilever Shelf, 2U, 450 mm depth, max. load 25 kg, black	Only for 19" 2-Post open frame racks
	712491	19" Cantilever Shelf, 1U, 150 mm depth, max. load 25 kg, black	All 19" cabinets with depths up to 400 mm
	712200	19" Cantilever Shelf, 1U, 150 mm depth, max. load 25 kg, gray	All 19" cabinets with depths up to 400 mm
	715072	19" Cantilever Shelf, 1U, 300 mm depth, max. load 25 kg, black	All 19" cabinets with minimum depths of 400 mm
	715089	19" Cantilever Shelf, 1U, 300 mm depth, max. load 25 kg, gray	All 19" cabinets with minimum depths of 400 mm
	714884	19" Cantilever Shelf, 1U, 300 mm depth, max. load 25 kg, vented, black	All 19" cabinets with minimum depths of 400 mm
	714990	19" Cantilever Shelf, 1U, 300 mm depth, max. load 25 kg, vented, gray	All 19" cabinets with minimum depths of 400 mm
	715102	19" Cantilever Shelf, 1U, 350 mm depth, max. load 25 kg, black	All 19" cabinets with minimum depths of 400 mm
	715119	19" Cantilever Shelf, 1U, 350 mm depth, max. load 25 kg, gray	All 19" cabinets with minimum depths of 400 mm
	714891	19" Cantilever Shelf, 1U, 350 mm depth, max. load 25 kg, vented, black	All 19" cabinets with minimum depths of 400 mm
	715096	19" Cantilever Shelf, 1U, 350 mm depth, max. load 25 kg, vented, gray	All 19" cabinets with minimum depths of 400 mm
	712507	19" Cantilever Shelf, 2U, 250 mm depth,max. load 25 kg, black"	All 19" cabinets with minimum depths of 400 mm
	712217	19" Cantilever Shelf, 2U, 250 mm depth, max. load 25 kg, gray	All 19" cabinets with minimum depths of 400 mm
	710954	19" Cantilever Shelf, 2U, 350 mm depth, max. load 15 kg, black	All 19" cabinets with minimum depths of 400 mm
	710947	19" Cantilever Shelf, 2U, 350 mm depth, max. load 15 kg, gray	All 19" cabinets with minimum depths of 400 mm
	712514	19" Cantilever Shelf, 2U, 400 mm depth, max. load 25 kg, vented, black	All 19" cabinets with minimum depths of 600 mm
	712224	19" Cantilever Shelf, 2U, 400 mm depth, max. load 25 kg, vented, gray	All 19" cabinets with minimum depths of 600 mm
	710916	19" Cantilever Shelf, 2U, 400 mm depth, max. load 25 kg, black	All 19" cabinets with minimum depths of 600 mm

	Barcode	Accessory	Designed for
 	714082	19" Fixed Extending Shelf, adjustable depth 350 to 550 mm, Black	All 19" cabinets with 600 mm depth
	713726	19" Fixed Extending Shelf, adjustable depth 350 to 550 mm, Gray	All 19" cabinets with 600 mm depth
	714112	19" Fixed Extending Shelf, adjustable depth 550 to 750 mm, Black	All 19" cabinets with 800 mm depth
	714099	19" Fixed Extending Shelf, adjustable depth 550 to 750 mm, Gray	All 19" cabinets with 800 mm depth
	714716	19" Fixed Extending Shelf, adjustable depth 750 to 950 mm, Black	All 19" cabinets with 1000 mm depth
	714136	19" Fixed Extending Shelf, adjustable depth 750 to 950 mm, Gray	All 19" cabinets with 1000 mm depth
	712613	19" Sliding Shelf, 1U, shelf depth 350 mm, max. load 35 kg, black	All 19" cabinets with depths up to 800 mm
	712323	19" Sliding Shelf, 1U, shelf depth 350 mm, max. load 35 kg, gray	All 19" cabinets with depths up to 800 mm
	712620	19" Sliding Shelf, 1U, shelf depth 550 mm, max. load 35 kg, black	All 19" cabinets with depths up to 1000 mm
	712330	19" Sliding Shelf, 1U, shelf depth 550 mm, max. load 35 kg, gray	All 19" cabinets with depths up to 1000 mm
	715874	Slide Rails for 19" Cabinets, 2-piece Set, Heavy-duty Support	All 19" cabinets with depths up to 600 mm
	715881	Slide Rails for 19" Cabinets, 2-piece Set, Heavy-duty Support	All 19" cabinets with depths up to 800 mm
	715898	Slide Rails for 19" Cabinets, 2-piece Set, Heavy-duty Support	All 19" cabinets with depths up to 1000 mm
	714938	19" Storage Drawer, 2U, 350 mm depth, without lock, cover, black	All 19" cabinets with minimum depths of 350 mm between front and rear rails
	714921	19" Storage Drawer, 2U, 350 mm shelf depth, without lock, cover, gray	All 19" cabinets with minimum depths of 350 mm between front and rear rails
	715829	19" Storage Drawer, 2U, Lockable, 466 mm Depth, Black	All 19" cabinets with minimum depths of 600 mm
	715843	19" Storage Drawer, 2U, Lockable, 466 mm Depth, Gray	All 19" cabinets with minimum depths of 600 mm
	712859	Ventilation Unit with Thermostat, 2 fans, roof-mount, black	All Intellinet floor-standing cabinets of the Standard and Basic Line
	712781	Ventilation Unit with Thermostat, 2 fans, roof-mount, gray	All Intellinet floor-standing cabinets of the Standard and Basic Line
	712866	Ventilation Unit with Thermostat, 4 fans, roof-mount, black	All Intellinet floor-standing cabinets of the Standard and Basic Line
	712798	Ventilation Unit with Thermostat, 4 fans, roof-mount, gray	All Intellinet floor-standing cabinets of the Standard and Basic Line
	712668	Ventilation Unit, 3 fans, railmount, 1U, black	All floor-standing and 19" Wall Mount cabinets
	712378	Ventilation Unit, 3 fans, railmount, 1U, gray	All floor-standing and 19" Wall Mount cabinets
	716154	Ventilation Unit, 3 fans, roof-mount, black	All 19" Wall Mount cabinets with 120 x 120 mm cut-outs (industry standard)
	507356	14-Slot Media Converter Chassis, includes redundant power supply, 2U, black	All 19" cabinets with minimum depths of 400 mm







1U Tool-Free Rack Mount Clip, 12-Pack [716512]

- Unique, innovative solution to quickly mount network accessories in a rack without tools or cage cut sets
- Easy to use by pressing the holders to secure equipment and pushing the button to release
- Great for installing 10" or 19" patch panels, PDUs, shelves, switches, blank panels, cable entry panels, & more
- Ideal for testing IT equipment with quick installation, removal, and repositioning in the rack
- Works with cantilever shelves up to ~ 300 mm depth and half-depth switches up to ~180 mm

19" Plinths

Organize cabling with cable feeds through the bottom of the cabinet, protect from dust and debris, stabilize free-standing cabinets, removable covers for cable openings.





Black Model #	Gray Model #	Product	Designed for
712880	712811	19" Plinth, 90 (H) x 600 (W) x 800 (D) mm	All 19" Floor Standing Racks with 600 (W) x 800 (D) mm
712897	712828	19" Plinth, 90 (H) x 600 (W) x 1000 (D) mm	All 19" Floor Standing Racks with 600 (W) x 1000 (D) mm
712903	712835	19" Plinth, 90 (H) x 800 (W) x 800 (D) mm	All 19" Floor Standing Racks with 800 (W) x 800 (D) mm
712910	712842	19" Plinth 90 (H) x 800 (W) x 1000 (D) mm	All 19" Floor Standing Racks with 800 (W) x 1000 (D) mm

Screws
Cage Nuts
Washers




Model #	Description
Cage Nut Sets	
712194	20 pcs
711081	50 pcs
713658	100 pcs

4 Grounding/ Earthing Cables with Mounting Kit



Model #	Description
Earthing Kit	
712187	300 mm Length



Model #	Description
Adjustable 19" Rackmount DIN Rail Kit	
716345	Chassis to Mount Top Hat DIN Rail Equipment in a 19 in. Rack, Adjustable Rail Depth of 48 to 174 mm

Heavy-Duty
With Brakes



Model #	Description
Caster Wheels	
712170	4 pcs, static load 600 kg




Improved Air Flow
Metal
Covers Unused Positions in Cabinet

Model #	Description
Blank Panels	
714822	10", 1U, black
714945	10", 1U, gray
712675	19", 1U, black
712385	19", 1U, gray
712699	19", 4U, black
712408	19", 4U, gray



Horizontal Installation
With Brush Insert

Model #	Description
19" Cable Entry Panels	
712767	1U, with brush, black
712477	1U, with brush, gray
712774	2U, with brush, black
712484	2U, with brush, gray



4 Plastic Short Rings
Keeps Cables Neat and Orderly

Model #	Description
19" Cable Management Panels	
711050	1U, black
711043	1U, gray




Horizontal Installation
With Brush Insert

Model #	Description
19" Cable Entry Panel with Cable Tray 2-Pack	
715812	1U, with brush, 2-piece set, black




Horizontal Installation
Keeps Cables Neat and Orderly

Model #	Description
19" Cable Management Panels	
714679	1U, with cover, black



4 Plastic Long Rings
Keeps Cables Neat and Orderly

Model #	Description
19" Cable Management Panels	
711074	1U, black
711067	1U, gray



Power Up Your Network

Model #	Outlets	Format	Output Type	Input Type	Special Feature	Switch	Cable Length	Height Units	Protection
714020	4	10"	EU AC	EU AC	-	-	1.8 m	1U	-
716673 NEW	4	Desktop	EU AC	C20	Smart PDU, Switched & Managed	On/Off	1 m	-	Overload
716680 NEW	4	Desktop	C13	C14	Smart PDU, Switched & Managed	On/Off	1 m	-	Overload
711432	6	19"	EU AC	EU AC	-	Double Air	1.8 m	1.5U	Double Air Switch
713962	6	19"	EU AC	EU AC	-	On/Off	3 m	1.5U	Surge
715140	7	19"	EU AC	EU AC	-	-	3 m	1U	Surge
714006	7	19"	EU AC	EU AC	-	-	3 m	1.5U	Surge
714037	8	19"	EU AC	EU AC	-	-	1.8 m	1U	-
715126	8	19"	EU AC	EU AC	-	On/Off	2 m	1U	-
713986	8	19"	EU AC	EU AC	-	On/Off	3 m	1U	Overload
716864 NEW	8	19"	EU AC	EU AC	Recessed Design	On/Off	3 m	1U	Overload
163651	8	19"	C13	C20	Anti-shedding cable clamps	On/Off	2 m	1U	-
163682	8	19"	C13	C20	Smart PDU, environment sensors	Functions and Reset	2 m	1U	Customizable
715133	9	19"	EU AC	EU AC	-	On/Off	2 m	1U	-
711449	12	Vertical	EU AC	EU AC	-	Single Air	1.6 m	-	Single Air Switch
714044	12	Vertical	EU AC	EU AC	-	On/Off	1.8 m	-	Overload
714051	15	19"	EU AC	EU AC	-	Double Air	3 m	2U	Double Air Switch



10" 1U Rackmount 4-Output Power Distribution Unit (PDU)

[714020] EU CEE 7/3 Outlets, With Power Indicator, No Surge Protection, Built-in 1.8 m Power Cord with EU CEE 7/4 Plug



19" 1.5U Rackmount 6-Output Power Distribution Unit (PDU)

[711432] EU CEE 7/3 Outlets, With Double Air Switch, No Surge Protection, Built-in 1.8 m (5.9 ft.) Power Cord with EU CEE 7/4 Plug



19" 1.5U Rackmount 6-Output Power Distribution Unit (PDU)

[713962] EU CEE 7/3 Outlets, With On/Off Switch and Surge Protection, Built-in 3 m Power Cord with EU CEE 7/4 Plug



19" 1U Rackmount 7-Output Power Distribution Unit (PDU) / Surge Protector

[715140] EU CEE 7/3 Outlets, 500 Joule/19,500 A Surge Protection, Built-in 3 m Power Cord with EU CEE 7/7 Plug, 16 A, Horizontal Mount, Aluminum



19" 1.5U Rackmount 7-Output Power Distribution Unit (PDU)

[714006] EU CEE 7/3 Outlets, With Surge Protection, Built-in 3 m Power Cord with EU CEE 7/4 Plug



19" 1U Rackmount 8-Output Power Distribution Unit (PDU)

[714037] EU CEE 7/3 Outlets, With LED Indicator Only, No Surge Protection, Built-in 1.8 m Power Cord with EU CEE 7/4 Plug



19" 1U Rackmount 8-Output Power Distribution Unit (PDU)

[715126] EU CEE 7/3 Outlets, Built-in 2 m Power Cord with EU CEE 7/7 Plug, 16 A, On/Off Switch, Horizontal Mount, Aluminum



19" 1U Rackmount 8-Output Power Distribution Unit (PDU)

[713986] EU CEE 7/3 Outlets, With On/Off Switch and Overload Protection, Built-in 3 m Power Cord with EU CEE 7/4 Plug



Vertical Rackmount 12-Output Power Distribution Unit (PDU)

[714044] EU CEE 7/3 Outlets, With On/Off Switch and Overload Protection, Built-in 1.8 m Power Cord with EU CEE 7/4 Plug



Vertical Rackmount 12-Output Power Distribution Unit (PDU)

[711449] EU CEE 7/3 Outlets, With Single Air Switch, No Surge Protection, Built-in 1.6 m Power Cord with EU CEE 7/4 Plug



19" 1U Rackmount Anti-Shedding 8-Output C13 Power Distribution Unit (PDU)

[163651] Removable 2 m Power Cable with EU CEE 7/4 Plug and Rear C20 Input



19" 1U Rackmount 9-Output Power Distribution Unit (PDU)

[715133] EU CEE 7/3 Outlets, Built-in 2 m Power Cord with EU CEE 7/7 Plug, 16 A, On/Off Switch, Horizontal Mount, Aluminum, Black



19" Intelligent 8-Port PDU

[163682] Rackmountable Intelligent Power Distribution Unit; Monitors Power, Temperature and Humidity

NEW



4-Outlet Smart PDU with Switched and Network-Managed Control

[716673] Intelligent Power Distribution Unit with Four EU CEE 7/3 Outlets, Overload Protection, Remote Monitoring and Control, Wall-Mountable, 10 A Output, C20 Inlet, Metal Housing, Black

NEW



Recessed 19" 1U Rackmount 8-Outlet PDU with Circuit Breaker

[716864] EU CEE 7/3 Sockets, 16 A, Overload Protection and On/Off Switch, Built-in 3 m Power Cord with EU CEE 7/7 Plug, Horizontal Mount, Aluminum

NEW



4-Outlet C13 Smart PDU with Switched and Network-Managed Control

[716680] Intelligent Power Distribution Unit with Four C13 Outlets, Overload Protection, Remote Monitoring and Control, Wall-Mountable, 10 A, C14 Inlet, Metal Housing, Black


19" 2U Rackmount 15-Output Power Distribution Unit (PDU)

[714051] EU CEE 7/3 Outlets, With Double Air Switch, Built-in 3 m Power Cord with EU CEE 7/4 Plug




Power Cables

Image	Model #	Length	Connector 1	Connector 2	Description	Color	Packaging
 NEW	352673	1 m	C13	C14	PC Power Extension Cable	Black	Bag
	301152	1.8 m					
	301312	3 m					
	352680	5 m			Y-Splitter Dual Power Cord		
	157469	1.8m	2 x C13				
	353908	1 m	C13	CEE 7/7 EU	EU PC Power Cable	Black	Bag
	300148	1.8 m					
	328616	3 m					
	308700	5 m					
	355834	1 m	C13	BS1363 UK	UK PC Power Cable	Black	Bag
	382786	1.8 m					
	355841	3 m					
	355858	5 m					
	300179	1.8 m	C13	NEMA 5-15 US	US PC Power Cable	Black	Bag
	339100	1.8 m	C7 (Euro8)	CEE 7/16 EU	EU Power Cable	Black	Bag
	322843	1.8 m	C7 (Euro8)	BS1363 UK	UK Power Cable	Black	Bag
 NEW	356862	2 m	C7 (Euro8)	CEE 7/16 EU	EU Power Cable	Black	Bag
	356879	3 m	C7 (Euro8)	CEE 7/16 EU	EU Power Cable	Black	Bag
	354172	1 m	C5	CEE 7/7 EU	EU Power Cable	Black	Bag
	371131	1.8 m					
	356602	3 m					
	355865	1 m	C5	BS1363 UK	UK Power Cable	Black	Bag
	356435	1.8 m					
	355872	3 m					



Model #	Category	Ports	Shielding	Color	Height	Format	Note
721011	-	24	FTP	Black	0.5U	19" Rackmount	Blank
721028	-	48	FTP	Black	1U	19" Rackmount	Blank
513678	Cat5e	24	UTP	Black	1U	19" Rackmount	Color-coded ports
513487	Cat5e	24	FTP	Black	1U	19" Rackmount	
560269	Cat6	12	UTP	Black	-	Desktop	Wall-mountable
520959	Cat6	24	UTP	Black	1U	19" Rackmount	
720038	Cat6	24	FTP	Black	1U	19" Rackmount	
720014	Cat6	24	FTP	Gray	1U	19" Rackmount	
560283	Cat6	48	UTP	Black	2U	19" Rackmount	
720908	Cat6a	8	FTP	Black	-	Desktop	
720915	Cat6a	12	FTP	Black	-	Desktop	
720861	Cat6a	24	FTP	Black	1U	19" Rackmount	
720922	Cat6a	24	FTP	Black	0.5U	19" Rackmount	
720854	Cat6a	24	FTP	Gray	1U	19" Rackmount	



19" Shielded High-Density Blank Patch Panel
[721011] 24-Port, FTP, 0.5U, Black
[721028] 48-Port, FTP, 1U, Black



Wall Mount Patch Panel
[560269] Cat6, 12-Port, UTP, Black



19" Color-Coded Patch Panel
[513678] Cat5e, 24-Port, UTP, Black



19" Patch Panel
[520959] Cat6, 24-Port, UTP, 1U, Black



19" Patch Panel
[560283] Cat6, 48-Port, UTP, 2U, Black



19" Cat6 Shielded Patch Panel
[720038] Cat6, 24-Port, FTP, 1U, Black
[720014] Cat6, 24-Port, FTP, 1U, Gray



Cat6a Shielded Desktop Patch Panel
[720908] 8-Port, FTP, Black
[720915] 12-Port, FTP, Black



19" Cat6a Shielded Patch Panel
[720922] 24-Port, FTP, 0.5U, Black



19" Cat6a Shielded Patch Panel
[720861] 24-Port, FTP, 1U, Black
[720854] 24-Port, FTP, 1U, Gray



10" Product Solutions
for Small Offices and Home Offices



The network infrastructure in small environments is gaining more and more importance. Whether dealing with small office premises or the home office, a well-organized and structured technical setting is essential to make sure data is transferred from the source to the receiver. With 254 mm (10") solutions from Intellinet Network Solutions, you make sure to have an optimized, space saving network management.

10" Products



10" Wall Mount Cabinet
[711692] 6U, Assembled, Black
- Ideal for 10" rackmount applications
- Maximum static load of 60 kg
- Usable depth: 265 mm (10.43 in.)
- Cable entry via rear or top panel
- Ships assembled




10" 1U Rackmount 4-Output Power Distribution Unit (PDU)
[714020] EU CEE 7/3 Outlets, With Power Indicator, No Surge Protection, Built-in 1.8 m Power Cord with EU CEE 7/4 Plug




10" Cat6 Patch Panel
[720748] 1U, 12 Port, Unshielded, Black



10" Blank Patch Panel
[714860] Black
[714969] Gray
1U, Ten Ports



10" Cantilever Shelf
[714839] 1U, 150 mm Depth, Vented, Black
[714983] 1U, 150 mm Depth, Vented, Gray



10" Cable Management Panel
[714853] 1U, Covered, Black
[714976] 1U, Covered, Black




10" Blank Panel
[714822] 1U, Black
[714945] 1U, Gray




Cat6 Punch-Down Keystone Jack

[210720] Black
[210737] Blue
[210614] Red
[210775] Orange
[210584] Yellow



Toolless Keystone Jack

[771955] Cat6 [771962] Cat6a
For Easy and Quick Snap-in Deployment, UTP, for Solid Wire, Gold-plated Contacts, Metal Housing



Cat6a 10G Shielded Toolless Keystone Jack

[771986] For Easy and Quick Snap-in Deployment in Patch Panels, FTP, for Stranded and Solid Wire, Metal



Cat5e Shielded Modular RJ45 Inline Coupler

[504768] 8P8C Female to 8P8C Female, FTP



Cat5e Inline Coupler, Keystone Type

[504775] 8P8C Female to 8P8C Female, UTP, Black



Cat5e Slim Punch-Down Keystone Jack

[772006] Black
[772020] Blue
[772013] White

Cat6 Slim Punch-Down Keystone Jack

[772037] Black
[771979] Blue
[772051] White




Toolless RJ45 Plug

[790482] Toolless RJ45 Modular plug



Cat6a 10G Shielded Toolless Slim Keystone Jack

[791298] Black [791311] Red
[791342] Blue [791335] Green
[791304] White [791328] Orange
For Easy and Quick Snap-in Deployment in High-density Patch Panels, STP, for Solid Wire, Gold-plated Contacts, Metal Housing



Cat8.1 40G Shielded Toolless Keystone Jack

[771887] For Easy and Quick Snap-in Deployment, Ideal for Data Centers, STP, for Solid & Stranded Wire, Gold-plated Contacts, Metal Housing



Cat6a 10G Shielded Modular RJ45 Inline Coupler

[771924] Connects Two Network Patch Cables, FTP, Two RJ45 Ports, 8P8C Female to 8P8C Female, Gold-plated Contacts, Metal Housing

Keystone Jacks, Plugs, Couplers and other Accessories



2-Port 10G Shielded RJ45 Wall Plate

[771900] Cat6
[771917] Cat6a
Flush Mount with Faceplate, STP, Signal White RAL9003



Surface Mount Pattress Box for Wall Plates

[771894] Extends flush mount wall plates to surface mount, 80 x 80 x 45 mm, Signal White RAL9003



Cat6a 10G Shielded Toolless RJ45 Modular Field Termination Plug

[790796] For Easy and Quick High-quality Cable Assembly in the Field, STP, for Solid & Stranded Wire, Gold-plated Contacts, Metal Housing



Cat6a 10G Shielded Toolless RJ45 Modular Field Termination Plug with Pull-ring Release

[790741] For Easy and Quick High-quality Cable Assembly in the Field, STP, for Solid & Stranded Wire, Gold-plated Contacts, Metal Housing



Cat8.1 40G Shielded Toolless RJ45 Modular Field Termination Plug

[791199] For Easy and Quick High-quality Cable Assembly, Ideal for Data Centers, STP, for Solid & Stranded Wire, Gold-plated Contacts, Metal Housing




Cat8.1 40G Shielded Toolless RJ45 Modular Field Termination Plug with Pull-ring Release

[771931] For Easy and Quick High-quality Cable Assembly, Ideal for Data Centers, STP, for Solid Wire, Gold-plated Contacts, Metal Housing



2-Port Modular Distributor

[504195] FTP, used in pairs (one modular distributor on each end of the network cable)





5-in-1 Cable Tester
[780094] Tests Ethernet (RJ45), 10Base2 / BNC, RJ11, USB and FireWire



4-in-1 Cable Tester
[351911] Tests RJ11, RJ45, USB and BNC



LSA+ Impact Tool
[504485] For the installation of network cabling and wall plates with LSA+ connections



Net Toner and Probe Kit
[515566] Tone Generator, Tests Datacom, Telecom, Security, Video, and Audio Networks



CPU Thermal Grease
[701662] Helps Dissipate Damaging Heat to Prolong CPU Life, 1.5 g (0.05 oz.)



Universal Modular Plug Crimping Tool and Cable Tester
[780124] 2-in-1 Crimper and Cable Tester — Cuts, Strips, Terminates and Tests



4-Piece Network Tool Kit
[780070] 4 Tool Network Kit Composed of LAN Tester, LSA punch down tool, Crimping Tool and Cutter/Stripper Tool



Universal Modular Plug Crimping Tool
[211048] For RJ45, RJ12 and RJ11 Modular Plugs








Model #	Category	Cable Type	Shielding	Content	Packaging	Gold Plating
Modular Plugs						
502344	Cat6	2-prong terminal for stranded wire	UTP	100 pcs	Jar	15µ
790604	Cat6	3-prong terminal for solid wire	UTP	90 pcs	Jar	15µ
790635	Cat6	2-prong terminal for stranded wire	STP	90 pcs	Jar	15µ
790505	Cat6a	3-prong terminal for solid & stranded wire	STP	70 pcs	Jar	50µ
790680	Cat6a	3-prong terminal for solid wire	STP	90 pcs	Jar	15µ




Jar Packaging for
Convenient Stock-Keeping


Patch Cable GUIDE




U/UTP




U/FTP




F/UTP




S/FTP



SF/UTP



SF/FTP



Industry Acronyms	ISO IEC 11801 Name	Cable Shielding	Pair Shielding
UTP	U/UTP	None	None
STP, ScTP, PiMF	U/FTP	None	Foil
FTP, STP, ScTP	F/UTP	Foil	None
STP, ScTP	S/UTP	Braiding	None
SFTP, S-FTP, STP	SF/UTP	Braiding, Foil	None
SFSFTP, SF-SFTP, SF²TP	SF/SFTP	Braiding, Foil	Braiding, Foil
FFTP	F/FTP	Foil	Foil
SSTP, SFTP, STP PiMF	S/FTP	Braiding	Foil
SSTP, SFTP	SF/FTP	Braiding, Foil	Foil

Cat6a Modular Plugs with Cat7 Raw Cable

The Best Performance for Your Network Infrastructure



Why Cat6a Modular Plugs?

As there is no official, agreed-upon standard for the Cat7 plug, Intellinet Network Solutions uses the highest official TIA/EIA-approved components to give you the best specification available.

Cat 7 tested up to 600 MHz, 10G, LSZH, 24 AWG 100% copper, snag-free, gold-plated contacts



Length	Gray	Black	Red	Yellow	Green	Blue	White
0.25 m	740555	740562	740579	740586	740593	740609	741903
0.5 m	740616	740623	740630	740647	740654	740661	741354
1 m	740678	740685	740692	740708	740715	740722	741361
1.5 m	740739	740753	740760	740777	740784	740791	741378
2 m	740807	740814	740821	740838	740845	740852	741385
3 m	740869	740876	740883	740890	740906	740913	741392
5 m	740920	740937	740944	740951	740968	740975	741408
7.5 m	740982	740999	741002	741019	741026	741033	741910
10 m	741040	741057	741064	740746	741071	741088	741415
15 m	741095	741101	741118	741125	741132	741149	741927
20 m	741156	741163	741170	741187	741194	741200	741422
30 m	741217	741224	741231	741248	741255	741262	741439

Cat6a F/FTP FlexiBoot Slim Network Patch Cable

Ultra-thin with highly flexible boot great for tight-space installations

10G, 500 MHz, LSZH, 32 AWG, 100% copper, gold-plated contacts, highly bendable



Length	Gray	Black
0.3 m	745116	745062
0.5 m	745123	745079
1 m	745130	745086
1.5 m	745147	745093
2 m	745154	745109



CCA




Length	Gray	Black	Red	Yellow	Green	Blue
Cat5e compatible, U/UTP						
0.25 m	**737302**	**347440**				
0.5 m	**318228**	**318143**				
1.0 m	**318921**	**320740**				
1.5 m	**336628**	**338387**				
2.0 m	**318976**	**320757**				
3.0 m	**319768**	**320764**				
5.0 m	**319812**	**320771**				
7.5 m	**319867**	**320788**				
10.0 m	**325950**	**345378**				
15.0 m	**319973**	**320795**				
20.0 m	**345033**	**345040**				
Cat6 compatible, U/UTP						
0.25 m	**739900**	**739917**	**739924**	**730808**	**730815**	**739931**
0.5 m	**340427**	**342032**	**342131**	**342339**	**342469**	**342568**
1.0 m	**340373**	**342049**	**342148**	**342346**	**342476**	**342575**
1.5 m	**340380**	**342056**	**342155**	**342353**	**342483**	**342582**
2.0 m	**334112**	**342063**	**342162**	**342360**	**342490**	**342599**
3.0 m	**334129**	**342070**	**342179**	**342377**	**342506**	**342605**
5.0 m	**336765**	**343350**	**343367**	**343725**	**343718**	**343305**
7.5 m	**336758**	**342094**	**342193**	**342391**	**342520**	**342629**
10.0 m	**336734**	**343794**	**343756**	**343787**	**343763**	**343770**
15.0 m	**336772**	**342100**	**342209**	**342407**	**342537**	**342438**
20.0 m	**336741**	**730419**	**735186**	**730440**	**730457**	**730464**

What is the difference between Cat5e, Cat6 and Cat6a?

The main differences between between these categories lie in their speed, bandwidth, and performance over distance:

Feature	Cat5e	Cat6	Cat6a
Max. Speed	1 Gbps	10 Gbps (up to 55 m)	10 Gbps (up to 100 m)
Max. Bandwidth	100 MHz	250 MHz	500 MHz
Crosstalk Reduction	Low	Moderate	High
Best Use	*Basic home networks, office setups, general internet usage*	*Faster data transfers, gaming, 4K/8K streaming, small business networks*	*Data centers, high-performance networks, future-proofing*



100% Copper



Length	Gray	Black	Red	Yellow	Green	Blue	White
Cat6 certified, 100% copper, S/FTP, LSZH							
0.25 m	**739788**	**739795**	**739801**	**739818**	**739825**	**739832**	
0.5 m	**733212**	**735209**	**735247**	**735261**	**735223**	**735216**	**735254**
1.0 m	**733229**	**735308**	**736145**	**735339**	**735322**	**735315**	**735360**
1.5 m	**739849**	**739856**	**739863**	**739870**	**739887**	**739894**	
2.0 m	**733243**	**735391**	**735445**	**735469**	**735407**	**735384**	**735452**
3.0 m	**736138**	**735476**	**735506**	**735520**	**735483**	**733533**	**735513**
5.0 m	**733267**	**735568**	**735629**	**735643**	**735582**	**735575**	**735636**
7.5 m	**733274**	**735667**	**735728**	**735742**	**735681**	**735674**	**735735**
10.0 m	**733281**	**735766**	**735803**	**735827**	**735780**	**735773**	**735810**
15.0 m	**733298**	**735858**	**735889**	**735902**	**735872**	**735865**	**735896**
20.0 m	**733304**	**735940**	**735988**	**736008**	**735964**	**735957**	**735995**
30.0 m	**733328**	**736022**	**736060**	**736084**	**736046**	**736039**	**736077**
50.0 m	**737289**						
Cat6a certified, 100% copper, S/FTP, LSZH GHMT Certified							
0.25 m	**736992**	**737012**	**737029**	**737036**	**737043**	**737050**	
0.5 m	**317092**	**318754**	**319034**	**350464**	**350594**	**350723**	
1.0 m	**317108**	**318761**	**319065**	**350471**	**350600**	**350730**	
1.5 m	**317139**	**318778**	**319089**	**350488**	**350617**	**350747**	
2.0 m	**317146**	**318785**	**319096**	**350495**	**350624**	**350754**	
3.0 m	**317191**	**318792**	**319119**	**350501**	**736824**	**350761**	
5.0 m	**317245**	**318808**	**319126**	**350518**	**350648**	**350778**	
7.5 m	**317177**	**318815**	**319133**	**350525**	**350655**	**350785**	
10.0 m	**736749**	**736855**	**736879**	**736725**	**736886**	**736862**	
15.0 m	**317320**	**318822**	**319225**	**350532**	**350662**	**350792**	
20.0 m	**737067**	**737081**	**737098**	**737104**	**737111**	**737128**	
30.0 m	**317399**	**318846**	**319249**	**350556**	**350686**	**350815**	
50.0 m	**737296**						

Where does the difference between CCA and pure copper matter?

The key differences between CCA (Copper-Clad Aluminum), and Pure Copper cables lie in conductivity, durability, cost, and signal performance:

Pure Copper

+ Highly durable, resistant to breaking and corrosion
+ Best signal performance, with minimal resistance and low signal loss
+ Compliant with industry standards (e.g. TIA/EIA)
+ Reliable for Power over Ethernet (PoE) and long cable runs
- More expensive than CCA or CCS
- Heavier and less flexible than aluminum-based alternatives


CCA (Copper-Clad Aluminum) ~60-70% of copper's conductivity

+ Lighter and slightly more flexible than pure copper
+ Cost-saving
- Weaker signal strength over long distances
- Not ideal for PoE (Power over Ethernet), as aluminum heats up more and is less efficient
- More prone to breakage and damage due to aluminum's brittleness

What does LSZH mean?


LSZH, sometimes spelled as LS0H or LSOH, stands for Low Smoke Zero Halogen. The complete lack of halogen in the cable jacket significantly reduces the release of toxic gases and vapors, should combustion ever occur. LSZH is frequently part of health and safety regulations applying to poorly aired spaces where it protects people and equipment.

Ideal for building-structure cabling in secondary and tertiary areas





Type	Wire	Color	Length	AWG	Model #
Cat5e Compatible, CCA					
U/UTP	Solid	Gray	305 m	24	**362320**
Cat6 Compatible, CCA					
U/UTP	Solid	Gray	305 m	23	**704663**
Cat6 Certified, Copper					
S/FTP	Solid	Gray	305 m	23	**341165**
U/UTP	Solid	Gray	305 m	23	**334136**
Cat6a Certified, LSZH, Copper, CPR-Dca Rated					
S/FTP	Solid	Gray	100 m	23	**704953**
S/FTP	Solid	Gray	305 m	23	**705035**
Cat7 Certified, LSZH, Copper, CPR-Dca Rated					
S/FTP	Solid	Gray	100 m	23	**704922**



INTELLINET® NETWORK SOLUTIONS Switch Overview

Intellinet Network Solutions offers an extensive range of reliable, feature-rich network switches, such as unmanaged, smart managed, Layer 3 managed, industrial, and PoE models. Our PoE power budgets deliver one of the best price-performance ratios in the industry.

Industrial Switches

Model #	PoE	Speed	RJ45 Ports	Special Feature	Managed/ Self-healing	Housing	Fans	PoE Ports	Power Budget	Alternative model
561624	PoE+	Gigabit	8	Industrial , PoE Passthrough	-	Desktop & DIN	-	7	120 W	-

Non-PoE Switches, 5 - 48 Ports

Model #	PoE	Speed	RJ45 Ports	Special Feature	Managed/ Self-healing	Housing	Fans	PoE Ports	Power Budget	Alternative model
562058	-	2.5 Gigabits	4	1x 10G SFP+ Uplink Port	-	Desktop	-	-	-	-
562201	-	10 Gigabits	5	-	-	Desktop	-	-	-	-
530378	-	Gigabit	5	-	-	Desktop	-	-	-	-
562218	-	10 Gigabits	8	2x 10G SFP+ Uplink Port	-	Desktop & Rackmount	1	-	-	-
530347	-	Gigabit	8	-	-	Desktop	-	-	-	-
562096	-	2.5 Gigabits	8	1x 10G SFP+ Uplink Port	-	Desktop	-	-	-	-
561068	-	Gigabit	16	-	-	Desktop & Rackmount	-	-	-	#561815
561815	-	Gigabit	16	-	-	Desktop & Rackmount	-	-	-	#561068
561273	-	Gigabit	24	-	-	Rackmount	-	-	-	-
561044	-	Gigabit	24	2x SFP Port	-	Rackmount	-	-	-	-
560917	-	Gigabit	24	2x SFP Port	Yes	Rackmount	-	-	-	-

Fast Ethernet PoE Switches, 6-8 Ports

Model #	PoE	Speed	RJ45 Ports	Special Feature	Managed/ Self-healing	Housing	Fans	PoE Ports	Power Budget	Alternative model
561686	PoE+	Fast Ethernet	6	PoE Extend Mode, 1 High-Power PoE Port	-	Desktop	-	4	65 W	-

Gigabit/2.5G PoE Switches, 5-48 Ports

Model #	PoE	Speed	RJ45 Ports	Special Feature	Managed/ Self-healing	Housing	Fans	PoE Ports	Power Budget	Alternative model
562010	PoE++	Gigabit	5	1x RJ45 Gigabit Uplink Port	-	Desktop	-	4	140 W	-
561792	PoE+	Gigabit	5	-	-	Desktop	-	4	40 W	-
561228	PoE+	Gigabit	5	-	-	Desktop	-	4	60 W	#561839
561839	PoE+	Gigabit	5	-	-	Desktop	-	4	62 W	#561228
561808	PoE+	Gigabit	5	PoE Passthrough, 95 W PoE++ Input	-	Desktop	-	4	65 W (via AC or PoE++)	
561822	PoE+	Gigabit	5	1 SFP Port	-	Desktop	-	4	91 W	-
509220	PoE+	Gigabit	5	Outdoor, PoE Passthrough, 90 W PoE++ Input	-	Wall-/Pole-Mount	-	4	85 W	-
561921	PoE+	2.5 Gigabits	5	-	-	Desktop	-	4	55 W	-
562034	PoE+	Gigabit	6	PoE Passthrough, 95 W PoE++ Input	Lite	Desktop	-	4	60 W	-
561204	PoE+	Gigabit	8	-	-	Desktop	-	8	60 W	-
561679	PoE+	Gigabit	8	PoE Passthrough	-	Desktop	-	7	85 W	-
560641	PoE+	Gigabit	8	-	-	Desktop & Rackmount	-	8	140 W	-
561402	PoE+	Gigabit	8	2x RJ45 Gigabit Uplink Port	-	Desktop	1	8	120 W	-
561167	PoE+	Gigabit	8	2 SFP Ports	Yes	Desktop & Rackmount	1	8	140 W	-
562003	PoE++	Gigabit	8	2 SFP Ports	L2+	Desktop & Rackmount	1	8	242 W	-
561938	PoE+	2.5 Gigabits	8	-	-	Desktop	-	8	100 W	-
560993	PoE+	Gigabit	16	-	-	Rackmount	2	16	220 W	-
561341	PoE+	Gigabit	16	2 SFP Ports	Yes	Rackmount	2	16	220 W	-
561198	PoE+	Gigabit	16	2 SFP Ports	Yes	Rackmount	2	16	374 W	-
561259	PoE+	Gigabit	16	LCD, 2 SFP Ports	-	Rackmount	2	16	370 W	-
561891	PoE+	Gigabit	24	2 SFP Ports	-	Rackmount	2	24	370 W	
561426	PoE+	Gigabit	24	4 Gigabit Combo Base-T/SFP Ports	Yes	Rackmount	2	24	370 W	-
561846	PoE+	Gigabit	24	4x 10G SFP+ Uplink Ports	L2+	Rackmount	2	24	370 W	-
561969	PoE+	Gigabit	48	6x 10G SFP+ Uplink Ports	L2+	Rackmount	3	48	450 W	-
562041	PoE+	Gigabit	48	6x 10G SFP+ Uplink Ports	L3	Rackmount	3	48	850 W	-

Find the right switch easily on intellinetnetwork.eu/switches

10G & 2.5G Ethernet Switches

Unlock Your Full Network Potential with Multi-Gigabit Speeds







5-Port 10G Ethernet Switch

[562201] Five 100 Mbps/1G/2.5G/5G/10G RJ45 Ports, Unmanaged, Desktop Format, Wall-mount Option



10-Port Switch with 8 x 10G Ethernet Ports and 2 SFP+ Uplinks

[562218] Eight 100 Mbps/1G/2.5G/5G/10G RJ45 Ports, Two 10G SFP+ Open Slots, Unmanaged, Desktop Format, Includes Optional 19" Rackmount Brackets



5-Port Switch with 4 x 2.5G Ethernet Ports and 1 SFP+ Uplink

[562058] Four 10/100/1000/2500 Mbps RJ45 Ports, One 10G SFP+ Open Slot, Unmanaged, Desktop Format, Wall-mount Option



9-Port Switch with 8 x 2.5G Ethernet Ports and 1 SFP+ Uplink

[562096] Eight 10/100/1000/2500 Mbps RJ45 Ports, One 10G SFP+ Open Slot, Unmanaged, Desktop Format, Wall-mount Option



5-Port Gigabit Ethernet Switch

[530378] Desktop Size, Metal Housing, IEEE 802.3az (Energy Efficient Ethernet)



8-Port Ethernet Switch

[530347] Gigabit Ethernet
Desktop size, Metal Housing, IEEE 802.3az (Energy Efficient Ethernet)



16-Port Gigabit Ethernet Switch

[561068] 16 x 10/100/1000 Mbps, IEEE 802.3az Energy Efficient Ethernet, Desktop, 10" and 19" Rackmount



Includes 10" and 19" rackmount brackets



16-Port Gigabit Ethernet Switch

[561815] 16 x 10/100/1000 Mbps RJ45 Ports, Green Ethernet / IEEE 802.3az Energy Efficient Ethernet, Desktop Format, Includes Optional 19" Rackmount Brackets



24-Port Gigabit Ethernet Switch

[561273] 24 x 10/100/1000 Mbps RJ45 Ports, IEEE 802.3az Energy Efficient Ethernet, Desktop, 19" Rackmount



24-Port Gigabit Ethernet Switch with 2 SFP Ports

[561044] 24 x 10/100/1000 Mbps RJ45 Ports + 2 x SFP, IEEE 802.3az (Energy Efficient Ethernet), 19" Rackmount, Metal



24-Port L2+ Fully Managed Gigabit Ethernet Switch with 2 SFP Ports

[560917] 24 x 10/100/1000 Mbps RJ45 Ports + 2 x SFP, IEEE 802.3az Energy Efficient Ethernet, SNMP, QoS, VLAN, ACL, 19" Rackmount







Outdoor PoE-Powered 5-Port Gigabit Switch with PoE Passthrough / 4-Port PoE+ Extender

[509220] One IEEE 802.3bt (PoE++ / 4PPoE) PD PoE Port with 90 W Power Input, Four IEEE 802.3at/af Compliant PSE PoE ports, Rainproof IP65, for Wall- and Pole-Mounting, Adds up to 100 m to PoE Range

- PoE-powered switch in a weatherproof housing, ideal for IP cameras and other outdoor PoE applications
- Supports up to 90 W input from a IEEE 802.3bt PoE++ injector or switch for a PoE power budget up to 85 W
- Provides up to four PoE network devices with power and data
- Suitable for extreme operating temperatures of -40 to 80°C
- Doubles the connection distance between PoE source and device from 100 m to 200 m
- Power output up to 30 watts per port



5-Port PoE++ Switch with 4 Gigabit Ethernet Ports and 1 RJ45 Gigabit Uplink Port

[562010] IEEE 802.3bt (4PPoE) Compliant, Four PSE PoE++ Ports (90 W), 140 W PoE Power Budget, Unmanaged, Desktop Format, Wall-mount Option



5-Port Gigabit Ethernet PoE+ Switch

[561792] Four PSE PoE+ Gigabit Ports, One Gigabit Port, PoE Power Budget of 40 W, IEEE 802.3at/af Compliant, Desktop, Wall-mount Option



5-Port Gigabit Ethernet PoE+ Switch

[561839] 62 W
[561228] 60 W
Four PSE PoE Ports, IEEE 802.3at/af Compliant, Desktop



5-Port Gigabit Ethernet PoE+ Switch with SFP Port

[561822] Four PSE PoE Ports, IEEE 802.3at/af (PoE+/PoE) Compliant, PoE Power Budget of 91 W, Desktop Format, Wall-mount Option



5-Port 2.5G Ethernet PoE+ Switch

[561921] Four PSE PoE+ Ports, 10/100/1000/2500 Mbps on all Ports, 55 W PoE Power Budget, Unmanaged, Desktop Format, Wall-mount Option



8-Port 2.5G Ethernet PoE+ Switch

[561938] Eight 10/100/1000/2500 Mbps PSE PoE+ Ports, 100 W PoE Power Budget, Unmanaged, Desktop Format, Wall-mount Option



6-Port Fast Ethernet Switch with 4 PoE Ports (1 x High-Power PoE)

[561686] One High-Power 60 W PSE PoE Port, Three IEEE 802.3at/af PSE PoE Ports, PoE Power Budget of 65 W, PoE Extend Mode, Two RJ45 Uplink Ports, VLAN




Outdoor PoE-Powered 5-Port Gigabit Switch with PoE Passthrough / 4-Port PoE+ Extender

[509220] One IEEE 802.3bt (PoE++ / 4PPoE) PD PoE Port with 90 W Power Input, Four PSE PoE+ ports, Rainproof IP65, for Wall- and Pole-Mounting, Adds up to 100 m to PoE Range

Get the Most out of each PoE Connection **with PoE Passthrough.**

Double the connection distance between your PoE source and device from 100 m to 200 m.





PoE-Powered 5-Port Gigabit Switch with PoE Passthrough

[561808] One IEEE 802.3bt (PoE++ / 4PPoE) PD PoE Port with 95 W Power Input, Four PSE PoE ports, PoE Power Budget up to 65 W, IEEE 802.3at/af Compliant Output, Desktop, Wall-mount Option



PoE-Powered 6-Port Lite Smart Managed PoE+ Switch with 4 GbE Ports / 2 GbE Uplinks and PoE Passthrough

[562034] One IEEE 802.3bt (PoE++ / 4PPoE) PD PoE Port with up to 95 W Power Input, Four PSE PoE+ Gigabit Ports, 60 W PoE Power Budget, Self-Healing Network, Desktop Format, Wall-mount Option



PoE-Powered 8-Port Gigabit Ethernet PoE+ Industrial Switch with PoE Passthrough

[561624] One PD PoE Port with 95 W Power Input, Seven PSE PoE Ports, PoE Power Budget up to 120 W, IEEE 802.3at/af Compliant, DIN-Rail Mount



PoE-Powered 8-Port Gigabit Ethernet PoE+ Switch with PoE Passthrough

[561679] One IEEE 802.3bt (PoE++ / 4PPoE) PD PoE Port with 90 W Power Input, Seven PSE PoE Ports, PoE Power Budget up to 85 W, IEEE 802.3at/af Compliant



8-Port Gigabit Ethernet PoE+ Switch
[561204] IEEE 802.3at/af Power over Ethernet (PoE+/PoE) Compliant, 60 W, Desktop



8-Port Gigabit Ethernet PoE+ Switch
[560641] IEEE 802.3at/af Power over Ethernet (PoE+/PoE) Compliant, 140 W, Endspan, Desktop, 19" Rackmount



8-Port Gigabit Ethernet PoE+ Switch with 2 RJ45 Gigabit Uplink Ports
[561402] IEEE 802.3at/af Power over Ethernet (PoE+/PoE) Compliant, 120 W, Self-Healing Network, Endspan, Desktop



8-Port Gigabit Ethernet PoE+ L2+ Fully Managed Switch with 2 SFP Ports
[561167] IEEE 802.3at/af Power over Ethernet (PoE+/PoE) Compliant, 140 W, Self-Healing Network, Endspan, Desktop, 19" Rackmount



16-Port Gigabit Ethernet PoE+ Switch
[560993] 16 x PoE ports, IEEE 802.3at/af Power-over-Ethernet (PoE+/PoE), Endspan, Rackmount



10-Port L2+ Fully Managed PoE++ Switch with 8 Gigabit Ethernet Ports and 2 SFP Uplinks
[562003] IEEE 802.3bt (4PPoE) Compliant (2 x 90 W Ports, 6 x 30 W Ports), 242 W PoE Power Budget, Layer 2+/Layer 3 Lite, Two 1G SFP Open Slots, Self-Healing Network, Desktop Format, Includes Optional 19" Rackmount Brackets



16-Port Gigabit Ethernet PoE+ L2+ Fully Managed Switch with 2 SFP Ports
[561341] IEEE 802.3at/af Power over Ethernet (PoE+/PoE) Compliant, 220 W, Self-Healing Network, Endspan, 19" Rackmount



16-Port Gigabit Ethernet PoE+ L2+ Fully Managed Switch with 2 SFP Ports
[561198] IEEE 802.3at/af Power over Ethernet (PoE+/PoE) Compliant, 374 W, Self-Healing Network, Endspan, 19" Rackmount



24-Port Gigabit Ethernet PoE+ L2+ Fully Managed Switch with 4 Gigabit Combo Base-T/SFP Ports
[561426] IEEE 802.3at/af Power over Ethernet (PoE+/PoE) Compliant, 370 W, Self-Healing Network, Endspan, 19" Rackmount



24-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports
[561891] IEEE 802.3at/af (PoE+/PoE) Compliant, PoE Power Budget of 370 W, Two 1G SFP Open Slots, 19" Rackmount



16-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports and LCD Screen
[561259] LCD Display, IEEE 802.3at/af Power over Ethernet (PoE+/PoE) Compliant, 370 W, Endspan, 19" Rackmount



28-Port L2+ Fully Managed PoE+ Switch with 24 Gigabit Ethernet Ports and 4 SFP+ Uplinks

[561846] IEEE 802.3at/af (PoE+/PoE) Compliant, 370 W PoE Power Budget, Layer 2+/Layer 3 Lite, Four 10G SFP+ Open Slots, Self-Healing Network, 19" Rackmount



54-Port L2+ Fully Managed PoE+ Switch with 48 Gigabit Ethernet Ports and 6 SFP+ Uplinks

[561969] IEEE 802.3at/af (PoE+/PoE) Compliant, 450 W PoE Power Budget, Layer 2+/Layer 3 Lite, Six 10G SFP+ Open Slots, Self-Healing Network, 19" Rackmount



54-Port L3 Fully Managed PoE+ Switch with 48 Gigabit Ethernet Ports and 6 SFP+ Uplinks

[562041] IEEE 802.3at/af (PoE+/PoE) Compliant, 850 W PoE Power Budget, Layer 3, Six 10G SFP+ Open Slots, Self-Healing Network, Desktop or 19" Rackmount

- Layer 3 solution with dynamic IP routing, including OSPF, RIP and VRRP for enterprise networks
- Provides up to 48 PoE network devices with power and data
- Six small-form-factor pluggable SFP/SFP+ module slots for 10G uplink capability
- PoE power budget of 850 watts
- Power output up to 30 watts per port
- Supports 802.1Q VLAN (tag-based and port-based)
- 216 Gbps switch fabric / switching capacity
- Supports static and dynamic IP routing, MAC-based and IPv4/IPv6 IP-based ARP ACL
- Supports static and policy routing, RIP (Routing Information Protocol), OSPF (Open Shortest Path First) and VRRP (Virtual Router Redundancy Protocol)
- IGMP and MLD Snooping for multicast filtering





Great networks need IT professionals, installers and integrators who can see and respond to what's happening at any time.

That's why our managed switches are now compatible with Domotz Pro, the premier platform in Remote Network Monitoring and Management. Intellinet Network Solutions managed switches and Domotz help network professionals monitor and manage every endpoint to proactively prevent connectivity issues and solve problems in real time — anytime, anywhere.

FEATURES:

- VPN on Demand, for troubleshooting and remote monitoring
- Secure remote connection via app or web
- Create customizable alerts for email and mobile devices
- Change device configurations and system programming
- Troubleshoot issues and resolve problems
- Power cycle devices and initiate reboots
- Complete maintenance and perform upgrades; and much more








Domotz Pro Box

[526425] Unified System for Remote Monitoring and Cloud Management of Networks and IP Devices



Learn more on intellinetnetwork.eu/cloud

INTELLINET
NETWORK SOLUTIONS

- Powered Device Monitor
- Energy Efficient Ethernet
- Loopback Protection
- PoE Scheduling
- Watchdog
- Cloud Management

Self-Healing Networks


intellinetnetwork.eu

- HTTP + SNMP based
- Port Mapping
- On/Off of PoE ports
- Port PoE Consumption
- Firmware Version Info
- Model Info

Intellinet-Link PoE Automation

If a master port is connected, the Switch activates additional ports to provide **data** and **PoE connectivity**

Assign a master port and a group of additional ports on the switch to **work together**



INTELLINET
NETWORK SOLUTIONS

Self-Healing Networks

intellinetnetwork.eu

Model #	Speed	Distance	Note	Conversion	Wavelength	Mode
506502	Fast Ethernet	2 km		10/100Base-TX to 100Base-FX (SC)	1310 nm	MM
506519	Fast Ethernet	2 km		10/100Base-TX to 100Base-FX (ST)	1310 nm	MM
510530	Fast Ethernet	20 km	WDM BiDi, use with #510547	10/100Base-TX to 100Base-FX (SC)	1310/1550 nm	SM
510547	Fast Ethernet	20 km	WDM BiDi, use with #510530	10/100Base-TX to 100Base-FX (SC)	1550/1310 nm	SM
508216	1G	120 km	With PoE+ Injector	1000Base-T to SFP Port	-	-
508544	1G	550 m	Autonegotiation	10/100/1000Base-T To 1000Base-SX (SC)	850 nm	MM
545075	1G	20 km	WDM BiDi, use with #545068	10/100/1000Base-TX to 1000Base-LX (SC)	1310/1550 nm	SM
545068	1G	20 km	WDM BiDi, use with #545075	10/100/1000Base-TX to 1000Base-LX (SC)	1550/1310 nm	SM
507349	1G	20 km		10/100/1000Base-T to 1000Base-LX (SC)	1310 nm	SM
508209	1G	20 km	With PoE+ Injector	1000Base-T to 1000Base-LX (SC)	1310 nm	SM
508193	10G	-		10GBase-T to SFP+ Port	-	-
510493	1G	-	Blank SFP slot	10/100/1000Base-TX to SFP slot, empty	-	-
507356	-	-	14-Slot Media Converter Chassis	-	-	-



Fast Ethernet Media Converter
[506502] 10/100Base-TX to 100Base-FX (SC) Multi-Mode, 2 km
[506519] 10/100Base-TX to 100Base-FX (ST) Multi-Mode, 2 km



Fast Ethernet WDM Bi-Directional Media Converter
[510530] 10/100Base-TX to 100Base-FX (SC) Single-Mode, 20 km, WDM (RX1310/TX1550)
[510547] 10/100Base-TX to 100Base-FX (SC) Single-Mode, 20 km, WDM (RX1550/TX1310)

WDM Pairing Required



Gigabit Ethernet Media Converter
[508544] 10/100/1000Base-T to 1000Base-SX (SC) Multi-Mode, 550 m, Autonegotiation



Gigabit Ethernet WDM Bi-Directional Media Converter
[545075] 10/100/1000Base-TX to 1000Base-LX (SC), SM, 20 km, WDM (RX1310/TX1550)
[545068] 10/100/1000Base-TX to 1000Base-LX (SC), SM, 20 km, WDM (RX1550/TX1310)

WDM Pairing Required



Gigabit Ethernet Media Converter
[507349] 10/100/1000Base-T to 1000Base-LX (SC) Single-Mode, 20 km



Gigabit PoE+ Media Converter and PoE+ Injector
[508216] 1000Base-T RJ45 Port to SFP Port, 120 km
[508209] 1000Base-T RJ45 Port to 1000Base-LX (SC) Single-Mode, 20 km



10G Ethernet Media Converter
[508193] 10GBase-T RJ45 to 10GBase-R



Gigabit Ethernet to SFP Media Converter
[510493] 10/100/1000Base-TX to SFP slot, empty



14-Slot Media Converter Chassis
[507356] Includes redundant power supply, 19" rackmountable, 2U

Compatible with Cisco, HPE and many more



Our Transceiver Modules are either HPE- or MSA-compliant and therefore designed, programmed and tested to work with Intellinet Network Solutions, but also compatible switches and routers from Cisco, HPE, ZyXEL, TP-Link, Ubiquiti, D-Link and many more. For all compatible brands, please check intellinetnetwork.eu.
Modules for Juniper, Huawei and Arista also available.

MSA-compliant models

Model #	Speed	Distance	Note	Form Factor	Wavelength	Interface	Medium
523882	1G	100 m		SFP	-	RJ45	Copper
545006	1G	550 m		SFP	850 nm	LC	MMF
545013	1G	10 km		SFP	1310 nm	LC	SMF
507486	1G	10 km	WDM BiDi, use with #507509	SFP	1310/1550 nm	LC	SMF
507509	1G	10 km	WDM BiDi, use with #507486	SFP	1550/1310 nm	LC	SMF
506724	1G	20 km		SFP	1310 nm	LC	SMF
545044	1G	80 km		SFP	1550 nm	LC	SMF
508629	1G	80 km	WDM BiDi, use with #508797	SFP	1490/1550 nm	LC	SMF
508797	1G	80 km	WDM BiDi, use with #508629	SFP	1550/1490 nm	LC	SMF
508650	1G	120 km	WDM BiDi, use with #508643	SFP	1490/1550 nm	LC	SMF
508643	1G	120 km	WDM BiDi, use with #508650	SFP	1550/1490 nm	LC	SMF
508179	10G	30 m		SFP+	-	RJ45	Copper
508674	10G	220 m		SFP+	1310 nm	LC	MMF
507462	10G	300 m		SFP+	850 nm	LC	MMF
507479	10G	10 km		SFP+	1310 nm	LC	SMF

HPE-compliant models

Model #	Speed	Distance	Note	Form Factor	Wavelength	Interface	Medium
508766	10G	300 m		SFP+	850 nm	LC	MMF
508742	1G	550 m		SFP	850 nm	LC	MMF
508735	1G	10 km		SFP	1310 nm	LC	SMF
508759	10G	10 km		SFP+	1310 nm	LC	SMF



For Uplink Connectivity and System Management

The benefits of DAC cables over fiber optic and RJ45 cables

The Direct Attach Copper (DAC) cable is becoming increasingly popular in the network industry. Our passive SFP+ and QSFP+ twinax cables are an energy-efficient, low-latency and cost-effective alternative to fiber optic and RJ45 cabling. It's an excellent choice for short-distance structured cabling between switches and routers on one end and servers or storage on the other, be it in Top of Rack (ToR), adjacent rack, stacking of 10GbE switches or similar applications.

Close to zero power consumption and a wide temperature range

DAC is comprised of a twinax copper cable terminated with SFP+ or QSFP+ connectors on both ends, which can provide an electrical connection directly into active equipment. Consuming less than 0.15 W due to its thermal design, this passive cable helps decrease your operating expenses. Its zero-heat production during operation makes it more versatile and usable in wider temperature ranges up to 70°C (158°F), which is particularly valuable in data centers.

Lower cost and simpler to deploy than fiber optics

DAC cabling has a relatively simple internal structure with fewer components than fiber cables. This cable structure helps lower the purchase price for applications in high-bandwidth data transmission and saves you from having to buy separate transceivers. This, in turn, makes DAC cables a lot simpler to deploy since there are fewer parts to match to complete setup. When you make upgrades or replacements to your network, the cable's seamless Hot Swapping capability makes quick work of connecting new equipment (note that passive DAC cables are not suitable for long-range applications; at 7 m, they reach their transmission limit).

Lower latency than RJ45 twisted-pair patch cables

This Direct Attach Copper twinax cable supports data transfer rates up to 40 Gbps, and its unique structure and signal transmission offers lower latency.

Compatible with Cisco, HPE and many more


Our DAC twinax cables are either HPE- or MSA-compliant and therefore designed, programmed and tested to work with Intellinet Network Solutions, but also compatible switches and routers from Cisco, HPE, ZyXEL, TP-Link, Ubiquiti, D-Link and many more. For all compatible brands, please check intellinetnetwork.eu.

MSA-compliant models

Model #	Length	Form Factor	Speed
508377	0.5 m	SFP+	10 Gbps
508490	0.5 m	QSFP+	40 Gbps
508391	1 m	SFP+	10 Gbps
508506	1 m	QSFP+	40 Gbps
508414	2 m	SFP+	10 Gbps
508513	2 m	QSFP+	40 Gbps
508438	3 m	SFP+	10 Gbps
508537	3 m	QSFP+	40 Gbps
508452	5 m	SFP+	10 Gbps

HPE-compliant models

Model #	Length	Form Factor	Speed
508384	0.5 m	SFP+	10 Gbps
508407	1 m	SFP+	10 Gbps
508421	2 m	SFP+	10 Gbps
508445	3 m	SFP+	10 Gbps
508483	5 m	SFP+	10 Gbps



Model #	Product Type	Speed	Ports	Power Output per Port	PoE Standards	Housing
524179	PoE Injector	Fast Ethernet	1	15.4 W	IEEE 802.3af	Plastic
561518	PoE Injector	Gigabit	1	30 W	IEEE 802.3at/af	Plastic
560566	PoE Injector	Gigabit	1	30 W	IEEE 802.3at/af	Metal
561365	PoE Injector	Gigabit	1	30 W	IEEE 802.3at/af	Industrial
561495	PoE Injector	Gigabit	1	95 W	IEEE 802.3bt/at/af	Plastic
561488	PoE Injector	Gigabit	2	1 x 50 W, 1 x 30 W	IEEE 802.3bt/at/af	Plastic
561235	PoE Injector	Gigabit	1	60 W	IEEE 802.3at/af	Plastic
561785	PoE Injector	Gigabit	1	60 W	IEEE 802.3bt/at/af	Outdoor
561570	PoE Injector	2.5G	1	30 W	IEEE 802.3at/af	Plastic
561945	PoE Injector	10G	1	95 W	IEEE 802.3bt/at/af	Outdoor
561693	PoE Splitter	Gigabit	1	45 W USB-C	IEEE 802.3bt/at/af	Plastic
560443	PoE Splitter	Fast Ethernet	1	5, 7.5, 9 or 12 V DC	IEEE 802.3at/af	Metal
560962	PoE Extender	Gigabit	1	30 W	IEEE 802.3at/af	Metal
561266	PoE Extender	Gigabit	2	30 W	IEEE 802.3at/af	Metal
561211	PoE Extender	Gigabit	1	30 W	IEEE 802.3at/af	Outdoor
561648	PoE Extender	Gigabit	2	30 W	IEEE 802.3at/af	Outdoor
561600	PoE Extender	Gigabit	2	60 W	IEEE 802.3bt/at/af	Metal
561617	PoE Extender	Gigabit	4	90 W	IEEE 802.3bt/at/af	Metal
561952	PoE Extender (Ultra-Long Range)	Fast Ethernet	1	30 W	IEEE 802.3at/af	Metal
508209	PoE Injector & Media Converter	Gigabit	1	30 W	IEEE 802.3at/af	Metal
508216	PoE Injector & Media Converter	Gigabit	1	30 W	IEEE 802.3at/af	Metal



Fast Ethernet PoE Injector

[524179] One 15.4 W Port, IEEE 802.3af, Plastic Housing



Gigabit PoE+ Injector

[561518] One 30 W Port, IEEE 802.3at/af, Plastic Housing



Gigabit PoE+ Injector

[560566] One 30 W Port, IEEE 802.3at/af, Metal Housing



Industrial Gigabit PoE+ Injector

[561365] One 30 W Port, IEEE 802.3at/af, IP30-rated Housing with DIN Rail



POE++

Gigabit PoE++ Injector
[561495] One 95 W Port, IEEE 802.3bt/at/af, Plastic Housing, Wall-mountable



Gigabit Ultra PoE Injector
[561235] One 60 W, IEEE 802.3at/af, Plastic Housing, Wall-mountable



POE++

Outdoor Vandalproof Gigabit PoE++ Injector
[561785] One 60 W Port, IEEE 802.3bt/at/af, IP67 & IK10-rated Metal Housing



POE++

10G PoE++ Injector
[561945] One 95 W Port, IEEE 802.3bt/at/af, Plastic Housing, Wall-mountable



2.5G PoE+ Injector
[561570] One 30 W Port, IEEE 802.3at/af, Plastic Housing, Wall-mountable




Gigabit PoE+ Splitter
[560443] Splits into RJ45 data and 5, 7.5, 9 or 12 V DC, IEEE 802.3at/af, Metal Housing

PoE Accessories



POE++

Gigabit PoE++ Splitter with USB-C Output
[561693] One 45 W USB-C Port, RJ45 In and Out, IEEE 802.3bt/at/af, Plastic Housing



Ideal with Manhattan USB-C Cables



Gigabit PoE+ Media Converter with PoE+ Injector
[508209] 1000Base-T RJ45 Port to 1000Base-LX (SC) Single-Mode, 20 km



Gigabit PoE+ Media Converter with PoE+ Injector
[508216] 1 x 10/100/1000Base-T RJ45 Port to 1 x SFP Port



Gigabit PoE+ Extender
[560962] Extends by 100 m, One 30 W Port, IEEE 802.3at/af, Metal Housing, Daisy-chain up to five PoE extenders for a distance of up to 600 m



2-Port Gigabit PoE+ Extender
[561266] Extends by 100 m, Power Budget 30 W, Two 30 W Ports, IEEE 802.3at/af, Metal Housing




Outdoor Gigabit PoE+ Extender
[561211] Extends by 100 m, One 30 W Port, IEEE 802.3at/af, IP65-rated Metal Housing, Daisy-chain up to four PoE extenders for a distance of up to 500 m




POE++

Outdoor Vandalproof 2-Port Gigabit PoE++ Extender
[561648] Extends by 100 m, Power Budget 60 W, Two 30 W Ports, IEEE 802.3bt/at/af IP67 & IK10-rated Metal Housing







Ultra Long Range Outdoor Fast Ethernet PoE+ Extender Kit

[561952] Extends PoE up to 1000 m, One PD Port up to 95 W, IEEE 802.3bt (4PPoE) Compatible, IP67 Waterproof and Dustproof, Set of Two Modules, Plastic Housing

- Extremely high PoE range and weatherproof housing ideal for IP camera installations
- IP67-rated, dustproof and waterproof
- Delivers data up to 1000 m without packet loss
- Kit includes two modules for maximum distance capabilities
- Compatible with IEEE 802.3bt/at/af-compliant powered devices (PD) such as network cameras, wireless access points, VoIP phones and more
- Supports 10/100 Mbps data rates
- Short-circuit, overload and high-voltage protection
- Requires no additional power supply; draws power directly from the PoE input
- Compatible with IEEE 802.3bt/at/af-compliant PoE injectors and PoE switches (PSE)
- Plug-and-play installation; no configuration required



2-Port Gigabit PoE++ Extender

[561600] Extends by 100 m, Power Budget 60 W, Two 30 W Ports, IEEE 802.3bt/at/af, Metal Housing



4-Port Gigabit PoE++ Extender

[561617] Extends by 100 m,Power Budget 90 W, Four 30 W Ports, IEEE 802.3bt/at/af, Metal Housing



3-Port USB 3.0 Type-C/A Combo Hub with Gigabit Ethernet Network Adapter

[180894] USB-A Male with Attachable USB-C Male Adapter to RJ45 Female and Three USB-A Females, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered




USB-A to Gigabit Network Adapter

[506847] 10/100/1000 Mbps Gigabit Ethernet, USB 3.0



USB-A to Fast Ethernet Adapter

[506731] 10/100 Mbps Fast Ethernet, USB 2.0



Gigabit PCI Express Network Card

[522533] 10/100/1000 Mbps PCI Express Ethernet Card



SOHO/Home Networking Switch

[561747] 5-Port, Gigabit
[561754] 8-Port, Gigabit
Compact Size, Plastic





1080p HDMI KVM over IP Extender Kit

[208413] Extends a 1080p@60Hz HDMI Signal up to 120 m (394 ft.) over a Cat6 Cable or an IP-enabled Network, USB-A Ports for PC/Mouse/Keyboard on Transmitter and Receiver

Wireless HDMI Adapters

Mirror Your Device on Any HDMI Display





1080p Wireless HDMI Display Presentation Kit

[208420] Set with one transmitter
[154598] Set with two transmitters NEW
[154635] Set with four transmitters NEW
2-Piece Set with HDMI Receiver and USB-C Transmitter Dongle to Wirelessly Display a Video Signal from a Laptop/Tablet/Smartphone on an HDMI TV or Projector



Additional USB-C Transmitter for 1080p Wireless HDMI Display Presentation Kit

[208437] Dongle Wirelessly Displays a Video Signal from a USB-C Device on an HDMI TV or Projector, Requires Receiver from #208420 Wireless HDMI Presentation Kit



Additional HDMI Transmitter for 1080p Wireless HDMI Display Presentation Kit

[208444] Dongle Wirelessly Displays a Video Signal from an HDMI Device on an HDMI TV or Projector, Requires Receiver from #208420 Wireless HDMI Presentation Kit



1080p Compact HDMI over Ethernet Extender Kit

[207539] Extends an HDMI Signal up to 60 m (196 ft.) at 1080p@60Hz with a Single Cat6 Ethernet Cable, Transmitter and Receiver, Power over Cable, Ultra Slim Design

Contains 1 Transmitter & 1 Receiver



1080p HDMI over IP Extender Splitter Kit

[207959] Extends 1080p Signal up to 120 m (396 ft.) with a Network Switch and Single Ethernet Cable, IR Support



1080p HDMI over Ethernet Extender Kit

[207461] Up to 50 m (164 ft.) with Single Cat6 Cable, Tx & Rx Modules, IR Support



4K@30Hz HDMI over Ethernet Extender Kit

[168397] Extends a 4K@30Hz HDMI Signal up to 40 m or a 1080p@60Hz HDMI Signal up to 70 m over a Single Cat6 Ethernet Cable, Transmitter and Receiver, Power over Cable (PoC)



4K 2-Port HDMI Splitter

[207669] Duplicates a high-definition digital audio/video signal for two HDMI outputs, AC powered




1080p 2-Port HDMI Splitter

[207652] 1080p@60Hz, USB Powered



4K@60Hz 4-Port HDMI Splitter with Downscaling

[208369] One HDMI Input to Multiple HDMI Outputs, 18G, Downscaling for hassle-free setups of older and newer displays









4K@30Hz 4-Port HDMI Multiviewer Switch

[208406] Displays up to Four HDMI Input Sources on One HDMI Output Screen (4x1), Multiple Viewing Options Including Picture-in-Picture and Dual/Quad Screen, Push-Button or Remote Control, 3.5 mm and Toslink Audio





Connectivity **Powerhouses**







Aluminum Gas Spring Dual Monitor Desk Mount with 8-in-1 Docking Station

[461887] Full-Motion Arms Supporting Two 17" to 32" Monitors up to 9 kg Each; USB-C Connectivity with 100 W Power Delivery, Two 4K HDMI Ports, Three USB 3.0 Ports, Gigabit RJ45 Port




Improves ergonomics, frees up desk space, and lets you connect to your display, network and peripherals while charging your devices.





USB-C PD 14-in-1 Triple-Monitor 8K Docking Station / Multiport Hub

[190183] USB 3.2 Gen 1 Type-C Male to Two HDMI (4K@60Hz), DisplayPort (up to 8K@30Hz) Five USB-A (up to 5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps), SD/microSD Card Reader, Gigabit Ethernet and 3.5 mm Audio Ports, Aluminum





USB-C PD 12-in-1 Triple-Monitor Docking Station with MST, 4K@60Hz

[190305] USB 3.2 Gen 1 Type-C Male to Two HDMI (up to 4K@60Hz), One DisplayPort (up to 4K@60Hz), Three USB-A (up to 5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps), Gigabit RJ45, SD/microSD Card Reader and 3.5 mm Audio Ports, Aluminum





USB-C PD 11-in-1 Triple-Monitor 8K Docking Station / Multiport Hub with VESA Mount


[190176] USB 3.2 Gen 2 Type-C Male to Two HDMI (4K@60Hz), DisplayPort (8K@30Hz / 4K@144Hz), Three USB-A (up to 10 Gbps), Two USB-C Data (10 Gbps), USB-C Power Delivery (140 W), Gigabit Ethernet and 3.5 mm Audio Ports, Two Security Slots, Aluminum





USB-C PD 10-in-1 Dual-Monitor 4K Docking Station / Multiport Hub

[190169] USB 3.2 Gen 2 Type-C Male to HDMI (4K@60Hz), USB-C Video (4K@60Hz) Three USB-A (up to 10 Gbps), USB-C Power Delivery (100 W), USB-C Data (10 Gbps), SD/microSD Card Reader and Gigabit Ethernet Ports, Aluminum





USB-C PD 10-in-1 Dual-HDMI Monitor Docking Station, 4K@60Hz

[190398] USB 3.2 Gen 1 Type-C Male to Two HDMI (up to 4K@60Hz), Three USB-A (up to 5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps), SD/microSD Card Reader, and Gigabit RJ45 Ports, Aluminum





USB-C PD 9-in-1 HDMI Docking Station, 4K@60Hz

[190459] USB 3.2 Gen 1 Type-C Male to HDMI (4K@60Hz), Three USB-A (5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps), SD/microSD Card Reader and Gigabit Ethernet Ports, Aluminum





USB-C PD 7-in-1 HDMI Docking Station, 4K@60Hz

[190442] USB 3.2 Gen 1 Type-C Male to HDMI (4K@60Hz), Two USB-A (5 Gbps), USB-C Power Delivery (100 W), USB-C Data (5 Gbps) and SD/microSD Card Reader Ports, Aluminum





USB-C PD 7-in-1 4K Docking Station, 4K@60 Hz

[153966] USB 3.2 Gen 2 Type-C Male to HDMI Port (4K@60Hz), Two USB-A Ports (10 Gbps), USB-C Power Delivery Port (100 W), Gigabit RJ45 Port and SD/microSD Card Reader, Aluminum






USB-C PD 6-in-1 4K Docking Station / Multiport Hub, 4K@60Hz

[153959] USB 3.2 Gen 1 Type-C Male to HDMI Port (4K@60Hz), Three USB-A Ports (5 Gbps), USB-C Power Delivery Port (100 W) and Gigabit RJ45 Port, Aluminum



4K@30Hz USB-C to HDMI & VGA 4-in-1 Docking Converter with Power Delivery

[130691] USB-C Male to HDMI, VGA, USB-A and USB-C Females, Pass-through Charging





4K@60Hz USB-C to HDMI Adapter

[153973] 11 cm Cable
[153706] 15 cm Cable
USB-C Male to HDMI Female



4K@30Hz USB-C to HDMI 3-in-1 Docking Converter with Power Delivery

[130707] USB-C Male to HDMI (4K@30Hz), USB-A and USB-C Females, Multiport Converter with Pass-through Charging Port



USB-C PD to HDMI 4-in-1 Laptop and Tablet Travel Docking Station

[190404] USB 3.2 Type-C Male to HDMI (4K@30Hz), USB-A (10 Gbps), USB-C Power Delivery (100 W) and 3.5 mm Audio Ports



USB-C Audio Adapter

[153348] USB-C Male to USB-C Audio and USB-C Power Delivery Females





USB-C PD to Dual-HDMI Monitor Adapter for Laptop and Tablet

[154321] Multiport Adapter with USB Type-C Male to Two HDMI (up to 4K@60Hz), USB-A (480 Mbps), and USB Power Delivery Charging (100 W) Ports, Aluminum



1080p USB-A to HDMI Adapter
[153690] USB-A Male to HDMI Female Converter, 1080p@60Hz



USB-A to 3.5 mm Audio Adapter
[150859] USB-A Male to 3.5 mm Mic-in and Audio-Out Females



DisplayPort to VGA Converter Cable
[151962] DisplayPort Male to VGA HD15 Female Adapter, 15 cm (6 in.), Active



Passive DisplayPort to HDMI Adapter
[151634] DisplayPort Male to HDMI Female, Cable Adapter, 1080p



4K@60Hz Active DisplayPort to HDMI Adapter
[153713] DisplayPort Male to HDMI Female, Cable Adapter / Converter with Dongle



VGA and USB to HDMI Converter
[152426] Converts Analog VGA Video and USB Audio to a Digital HDMI Signal



HDMI to VGA Converter
[151467] Bag
HDMI Male to VGA Female, Optional USB Micro-B Power Port



HDMI to VGA Micro Converter
[151542] HDMI Male to VGA Female with Audio, Optional USB Micro-B Power Port



Hi-Speed USB 2.0 Sharing Switch
[162005] Share a USB Printer, Hard Drive or Other Device Between Two Computers



Smart Card Reader
USB-A, Contact Reader
[102049] Low-profile
[102025] Stand

NEW



Smart Card Reader with USB-C / USB-A Combo Connector
[102759] USB Type-C and Type-A Male to Contact Reader Interface, Supports Windows, macOS and Linux, Reads SIM Cards with Adapter, 1 m (3 ft.) Cable



NEW

USB-C Smart Card Reader with microSD Slot
[102742] USB Type-C Male to Contact Reader Interface and microSDXC, Supports Windows, macOS and Linux, Reads SIM Cards with Adapter, 1 m (3 ft.) Cable



USB 3.0 Type-C / Type-A Combo Multi-Card Reader / Writer
[102735] USB-C and USB-A Male to microSD and SD/MMC Slots, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered, Mini Format



Magnetic Stripe Card Reader
[460255] USB, Triple Track Reader







3-Port USB 3.0 Type-C Hub with Card Reader

[164948] USB-C Male to Three USB-A Females and SD/MicroSD Card Reader, 5 Gbps Transfer Speeds, Bus Powered



3-Port USB 3.0 Type-C/A Combo Hub with Gigabit Ethernet Network Adapter

[180894] USB-A Male with Attachable USB-C Male Adapter to RJ45 Female and Three USB-A Females, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered



4-Port USB 3.0 Type-C / Type-A Combo Hub 2x2

[181150] USB-C Male to Two USB-C Ports and Two USB-A Ports, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Angled Shape for Easy Port Access, Bus Powered



4-Port USB 3.0 Hub

[162746] Type-C Plug, Four Type-A Ports, Bus Powered



4-Port USB-C / USB-A Hub 2x2 with 100 W Power Delivery

[181044] USB-C Male to Two USB-C Ports and Two USB-A Ports, 5 Gbps SuperSpeed USB 3.0 (USB 3.2 Gen 1), Bus Powered, 100 W USB-C PD Pass-Through Charging Port, Aluminum



4-Port USB 3.0 Type-C / Type-A Combo Hub

[180863] USB-C Male and USB-A Male to Four USB-A Females, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered



4-Port USB 3.0 Hub

[164924] USB-C Plug
[164900] USB-A Plug
USB-C or USB-A Male to Four USB-A Females, 5 Gbps Transfer Speeds, Bus Powered



4-Port USB 3.0 / 2.0 Combo Hub

[168427] USB-A Male to Four USB-A Females, One 5 Gbps USB 3.2 Gen 1 (Formerly USB 3.0) Port, Three 480 Mbps USB 2.0 Ports, Bus Powered



4-Port USB 3.0 Type-A Hub

[162996] Bus Power



7-Port Industrial USB 3.0 Hub

[164405] Seven USB Type-A Ports, 20 kV ESD Protection, A/C, Bus and Terminal-Block Power Options, DIN Rail, Wall Mountable, Metal Housing, Screw-Lock Security



7-Port 10G/5G USB-C / USB-A Hub 4+3 with Power Delivery

[181167] USB-C Male to Four USB-C Ports and Three USB-A Ports, up to 10 Gbps SuperSpeed+ USB (USB 3.2 Gen 2), Bus Powered or 100 W USB-C PD Charging Port, Aluminum




4-Port USB 3.0 Type-C / Type-A Combo Hub

[181006] Four USB-A Ports
[181075] Two USB-A Ports, Two USB-C Ports
USB-C Male and USB-A Male, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered



7-Port USB 3.0 Hub

[168410] USB-C Male to Seven USB-A Females, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered





HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

TECH OVERVIEW

	HDMI STANDARD	HDMI HIGH SPEED	HDMI HIGH SPEED with ETHERNET	HDMI PREMIUM Certified Cable	HDMI ULTRA HIGH SPEED
sRGB	✓	✓	✓	✓	✓
Consumer Electronics Control (CEC)	✓	✓	✓	✓	✓
DVD Audio support	✓	✓	✓	✓	✓
Super Audio CD (DSD) support	✓	✓	✓	✓	✓
Deep color		✓	✓	✓	✓
Auto Audio to video synchronization lipsync			✓	✓	✓
Dolby True HD			✓	✓	✓
bitstream capable			✓	✓	✓
Updated list of CEC commands			✓	✓	✓
3D over HDMI			✓	✓	✓
Ethernet channel			✓	✓	✓
Audio return channel (ARC)			✓	✓	✓
4K resolution support			✓	✓	✓
4K 50/60 support (3840x2160p 60 Hz)				✓	✓
4K 3D support				✓	✓
32 Kanal Audio support				✓	✓
1536 kHz audio support				✓	✓
1080p 3D HFR support				✓	✓
21:9 Cinemascope support				✓	✓
Multi-Stream Audio & Video support				✓	✓
18 Gbit/s				✓	✓
High Dynamic Range				✓	✓
Color Space					✓
ITU-R BT. 2020					✓
Dyn. synch. of Multi-Stream Audio & Video					✓
Dynamic HDR (HDR dynamic metadata)					✓
Enhanced audio return channel (eARC)					✓
Variable Refresh Rate (VRR)					✓
Quick Media Switching (QMS)					✓
Quick Frame Transport (QFT)					✓
Auto Low Latency Mode (ALLM)					✓
Display Stream Compression (DSC)					✓
48 Gbit/s					✓
4K resolution support (120 Hz)					✓
8K resolution support (60 Hz)					✓
8K 3D support					✓


Image	Barcode	Resolution /Hertz	Connection	Length	Description	Ethernet Channel	Packaging
	355933	8K@60Hz	Male/Male	1 m	ULTRA Certified Cable; HDMI ULTRA HIGH SPEED	Yes	Bag
	355940	8K@60Hz	Male/Male	2 m		Yes	Bag
	355957	8K@60Hz	Male/Male	3 m		Yes	Bag
	355513	4K@60Hz	Male/Male	20 m	High Speed HDMI Active Optical Cable (AOC), fiber and copper-wire hybrid for extra long distances without interference.	Yes	Brown Box
	355520	4K@60Hz	Male/Male	30 m		Yes	Brown Box
	355537	4K@60Hz	Male/Male	50 m		Yes	Brown Box
	355544	4K@60Hz	Male/Male	70 m		Yes	Brown Box
	354837	4K@60Hz	Male/Male	1 m	HDMI PREMIUM Certified Cable	Yes	Bag
	355346	4K@60Hz	Male/Male	1.8 m		Yes	Bag
	355353	4K@60Hz	Male/Male	3 m		Yes	Bag
	355360	4K@60Hz	Male/Male	5 m		Yes	Bag
 NEW	356633	4K@60Hz	Male/Male	1 m	HDMI HIGH SPEED with ETHERNET	Yes	Bag
	356640	4K@60Hz	Male/Male	1.5 m		Yes	Bag
	356657	4K@60Hz	Male/Male	2 m		Yes	Bag
	356664	4K@60Hz	Male/Male	3 m		Yes	Bag
	356671	4K@60Hz	Male/Male	5 m		Yes	Bag
	356688	4K@60Hz	Male/Male	7.5 m		Yes	Bag
	356695	4K@60Hz	Male/Male	10 m		Yes	Bag
	356701	4K@60Hz	Male/Male	15 m		Yes	Bag
	356718	4K@60Hz	Male/Male	22.5 m		Yes	Bag
 NEW	357074	4K@60Hz	Male/Male	1 m	Multi-Pack; HDMI HIGH SPEED with ETHERNET	Yes	10-Pack Bag
	357081	4K@60Hz	Male/Male	1.5 m		Yes	10-Pack Bag
	357098	4K@60Hz	Male/Male	2 m		Yes	10-Pack Bag
	357104	4K@60Hz	Male/Male	3 m		Yes	5-Pack Bag
	357111	4K@60Hz	Male/Male	5 m		Yes	5-Pack Bag
 NEW	353922	4K@60Hz	Male/Male	1 m	In-wall CL3-rated; HDMI HIGH SPEED with ETHERNET	Yes	Bag
	356978	4K@60Hz	Male/Male	5 m		Yes	Bag
	356985	4K@60Hz	Male/Male	8 m		Yes	Donut
	356992	4K@60Hz	Male/Male	10 m		Yes	Donut
	394406	4K@60Hz	Male/Male	0.5 m	Super-slim; HDMI HIGH SPEED with ETHERNET	Yes	Bag
	394352	4K@60Hz	Male/Male	1 m		Yes	Bag
	394369	4K@60Hz	Male/Male	2 m		Yes	Bag
	394376	4K@60Hz	Male/Male	3 m		Yes	Bag
	153591	4K@60Hz	Male/Male	1 m	USB-C to HDMI Adapter Cable	No	Bag
	153607	4K@60Hz	Male/Male	2 m		No	Bag

Image	Barcode	Resolution /Hertz	Connection	Length	Description	Ethernet Channel	Pack-aging
	353465	4K@60Hz	Female/ Female	-	HDMI Coupler, connects two cables to overcome distance limitations	-	Bag
	323215	4K@30Hz	Male/Male	2 m	HDMI HIGH SPEED with ETHERNET	Yes	Bag
	323222	4K@30Hz	Male/Male	3 m		Yes	Bag
	323239	4K@30Hz	Male/Male	5 m		Yes	Bag
	323260	4K@30Hz	Male/Male	15 m		Yes	Bag
	308816	4K@30Hz	Male/Male	1 m	HDMI HIGH SPEED	-	Bag
	355308	4K@30Hz	Male/Male	1.5 m		-	Bag
	306119	4K@30Hz	Male/Male	1.8 m		-	Bag
	306126	4K@30Hz	Male/Male	3 m		-	Bag
	306133	4K@30Hz	Male/Male	5 m		-	Bag
	308434	4K@30Hz	Male/Male	15 m		-	Bag
	308441	1080p@60Hz	Male/Male	7.5 m	HDMI STANDARD	-	Bag
	323246	1080p@60Hz	Male/Male	10 m		Yes	Bag
	322539	1080p@60Hz	Male/Male	10 m		-	Bag



HDMI Cables for Any Application

Image	Barcode	Resolution /Hertz	Connection	Length	Description	Color	Packag-ing
	353595	8K@60Hz	DP Male/DP Male	1 m	DisplayPort 1.4, Braided	Black	Bag
	353618	8K@60Hz	DP Male/DP Male	2 m		Black	Bag
	353625	8K@60Hz	DP Male/DP Male	3 m		Black	Bag
	355568	8K@60Hz	DP Male/DP Male	1 m	DisplayPort 1.4	Black	Bag
	355575	8K@60Hz	DP Male/DP Male	2 m		Black	Bag
	355582	8K@60Hz	DP Male/DP Male	3 m		Black	Bag
	306935	4K@60Hz	DP Male/DP Male	1 m	DisplayPort 1.2	Black	Bag
	307116	4K@60Hz	DP Male/DP Male	2 m		Black	Bag
	354134	4K@60Hz	DP Male/DP Male	10 m		Black	Bag
	354844	8K@60Hz	USB-C Male/DP Male	1 m	USB-C to DisplayPort 1.4 Adapter Cable	Black	Bag
	354851	8K@60Hz	USB-C Male/DP Male	2 m		Black	Bag
	152464	4K@60Hz	USB-C Male/DP Male	2 m		Black	Bag
	153195	4K@60Hz	DP Male/HDMI Male	1 m	DisplayPort 1.2 to HDMI Adapter Cable	Black	Bag
	153201	4K@60Hz	DP Male/HDMI Male	1.8 m		Black	Bag
	152662	1080p@60Hz	DP Male/HDMI Male	1 m	DisplayPort 1.1 to HDMI Adapter Cable	Black	Bag
	152679	1080p@60Hz	DP Male/HDMI Male	1.8 m		Black	Bag
	152150	1080p@60Hz	Mini DP Male/DVI-D 24+1 Male	1.8 m	Mini DisplayPort 1.2a to DVI Adapter Cable	Black	Bag

DVI Cables

Image	Barcode	Resolution	Connection	Length	Description	Color	Packaging
	322782	1080p@60Hz	HDMI Male/ DVI-D 24+1 Male	1 m	HDMI to DVI-D Dual Link Adapter Cable	Black	Bag
	372503	1080p@60Hz	HDMI Male/ DVI-D 24+1 Male	1.8 m		Black	Bag
	372510	1080p@60Hz	HDMI Male/ DVI-D 24+1 Male	3 m		Black	Bag


VGA Cables

Image	Barcode	Resolution	Connection	Length	Description	Color	Packaging
	304559	1080p@60Hz	HD15 Male/ 2 x HD15 Female	15 cm	SVGA Monitor Splitter Cable	Black	Bag
	311731	1080p@60Hz	HD15 Male/HD15 Male	1.8 m	SVGA Monitor Cable	Black	Bag

Audio Cables

Image	Barcode	Connection	Length	Description	Color	Packaging
	356022	3.5 mm Male/ Female	1 m	Stereo Audio Aux Extension Cable, Slim Design, Gold-plated Contacts, TRRS/4-pole	Black/ Silver	Bag
	356046	3.5 mm Male/ Female	3 m		Black/ Silver	Bag
	356060	Toslink S/PDIF Male/ Male	1 m	Toslink Digital Optical Audio Cable, Gold-plated Contacts, Immunity to EMI and RFI	Black	Bag
	356091	Toslink S/PDIF Male/ Male	5 m		Black	Bag
	356121	3.5 mm Female/ 2 x 3.5 mm Male	15 cm	Headset Adapter Cable, Splits Single Headset Plug into Micro-phone and Audio Plugs, CTIA	Black/ Silver	Bag






USB4 Type-C 40 Gbps 8K Video and 240 W EPR Charging Cable / PD 3.1

[356374] 1 m
[356381] 2 m

USB-C Male to USB-C Male, USB4 Gen 3x2, 8K@60Hz Single-Display / 4K@60Hz Dual-Display, Thunderbolt 4 Compatible, Power Delivery 3.1 Backward Compatible with 140/100/65 W





Future-proof connection "USB 4.0"
This Manhattan USB4 Type-C Charging Cable is your future-proof connection for high-power USB chargers and laptops to come. It is compliant with the latest USB Power Delivery standard 3.1, which introduced Extended Power Range (EPR). Cables and devices with EPR support power up to 240 watts (48 V / 5 A).

Superior wattage, backward compatible with older chargers
Such a superior wattage for USB-C has a lot of benefits: High-end devices like the latest 16" MacBook Pro® or a modern gaming laptop already take advantage of input power above 100 W, which they currently receive from a proprietary charging brick. Those bricks use custom DC tips that are not interchangeable between different brands. If you lose such a brick, it is frustrating and expensive to replace. The universal USB-C connector puts an end to that frustration, allowing Laptops from every manufacturer to be charged from any PD 3.1-compliant charger. This is also why a new EU regulation requires laptops to be chargeable via USB-C starting in 2026. PD 3.1 is backward compatible with PD 3.0, so you can still use your legacy chargers with 140, 100, 65 W or lower.

Ultra-Fast 40G data transfer and 8K single-display or 4K dual-display resolution
Transfer movies, music, or an entire photo library quickly with 40 Gbps data transfer speeds on this cable. If you use it for video (e.g., with your docking station) it delivers images in brilliant 8K (7680 x 4320) at rapid 60 Hz or 4K UHD at blazing fast 144Hz with Dynamic HDR10 for perfect contrast and colors.



Image	Bar-code	Transfer Speed	Connection	Length	Description	Color	Packag-ing
	355223	10 Gbps	C Male/C Male	1 m	USB 3.2 Gen 2 Cable, 100 W, 5 A, **recommended for laptop and docking station connectivity**	Black	Bag
	355964	10 Gbps	C Male/C Male	3 m	USB 3.2 Gen 2 Cable, 60 W, 3 A, **long-range, full 10G without signal loss, ideal for laptop docking stations**	Black	Bag
	355971	10 Gbps	C Male/C Male	5 m		Black	Bag
	354899	10 Gbps	C Male/C Male	0.5 m	USB 3.2 Gen 2 Cable, 60 W, 3 A, **ideal for PD chargers**	Black	Bag
	354905	5 Gbps	C Male/C Male	2 m	USB 3.2 Gen 1 Cable, 60 W, 3 A	Black	Bag
	356367	480 Mbps	C Male/C Male	1 m	USB 2.0 Cable **240 W, Extended Power Range (EPR), Power Delivery (PD) 3.1,** 5 A	Black	Retail Box
 NEW	357128	480 Mbps	C Male/C Male	1 m	**100 W**, 5 A	Black	Bag
	357142	10 Gbps	C Male/C Male	2 m		Black	Bag
	357135	480 Mbps	C Male/C Male	3 m		Black	Bag
 NEW	355810	-	C Male/2 x C Male	2 m	**Dual USB-C Charging Cable,** 100 W for single charging, and up to 70 W + 28 W for dual charging	Black	Retail Box
 NEW	357050	480 Mbps	C Male/C Male	20 cm	Short USB 2.0 Cable, Angled Plugs, 60 W, 3 A	Black	Bag
	357067	480 Mbps	C Male/C Male	20 cm	Short USB 2.0 Cable, One Plug Angled/One Straight, 60 W, 3 A	Black	Bag
	355247	480 Mbps	C Male/C Male	2 m	USB 2.0 Cable 100 W, 5 A	Black	Bag
	354868	480 Mbps	C Male/C Male	0.5 m	USB 2.0 Cable 60 W, 3 A	Black	Bag
	353342	480 Mbps	C Male/C Male	1 m		Black	Bag
	354875	480 Mbps	C Male/C Male	2 m		Black	Bag
	354882	480 Mbps	C Male/C Male	3 m		Black	Bag
	353540	5 Gbps	C Male/A Female	15 cm	USB 3.2 Gen 1 Cable	Blue	Bag

Image	Bar-code	Transfer Speed	Connection	Length	Description	Color	Packag-ing
	394826	Cat6 with 10/100/1000 Mbps	USB-C Male to Gigabit Ether-net Network Cable	2 m	USB to RJ45 Adapter Cable, FTP, Braided Jacket, Aluminum Boot	Black/ Silver	Retail Box
	353632	-	Surface Con-nect Male/C Male	1.8 m	Surface® Connect to USB-C Charging Cable, 15 V/3 A, charges your Microsoft® Surface® from a USB-C PD wall charger or powerbank	Black	Bag
	354974	5 Gbps	A Male/C Male	2 m	USB 3.2 Gen 1 Cable	Black	Bag
	354981	5 Gbps	A Male/C Male	3 m		Black	Bag
	354912	480 Mbps	A Male/C Male	0.5 m	USB 2.0 Cable	Black	Bag
	353298	480 Mbps	A Male/C Male	1 m		Black	Bag
	354929	480 Mbps	A Male/C Male	2 m		Black	Bag
	354936	480 Mbps	A Male/C Male	3 m		Black	Bag
	333405	480 Mbps	A Male/B Male	1.8 m	USB 2.0 Cable	Transl-ucent	Bag
	333368	480 Mbps	A Male/B Male	1.8 m		Black	Bag
	333382	480 Mbps	A Male/B Male	3 m		Black	Bag
	345408	480 Mbps	A Male/B Male	4.5 m		Transl-ucent	Bag
	323987	480 Mbps	A Male/Micro-B Male	1 m	USB 2.0 Cable	White	Bag
	324069	480 Mbps	A Male/Micro-B Male	1.8 m		White	Bag
	356329	5 Gbps	A Male/C Female + C Male/A Female	-	2-Piece Set: USB-C to USB-A & USB-A to USB-C Adapters	Black/ Space Gray	Retail Box
	354646	5 Gbps	C Male/A Female	-	USB 3.2 Gen 1 Type-C to Type-A Adapter	Black	Bag
	153980	10 Gbps	A Male/C Female	-	USB 3.2 Gen 2 Type-A to Type-C Adapter	Black	Bag

USB Extenders

Image	Barcode	Transfer Speed	Connection	Length	Description	Color	Packag-ing
	355230	10 Gbps	C Male/C Female	0.5 m	USB 3.2 Gen 2 Extension Cable, 100 W, 5 A **ideal as Extension Cable for Docking Stations**	Black	Bag
	322379	5 Gbps	A Male/A Female	2 m	USB 3.2 Gen 1 Extension Cable	Blue	Bag

Image	Barcode	Transfer Speed	Connection	Length	Description	Color	Packaging
	150712	5 Gbps	A Male/A Female	5 m	USB 3.2 Gen 1 Active Extension Cable, built-in repeater extends 5 m without signal loss	Black	Retail Box
	308519	480 Mbps	A Male/A Female	1 m	USB 2.0 Extension Cable	Black	Bag
	338653	480 Mbps	A Male/A Female	1.8 m		Black	Bag
	519779	480 Mbps	A Male/A Female	5 m	USB 2.0 Active Extension Cable, Daisy-Chainable	Translucent	Retail Box
	150248	480 Mbps	A Male/A Female	10 m		Black	Retail Box
	150958	480 Mbps	A Male/A Female	20 m		Black	Retail Box

Serial Converters and HDD/SSD Accessories



USB to Serial Converter
[205153] Polybag
[205146] Retail Box
Connects One Serial Device to a USB Port, Prolific PL-2303 Chip, 45 cm



USB to Serial Converter
[151849] Connects One Serial Device to a USB Port, Prolific PL-2303 Chip, 1.8 m

NEW



USB-C to Serial DB9 / RS232 Adapter Cable
[154499] Connects One Serial Device to a USB-C Port, PL2303 Chip, 1 m



USB to Serial Converter
[151856] Connects One Serial Device to a USB Port, FTDI FT232 Chip, 45 cm



USB 3.0 Type-A to SATA 2.5" Adapter
[130424] 5 Gbps SuperSpeed USB (USB 3.2 Gen 1)



M.2 NVMe SSD Enclosure
[130530] USB 3.2 Gen 2, USB-C Female Connection, UASP-compliant, Aluminum

Model #	Connection	Scan Light	Scan Range	Scan Width/ Scan Depth	Ambient Light in lux	1D/ 2D	Special Feature
178488	Wired USB	CCD	Contact	60 mm Scan Width	5,000	1D	
401517	Wired USB	CCD	Contact	80 mm Scan Width	3,000	1D	
177672	Wired USB	CCD	Long Range	500 mm Scan Depth	10,000	1D	
460835	Wired USB	CCD	Long Range	500 mm Scan Depth	30,000	1D	
178433	Wired USB	CCD	Long Range	500 mm Scan Depth	100,000	1D	IP54-rating
178495	Wireless	CCD	Long Range	500 mm Scan Depth	100,000	1D	
153997	Wired USB	LED	Medium Range	320 mm Scan Depth	100,000	1D & 2D	
154116	Wired USB	LED	Long Range	450 mm Scan Depth	100,000	1D & 2D	IP52-rating
179768	Wireless	CCD	Medium Range	250 mm Scan Depth	100,000	1D & 2D	IP42-rating
154185	Wireless	LED	Long Range	450 mm Scan Depth	100,000	1D & 2D	IP52-rating

Supported 1D barcodes: *(varying per model, please check the product pages)*
UPC/EAN/JAN, UCC/EAN128, Code 39, Code 39 Full ASCII, Code 32/ Italian Pharmacy, Code 128, Codabar/NW7, Interleaved 25, Industrial 25, Matrix25, MSI/PLESSEY, Telepen, Code 93, Code 11, China Postage, Code26, LCD25, GS1 DataBar, ISSN

Supported 2D barcodes: *(varying per model, please check the product pages)*
Aztec, Data Matrix, PDF 417, Micro PDF 417, QR Code, Micro QR Code, GM Code, Han Xin, MaxiCode, Dotcode, GridMatrix, OCR-B



Contact CCD Barcode Scanner
[401517] 80 mm Scan Width, Wired USB, 1D, 3K Lux



Contact CCD Barcode Scanner
[178488] 60 mm Scan Width, Wired USB, 1D, 5K Lux



Long Range CCD Barcode Scanner
[177672] 500 mm Scan Depth, Wired USB, 1D, 10K Lux



Long Range CCD Barcode Scanner
[460835] 500 mm Scan Depth, Wired USB, 1D, 30K Lux

Ideal for dusty environments



Linear CCD Barcode Scanner
[178433] 500 mm Scan Depth, Wired USB, 1D, 100K Lux, Rugged IP54-rated Housing



Wireless Linear CCD Barcode Scanner
[178495] 500 mm Scan Depth, Wireless Range up to 80 m, 1D, 100K Lux



2D LED Barcode Scanner

[153997] 320 mm Scan Depth, Wired USB, 1D/2D, 100K Lux



Ideal for dusty environments

2D Long Range LED Barcode Scanner

[154116] 450 mm Scan Depth, Wired USB, 1D/2D, 100K Lux, Rugged IP52-rated Housing



Ideal for dusty environments

Wireless 2D CCD Barcode Scanner

[179768] 250 mm Scan Depth, Wireless Range up to 80 m, 1D/2D, 100K Lux, Rugged IP42-rated Housing



Ideal for dusty environments

Wireless 2D Long Range LED Barcode Scanner

[154185] 450 mm Scan Depth, Wireless 4.2 and 2.4 GHz with USB-A Nano Dongle, 1D/2D, 100K Lux, Rugged IP52-rated Housing



Barcode Scanner Stand

[460842] Gooseneck with Base, Compatible with models 460835, and 401517



Barcode Scanner Stand

[154192] Compatible with models 153997, 154116, and 154185

Barcode	Supported Displays	Supported Size	Supported Weight (per display)	Tilt	Swivel	Rotation	Note	Mount Style	Main Material
461658	3	13″ to 27″	7 kg	±90°	±90°	±180°	Double-Jointed Arm	Desk	Steel
462662	1	13" to 32"	30 kg	±20°	±30°	-	Single-Stud Bracket	Wall	Steel
461542	1	13″ to 32″	8 kg	±45°	±90°	360°	Double-Jointed Arm	Desk	Steel
461528	2	13″ to 32″	8 kg	±45°	±90°	180°	Double-Jointed Arm	Desk	Steel
461559	2	13″ to 32″	8 kg	±45°	±90°	180°	Double-Jointed Arm	Stand	Steel
461566	4	13″ to 32″	8 kg	±45°	±90°	±180°	Double-Jointed Arm	Desk	Steel
462464 NEW	1	13" to 50"	20 kg	+30°	-	-	TV Cart	Cart	Steel
462037	1	17″ to 32″	7 kg	±10°	±45°	±90°	-	Stand	Steel
462495	1	17″ to 32″	9 kg	+90° to -45°	±90°	360°	Gas Spring, Double-Jointed Arm	Desk	Aluminum
461603	1	17″ to 32″	8 kg	±35°	±90°	±180°	Gas Spring, Single-Jointed Arm	Wall	Steel
461580	1	17″ to 32″	8 kg	±35°	±90°	±180°	Gas Spring, Double-Jointed Arm	Desk	Steel
461610	1	17″ to 32″	8 kg	±35°	±90°	±180°	Gas Spring, Double-Jointed Arm	Wall	Steel
461597	2	17″ to 32″	8 kg	±35°	±90°	±180°	Gas Spring, Double-Jointed Arm	Desk	Steel
462501	2	17″ to 32″	9 kg	+90° to -45°	±90°	360°	Gas Spring, Double-Jointed Arm	Desk	Aluminum
461887	2	17″ to 32″	9 kg	±45°	±90°	360°	Integrated 8-in-1 Docking Station	Desk	Aluminum
461627	2	17″ to 32″	8 kg	±35°	±90°	±180°	Gas Spring, Double-Jointed Arm	Wall	Steel
461399	1	13″ to 43″	20 kg	+5° to -12°	±90°	-	Single-Jointed Arm	Wall	Steel
461405	1	13″ to 43″	20 kg	+5° to -12°	±45°	-	Double-Jointed Arm	Wall	Steel
462587	2	17" to 45"	20 kg	+50° to -20°	180°	360°	Mechanical Spring	Desk	Aluminum
462570	1	17" to 49"	20 kg	+50° to -20°	180°	360°	Mechanical Spring	Desk	Aluminum
462594	1	17" to 57"	27 kg	+60° to -20°	180°	360°	Gas Spring, USB Ports	Desk	Aluminum
462624	1	32″ to 55″	30 kg	+3° to -10°	±90°	-	Double-Jointed Arm	Wall	Steel
462419	1	32″ to 55″	35 kg	+3° to -15°	±90°	-	±3° Level Adjustment	Wall	Steel
462266	1	32″ to 55″	45 kg	-	-	-	Ultra Slim	Wall	Steel
461252	1	32″ to 55″	50 kg	-20° to 10°	180°	-	-	Wall	Steel
462068	1	34″ to 55″	35 kg	±10°	-	-	TV Cart & Stand	Cart	Steel
462679	1	23" to 70"	40 kg	±45°	-	-	Very low height for stages	Cart	Steel
462433	1	32" to 70"	40 kg	+3° to -15°	±60°	-	±3° Level Adjustment	Wall	Steel
462396	1	32" to 70"	45 kg	-	-	-	Low-Profile	Wall	Steel
462402	1	32" to 70"	45 kg	0° to -8°	-	-	Low-Profile	Wall	Steel
462426	1	37″ to 70″	35 kg	+3° to -15°	±60°	-	±3° Level Adjustment	Wall	Steel
423625	1	37″ to 70″	50 kg	0° to -15°	360°	-	Height-Adjustable Ceiling Mount	Ceiling	Steel
462280	1	37" to 70"	45 kg	±12°	-	-	-	Wall	Steel
461986	1	37" to 70"	50 kg	-	-	-	Ultra Slim, Heavy-Duty	Wall	Steel
461283	1	37" to 70"	50 kg	-20 to +10°	±90°	-	-	Wall	Steel
461238	1	37″ to 70″	50 kg	±10°	-	-	Multimedia TV Cart	Cart	Steel
461245	1	37″ to 70″	50 kg	-12° to +5	-	-	Multimedia TV Cart	Cart	Aluminum
462716 NEW	1	37" to 70"	70 kg	-10° to 5°	-	-	Multimedia TV Cart	Cart	Steel
462440	1	37″ to 80″	40 kg	+3° to -15°	±60°	-	±3° Level Adjustment	Wall	Steel
462785 NEW	1	37" to 80"	70 kg	-	-	-	Adjustable Video Wall Mount	Wall	Steel
461481	1	37″ to 80″	80 kg	-10° to +5	-	-	Post-Leveling Adjustment	Wall	Steel
462051	1	37″ to 80″	50 kg	+5° to -25	±30°	-	Height-Adjustable Ceiling Mount	Ceiling	Steel
423830	1	37″ to 85″	75 kg	±10°	-	-	-	Wall	Steel
462327	1	37″ to 86″	50 kg	-10° to 5°	-	90°	Multimedia TV Cart	Cart	Aluminum
462693	1	37″ to 86″	70 kg	-12° to 5°	-	90°	Height Adjustment w/ Crank Handle	Cart	Steel
462143	1	37″ to 86″	80 kg	-10° to 5°	-	-	Outdoor	Wall	Steel
462150	1	37″ to 86″	80 kg	-20° to 10°	±60°	-	Outdoor	Wall	Steel
461290	1	37" to 90"	75 kg	±60°	-	-	±3° Level Adjustment	Wall	Steel
462334	1	37" to 100"	150 kg	-	-	-	Heavy-Duty Multimedia TV Cart	Cart	Steel
461863	1	43" to 90"	75 kg	+5° to -10°	±5°	-	Extension for easier Access	Wall	Steel
461948	1	43" to 100"	70 kg	-	-	-	Low-Profile	Wall	Steel
462020	1	43" to 100"	70 kg	+3° to -12°	-	-	Low-Profile	Wall	Steel
462778 NEW	1	45" to 70"	70 kg	+2° to -3°	-	90°	Full-Motion Video Wall Mount	Wall	Steel
462723 NEW	1	55" to 75"	65 kg	-	-	-	Tool-Free Lift & Lock Adjustment	Wall	Steel
462730 NEW	1	50" to 100"	80 kg	-	-	-	Tool-Free Lift & Lock Adjustment	Cart	Steel
462457 NEW	1	55" to 100"	120 kg	-10° to 5°	-	-	Motorized Multimedia TV Cart	Cart	Aluminum
461221	1	60" to 100"	80 kg	-15° to 5°	±45°	-	±3° level adjustment	Wall	Steel
462563	1	60" to 100"	80 kg	-10° to 5°	-	-	Multimedia TV Cart	Cart	Aluminum
461993	1	60" to 100"	100 kg	-	-	-	Ultra Slim	Wall	Steel
461672	1	60" to 100"	100 kg	-10 to 5°	-	-	Heavy-Duty TV Cart	Cart	Aluminum
461917	1	60" to 120"	120 kg	-	-	-	Low-Profile	Wall	Steel
461931	1	60" to 120"	120 kg	±10°	-	-	Low-Profile	Wall	Steel
462358	1	60" to 120"	120 kg	+5° to -15°	±60°	-	±5° Level Adjustment	Wall	Steel
462709	1	60" to 120"	120 kg	+5° to -10°	-	-	Height Adjustment w/ Crank Handle	Cart	Steel
462341	1	70" to 120"	140 kg	-10° to 5°	-	-	Heavy-Duty Multimedia TV Cart	Cart	Aluminum

Monitor Desk Stands and Mounts


Position your monitor(s) ergonomically above the desktop to increase work space, reduce eye strain and improve posture



Detachable VESA Plate

enables easy installation

Shown: 461658



Fully adjustable for optimized, ergonomic views

Built-in cable management to minimize clutter

Extended Arm and Free Rotated Double Joint

More Convenient to Adjust and Install

Individual Height Adjustment

helps monitors to be perfectly aligned



Display Mounts



Single Monitor Desktop Stand

[462037]

- Detachable VESA Plate Design: enables easy installation
- 360° Rotary VESA Plate: for more viewing experience
- Freely Adjusting Height: for an optimal ergonomic position
- Cable Management: keep everything organized
- Sturdy Steel Construction: provides a solid and long-lasting performance





Screen Size **17"-27"**

Weight Capacity **7kg**

VESA Compatible **75x75 100x100**

Tilt Range **+10°~-10°**

Swivel Range **+45°~-45°**

Screen Rotation **360°**

Cable Management



Dual Monitor Desktop Stand

[461559]

- Detachable VESA Plate Design: enables easy installation
- 360° Rotary VESA Plate: for more viewing experience
- Freely Adjusting Height: for an optimal ergonomic position
- Extended arm and free rotated double joint
- Cable Management: keep everything organized
- Sturdy Steel Construction: provides a solid and long-lasting performance

Screen Size **13"-32"**

Weight Capacity **8kg/17.6lbs**

VESA Compatible **75x75 100x100**

Tilt Range **+45°~-45°**

Swivel Range **+90°~-90°**

Screen Rotation **360°**

Cable Management



Clamp or grommet installation

Single Monitor Desk Mount

[461542]

- Detachable VESA Plate Design: enables easy installation
- Cable Management: keep everything organized
- 360° Rotary VESA Plate: for more viewing experience
- Extended arm and free rotated double joint
- Two Mounting Options: both desk clamp and grommet are included
- Freely Adjusting Height: for an optimal ergonomic position

Screen Size **13"-32"**

Weight Capacity **8kg/17.6lbs**


VESA Compatible **75x75 100x100**

Tilt Range **+45°~-45°**

Swivel Range **+90°~-90°**

Screen Rotation **360°**

Cable Management




- Detachable VESA Plate Design: enables easy installation
- Cable Management: keep everything organized
- 360° Rotary VESA Plate: for more viewing experience
- Extended arm and free rotated double joint
- Two Mounting Options: both desk clamp and grommet are included
- Freely Adjusting Height: for an optimal ergonomic position



Dual Monitor Desk Mount
[461528]

Screen Size	Weight Capacity	VESA Compatible	Tilt Range	Swivel Range	Screen Rotation	Cable Management
13"-32"	8kg/17.6lbs	75x75 100x100	+45°~-45°	+90°~-90°	360°	



- Detachable VESA Plate Design: enables easy installation
- Cable Management: keep everything organized
- 360° Rotary VESA Plate: for more viewing experience
- Extended arm and free rotated double joint
- Two Mounting Options: both desk clamp and grommet are included
- Freely Adjusting Height: for an optimal ergonomic position



Triple Monitor Desk Mount
[461658]

Screen Size	Weight Capacity	VESA Compatible	Tilt Range	Swivel Range	Screen Rotation	Cable Management
13"-32"	8kg/17.6lbs	75x75 100x100	+45°~-45°	+90°~-90°	360°	



- Detachable VESA Plate Design: enables easy installation
- Cable Management: keep everything organized
- 360° Rotary VESA Plate: for more viewing experience
- Extended arm and free rotated double joint
- Two Mounting Options: both desk clamp and grommet are included
- Freely Adjusting Height: for an optimal ergonomic position



Quad Monitor Desk Mount
[461566]

Screen Size	Weight Capacity	VESA Compatible	Tilt Range	Swivel Range	Screen Rotation	Cable Management
13"-32"	8kg/17.6lbs	75x75 100x100	+45°~-45°	+90°~-90°	360°	

Display Mounts

Spring-Assisted Monitor Mounts

Light-touch full-motion adjustment for the best ergonomic viewing angle




High-Quality Aluminum Construction




Desk clamp and grommet hole mounting options firmly hold your monitor.



Quick-Release VESA Plate
for easy installation



Adjustable Gas Pressure
accommodates smooth adjustment for different weight of monitors.




Cable Management
Creates a clutter-free desktop.

For product features, downloads and technical specifications, visit manhattanproducts.eu

Highly Flexible Monitor Mounts





- Gas spring perfectly counterbalances the weight of your screen to help effortless adjustment for viewing comfort
- Swiveling Arm(s): offer(s) maximum viewing flexibility
- Lightweight Aluminum Construction: provides a sleek, lighter, and elegant look
- Detachable VESA Plate Design: enables easy installation
- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Cable Management: keep everything organized
- 360° Rotary VESA Plate: for more viewing experience



Aluminum Gas Spring Single Monitor Desk Mount

[461580]

Screen Size	VESA Compatible	Screen Rotation	Tilt Range	Swivel Range	Weight Capacity	Cable Management
17"-32"	75x75 100x100	360°	+35°~-35°	+90°~-90°	1-9kg/2.2-19.8lbs	



- Articulating double-link swing arm to support one 17" to 32" LED/LCD monitor up to 9 kg (19.8 lbs.)
- Optimized views with +90 to -45° tilt, 180° swivel and 158 to 406 mm (6.2 to 16 in.) height adjustment
- Gas spring for light-touch viewing adjustment
- Supports 360° rotation for landscape or portrait display orientation
- Mounting options: C-clamp at the edge of a desk (for surfaces 10 to 85 mm [0.4 to 3.4 in.] thick) or grommet mounting through a drilled hole (for grommets 10 to 85 mm [0.4 to 3.4 in.] wide)




Aluminum Gas Spring Single Monitor Desk Mount

[462495]

Screen Size	VESA Compatible	Screen Rotation	Tilt Range	Swivel Range	Weight Capacity	Cable Management
17"-32"	75x75 100x100	360°	+90°~-45°	+90°~-90°	1-9kg/2.2-19.8lbs	

manhattan
Life just got easier.




Heavy-Duty Aluminum Mechanical Spring Single Monitor Desk Mount

[462570]



- Articulating swing arm to support one 17" to 49" flat or curved monitor from 2 to 20 kg
- Optimized views with +50 to -20° tilt, 180° swivel and 232 to 508 mm height adjustment
- Mechanical spring for light-touch viewing adjustment
- Ideal for 21:9 and 32:9 ultrawide monitors, enhancing productivity, gaming, and multimedia
- Quick-release VESA-plate design to easily hook and mount your display

Screen Size	Weight Capacity	VESA Compatible	Tilt Range	Swivel Range	Screen Rotation	Cable Management
17"-49"	2-20 kg	75x75-200x200	+50~-20	180°	360°	




Ultra Heavy-Duty Aluminum Gas Spring Single Monitor Desk Mount with USB Ports

[462594]



- Articulating double-link swing arm to support one 17" to 57" monitor; flat up to 27 kg or curved up to 22 kg
- Optimized views with +60 to -20° tilt, 180° swivel and 325 to 655 mm height adjustment
- Gas spring for light-touch viewing adjustment
- Ideal for 21:9 and 32:9 ultrawide monitors, enhancing productivity, gaming, and multimedia
- USB-C and USB-A cable passthrough ports built into the base for convenient access and reduced clutter on your desk
- USB-C and USB-A cable passthrough ports built into the base for convenient access and reduced clutter on your desk

Screen Size	Weight Capacity	VESA Compatible	Tilt Range	Swivel Range	Screen Rotation	Cable Management
17"-57"	2-27 kg	75x75-200x200	+60~-20	180°	360°	



- Gas spring perfectly counterbalances the weight of your screen to help effortless adjustment for viewing comfort
- Swiveling Arm(s): offer(s) maximum viewing flexibility
- Lightweight Aluminum Construction: provides a sleek, lighter, and elegant look
- Detachable VESA Plate Design: enables easy installation
- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Cable Management: keep everything organized
- 360° Rotary VESA Plate: for more viewing experience



Aluminum Gas Spring Dual Monitor Desk Mount, Height-Adjustable

[461597]

Screen Size	VESA Compatible	Screen Rotation	Tilt Range	Swivel Range	Weight Capacity	Cable Management
17"-32 "	75x75 100x100	360°	+35°~-35°	+90°~-90°	1-9kg/2.2-19.8lbs (x2)	




- Articulating double-link swing arms to support two 17" to 32" LED/LCD monitors up to 9 kg (19.8 lbs.)
- Optimized views with +90/-45° tilt, 180° swivel and 158 to 406 mm (6.2 to 16 in.) height adjustment
- Gas spring for light-touch viewing adjustment
- Supports 360° rotation for landscape or portrait display orientation
- Built-in tension adjustment to suit the weight of your monitor
- Durable aluminum construction
- Built-in cable management to minimize clutter



Aluminum Gas Spring Dual Monitor Desk Mount

[462501]

Screen Size	VESA Compatible	Screen Rotation	Tilt Range	Swivel Range	Weight Capacity	Cable Management
17"-32 "	75x75 100x100	360°	+90°~-45°	+90°~-90°	2-9kg/4.4-19.8lbs (x2)	



Heavy-Duty Aluminum Mechanical Spring Dual Monitor Desk Mount

[462587]



- Articulating swing arms to support two 17" to 45" flat or curved monitors up to 20 kg per arm
- Optimized views with +50 to -20° tilt, 180° swivel and 232 to 508 mm height adjustment
- Mechanical spring for light-touch viewing adjustment
- Ideal for 21:9 and 32:9 ultrawide monitors, enhancing productivity, gaming, and multimedia
- Quick-release VESA-plate design to easily hook and mount your display

Screen Size	Weight Capacity	VESA Compatible	Tilt Range	Swivel Range	Screen Rotation	Cable Management
17"-45"	2-20 kg per Arm	75x75-100x100	+50~-20	180°	360°	



- Articulating double-link swing arms to support two 17" to 32" monitors up to 9 kg (19.8 lbs.) each
- Optimized views with +45/-45° tilt, 180° swivel and 210 to 490 mm (8.3 to 19.3 in.) height adjustment
- Two HDMI ports with resolutions on single-video output up to 4K@60Hz or dual-video output up to 4K@30Hz
- One Gigabit Ethernet (10/100/1000) port for faster downloads, media streaming and gaming
- Supports 100 W USB Power Delivery (PD) input with up to 87 W output power; requires an external PD charger - available from Manhattan
- Three USB 3.2 Gen 1 (formerly USB 3.0) Type-A ports with SuperSpeed transfer rates up to 5 Gbps and charging up to 4.5 W (5 V / 0.9 A)



Aluminum Gas Spring Dual Monitor Desk Mount with 8-in-1 Docking Station

[461887]

Screen Size	VESA Compatible	Screen Rotation	Tilt Range	Swivel Range	Weight Capacity	Cable Management
17"-32 "	75x75 100x100	360°	+45°~-45°	+90°~-90°	1-9kg/2.2-19.8lbs (x2)	



- Gas spring perfectly counterbalances the weight of your screen to help effortless adjustment for viewing comfort
- Swiveling Arm(s): offer(s) maximum viewing flexibility
- Lightweight Aluminum Construction: provides a sleek, lighter, and elegant look
- Detachable VESA Plate Design: enables easy installation
- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Cable Management: keep everything organized
- 360° Rotary VESA Plate: for more viewing experience



Aluminum Gas Spring Single Monitor Wall Mount

[461603]

Screen Size	Tilt Range	Swivel Range	Weight Capacity	Screen Rotation	VESA Compatible	Cable Management
17"-32"	+35°~-35°	+90°~-90°	1-9kg/2.2-19.8lbs	+180°~-180°	75x75 100x100	




- Gas spring perfectly counterbalances the weight of your screen to help effortless adjustment for viewing comfort
- Swiveling Arm(s): offer(s) maximum viewing flexibility
- Lightweight Aluminum Construction: provides a sleek, lighter, and elegant look
- Detachable VESA Plate Design: enables easy installation
- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Cable Management: keep everything organized
- 360° Rotary VESA Plate: for more viewing experience




Aluminum Gas Spring Single Monitor Wall Mount with Jointed Arm

[461610]

Screen Size	Tilt Range	Swivel Range	Weight Capacity	Screen Rotation	VESA Compatible	Cable Management
17"-32"	+35°~-35°	+90°~-90°	1-9kg/2.2-19.8lbs	+180°~-180°	75x75 100x100	




- Gas spring perfectly counterbalances the weight of your screen to help effortless adjustment for viewing comfort
- Swiveling Arm(s): offer(s) maximum viewing flexibility
- Lightweight Aluminum Construction: provides a sleek, lighter, and elegant look
- Detachable VESA Plate Design: enables easy installation
- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Cable Management: keep everything organized
- 360° Rotary VESA Plate: for more viewing experience



Aluminum Gas Spring Dual Monitor Wall Mount

[461627]

Screen Size	Tilt Range	Swivel Range	Weight Capacity	Screen Rotation	VESA Compatible	Cable Management
17"-32"	+35°~-35°	+90°~-90°	1-9kg/2.2-19.8lbs (x2)	+180°~-180°	75x75 100x100	



- Supports one 32" to 55" TV up to 45 kg (100 lbs.)
- Holds TV only 27 mm (1 in.) from wall
- Heavy-duty steel construction with powder coating
- Includes attachable bubble level



Extends only 27 mm from the wall

Low-Profile Fixed TV Wall Mount
[462266]

Screen Size	Weight Capacity	Profile to Wall	VESA Compatible
32"-55"	45 kg	27 mm	75x75 to 400x400



- Supports one flat or curved 32" to 70" TV up to 45 kg (100 lbs.)
- Holds TV only 20 mm (0.8 in.) from wall for a nearly flush, close-to-the-wall installation that enhances the thin, modern TV silhouette
- Heavy-duty steel construction with powder coating



Extends only 20 mm from the wall

Low-Profile Fixed TV Wall Mount
[462396]

Screen Size	Weight Capacity	Profile to Wall	VESA Compatible
37"-70"	45 kg	20 mm	75x75 to 400x400



- Sturdy Steel Construction: provides a solid and long-lasting performance
- Automatically Click-in Spring Lock: helps TV brackets snap into place for added safety
- Lateral Shift Brackets: enable width adjustment and fast alignment
- Intuitive quick release cords: allow to remove TV from the mount easily and quickly
- Includes attachable bubble level



Extends only 25 mm from the wall

Heavy-Duty Low-Profile Fixed TV Wall Mount
[461986]

Screen Size	Weight Capacity	Profile to Wall	VESA Compatible
37"-70"	50 kg	25 mm	200x200 to 600x400



- Supports one flat or curved 43" to 100" TV up to 70 kg (154 lbs.)
- Holds TV only 29 mm (1.1 in.) from wall for a nearly flush, close-to-the-wall installation that enhances the thin, modern TV silhouette
- Heavy-duty construction with 2 mm thick reinforced steel and powder coating
- Includes attachable bubble level
- Snap-in spring locks with release cords for easy installation or removal and additional safety




Low-Profile Fixed TV Wall Mount
[461948]

Screen Size	Weight Capacity	Profile to Wall	VESA Compatible
43"-100"	70 kg	29 mm	200x200 to 800x400



- Sturdy Steel Construction: provides a solid and long-lasting performance
- Automatically Click-in Spring Lock: helps TV brackets snap into place for added safety
- Lateral Shift Brackets: enable width adjustment and fast alignment
- Intuitive release cords
- Includes attachable bubble level



XL Heavy-Duty Low-Profile Fixed TV Wall Mount
[461993]

Screen Size	Weight Capacity	Profile to Wall	VESA Compatible
60"-100"	100 kg	32 mm	200x200 to 900x600



- Supports one flat or curved 60" to 120" TV up to 120 kg (264 lbs.)
- Holds TV only 35 mm (1.4 in.) from wall for a nearly flush, close-to-the-wall installation that enhances the thin, modern TV silhouette
- Ultra heavy-duty construction with 2 mm thick reinforced steel and powder coating
- Includes attachable bubble level
- Snap-in spring locks with release cords for easy installation or removal and additional safety



Heavy-Duty Low-Profile Large-Screen Fixed TV Wall Mount
[461917]

Screen Size	Weight Capacity	Profile to Wall	VESA Compatible
60"-120"	120 kg	35 mm	50x50 to 900x600




- Securely holds one flat-panel television from 32" to 70" and up to 45 kg (100 lbs.)
- Optimized views with 0° to -8° tilt adjustment
- Holds TV only 20 mm (0.8 in.) from wall for a nearly flush, close-to-the-wall installation that enhances the thin, modern TV silhouette
- Heavy-duty steel construction with powder coating

Low-Profile Tilting TV Wall Mount
[462402]



Extends only 20 mm from the wall

Screen Size	Weight Capacity	Tilt Range	Profile to Wall	VESA Compatible
32"-70"	45 kg	0°~8°	20 mm	75x75 to 400x400



- Supports one 37" to 70" TV up to 45 kg (100 lbs.)
- Optimized views with -12 to 12° tilt and tool-free adjustment
- Holds TV only 53 mm (2 in.) from wall
- Heavy-duty steel construction with powder coating
- Includes attachable bubble level

Tilting TV Wall Mount
[462280]



Extends only 53 mm from the wall

Screen Size	Weight Capacity	Tilt Range	Profile to Wall	VESA Compatible
37"-70"	45 kg	-12°~+12°	53 mm	200x200 to 600x400



- Sturdy Steel Construction: provides a solid and long-lasting performance
- Toolless Tilt: allows for effortless positoning
- Open Architecture: provides increased ventilation and easier access to wires
- Easy installation ideal for home, office and commercial applications



Heavy-Duty Tilting TV Wall Mount
[461481]

Screen Size	Weight Capacity	Tilt Range	Profile to Wall	Screen Level	VESA Compatible
37"-80"	80 kg	-10°~5°	53 mm	+3°~-3°	200x200 to 600x400



- Sturdy Steel Construction: provides a solid and long-lasting performance
- Easy-Grip Knobs: for quick tilt and lock
- Open Architecture: provides increased ventilation and easier access to wires
- Integrated Bubble Level: assures alignment


Heavy-Duty Tilting TV Wall Mount
[423830]



Screen Size	Weight Capacity	Tilt Range	VESA Compatible
37"-85"	75 kg	-10°~10°	200x200 to 600x400




- Supports one flat or curved 43" to 90" TV up to 75 kg (165 lbs.)
- Optimized views with +5 to -10° tool-free tilt, +/-5° swivel, and +/-6 mm post-installation leveling adjustment
- Heavy-duty construction with 2 mm thick reinforced steel and powder coating
- Includes attachable bubble level



Anti-Theft Tilting TV Wall Mount with Extension
[461863]

Screen Size	Weight Capacity	Tilt Range	VESA Compatible
43"-90"	75 kg	+5°~-10°	200x200 to 800x400



- Supports one flat or curved 43" to 100" TV up to 70 kg (154 lbs.)
- Optimized views with +3 to -12° tilt and tool-free adjustment
- Heavy-duty construction with 2 mm thick reinforced steel and powder coating
- Includes attachable bubble level
- Holds TV 49 mm (1.9 in.) from wall



Low-Profile Tilting TV Wall Mount
[462020]

Screen Size	Weight Capacity	Tilt Range	VESA Compatible
43"-100"	70 kg	+3°~-12°	200x200 to 800x400



- Supports one flat or curved 60" to 120" TV up to 120 kg (264 lbs.)
- Optimized views with +10° to -10° tilt and tool-free adjustment
- Ultra heavy-duty construction with 2 mm thick reinforced steel and powder coating
- Includes attachable bubble level
- Holds TV 80 mm (3.15 in.) from wall



Heavy-Duty Large-Screen Tilting TV Wall Mount
[461931]

Screen Size	Weight Capacity	Tilt Range	Profile to Wall	VESA Compatible
60"-120"	120 kg	+10°~-10°	80 mm	50x50 to 900x600




- Affordable wall bracket to support one flat 13" to 32" TV up to 30 kg
- Optimized views with +/-20 tilt and +/-30° swivel
- Holds TV 90 mm from wall
- Compatible with smaller displays and 50x50 VESA, making it also ideal for use as a monitor wall mount
- Quick, single-stud installation



Pivoting TV Wall Mount with Tilt and Swivel

[462662]

Screen Size	Weight Capacity	Tilt Range	Swivel Range	VESA Compatible
13"-32"	30 kg	+20°~-20°	+30°~-30°	50x50, 75x75, 100x100



- Articulating double-link swing arm to support one flat or curved 23" to 55" TV up to 30 kg
- Optimized views with +3 to -10° tilt and +/-90° swivel
- Flexible extension arm saves space when the TV is not in use and is perfect for corner installations
- Compatible with smaller displays and 100x100 VESA, making it ideal for use as a monitor wall mount
- Cable management with attachable clip to minimize clutter




Full Motion TV Wall Mount with Articulating Arm

[462624]

Screen Size	Weight Capacity	Tilt Range	Swivel Range	VESA Compatible
23"-55"	30 kg	+3°~-10°	+90°~-90°	100x100 to 400x400



- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Built-In Level Adjustment: ensures perfect positioning
- Direction Indicator: assures correct installation
- Swiveling Arm(s): offer(s) maximum viewing flexibility
- Sturdy Steel Construction: provides a solid and long-lasting performance
- Cable Management: keep everything organized
- Detachable VESA Plate Design: enables easy installation



Full-Motion Display Wall Mount

[461399] Single-Link Swing Arm
[461405] Double-Link Swing Arm

Screen Size	Weight Capacity	Tilt Range	Swivel Range	Screen Level	Cable Management	VESA Compatible
13"-42"	20 kg	+5°~-12°	+90°~-90°	+3°~-3°		75x75, 100x100, 200x100, 200x200



- Supports one flat or curved 32" to 55" TV up to 35 kg (77 lbs.)
- Optimized views with +3 to -15° tilt, +/-90° swivel and +/-3° post-installation leveling adjustment
- Holds TV 63 to 358 mm (2.5 to 14.1 in.) from wall
- Heavy-duty steel construction with powder coating
- Includes attachable bubble level
- Built-in cable management to minimize clutter



Full-Motion TV Wall Mount with Post-Leveling Adjustment

[462419]

Screen Size	Weight Capacity	Tilt Range	Swivel Range	Screen Level	Cable Management	VESA Compatible
32"-55"	35 kg	+3°~-15°	+90°~-90°	+3°~-3°		100x100 to 400x400



- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Swiveling Arm(s): offer(s) maximum viewing flexibility
- Sturdy Steel Construction: provides a solid and long-lasting performance
- Built-In Level Adjustment: ensures perfect positioning



Full-Motion TV Wall Mount

[461252]

Screen Size	Weight Capacity	Tilt Range	Swivel Range	Screen Level	Cable Management	VESA Compatible
32"-55"	50 kg	+10°~-20°	+90°~-90°	+3°~-3°		200x200, 300x300, 400x200, 400x400




- Supports one flat or curved 37" to 70" TV up to 35 kg (77 lbs.)
- Optimized views with +3 to -15° tilt, +/-60° swivel and +/-3° post-installation leveling adjustment
- Holds TV 63 to 358 mm (2.5 to 14.1 in.) from wall



Full-Motion TV Wall Mount with Post-Leveling Adjustment

[462426]

Screen Size	Weight Capacity	Tilt Range	Swivel Range	Screen Level	Cable Management	VESA Compatible
37"-70"	35 kg	+3°~-15°	+60°~-60°	+3°~-3°		100x100 to 600x400



- Supports one flat or curved 32" to 70" TV up to 40 kg (88 lbs.)
- Optimized views with +3 to -15° tilt, +/-60° swivel and +/-3° post-installation leveling adjustment
- Holds TV 67 to 355 mm (2.6 to 14 in.) from wall




Full-Motion TV Wall Mount with Post-Leveling Adjustment

[462433]

Screen Size	Weight Capacity	Tilt Range	Swivel Range	Screen Level	Profile to Wall	Cable Management	VESA Compatible
37"-70"	40 kg	+3°~-15°	+60°~-60°	+3°~-3°	67 to 355 mm		100x100 to 400x400




- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Swiveling Arm(s): offer(s) maximum viewing flexibility
- Built-In Level Adjustment: ensures perfect positioning
- Sturdy Steel Construction: provides a solid and long-lasting performance




Full-Motion TV Wall Mount

[461283]

Screen Size	Weight Capacity	Tilt Range	Swivel Range	Screen Level	Cable Management	VESA Compatible
37"-70"	50 kg	+10°~-20°	+90°~-90°	+3°~-3°		200x200 to 600x400



- Supports one flat or curved 37" to 80" TV up to 40 kg (88 lbs.)
- Optimized views with +3 to -15° tilt, +/-60° swivel and +/-3° post-installation leveling adjustment
- Holds TV 67 to 355 mm (2.6 to 14 in.) from wall



Full-Motion TV Wall Mount with Post-Leveling Adjustment

[462440]

Screen Size	Weight Capacity	Tilt Range	Swivel Range	Screen Level	Cable Management	VESA Compatible
37"-80"	40 kg	+3°~-15°	+60°~-60°	+3°~-3°		100x100 to 600x400

Outdoor TV Wall Mounts

Built for outdoor durability with electroplating, extended powder coating, and stainless-steel hardware





- Weatherproof design resists corrosion, rain, and humidity, even in coastal conditions
- Supports one flat or curved 37" to 86" TV up to 80 kg
- Optimized views with +5 to -10° tilt and +/-5 mm post-installation leveling adjustment
- Anti-theft locking option secures the TV to the mount - ideal for outdoors and digital signage (requires padlock, not included)



Outdoor Anti-Theft Tilting TV Wall Mount

[462143]

Screen Size	Weight Capacity	Tilt Range	Profile to Wall	Screen Level	VESA Compatible
37"-86"	80 kg	+5°~-10°	54 mm	+5°~-5 mm	200x200 to 600x400



- Weatherproof design resists corrosion, rain, and humidity, even in coastal conditions
- Supports one flat or curved 37" to 86" TV up to 50 kg
- Optimized views with +10 to -20° tilt, +/-60° swivel and +/-3° post-installation leveling adjustment
- High-quality, cold-rolled steel with thickness up to 2.5 mm



Outdoor Full-Motion TV Wall Mount

[462150]


Screen Size	Weight Capacity	Tilt Range	Swivel Range	Profile to Wall	Screen Level	VESA Compatible
37"-86"	50 kg	+10°~-20°	+60°~-60°	64 to 510 mm	+3°~-3°	200x200 to 600x400



- Quick-Release Latch: locks/unlocks the display in place
- Swiveling Arm(s): offer(s) maximum viewing flexibility
- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Sturdy Steel Construction: provides a solid and long-lasting performance
- Built-In Level Adjustment: ensures perfect positioning
- Cable Management: keep everything organized




Heavy-Duty Full-Motion TV Wall Mount
[461290]




Screen Size 37"-90" | Weight Capacity 75 kg | Tilt Range +5°~-15° | Swivel Range +60°~-60° | Screen Level +3°~-3° | Cable Management | VESA Compatible 200x200 to 800x400



- Easy installation ideal for home, office and commercial applications
- Swiveling Arm(s): offer(s) maximum viewing flexibility
- Sturdy Steel Construction: provides a solid and long-lasting performance
- Built-In Level Adjustment: ensures perfect positioning
- Cable Management: keep everything organized
- Keyhole Pattern: allows for easy installation




Heavy-Duty Full-Motion TV Wall Mount
[461221]



Screen Size 60"-100" | Weight Capacity 80 kg | Tilt Range +5°~-15° | Swivel Range +45°~-45° | Screen Level +3°~-3° | Cable Management | VESA Compatible 200x200 to 900 x600



- Supports one flat or curved 60" to 120" TV up to 120 kg (264 lbs.)
- Optimized views with +5 to -15° tilt and +/-60° swivel
- Fine-tuned TV alignment with +/-5° post-leveling adjustment
- includes attachable bubble level
- Holds TV 75 to 703 mm (3 to 27.7 in.) from wall



Heavy-Duty Large-Screen Full-Motion TV Wall Mount
[462358]



Screen Size 60"-120" | Weight Capacity 120 kg | Tilt Range +5°~-15° | Swivel Range +60°~-60° | Screen Level +5°~-5° | Profile to Wall 75 to 703 mm | Cable Management | VESA Compatible 200x200 to 900x600

manhattan Life just got easier.



Universal Aluminum LCD Full-Motion Wall Mount,
[461306]


- Supports one flat or curved 60" to 120" TV up to 120 kg (264 lbs.)
- Optimized views with +5 to -15° tilt and +/-60° swivel
- Fine-tuned TV alignment with +/-5° post-leveling adjustment
- includes attachable bubble level
- Holds TV 75 to 703 mm (3 to 27.7 in.) from wall





Screen Size 32"-55" | Weight Capacity 50 kg | Tilt Range +5°~-15° | Swivel Range +60°~-60° | Screen Level +2.5°~-2.5° | Profile to Wall up to 635 mm | Cable Management | VESA Compatible 200x200 to 400x400


NEW



Full-Motion Video Wall Mount with Pop-Out Design
[462778]


- Supports one flat 45" to 70" TV up to 70 kg (154 lbs.) for integration into a professional video wall installation
- Rotary knobs for tool-free, seamless display alignment with -3 to 2° tilt, 13 mm height, and 13.5 mm depth adjustment
- Anti-theft locking option, great for digital signage (requires padlock, not included)
- Adjustable wall distance from 120 to 325 mm (4.7 to 12.8 in.)





Screen Size 45"-70" | Weight Capacity 70 kg | Seamless Tilt Alignment +2°~-3° | Profile to Wall 120 to 325 mm | Cable Management | VESA Compatible 200x200 to 600x400


NEW



Adjustable Video Wall Mount with Pop-Out Design
[462785]

- Supports one flat 37" to 80" TV up to 70 kg (154 lbs.) for integration into a professional video wall installation
- Seamless display alignment with micro height and depth adjustments, plus lateral shift brackets for side-to-side positioning (X, Y, and Z axis)
- Anti-theft locking option, great for digital signage (requires padlock, not included)
- Adjustable wall distance from 78 to 220 mm (3 to 8.7 in.)





Screen Size 37"-80" | Weight Capacity 70 kg | Post-installation Leveling +3°~-3° | Profile to Wall 78 to 220 mm | Cable Management | VESA Compatible 200x200 to 800x400



Full-Motion Telescopic TV Ceiling Mount
[423625]


- Telescoping Height Adjustment: for the optimal viewing height
- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- 360° Rotation Around the Pole: provides optimal viewing
- Sturdy Steel Construction: provides a solid and long-lasting performance
- Cable Management: keep everything organized





Screen Size
37"-70"




Weight Capacity
50 kg



Tilt Range
0°~-15°


Swivel Range
360°


Height Adjustable
1050-1560 mm


Anti-Theft


Cable
Management


VESA Compatible
200x200 to 800x400



Full-Motion Height-Adjustable TV Ceiling Mount
[462051]


- Supports one flat 37" to 80" TV up to 50 kg (110 lbs.)
- Optimized views with +5 to -25° tilt and +/-30° swivel
- Ceiling plate with +/- 60° adjustment to suit sloped and flat ceilings
- Telescopic extension pole from 707 to 1577 mm (28 to 62 in.)
- Internal cable management for a clutter-free appearance





Screen Size
37"-80"





Weight Capacity
50 kg


Tilt Range
5°~-25°


Swivel Range
+30° – -30°


Height Adjustable
707-1577 mm



Cable
Management


VESA Compatible
200x200 to 600x400






Ultra Slim TV Floor Standing Mount
[462044]





Toolless Tilting
for effortless positioning and optimal viewing experience

Magnetic Pull Straps
easy to hide when not used



Integrated Cable Management
keeps everything organized

Soft EVA Foam Pads
avoid scratches or damage to walls



Safety Kits Included
attach the stand to the wall to prevent accidental tipping




Angled Design
fits over baseboards while providing increased stability


Screen Size
32"-70"





Weight Capacity
40 kg


Tilt Range
+3°~-10°


Height Adjustable
1057, 1115 & 1173 mm


Spring
Lock


Cable
Management


VESA Compatible
200x200 to 400x400





Compact Height-Adjustable TV Cart
[462679]

Screen Size
23"-70"

Weight Capacity
40 kg

Tilt Range
+45°~-45°

Height Adjustable
580 to 880 mm

VESA Compatible
200x200 to 600x400

- Space-saving TV cart/trolley for one 23" to 70" TV up to 40 kg
- Low-to-ground profile ideal for presenter notes on stages, in classrooms, and at panel discussions
- Tool-free height-adjustment to seven levels: 580, 630, 680, 730, 780, 830, and 880 mm
- Optimized views with 45° tilt and tool-free adjustment
- Four lockable casters with highly durable polyurethane tread to support heavy weights and swift maneuverability

Low height ideal for stages and presenter notes
















Compact Height-Adjustable TV Cart / Stand
[462068]

Screen Size
34"-55"

Weight Capacity
35 kg

Tilt Range
+10°~-10°

Height Adjustable
862, 916, 970 & 1024 mm

Cable Management

VESA Compatible
200x200 to 400x400

- Compact TV cart/trolley for one 34" to 55" TV up to 35 kg (77 lbs.)
- Optimized views with +/-10° tilt and tool-free adjustment
- Height-adjustable to four levels: 862, 916, 970 and 1024 mm (34, 36.1, 38.2 and 40.3 in.)
- Internal cable management for a clutter-free appearance
- Includes four casters and four rubber feet for use as trolley or stand









Ideal for residential, office, hospitality, classroom and conference room, and other commercial applications

NEW



Economy Compact Height-Adjustable TV Cart

[462464]

Screen Size
13"-50"

Weight Capacity
20 kg

Tilt Range
+30°~0°

Height Adjustable
1080, 1120, 1160, 1200, 1240 & 1280 mm

Cable Management

VESA Compatible
75x75 to 200x200

- Compact, lightweight TV stand/trolley for one flat or curved 13" to 50" TV up to 20 kg (44 lbs.)
- Optimized views with 0 to +30° tilt, height adjustment, and 180° rotation
- Height-adjustable to six levels: 1080/1120/1160/1200/1240/1280 mm (42.5/44.1/45.7/47.2/48.8/50.4 in.)
- Compatible with smaller displays and their 75x75 VESA, making it also ideal for use as a monitor mount







Ideal for small offices, compact meeting spaces, reception areas, trade shows, retail displays, or home use where space is limited

manhattan
Life just got easier.



Economy Height-Adjustable Multimedia TV Cart

[461238]

Screen Size
37"-70"

Weight Capacity
40 kg

Tilt Range
+10°~-10°

Height Adjustable
1290, 1370 or 1450 mm

VESA Compatible
200x200 to 600x400

- Height adjustable TV mount
- Heavy-Duty Casters: offer smooth mobility with quality that lasts a lifetime
- Height Adjustable Equipment Shelf: provides more storage space for accessories
- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Delivery-friendly retractable design
- Height adjustable camera shelf
- Sturdy Steel Construction: provides a solid and long-lasting performance











NEW



Economy Height-Adjustable Multimedia TV Cart


[462716]



Screen Size
37"-70"




Weight Capacity
70 kg



Tilt Range
+5°~-10°




Height Adjustable
1337, 1384, 1430 mm



VESA Compatible
100x100 to 600x400

- Budget-friendly, multifunctional TV stand/trolley for one 37" to 70" TV up to 70 kg (154 lbs.)
- Optimized views with -10 to 5° tilt and height adjustment
- Height-adjustable to three levels: 1337/1384/1430 mm (52.6/54.5/56.3 in.)
- Height-adjustable shelf for laptop/AV accessories with 400 x 230 mm (15.8 x 9.1 in.) space and a rated load of 5 kg (11 lbs.)
- Height-adjustable top-mount camera shelf with 255 x 140 mm (10 x 5.5 in.) space and a rated load of 5 kg (11 lbs.), ideal for video conferences









Display Mounts



Aluminum Height-Adjustable Multimedia TV Cart

[461245]



Screen Size
37"-70"



Weight Capacity
50 kg




Tilt Range
+5°~-12°



Height Adjustable
1200-1600 mm



Cable
Management



VESA Compatible
200x200 to 600x400

- Height adjustable TV mount
- Quick-Release Spring Lock: adjusts height effortlessly
- Lightweight Aluminum Construction: provides a sleek, lighter, and elegant look
- Cable Management: keep everything organized
- Free-Tilting Design: makes easy forward or backward adjustment for better viewing and reduced glare
- Quick Assembly Shelf: assures easy post-installation and height adjustable
- Heavy-Duty Casters: offer smooth mobility with quality that lasts a lifetime



For product features, downloads and technical specifications, visit manhattanproducts.eu



Aluminum Height-Adjustable Multimedia TV Cart

[462327]



Screen Size
37"-86"



Weight Capacity
50 kg




Tilt Range
+5°~-10°



Height Adjustable
1200 or 1600 mm



Screen Rotation
90°





VESA Compatible
200x200 to 600x400




Cable
Management

- Multifunctional TV cart/trolley for one 37" to 86" TV up to 50 kg (110 lbs.)
- Optimized views with -10 to 5° tilt and tool-free adjustment
- Supports 90° screen rotation for landscape or portrait display orientation
- Height-adjustable from 1200 to 1600 mm (47.2 to 63 in.)
- Height-adjustable shelf for laptop/AV accessories with 260 x 400 mm (10.2 x 15.7 in.) space and a rated load of 5 kg (11 lbs.)









Display Mounts



Ultra Heavy-Duty Height-Adjustable Multimedia TV Cart

[462334]




Screen Size
37"-100"



Weight Capacity
150 kg



Height Adjustable
1085, 1215, 1345, 1410
and 1475 mm



VESA Compatible
200x200 to 800x600

- Multifunctional TV cart/trolley for one 37" to 100" TV up to 150 kg (330 lbs.)
- Height-adjustable to five levels: 1085, 1215, 1345, 1410 and 1475 mm (42.7, 47.8, 53, 55.5 and 58.1 in.)
- Shelf for laptop/AV accessories with 490 x 625 mm (19.3 x 24.6 in.) space and a rated load of 20 kg (44 lbs.)
- Base also stores laptop/AV accessories with 570 x 1050 mm (19.3 x 24.6 in.) space
- Ultra heavy-duty construction with reinforced steel and powder coating





For product features, downloads and technical specifications, visit manhattanproducts.eu



Multimedia TV Cart with Tool-Free Height Adjustment

[462693]

Screen Size
37"-86"

Weight Capacity
70 kg

Tilt Range
+5°~-12°


Height Adjustable
1120 to 1570 mm

Screen Rotation
90°

VESA Compatible
200x200 to 600x400

- Multifunctional TV trolley for one 37" to 86" TV up to 70 kg
- Effortless height-adjustment from 1120 to 1570 mm with included crank handle
- Height-adjustable shelf for laptop/AV accessories with 410 x 340 mm space and a rated load of 5 kg
- Height-adjustable top-mount camera shelf with 285 x 150 mm space and a rated load of 5 kg
- Integrated pegboard with 328 x 240 mm space for mounting accessories like streaming devices or power strips

Effortless height-adjustment with included crank handle







Large-Screen Multimedia TV Cart with Tool-Free Height Adjustment

[462709]


Screen Size
60"-120"

Weight Capacity
120 kg

Height Adjustable
1085 to 1630 mm

VESA Compatible
200x200 to 1000x600

- Multifunctional TV stand/trolley for one 60" to 120" TV up to 120 kg
- Effortless height-adjustment from 1180 to 1630 mm with included crank handle
- Height-adjustable shelf for laptop/AV accessories with 410 x 340 mm space and a rated load of 5 kg
- Height-adjustable top-mount camera shelf with 285 x 150 mm space and a rated load of 5 kg
- Ultra heavy-duty construction with high-quality steel and powder coating







Aluminum Height-Adjustable Multimedia TV Cart

[462563]

Screen Size
60"-100"

Weight Capacity
80 kg


Tilt Range
+5°~-10°

Height Adjustable
1200 to 1600 mm

Cable Management

VESA Compatible
400x400 to 1000x600

- Multifunctional TV cart/trolley for one 60" to 100" TV up to 80 kg
- Height-adjustable shelf for laptop/AV accessories with 430 x 335 mm space and a rated load of 5 kg
- Top-mount camera shelf with 285 x 150 mm space and a rated load of 5 kg, ideal for video conferences
- Heavy-duty construction with high-quality aluminum and powder coating
- Four lockable casters with highly durable polyurethane tread to support heavy weights and swift maneuverability
- A handle on each pole for easy and convenient movement







Aluminum Heavy-Duty Height-Adjustable Multimedia TV Cart

[461672]

Screen Size
60"-100"

Weight Capacity
100 kg

Tilt Range
+5°~-10°

Height Adjustable
1200 to 1685 mm

Cable Management

VESA Compatible
400x400 to 1000x600

- Height Adjustment: for proper positioning
- Cable Management: keep everything organized
- Lightweight Aluminum Construction: provides a sleek, lighter, and elegant look
- Sturdy steel base
- Column Height Markings: conveniently displays the current height
- Height adjustable TV mount
- Quick Assembly Shelf: assures easy post-installation and height adjustable







Aluminum Heavy-Duty Large-Screen Height-Adjustable Multimedia TV Cart

[462341]



Screen Size
70"-120"



Weight Capacity
140 kg




Tilt Range
+5°~-10°



Height Adjustable
1250 to 1600 mm



Cable Management



VESA Compatible
200x200 to 1000x600

- Multifunctional TV cart/trolley for one 70" to 120" TV up to 140 kg (308 lbs.)
- Optimized views with -10 to 5° tilt
- Height-adjustable from 1250 to 1600 mm (47.2 to 63 in.)
- Height-adjustable shelf for laptop/AV accessories with 330 x 510 mm (13 x 20.1 in.) space and a rated load of 5 kg (11 lbs.)
- Top-mount camera shelf with 140 x 254 mm (5.5 x 10 in.) space and a rated load of 5 kg (11 lbs.), ideal for video conferences





NEW



Motorized Height-Adjustable Multimedia TV Cart

[462457]



Screen Size
55"-100"




Weight Capacity
120 kg




Tilt Range
+5°~-10°



Height Adjustable
1100 to 1600 mm



Cable Management



VESA Compatible
200x200 to 800x600

- Motorized TV stand/trolley for one 55" to 100" TV up to 120 kg (265 lbs.)
- Effortless height-adjustment from 1100 to 1600 mm (43.3 to 63 in.) with included remote control
- -10 to 5° tilt for optimized views and reduced glare
- Shelf for laptop/AV accessories with 430 x 335 mm (16.9 x 13.2 in.) space and a rated load of 5 kg (11 lbs.)
- Top-mount camera shelf with 285 x 150 mm (11.2 x 5.9 in.) space and a rated load of 5 kg (11 lbs.), ideal for video conferences





NEW



TV Wall Mount with Tool-Free Lift & Lock Height Adjustment

[462723]

Screen Size
55"-75"


Weight Capacity
35 to 65 kg

Height Adjustable
400 mm

VESA Compatible
200x200 to 600x600

- Supports one 55" to 75" TV from 35 to 65 kg (77 to 143 lbs.)
- Simply move your display up or down by hand - no motor or crank required
- 400 mm (15.7 in.) height adjustment range
- Compact design allows the mount to be fully concealed behind the TV
- Extends 96 mm (3.8 in.) from wall







NEW



TV Cart with Tool-Free Lift & Lock Height Adjustment

[462730]

Screen Size
50"-100"

Weight Capacity
35 to 80 kg


Height Adjustable
1240 to 1560 mm

Cable Management

VESA Compatible
200x200 to 1000x600

- Flexible TV stand/trolley for one 50" to 100" TV from 35 to 80 kg (77 to 176 lbs.)
- Simply move your display up or down by hand - no motor or crank required
- Height-adjustable from 1240 to 1560 mm (48.8 to 61.4 in.)
- White safety cover protects against pinch points and conceals the lifting mechanism for a clean look
- Height-lock knob secures the display at the desired position





Projector Mounts


For ceiling and wall



Projector Wall or Ceiling Mount

[461207]

- Securely holds most projectors up to 20 kg (44 lbs.)
- Optimize views with +15 ~ -15° tilt, +8 ~ -8° swivel
- Multi-purpose design for mounting to wall or ceiling
- Easy installation ideal for home, office and commercial applications




Weight Capacity	Mounting Range	Tilt Range	Swivel Range	Height-Adjustable
20 kg	Ø 225-316 mm	+15°~-15°	+8°~-8°	430-650 mm



Heavy-Duty Height-Adjustable Projector Ceiling Mount

[462686]

- Ceiling plate with 0 to 90° adjustment to suit sloped and flat ceilings
- Swiveling Joint: offers maximum viewing flexibility
- Detachable quick-release VESA plate to easily hook and mount your projector
- Internal cable management for a clutter-free appearance
- Heavy-duty steel construction with powder coating



For Sloped and Flat Ceilings

Weight Capacity	Mounting Range	Tilt Range	Swivel Range	Height-Adjustable
35 kg	Ø 130-470 mm	+20°~-20°	360°	745-1145 mm



Projector Ceiling Mount

[461184]

- 360° Rotating Joint: for optimal viewing angles
- Swiveling Joint: offers maximum viewing flexibility
- Adjustable Support Arms: fit most projectors with ease
- Cable Management: keep everything organized
- Sturdy Steel Construction: provides a solid and long-lasting performance



Weight Capacity	Mounting Range	Tilt Range	Swivel Range	Height-Adjustable
13.5 kg	Ø 54-320 mm	+15°~-15°	+15°~-15°	150 mm



Adjustable Stand for Laptops and Tablets

[462129] Ergonomic Riser for Laptops and Other Devices from 10" to 15.6" and up to 5 kg (11 lbs.), Foldable in Five Positions, Black





Lockable Desk Stand and Wall Mount Holder for Tablet and iPad

[462112] Secure Anti-theft Stand for 7.9" to 11" Tablets, 360° Rotation, +/-70° Tilt, 330° Swivel, Lock with Two Keys, Black







Anti-Theft Desktop Kiosk Stand for Tablet and iPad

[406352] Secure Anti-theft Stand for 7.9" to 11" Tablets, 360° Rotation, +/-70° Tilt, 330° Swivel, Lock with Two Keys, Black








Anti-Theft Kiosk Floor Stand for Tablet and iPad

[406345] Height-Adjustable, Lockable Floor-Standing Holder for 7.9" to 11" Tablets, 360° Rotation, +20° to -110° Tilt, White





Charging Solutions for Classrooms and Hospitality





Schools



Universities



Offices



Hotels



Restaurants



Bars & Cafés



Gyms



Doctor's Offices

From students to customers and guests to employees, we all enjoy a **fully charged device and a secure place to store it.** A Manhattan Charging Cabinet gives you the upper hand in education and hospitality with a lockable space to keep phones, tablets, Chromebooks and laptops ready to go.

This reduces downtime and simplifies daily handling for teachers, lecturers, and IT teams – especially when tablets are shared across classes and must be fully charged for every lesson. Our **charging solutions make digital learning more reliable and easier to manage**.

In restaurants, event venues, and other **hospitality** environments, **they enhance the guest experience** by offering secure charging options for smartphones – an added convenience your customers don't even expect, but will immediately appreciate.

Image	Model#	Charging Ports	Suitable Devices	Alternative Model	Max. Output per Port	Lock	Placement	Page
	181297	7 x USB-C PD	Laptop, Tablet, Chromebook up to 16"	-	65W	Key	Desktop or Wall-mount	120
	181488	10 x USB-C PD	Phone, Tablet, Chromebook up to 14"	#181266 for laptops	30W	Key or Pin Code	Desktop	122
	181266	12 x USB-C PD	Laptop, Tablet, Chromebook up to 16"	#715942 for phones & tablets	65W	Key or Pin Code	Desktop, wall-mount or casters	124
	181495	20 x USB-C PD	Phone, Tablet, Chromebook up to 14"	-	30W	Key or Pin Code	Floor on Casters	126
	181471	30 x USB-C PD	Phone, Tablet up to 14"	#181273 for laptops	30W	Key or Pin Code	Floor on Casters	128
	181273	30 x USB-C PD	Laptop, Tablet, Chromebook up to 16"	#181471 for phones & tablets	65W	Key or Pin Code	Floor on Casters	130
	102353	32 x USB-C PD	Tablet, Chromebook up to 16"	-	18W	Key	Floor on Casters	132
	181310	11 x USB-C PD	Laptop, Tablet, Chromebook up to 17.3"	-	65W	User-selected Pin Code	Wall-mount or Floor-mount	134
	181327	16 x USB-C PD	Laptop, Tablet, Chromebook up to 17.3"	#181334 for phones & tablets	65W	User-selected Pin Code	Wall-mount or Floor-mount	136
	181334	16 x USB-C PD	Phone, Tablet up to 11"	#181327 for laptops	30W	User-selected Pin Code	Wall-mount or Floor-mount	138
	181280	7 x AC	Laptop, Tablet, Chromebook up to 16"	-	-	Key	Desktop or Wall-mount	140
	181204 181211	10 x AC	Laptop, Tablet, Chromebook up to 16"	-	-	Key	Desktop or Wall-mount	142
	181129 181105	20 x AC	Laptop, Tablet, Chromebook up to 16"	-	-	Key	Desktop on Feet or Floor on Casters	144
	181198 181174 181433	30 x AC	Laptop, Tablet, Chromebook up to 16"	-	-	Key	Floor on Casters	146

7-Port USB-C Desktop Charging Cabinet - 65W per Port


[181297] USB-C PD Fast-Charging with up to 65 W per Port, Seven Bays for Laptops and other Devices up to 16", Lockable with Key, 315 W Total, Surge Protection, Wall-Mountable











Model#	181297
Device bays	7
Suitable Devices	Tablet / Chromebook / Laptop up to 16"
Charging Ports	7 x USB-C Power Delivery
Max output power per USB port	65W
Bay Dimensions (mm)	402 (D) x 290 (W) x 50 (H)
Built-in Cable Management	✓
Charging Cables Included	✓
Lock	Key
Power Input	IEC320 C14
Wall-mountable	✓
Stackable	✗
Casters Included	✗
Placement / Installation	Desk or Wall-mount
External Dimensions (mm)	410 (D) x 363 (W) x 404 (H)
Net weight	12 kg

USB-C Charging Cabinets

10-Port USB-C Desktop Charging Cabinet - 30W per Port

[181488] Ten USB-C PD Fast-Charging with 10 Bays for Devices up to 14" like Tablets, Chromebooks, Phones and MacBook Airs/Neos, Lockable with Key or Pin Code, 320 W Total, Multi-Protection Safety System











Model#	181488
Device bays	10
Suitable Devices	Phone / Tablet / Chromebook up to 14"
Charging Ports	10 x USB-C Power Delivery
Max output power per USB port	30W
Bay Dimensions (mm)	330 (D) x 25 (W) x 235 (H)
Built-in Cable Management	✓
Charging Cables Included	✓
Lock	Key or Pin Code
Power Input	IEC320 C14
Wall-mountable	✗
Stackable	✗
Casters Included	✗
Placement / Installation	Desktop
External Dimensions (mm)	405 (D) x 463 (W) x 354 (H)
Net weight	34 kg

For laptops, consider model #181266** with 65 W per port and bay sizes for devices up to 16" **– learn more on page 124-125.

USB-C Charging Cabinets

For product features, downloads and technical specifications, visit manhattanproducts.eu

12-Port USB-C Desktop Charging Cabinet - 65W per Port

[181266] USB-C PD Fast-Charging with up to 65 W per Port, Twelve Bays for Laptops and other Devices up to 16", Lockable with Key or Pin Code, 780 W Total, Surge Protection, Casters Included for Use as Charging Cart











Model#	181266
Device bays	12
Suitable Devices	Tablet / Chromebook / Laptop up to 16"
Charging Ports	12 x USB-C Power Delivery
Max output power per USB port	65W
Bay Dimensions (mm)	395 (D) x 32.5 (W) x 290 (H)
Built-in Cable Management	✓
Charging Cables Included	✓
Lock	Key or Pin Code
Power Input	IEC320 C14
Wall-mountable	✓
Stackable	✗
Casters Included	✓
Placement / Installation	Desk, Wall-mount, or Floor / Casters
External Dimensions (mm)	440 (D) x 600 (W) x 410 (H)
Net weight	25 kg

For just phones and tablets, consider model #181488 *with 30 W per port and bay sizes for devices up to 14"* ***– learn more on page 122-123.***

USB-C Charging Cabinets

For product features, downloads and technical specifications, visit manhattanproducts.eu

20-Port USB-C Charging Cart - 30W per Port

[181495] USB-C PD Fast-Charging Cabinet with 20 Bays for Devices up to 14" like Tablets, Chromebooks, Phones and MacBook Airs/Neos, Lockable with Key or Pin Code, 640 W Total, Multi-Protection Safety System











Model#	181495
Device bays	20
Suitable Devices	Phone / Tablet / Chromebook up to 14"
Charging Ports	20 x USB-C Power Delivery
Max output power per USB port	30W
Bay Dimensions (mm)	330 (D) x 25 (W) x 235 (H)
Built-in Cable Management	✓
Charging Cables Included	✓
Lock	Key or Pin Code
Power Input	IEC320 C14
Wall-mountable	✗
Stackable	✗
Casters Included	✓
Placement / Installation	Floor / Casters
External Dimensions (mm)	490 (D) x 432 (W) x 752 (H)
Net weight	39 kg

30-Port USB-C Charging Cart - 30W per Port

[181471] USB-C PD Fast-Charging Cabinet with 30 Bays for Devices up to 14" like Tablets, Chromebooks, Phones and MacBook Airs/Neos, Lockable with Key or Pin Code, 960 W Total, Surge Protection











USB-C Charging Cabinets

Model#	181471
Device bays	30
Suitable Devices	Phone / Tablet / Chromebooks / MacBook Air/Neo up to 14"
Charging Ports	30 x USB-C Power Delivery
Max output power per USB port	30W
Bay Dimensions (mm)	330 (D) x 25 (W) x 235 (H)
Built-in Cable Management	✓
Charging Cables Included	✓
Lock	Key or Pin Code
Power Input	IEC 60320 C14
Wall-mountable	✗
Stackable	✗
Casters Included	✓
Placement / Installation	Floor / Casters
External Dimensions (mm)	490 (D) x 432 (W) x 1033 (H)
Net weight	59 kg

For laptops, consider model #181273 *with 65 W per port and bay sizes for devices up to 16"* ***– learn more on page 130-131.***

30-Port USB-C Charging Cart - 65W per Port

[181273] USB-C PD Fast-Charging Cabinet with up to 65 W per Port, 30 Bays for Laptops and other Devices up to 16", Lockable with Key or Pin Code, 1,920 W Total, Surge Protection











USB-C Charging Cabinets

Model#	181273
Device bays	30
Suitable Devices	Tablet / Chromebook / Laptop up to 16"
Charging Ports	30 x USB-C Power Delivery
Max output power per USB port	65W
Bay Dimensions (mm)	400 (D) x 34 (W) x 275 (H)
Built-in Cable Management	✓
Charging Cables Included	✓
Lock	Key or Pin Code
Power Input	IEC320 C14
Wall-mountable	✗
Stackable	✗
Casters Included	✓
Placement / Installation	Floor / Casters
External Dimensions (mm)	555 (D) x 575 (W) x 1150 (H)
Net weight	78 kg

For just phones and tablets, consider model #181471 *with 18 W per port and bay sizes for devices up to 14"* ***– learn more on page 128-129.***

For product features, downloads and technical specifications, visit manhattanproducts.eu

32-Port USB-C Charging Cart - 18W per Port

[102353] 32 USB-C PD Ports, Bays for Chromebooks, Tablets & Phones up to 16", 576 W Total, up to 18 W per Port, Surge Protection, Integrated Ventilation, Metal Housing











USB-C Charging Cabinets

Model#	102353
Device bays	32
Suitable Devices	Tablet / Chromebook to 16"
Charging Ports	32 x USB-C Power Delivery
Max output power per USB port	18W
Bay Dimensions (mm)	404 (D) x 27.6 (W) x 283 (H) mm
Built-in Cable Management	✓
Charging Cables Included	✗
Lock	Key
Power Input	IEC320 C20
Wall-mountable	✗
Stackable	✗
Casters Included	✓
Placement / Installation	Floor / Casters
External Dimensions (mm)	504 (D) x 639 (W) x 984 (H)
Net weight	65 kg

11-Compartment USB-C Charging Kiosk - 65W per Port

[181310] Fast-Charging Cabinet with Eleven PIN-Locked Compartments for Laptops and other Devices up to 17.3", Included USB-C PD Cables with up to 65 W, Touchscreen Access for Shared Self-Service, 500 W Total, Surge Protection, Wall- and Floor-Mountable











USB-C Charging Kiosks

Model#	181310
Device bays	11
Suitable Devices	Tablet / Chromebook / Laptop up to 17.3"
Charging Ports	11 x USB-C Power Delivery
Max output power per USB port	65W
Bay Dimensions (mm)	448 (D) x 328 (W) x 120 (H)
Built-in Cable Management	✓
Charging Cables Included	✓
Lock	Each Compartment Lockable via User-selected PIN on Touchscreen
Power Input	IEC320 C14
Wall-mountable	✓
Stackable	✗
Casters Included	✗
Placement / Installation	Wall-mount or floor-mount with optional pedestal
External Dimensions (mm)	330 (D) x 640 (W) x 1490 (H)
Net weight	49 kg

For secure, elevated floor installation and clean cable management, ***use the Anti-Theft Pedestal #181303 – learn more on page 148.***

16-Compartment USB-C Charging Kiosk - 65W per Port


[181327] Fast-Charging Cabinet with 16 PIN-Locked Compartments for Laptops and other Devices up to 17.3", Included USB-C PD Cables with up to 65 W, Touchscreen Access for Shared Self-Service, 850 W Total, Surge Protection, Wall- and Floor-Mountable











Model#	181327
Device bays	16
Suitable Devices	Tablet / Chromebook / Laptop up to 17.3"
Charging Ports	16 x USB-C Power Delivery
Max output power per USB port	65W
Bay Dimensions (mm)	328 (D) x 428 (W) x 100 (H)
Built-in Cable Management	✓
Charging Cables Included	✓
Lock	Each Compartment Lockable via User-selected PIN on Touchscreen
Power Input	IEC320 C14
Wall-mountable	✓
Stackable	✗
Casters Included	✗
Placement / Installation	Wall-mount or floor-mount with optional pedestal
External Dimensions (mm)	331 (D) x 1126 (W) x 937 (H)
Net weight	60 kg

For just phones and tablets, consider model #181334 with 30 W per port and bay sizes for devices up to 11" ***– learn more on page 138-139.***

For secure, elevated floor installation and clean cable management, ***use the Anti-Theft Pedestal #181358*** ***– learn more on page 148.***

USB-C Charging Kiosks

16-Compartment USB-C Charging Kiosk for Phones - 30W per Port

[181334] Fast-Charging Cabinet with 16 PIN-Locked Compartments for Phones, Tablets, other Devices up to 11", Included USB-C PD Cables with up to 30 W, Touchscreen Access for Shared Self-Service, 500 W Total, Surge Protection, Wall- and Floor-Mountable











Model#	181334
Device bays	16
Suitable Devices	Phone / Tablet up to 11"
Charging Ports	16 x USB-C Power Delivery
Max output power per USB port	30W
Bay Dimensions (mm)	328 (D) x 220 (W) x 100 (H)
Built-in Cable Management	✓
Charging Cables Included	✓
Lock	Each Compartment Lockable via User-selected PIN on Touchscreen
Power Input	IEC320 C14
Wall-mountable	✓
Stackable	✗
Casters Included	✗
Placement / Installation	Wall-mount or floor-mount with optional pedestal
External Dimensions (mm)	331 (D) x 670 (W) x 937 (H)
Net weight	43 kg

For laptops, consider model #181327 with 65 W per port and bay sizes for devices up to 17.3"
– learn more on page 136-137

*For secure, elevated floor installation and clean cable management, **use the Anti-Theft Pedestal #181341***
– learn more on page 148.

7-Bay AC Desktop Charging Cabinet


[181280] European CEE 7/3 Outlets, Seven Bays for Laptops and other Devices up to 16", Lockable with Key, 250 Joule Surge Protection, Wall-Mountable











Model#	181280
Device bays	7
Suitable Devices	Tablet / Chromebook / Laptop up to 16"
Charging Ports	7 x AC outlets
Max output power per USB port	-
Bay Dimensions (mm)	402 (D) x 290 (W) x 50 (H)
Built-in Cable Management	✓
Charging Cables Included	
Lock	Key
Power Input	Built-in EU cable
Wall-mountable	✓
Stackable	✗
Casters Included	✗
Placement / Installation	Desk or Wall-mount
External Dimensions (mm)	410 (D) x 363 (W) x 404 (H)
Net weight	13 kg

10-Bay AC Desktop Desktop Charging Cabinet

[181204 EU], [181211 UK] Ten Outlets, Slots for Devices up to 16", Lockable, Wall-Mountable, Stackable, Surge & Overload Protection











Model#	181204 (EU) / 181211 (UK)
Device bays	10
Suitable Devices	Tablet / Chromebook / Laptop up to 16"
Charging Ports	10 x AC outlets
Max output power per USB port	-
Bay Dimensions (mm)	430 (D) x 35 (W) x 272 (H)
Built-in Cable Management	✓
Charging Cables Included	✗
Lock	Key
Power Input	IEC320 C14
Wall-mountable	✓
Stackable	✓
Casters Included	✗
Placement / Installation	Desk or Wall-mount
External Dimensions (mm)	510 (D) x 526 (W) x 525 (H)
Net weight	25 kg

20-Bay AC Charging Cart


[181129 EU], [181105 UK] Twenty Outlets Built-in on the Rear, Spacious Slots for Devices up to 16", Lockable, Overload Protection











Shown: EU version

Model#	181129 (EU) 181105 (UK)
Device bays	20
Suitable Devices	Tablet / Chromebook / Laptop up to 16"
Charging Ports	20 x AC outlets
Max output power per USB port	-
Bay Dimensions (mm)	400 (D) x 27 (W) x 275 (H)
Built-in Cable Management	✓
Charging Cables Included	✗
Lock	Key
Power Input	IEC320 C14
Wall-mountable	✗
Stackable	✗
Casters Included	✓
Placement / Installation	Desk / Casters or Feet
External Dimensions (mm)	605 (D) x 765 (W) x 470 (H)
Net weight	33 kg

AC Charging Cabinets

30-Bay AC Charging Cart

[181198 EU, Black], [181174 UK, Black], [181433 UK, White] Thirty Outlets Built-in on the Rear, Spacious Slots for Devices up to 16", Lockable, Overload Protection











Shown: EU version

Model#	181198 (Black) 181174 (Black) 181433 (White)
Device bays	30
Suitable Devices	Tablet / Chromebook / Laptop up to 16"
Charging Ports	30 x AC outlets
Max output power per USB port	-
Bay Dimensions (mm)	400 (D) x 34 (W) x 275 (H)
Built-in Cable Management	✓
Charging Cables Included	✗
Lock	Key
Power Input	IEC320 C14
Wall-mountable	✗
Stackable	✗
Casters Included	✓
Placement / Installation	Floor / Casters
External Dimensions (mm)	605 (D) x 575 (W) x 1045
Net weight	57.5 kg

AC Charging Cabinets





Anti-Theft Pedestal for 11-Compartment Charging Kiosk (#181310)


[181303] Plinth for Secure, Elevated Floor Installation and Clean Cable Management, 330 (D) x 640 (W) x 200 (H) mm, Black





Anti-Theft Pedestal for 16-Compartment Charging Kiosk (#181334)

[181341] Plinth for Secure, Elevated Floor Installation and Clean Cable Management, 330 (D) x 670 (W) x 200 (H) mm, Black





Anti-Theft Pedestal for 16-Compartment Charging Kiosk (#181327)

[181358] Plinth for Secure, Elevated Floor Installation and Clean Cable Management, 330 (D) x 1126 (W) x 200 (H) mm, Black

Charging **Solutions** for Families and Travelers







10-Port USB Power Delivery Charging Station - 120 W

[180856] Three USB-C PD Ports up to 18 W per Port, Seven USB-A Ports up to 12 W / 2.4 A per Port, 120 W Total Output



10-Port USB-C Power Delivery Charging Station - 20W per Port

[102766] Ten USB-C PD Ports, 200 W Total Output, Smart Power Allocation and Safe Fast-Charging



6-Port USB Charging Station - 50 W

[102254] Six USB-A Ports, up to 5 V / 2.4 A per Port, 50 W Total Output






4-Port GaN USB Power Delivery Charging Station - 240 W / PD 3.1
[102667] Four USB-C PD Ports with up to 140 W per Port, 240 W Total Output, Power Delivery 3.1





Under-Desk Fast Wireless Charger - 10 W
[102346] Installs Under Your Furniture to Turn It into a Wireless Charging Pad, 10 W / 7.5 W / 5 W Output





Universal AC Laptop Charger - 65 W
[180962] Power Adapter with Nine Plug Tips and Universal Voltage, Compatible with Most Laptops, Ideal as Replacement Power Supply, Includes Detachable AC EU Power Cable






USB-C Power Delivery Laptop Charger - 65 W
[102490] EU
[102520] UK
ACEU to Type-C Power Adapter, Universal Voltage Compatible with Most Laptops, Ideal as Second or Replacement Power Supply, Includes Detachable AC Power Cable and Built-in USB-C PD Cable





PD Power Bank 5,000 mAh with Integrated USB-C Plug - 20 W
[102612] Power Delivery, Kickstand for Use as Charging Phone Holder, Type-C Plug with up to 20 W, USB-C Port with up to 20 W





Power Bank 5,000 mAh with Integrated USB-C Plug - 10 W
[102636] Kickstand for Use as Charging Phone Holder, USB-C Plug with up to 10 W Output



Power Strip with 6 Outlets
[168304] EU version
Built-in 2 m Power Cord, 13/16 A



Slim Wired USB Mini Keyboard
[180702] 12 Multimedia/Function Keys, Built-in 1.5 m USB-A Cable, Compact, Low-Profile Format, for PC and Laptop



MWK7350 Wireless USB Keyboard and Mouse Combo Set
[180771] One Single USB-A Nano Receiver for Both Devices, Full-Size Wireless Keyboard with 12 Multimedia/Function Keys, Ambidextrous Optical Mouse with Three Buttons & Scroll Wheel, 1200 dpi



Ultra Slim Dual-Mode Wireless Keyboard
[180559] Bluetooth® 3.0 and 2.4 GHz Wireless USB-A Receiver to connect to a PC, Tablet and Smartphone



Wired Keyboard
[179324] 104 Keys, Built-in USB-A Cable



Gaming Keyboard - Low-Force Key Edition
[179485] 12 Multimedia/Function Keys, Built-in USB-A Cable, RGB LED Backlighting



Gaming Keyboard - Metal Base Edition
[178457] 12 Function Keys, Built-in USB-A Cable, RGB LED Backlighting, 19 Anti-Ghost Key Caps, IPX4 (Splashproof) Rating

Different regional keyboard layouts are available on request.
Select layouts like US, DE, UK and Croatian are available for immediate shipping. Please contact us for details.



MW3050 Wireless Optical USB Mouse
[190312] USB-A Nano Receiver, Three Buttons with Scroll Wheel, 1200 dpi, Ambidextrous



Wireless Ergonomic Mouse with 2-in-1 USB Receiver
[190237] USB-A and USB-C Combo Receiver, Six Buttons with Scroll Wheel, 800/1200/1600 dpi, Wrist-Friendly Contour



Performance III Wireless Optical USB Mouse
[190145] Black
USB-A Nano Receiver with 2.4 GHz Wireless, Three Buttons with Scroll Wheel, 1000 dpi, Ambidextrous



Comfort II Wired Optical USB Mouse
[190190] USB-A, Three Buttons with Scroll Wheel, 1000 dpi, Ambidextrous, 1 m (3 ft.) Cable



Ergonomic Wrist Rest Mouse Pad
[434386] Gel Material Promotes Proper Hand and Wrist Position, Water-resistant 240 x 200 mm Surface, Non-slip Rubber Base



Ergonomic Wrist Rest Mouse Pad
[434362] Gel Material Promotes Proper Hand and Wrist Position, Water-resistant 240 x 200 mm Surface, Non-slip Rubber Base



Mono USB Headset
[179867] Retail Packaging
Single-sided On-ear Design, Wired, USB-A Plug, In-line Volume Control, Adjustable Microphone



Mono USB Headset
[180498] Polybag Packaging
[179874] Retail Packaging
Single-sided Over-ear Design, Wired, USB-A Plug, In-line Volume Control, Adjustable Microphone



Mono USB Headset with Reversible Microphone
[180849] Single-sided Over-ear Design, Wired, USB-A Plug, In-line Volume and Mute Control, Adjustable Microphone



Stereo Headset
[164429] Lightweight design with microphone and in-line volume control



Stereo Headset
[175517] Easily adjustable with flexible microphone boom



Classic Stereo Headset
[175555] Quality audio with flexible microphone boom



Rome Laptop Travel Backpack 17.3"
[440370] Two Sleeves for Most Laptops Up To 17.3" and Tablets Up To 11", Aircraft-friendly Carry-on, 40 L Capacity, Multiple Accessory Pockets, Three Soft Clamshell Cases, Two Handles, Stowable Shoulder Straps



Amsterdam Anti-Theft Laptop Sling Bag 13.3"
[440578] Top Load Backpack, Carrier with Single Shoulder Strap for Notebooks and Tablets up to 13.3", Protective Snap Hooks and Hidden Back Pocket, Front and Multiple Interior Pockets, Water-Resistant



Knappack
[440585] 14.1"
[439831] 15.6"
Top Load, Padded Laptop Compartment, Large Front and Interior Pocket, Carry Handle, Water Bottle Pocket

NEW



York Laptop Backpack 16"
[440318] Top Load, Fits Most Notebooks up to 16 inch, Padded Laptop Compartment, Large Front Pocket, Carry Handle, Two External Water Bottle Pockets



Cambridge Clamshell Laptop Bag
[439992] 17.3"
[439947] 15.6"
[439985] 14.1"
Full Clamshell Opening, Amply Padded Laptop Compartment, Front, Rear and Interior Pockets, Shoulder Strap, Handle



London Laptop Computer Briefcase
[439909] 17.3"
[438889] 15.6"
[439893] 14.1"
[439862] 12.5"
Basic and Functional Storage, Top Load, Traditional Style



Empire Laptop Computer Briefcase
[421560] Top Load, Fits Most Widescreens Up To 17"



Seattle Laptop Sleeve 14.5"
[439916] Top Load; Fits Most Laptops Up To 14.5", Premium Padding, Water-Resistant, Notebook Compartment, Front Pocket, Handle



Laptop Security Lock for K-Slot
[440271] Key Lock, 1.4 m, Clear PVC Jacket



Seattle Laptop Sleeve 15.6"
[439817] Fits Most Laptops Up To 15.6", Premium Padding, Water-resistant, Notebook Compartment, Front Pocket, Handle



Keyed Laptop Lock For Nano Security Slot
[440486] Secure Anti-theft Notebook Lock, Two Included Keys, 1.8 m Steel Cable, Translucent Black PVC Jacket



Universal Laptop Combination Lock For Noble Wedge®, Nano and K-Slot
[440301] Secure 3-in-1 Anti-theft Notebook Lock, Resettable 4-digit Combo, 1.8 m (6 ft.) Cut-Resistant Carbon Steel Cable, Translucent PVC Jacket

Model #. ..Page No.
102025 65
102049 65
102254 153
102346 154
102353 136
102490 155
102520 155
102612 155
102636 155
102667 154
102735 65
102742 65
102759 65
102766 153
130424 76
130530 76
130691 63
130707 63
150248 76
150712 76
150859 64
150958 76
151467 64
151542 64
151634 64
151849 76
151856 76
151962 64
152150 71
152426 64
152464 71
152662 71
152679 71
153195 71
153201 71
153348 63
153591 69
153607 69
153690 64
153706 63
153713 64
153959 62
153966 62
153973 63
153980 75
153997 78
154116 78
154185 78
154192 78
154321 63
154499 76
154598 56
154635 56
157469 21
162005 65
162296 67
162746 66
163651 20
163682 20
164405 67
164429 158
164900 66
164924 66
164948 66
168304 155
168397 57
168410 67
168427 66
175517 158
175555 158
177672 77
178433 77
178457 156
178488 77
178495 77
179324 156
179485 156
179768 78
179867 158
179874 158
180498 158
180559 156
180702 156
180771 156
180849 158
180856 153
180863 66
180894 55
180962 155
181006 67
181044 66
181075 67
181105 148
181129 148
181150 66
181167 67
181174 150
181198 150
181204 146
181211 146
181266 126
181273 134
181280 144
181297 120
181303 152
181310 139
181327 141
181334 142
181341 152
181358 152
181433 150
181471 132
181488 124
181495 130
190145 157
190169 61
190176 60
190183 60
190190 157
190237 157
190305 60
190312 157
190398 61
190404 63
190442 62
190459 61
205146 76
205153 76
207461 57
207539 57
207652 57
207669 57
207959 57
208369 58
208406 58
208413 55
208420 56
208437 56
208444 56
210584 26
210614 26
210720 26
210737 26
210775 26
211048 29
300148 21
300179 21
301152 21
301312 21
304559 72
306119 70
306126 70
306133 70
306935 71
307116 71
308434 70
308441 70
308519 76
308700 21
308816 70
311731 72
317092 33
317108 33
317139 33
317146 33
317177 33
317191 33
317245 33
317320 33
317399 33
318143 32
318228 32
318754 33
318761 33
318778 33
318785 33
318792 33
318808 33
318815 33
318822 33
318846 33
318921 32
318976 32
319034 33
319065 33
319089 33
319096 33
319119 33
319126 33
319133 33
319225 33
319249 33
319768 32
319812 32
319867 32
319973 32
320740 32
320757 32
320764 32
320771 32
320788 32
320795 32
322379 75
322539 70
322782 72
322843 21
323215 70
323222 70
323239 70
323246 70
323260 70
323987 75
324069 75
325950 32
328616 21
333368 75
333382 75
333405 75
334112 32
334129 32
334136 34
336628 32
336734 32
336741 32
336758 32
336765 32
336772 32
338387 32
338653 76
339100 21
340373 32
340380 32
340427 32
341165 34
342032 32
342049 32
342056 32
342063 32
342070 32
342094 32
342100 32
342131 32
342148 32
342155 32
342162 32
342179 32
342193 32
342209 32
342339 32
342346 32
342353 32
342360 32
342377 32
342391 32
342407 32
342438 32
342469 32
342476 32
342483 32
342490 32
342506 32
342520 32
342537 32
342568 32
342575 32
342582 32
342599 32
342605 32
342629 32
343305 32
343350 32
343367 32
343718 32
343725 32
343756 32
343763 32
343770 32
343787 32
343794 32
345033 32
345040 32
345378 32
345408 75
347440 32
350464 33
350471 33
350488 33
350495 33
350501 33
350518 33
350525 33
350532 33
350556 33
350594 33
350600 33
350617 33
350624 33
350648 33
350655 33
350662 33
350686 33
350723 33
350730 33
350747 33
350754 33
350761 33
350778 33
350785 33
350792 33
350815 33
351911 28
352673 21
352680 21
353298 75
353342 74
353465 70
353540 74
353595 71
353618 71
353625 71
353632 75
353908 21
353922 69
354134 71
354172 21
354646 75
354837 69
354844 71
354851 71
354868 74
354875 74
354882 74
354899 74
354905 74
354912 75
354929 75
354936 75
354974 75
354981 75
355223 74
355230 75
355247 74
355308 70
355346 69
355353 69
355360 69
355513 69
355520 69
355537 69
355544 69
355568 71
355575 71
355582 71
355810 74
355834 21
355841 21
355858 21
355865 21
355872 21
355933 69
355940 69
355957 69
355964 74
355971 74
356022 72
356046 72
356060 72
356091 72
356121 72
356329 75
356367 74
356374 73
356381 73
356435 21
356602 21
356633 69
356640 69
356657 69
356664 69
356671 69
356688 69
356695 69
356701 69
356718 69
356862 21
356879 21
356978 69
356985 69
356992 69
357050 74
357067 74
357098 69
357104 69
357111 69
357128 74
357135 74
357142 74
362320 34
371131 21
372503 72
372510 72
382786 21
394352 69
394369 69
394376 69
394406 69
394826 75
401517 77
402446 12
406345 117
406352 117
421560 161
423625 98
423830 90
434362 157
434386 157
438889 160
439817 161
439831 159
439862 160
439893 160
439909 160
439916 161
439947 160
439985 160
439992 160
440271 161
440301 161
440318 160
440370 159
440486 161
440578 159
440585 159
460255 65
460835 77
460842 78
461184 116
461207 116
461221 96
461238 103
461245 105
461252 93
461283 94
461290 96
461306 97
461399 92
461405 92
461481 90
461528 82
461542 81
461559 81
461566 82
461580 84
461597 85
461603 87
461610 87
461627 87
461658 82
461672 111
461863 91
461887 59
461917 89
461931 91
461948 89
461986 88
461993 89
462020 91
462037 81
462044 99
462051 98
462068 101
462112 117
462129 117
462143 95
462150 95
462266 88
462280 90
462327 106
462334 107
462341 112
462358 96
462396 88
462402 90
462419 93
462426 93
462433 94
462440 94
462457 113
462464 102
462495 84
462501 86
462563 110
462570 85
462587 86
462594 85
462624 92
462662 92
462679 100
462686 116
462693 108
462709 109
462716 104
462723 114
462730 115
462778 97
462785 97
502344 29
504195 27
504485 28
504768 26
504775 26
506502 48
506519 48
506724 49
506731 55
506847 55
507349 48
507356 48
507462 49
507479 49
507486 49
507509 49
508179 49
508193 48
508209 48
508216 48
508377 50
508384 50
508391 50
508407 50
508414 50
508421 50
508438 50
508445 50
508452 50
508483 50
508490 50
508506 50
508513 50
508537 50
508544 48
508629 49
508643 49
508650 49
508674 49
508735 49
508742 49
508759 49
508766 49
508797 49
509220 39
510493 48
510530 48
510547 48
513678 23
515566 28
519779 76
520959 23
522533 55
523882 49
524179 51
526425 45
530347 38
530378 38
545006 49
545013 49
545044 49
545068 48
545075 48
560269 22
560283 23
560443 52
560566 51
560641 42
560917 38
560962 53
560993 42
561044 38
561068 38
561167 42
561198 43
561204 42
561211 53
561228 40
561235 52
561259 43
561266 53
561273 38
561341 43
561365 51
561402 42
561426 43
561495 52
561518 51
561570 52
561600 54
561617 54
561624 41
561648 53
561679 41
561686 40
561693 53
561747 55
561754 55
561785 52
561792 40
561808 41
561815 38
561822 40
561839 40
561846 44
561891 43
561921 40
561938 40
561945 52
561952 54
561969 44
562003 42
562010 40
562034 41
562041 44
562058 37
562096 37
562201 37
562218 37
701662 28
704663 34
704922 34
704953 34
705035 34
710916 14
710947 14
710954 14
711043 17
711050 17
711067 17
711074 17
711081 16
711432 19
711449 20
711692 7
711692 25
711715 8
711722 8
711739 7
711746 7
711753 7
711760 7
711777 8
711784 8
711791 8
711807 8
711814 7
711821 7
711838 7
711869 8
711876 8
711883 8
711890 8
711906 7
711913 7
711920 7
711937 8
711944 8
711951 8
711968 8
711975 7
711982 7
711999 7
712002 7
712033 7
712040 7
712057 7
712064 7
712071 7
712088 7
712170 16
712187 16
712194 16
712200 14
712217 14
712224 14
712323 15
712330 15
712378 15
712385 17
712408 17
712439 7
712446 7
712453 7
712477 17
712484 17
712491 14
712507 14
712514 14
712613 15
712620 15
712668 15
712675 17
712699 17
712705 7
712767 17
712774 17
712781 15
712798 15
712811 16
712828 16
712835 16
712842 16
712859 15
712866 15
712880 16
712897 16
712903 16
712910 16
712927 5
712934 5
712941 5
712958 5
712965 5
712972 5
712989 5
713016 5
713023 5
713030 5
713054 5
713061 5
713078 5
713085 5
713092 5
713108 5
713115 5
713122 5
713139 5
713146 5
713153 5
713160 5
713177 5
713184 5
713191 5
713207 4
713214 4
713221 4
713245 4
713252 4
713269 4
713276 4
713283 4
713306 4
713313 4
713320 4
713337 4
713344 4
713351 4
713368 5
713375 5
713382 5
713399 5
713405 5
713429 5
713443 5
713450 5
713467 5
713474 5
713481 5
713498 5
713504 5
713528 5
713535 5
713542 5
713559 5
713566 5
713573 5
713580 5
713597 5
713603 5
713610 5
713627 5
713634 5
713641 9
713658 16
713689 9
713696 4
713719 4
713726 15
713733 4
713740 8
713962 19
713986 19
714006 19
714020 25
714037 19
714044 20
714051 21
714082 15
714099 15
714105 4
714112 15
714129 4
714136 15
714143 10
714150 10
714167 10
714174 10
714242 12
714259 12
714419 12
714648 12
714679 17
714716 15
714747 12
714785 10
714792 10
714808 10
714815 10
714822 25
714839 25
714853 25
714860 25
714877 14
714884 14
714891 14
714921 15
714938 15
714945 25
714969 25
714990 14
715072 14
715089 14
715096 14
715102 14
715119 14
715126 19
715133 20
715140 19
715164 4
715201 4
715317 4
715812 17
715829 15
715843 15
715874 15
715881 15
715898 15
716086 6
716093 6
716109 6
716123 6
716147 6
716154 15
716178 13
716185 13
716345 16
716444 12
716451 12
716512 16
716673 20
716680 20
716697 10
716703 10
716710 10
716727 10
716734 10
716741 10
716758 10
716765 10
716772 10
716789 10
716796 10
716802 10
716819 10
716826 11
716833 11
716864 20
720014 23
720038 23
720748 25
720854 23
720861 23
720908 23
720915 23
720922 23
721011 22
721028 22
730419 32
730440 32
730457 32
730464 32
730808 32
730815 32
733212 33
733229 33
733243 33
733267 33
733274 33
733281 33
733298 33
733304 33
733328 33
733533 33
735186 32
735209 33
735216 33
735223 33
735247 33
735254 33
735261 33
735308 33
735315 33
735322 33
735339 33
735360 33
735384 33
735391 33
735407 33
735445 33
735452 33
735469 33
735476 33
735483 33
735506 33
735513 33
735520 33
735568 33
735575 33
735582 33
735629 33
735636 33
735643 33
735667 33
735674 33
735681 33
735728 33
735735 33
735742 33
735766 33
735773 33
735780 33
735803 33
735810 33
735827 33
735858 33
735865 33
735872 33
735889 33
735896 33
735902 33
735940 33
735957 33
735964 33
735988 33
735995 33
736008 33
736022 33
736039 33
736046 33
736060 33
736077 33
736084 33
736138 33
736145 33
736725 33
736749 33
736824 33
736855 33
736862 33
736879 33
736886 33
736992 33
737012 33
737029 33
737036 33
737043 33
737050 33
737067 33
737081 33
737098 33
737104 33
737111 33
737128 33
737289 33
737296 33
737302 32
739788 33
739795 33
739801 33
739818 33
739825 33
739832 33
739849 33
739856 33
739863 33
739870 33
739887 33
739894 33
739900 32
739917 32
739924 32
739931 32
740555 31
740562 31
740579 31
740586 31
740593 31
740609 31
740616 31
740623 31
740630 31
740647 31
740654 31
740661 31
740678 31
740685 31
740692 31
740708 31
740715 31
740722 31
740739 31
740746 31
740753 31
740760 31
740777 31
740784 31
740791 31
740807 31
740814 31
740821 31
740838 31
740845 31
740852 31
740869 31
740876 31
740883 31
740890 31
740906 31
740913 31
740920 31
740937 31
740944 31
740951 31
740968 31
740975 31
740982 31
740999 31
741002 31
741019 31
741026 31
741033 31
741040 31
741057 31
741064 31
741071 31
741088 31
741095 31
741101 31
741118 31
741125 31
741132 31
741149 31
741156 31
741163 31
741170 31
741187 31
741194 31
741200 31
741217 31
741224 31
741231 31
741248 31
741255 31
741262 31
741354 31
741361 31
741378 31
741385 31
741392 31
741408 31
741415 31
741422 31
741439 31
741903 31
741910 31
741927 31
745062 31
745079 31
745086 31
745093 31
745109 31
745116 31
745123 31
745130 31
745147 31
745154 31
771887 26
771894 27
771900 27
771917 27
771924 26
771931 27
771955 26
771962 26
771979 26
771986 26
772006 26
772013 26
772020 26
772037 26
772051 26
780070 28
780094 28
780124 28
790482 26
790505 29
790604 29
790635 29
790680 29
790741 27
790796 27
791199 27
791298 26
791304 26
791311 26
791328 26
791335 26
791342 26

manhattan
Life just got easier.™

manhattanproducts.eu

INTELLINET
NETWORK SOLUTIONS

intellinetnetwork.eu

Charging Kiosks

Touchscreen Access for Shared Self-Service

