

DIVCO, INC

FAA REPAIR STATION DB2K762K

2806 N. Sheridan Rd.

Tulsa, OK 74115

918-836-9101

Customers Name Straight Aero Aircraft

Part Name Lycoming O-360 Crankcase

W.O.# 133936 C/N# C11320061-R

S/N N/A M/N# BB3529


Remarks Liquid Penetrant Dye Inspection

Inspector Michael A. H. Jones Date 05 APR 2023

STRAIGHT Aero

7869

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking No: ASI-190116	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K				5. Work Order/ Contract/Invoice No. 277869		
6. Item	7. Description	8. Part Number	9. Quantity	10. Serial Number	11. Status/Work	
1.	CRANKSHAFT	LYCOMING IO-360C1C6 SUBASSEMBLY	1	86799	REPAIRED	
12. Remarks: PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-22A DT: 01 JUL 2022 PERFORMED DIMENSIONAL CHECK IAW AS ^{PI} REPAIR SPECIFICATION 1004 DT: 30 SEP 2016 MEASURED ROD JOURNALS M003, MAIN JOURNALS M006 IAW AS ^{PI} REPAIR SPECIFICATION 1004 DT: 30 SEP 2016 NITRIDE IAW AS ^{PI} PROCESS 0005 REV. 6 DT: 01 SEP 2005 CADMIUM PLATE AND BAKE PROPELLER FLANGE IAW AS ^{PI} REPAIR SPECIFICATION 1004 DT: 30 SEP 2016 POLISHED ROD AND MAIN JOURNALS IAW AS ^{PI} REPAIR SPECIFICATION 1004 DT: 30 SEP 2016 REPAIRED FLANGE IAW AS ^{PI} PROCESS 2019-01-003 DT: 01 JUN 2018 REV. NC INSTALLED BUSHINGS IN COUNTERWEIGHT BLADES IAW LYCOMING SI 1142B DT: 07 MAY 1971 VERIFIED CRANKSHAFT COUNTER BORE RECESS COMPLIES WITH LYCOMING SB 475C DT: 30 JAN 2003 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION PART TRACKING NO: S277869-1 NOTE: AS ^{PI} = AIRCRAFT SPECIALTIES SERVICES, INC.						
13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature		13c. Approval/ Authorization No.		14b. Authorized Signature		
				14c. Approval/Certificate No. DD2R764K		
13d. Name (Typed or Printed)		13e. Date (dd/mm/yyyy)		14d. Name (Typed or Printed) Harold Lehman		
				14e. Date (dd/mm/yyyy) 21 APR 2023		
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking No: ASI-190064	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K					5. Work Order/ Contract/Invoice No. 277869	
6. Item:	7. Description:	8. Part Number:	9. Quantity	10. Serial Number	11. Status/Work	
1.	CAMSHAFT	SL18840	1	N/A	REPAIRED	
12. Remarks: PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-22A DT: 01 JUL 2022 PERFORMED DIMENSIONAL CHECK IAW AS ^{PI} REPAIR PROCEDURE 0812006 REV. 02 DT: 16 JAN 2018 GROUND LOBES IAW AS ^{PI} REPAIR PROCEDURE 0812006 REV. 02 DT: 16 JAN 2018 INSTALLED TACH SHAFT BUSHING IAW AS ^{PI} REPAIR PROCEDURE 0812006 REV. 02 DT: 16 JAN 2018 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION PART TRACKING NO: S277869-5 NOTE: AS ^{PI} = AIRCRAFT SPECIALTIES SERVICES, INC.						
13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature		13c. Approval/ Authorization No.		14b. Authorized Signature		14c. Approval/Certificate No.
						DD2R764K
13d. Name (Typed or Printed)		13e. Date (dd/mm/yyyy)		14d. Name (Typed or Printed)		14e. Date (dd/mm/yyyy)
				Harold Lehman		20 APR 2023
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.						
Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.						
Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking No. ASI-190066	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K					5. Work Order/ Contract/Invoice No. 277869	
6. Item:	7. Description:	8. Part Number:	9. Quantity	10. Serial Number	11. Status/Work	
1.	GEAR	LYCOMING IO-360C1C6 SUBASSEMBLY	5	N/A	INSPECTED	
12. Remarks: PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-22A DT: 01 JUL 2022 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION PART TRACKING NO: S277869-7						
13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature		13c. Approval/ Authorization No.		14b. Authorized Signature		14c. Approval/Certificate No. DD2R764K
13d. Name (Typed or Printed)		13e. Date (dd/mm/yyyy)		14d. Name (Typed or Printed) Harold Lehman		14e. Date (dd/mm/yyyy) 20 APR 2023
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.						
Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.						
Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking No: ASI-190067	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K					5. Work Order/ Contract/Invoice No. 277869	
6. Item	7. Description	8. Part Number	9. Quantity	10. Serial Number	11. Status/Work	
1.	PISTON PIN	LYCOMING IO-360C1C6 SUBASSEMBLY	4	N/A	INSPECTED	
12. Remarks: PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-22A DT: 01 JUL 2022 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION PART TRACKING NO: S277869-7						
13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature		13c. Approval/ Authorization No.	14b. Authorized Signature		14c. Approval/Certificate No. DD2R764K	
13d. Name (Typed or Printed)		13e. Date (dd/mm/yyyy)	14d. Name (Typed or Printed) Harold Lehman		14e. Date (dd/mm/yyyy) 20 APR 2023	
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.						
Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.						
Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking No: ASI-190068	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K					5. Work Order/ Contract/Invoice No. 277869	
6. Item:	7. Description	8. Part Number:	9. Quantity	10. Serial Number	11. Status/Work	
1.	HARDWARE	LYCOMING IO-360C1C6 SUBASSEMBLY	3	N/A	INSPECTED	

12. Remarks:

PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-22A DT: 01 JUL 2022

ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION

PART TRACKING NO: S277869-7

13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12		14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature	13c. Approval/ Authorization No.	14b. Authorized Signature	14c. Approval/Certificate No. DD2R764K
13d. Name (Typed or Printed)	13e. Date (dd/mm/yy)	14d. Name (Typed or Printed) Harold Lehman	14e. Date (dd/mm/yy) 20 APR 2023

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking No: ASI-190061	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K					5. Work Order/ Contract/Invoice No. 277869	
6. Item:	7. Description:	8. Part Number:	9. Quantity	10. Serial Number	11. Status/Work	
1.	GEAR	13S19646	1	N/A	INSPECTED	
12. Remarks PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-22A DT: 01 JUL 2022 VERIFIED GEAR DIMENSIONAL REQUIREMENTS MEET FIG. 5 OF LYCOMING SB 475C DT: 30 JAN 2003 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION PART TRACKING NO: S277869-2						
13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 <input type="checkbox"/> Other regulation Return to Service specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature		13c. Approval/ Authorization No.	14b. Authorized Signature		14c. Approval/Certificate No. DD2R764K	
13d. Name (Typed or Printed)		13e. Date (dd/mm/yyyy)	14d. Name (Typed or Printed) Harold Lehman		14e. Date (dd/mm/yyyy) 20 APR 2023	
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking No: AS1-190060	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K					5. Work Order/ Contract/Invoice No. 277869	
6. Item:	7. Description:	8. Part Number:	9. Quantity	10. Serial Number	11. Status/Work	
1.	TACHOMETER SHAFT	76121	1	N/A	REPAIRED	
12. Remarks PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-22A DT: 01 JUL 2022 REPAIRED IAW AS1 DRAWING NO. 1035 REV. A DT: 15 JUL 1996 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION PART TRACKING NO: 025797 NOTE: AS1 = AIRCRAFT SPECIALTIES SERVICES, INC.						
13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature		13c. Approval/ Authorization No.	14b. Authorized Signature		14c. Approval/Certificate No. DD2R764K	
13d. Name (Typed or Printed)		13e. Date (dd/mm/yyyy)	14d. Name (Typed or Printed) Harold Lehman		14e. Date (dd/mm/yyyy) 20 APR 2023	
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.						
Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.						
Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking No: ASI-190065	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K					5. Work Order/ Contract/Invoice No. 277869	
6. Item:	7. Description:	8. Part Number:	9. Quantity	10. Serial Number	11. Status/Work	
1.	GEAR	75072	1	N/A	INSPECTED	
12. Remarks PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-22A DT: 01 JUL 2022 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION PART TRACKING NO: S277869-8						
13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 <input type="checkbox"/> Other regulation Return to Service specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service			
13b. Authorized Signature		13c. Approval/ Authorization No.	14b. Authorized Signature		14c. Approval/Certificate No. DD2R764K	
13d. Name (Typed or Printed)		13e. Date (dd/mm/yyyy)	14d. Name (Typed or Printed) Harold Lehman		14e. Date (dd/mm/yyyy) 20 APR 2023	
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.						
Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.						
Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking No: ASI-190125	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K					5. Work Order/ Contract/Invoice No. 277869	
6. Item:	7. Description:	8. Part Number:	9. Quantity	10. Serial Number	11. Status/Work	
1.	CONNECTING ROD	77450	4	N/A	REPAIRED	

12. Remarks:

PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-22A DT: 01 JUL 2022
 REPAIRED IAW ASI PROCESS 2000-05 REV 2 DT: 25 MAR 2003

ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION

(IF INCLUDED, NO RETURN TO SERVICE DETERMINATION IS MADE FOR ROD BOLTS OR NUTS)

PART TRACKING NO: S277869-6
 NOTE: ASI = AIRCRAFT SPECIALTIES SERVICES, INC.

13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12		14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature	13c. Approval/ Authorization No.	14b. Authorized Signature	14e. Approval/Certificate No. DD2R764K
13d. Name (Typed or Printed)	13e. Date (dd/mm/yyyy)	14d. Name (Typed or Printed) Harold Lehman	14e. Date (dd/mm/yyyy) 21 APR 2023

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.