



**Daily Spot Cotton Quotations**

Agricultural Marketing Service

Cotton and Tobacco Market News

17-Apr-24

Volume 106, No. 180

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS	
	Basis ICE Futures	Color 41 Leaf 4	Color 31 Leaf 3	Staple 35	Number of Bales Provided to Cotton Program	
		Staple 34	Staple 35		Today	Season
	<i>Points</i>	<i>Cents per pound</i>			<i>Bales</i>	<i>Bales</i>
Southeast	-325 Jul-24	78.08	80.83		0	62,602
North Delta	-425 Jul-24	77.08	79.08		0	37,222
South Delta	-425 Jul-24	77.08	79.08		0	17,423
East TX-South TX	-1225 Jul-24	69.08	72.33		0	97,201
West TX-KS-OK	-1200 Jul-24	69.33	72.83		0	573,372
Desert SW	-1100 Jul-24	70.33	73.58		0	24,732
SJ Valley	-1075 Jul-24	70.58	79.48		0	0
Average	-825 Jul-24	73.08	76.74		0	812,552
Previous day	-704 May-24	74.25	77.92			
	<b>AMERICAN PIMA SPOT PRICE QUOTATIONS</b>					
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46		AP Total	
American Pima	176.00	157.50	165.25		0	5,349
<b>ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER</b>				<b>7-MARKET BASE QUOTATIONS FOR UPLAND COTTON</b>		<b>Apr 12 - Apr 18 ADJ. WORLD PRICE</b>
Month	<i>Cents per pound</i>					65.43
	Today	Previous	Change			<b>CC ADJUSTMENT</b>
May-24	79.56	81.29	↓ -1.73	<b>Season high</b>		0.00
Jul-24	81.33	83.09	↓ -1.76	2/28/2024 95.87		<b>FC ADJUSTMENT</b>
Oct-24	79.06	79.05	↑ 0.01			2022 2023
Dec-24	78.54	79.14	↓ -0.60			0.08 0.33
Mar-25	79.84	80.46	↓ -0.62			<b>LOAN DEFICIENCY PMT.</b>
May-25	80.91	81.46	↓ -0.55	<b>Season low</b>		0.00
Jul-25	81.58	82.07	↓ -0.49	11/8/2023 70.07		<b>PIMA COMPETITIVENESS PAYMENT</b>
Oct-25	78.40	78.80	↓ -0.40			0.00
Dec-25	76.96	77.26	↓ -0.30			
Mar-26	77.57	78.01	↓ -0.44			

**TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:**

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast	✓					
North Delta	✓	✓				
South Delta	✓	✓				
East TX-South TX	✓					
West TX-OK-KS	✓					
Desert SW	✓					
SJ Valley	✓					
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News  
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov  
<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	300	375	425	450	25-26	-1075
	3	-225	-50	150	275	350	400	425	27-29	-675
	4	-225	-125	75	225	275	300	300	30-32	-525
	5	-475	-325	-225	-75	-25	-25	-25	33-34	-400
	6	-600	-450	-400	-325	-300	-300	-300	Base 35-36	0
31	7	-725	-575	-550	-450	-425	-425	-425	37-42	0
	1 & 2	-225	-100	75	275	350	375	400	Base 43-49	0
	3	-225	-100	75	275	325	350	375	50-52	-200
	4	-225	-125	75	225	250	275	275	53 & Above	-375
	5	-475	-325	-225	-75	-50	-50	-50		
41	6	-600	-450	-400	-375	-350	-350	-350		
	7	-725	-575	-550	-500	-475	-475	-475		
	1 & 2	-275	-150	50	200	225	225	250	Strength	
	3	-275	-150	50	175	200	200	225	(Grams per Tex)	
	4	-275	-200	78.08	150	200	200	225	Range	Diff.
51	5	-550	-450	-300	-175	-125	-125	-125	21.0 - 21.9	-725
	6	-675	-550	-525	-450	-425	-425	-425	22.0 - 22.9	-675
	7	-775	-675	-650	-600	-575	-575	-575	23.0 - 23.9	-650
	1 & 2	-475	-350	-225	-175	-150	-150	-150	24.0 - 24.9	-625
	3	-550	-375	-300	-225	-175	-175	-175	25.0 - 25.9	-600
61	4	-575	-375	-325	-275	-250	-250	-250	26.0 - 26.9	-300
	5	-775	-650	-550	-500	-475	-475	-475	Base 27.0 - 28.9	0
	6	-850	-675	-625	-625	-600	-600	-600	29.0 - 29.9	0
	7	-925	-800	-775	-775	-750	-750	-750	30.0 - 30.9	25
	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
71	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
12 & 22	1-6	-1075	-1000	-950	-950	-950	-950	-950		
	7	-1100	-1025	-975	-975	-975	-975	-975		
	1 & 2	-275	-100	50	200	250	250	275	Extraneous Matter	
	3	-275	-100	50	175	225	225	250	Type - Level	Diff.
	4	-275	-125	0	150	200	200	225	Prep - Level 1	-200
32	5	-525	-425	-300	-100	-75	-75	-75	Prep - Level 2	-800
	6	-650	-525	-525	-450	-425	-425	-425	Other - Level 1	-550
	7	-750	-650	-650	-600	-575	-575	-575	Other - Level 2	-800
	1 & 2	-325	-175	-25	0	50	50	50	Plastic - Level 1	-4000
	3	-350	-200	-50	0	25	25	25	Plastic - Level 2	-4000
42	4	-450	-200	-150	-100	-50	-50	-50		
	5	-625	-450	-400	-375	-350	-350	-350		
	6	-700	-550	-550	-525	-500	-500	-500		
	7	-800	-675	-675	-650	-625	-625	-625		
	1-3	-550	-350	-225	-200	-175	-175	-175	Uniformity	
52	4	-575	-375	-275	-275	-250	-250	-250	Unit	Points
	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-675	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	0
62	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
43	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
53	7	-1125	-1000	-950	-925	-925	-925	-925	86.0 & Above	50
	1-3	-900	-850	-800	-750	-725	-725	-725		
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
63	7	-1125	-1000	-950	-925	-925	-925	-925		
	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
63	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	250	425	500	500	25-26	-1000
	3	-225	-75	150	200	400	450	450	27-29	-650
	4	-275	-200	75	100	225	250	250	30-32	-525
	5	-450	-325	-175	-100	-100	-75	-75	33-34	-425
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0
	7	-600	-575	-550	-500	-500	-500	-500	37-42	25
	31	1 & 2	-225	-100	125	225	400	425	425	Base 43-49
	3	-225	-100	125	200	375	400	400	50-52	-225
	4	-275	-250	75	100	175	200	200	53 & Above	-375
	5	-450	-325	-225	-150	-125	-100	-100		
	6	-500	-475	-450	-400	-400	-400	-400		
	7	-600	-575	-550	-500	-500	-500	-500		
41	1 & 2	-350	-250	50	100	250	250	275	Strength	
	3	-350	-250	25	50	200	225	250	(Grams per Tex)	
	4	-375	-275	77.08	0	150	175	175	Range	Diff.
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-425	-425	-425	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-550	-550	23.0 - 23.9	-750
	51	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-650
	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-300
	5	-825	-725	-650	-575	-550	-550	-550	Base 27.0 - 28.9	0
	6	-950	-925	-775	-700	-700	-700	-700	29.0 - 29.9	0
	7	-1000	-975	-825	-775	-775	-775	-775	30.0 - 30.9	25
61	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-950	-950	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
	3	-275	-125	25	50	200	250	250	Type - Level	Diff.
	4	-300	-250	0	0	175	200	200	Prep - Level 1	-200
	5	-600	-475	-300	-200	-175	-150	-150	Prep - Level 2	-800
	6	-725	-650	-525	-425	-400	-400	-400	Other - Level 1	-375
	7	-775	-750	-625	-550	-525	-525	-525	Other - Level 2	-785
	32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 1
	3	-400	-250	-100	-25	25	25	25	Plastic - Level 2	-4000
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-700	-525	-350	-325	-300	-300	-300		
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
42	1-3	-550	-425	-325	-225	-200	-200	-200	Uniformity	
	4	-575	-450	-350	-300	-250	-250	-250	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-575	-525	-525	-525	78.0 - 78.9	-80
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-500	-475	-475	-475	-475	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

SOUTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	250	400	500	500	25-26	-1100
	3	-225	-75	150	200	375	450	450	27-29	-750
	4	-275	-200	75	100	225	250	250	30-32	-525
	5	-450	-325	-175	-100	-100	-75	-75	33-34	-425
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0
	7	-600	-575	-550	-500	-500	-500	-500	37-42	25
	31	1 & 2	-225	-100	125	225	375	400	400	Base 43-49
	3	-225	-100	125	200	350	375	375	50-52	-225
	4	-275	-250	75	100	175	200	200	53 & Above	-375
	5	-550	-425	-225	-150	-125	-100	-100		
	6	-600	-575	-450	-400	-400	-400	-400		
	7	-700	-675	-550	-500	-500	-500	-500		
41	1 & 2	-350	-250	50	100	250	250	275	Strength	
	3	-350	-250	25	50	200	225	250	(Grams per Tex)	
	4	-375	-275	77.08	0	150	175	175	Range	Diff.
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-425	-425	-425	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-550	-550	23.0 - 23.9	-750
	51	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-650
	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-300
	5	-825	-725	-650	-575	-550	-550	-550	Base 27.0 - 28.9	0
	6	-925	-825	-775	-700	-700	-700	-700	29.0 - 29.9	0
	7	-1100	-1075	-925	-800	-800	-800	-800	30.0 - 30.9	25
61	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1125	-1100	-975	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	275	300	300	Extraneous Matter	
	3	-275	-125	25	50	225	275	275	Type - Level	Diff.
	4	-300	-250	0	0	175	200	200	Prep - Level 1	-200
	5	-600	-475	-300	-200	-175	-150	-150	Prep - Level 2	-800
	6	-725	-650	-525	-425	-400	-400	-400	Other - Level 1	-375
	7	-775	-750	-625	-550	-525	-525	-525	Other - Level 2	-785
	32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 1
	3	-400	-250	-100	-25	25	25	25	Plastic - Level 2	-4000
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-700	-525	-350	-325	-300	-300	-300		
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
42	1-3	-550	-425	-325	-225	-200	-200	-200	Uniformity	
	4	-575	-450	-350	-300	-250	-250	-250	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-875	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-925	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1025	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-475	-450	-450	-450	-450	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-500	-450	-275	75	450	575	700	725
	3	-550	-500	-300	25	425	550	675	700
	4	-625	-500	-300	25	150	375	425	425
	5	-650	-525	-450	-100	25	150	275	275
	6	-750	-600	-575	-300	-275	-150	-50	-50
	7	-825	-700	-675	-375	-350	-225	-150	-150
31	1 & 2	-550	-475	-300	25	375	475	625	625
	3	-575	-500	-325	0	325	425	575	575
	4	-650	-550	-325	0	150	325	375	375
	5	-700	-550	-475	-100	0	75	200	200
	6	-775	-625	-600	-300	-275	-175	-125	-125
	7	-850	-725	-700	-375	-350	-250	-225	-225
41	1 & 2	-650	-475	-300	25	150	375	400	425
	3	-700	-500	-325	0	125	235	260	310
	4	-725	-575	-450	69.08	60	135	160	210
	5	-900	-675	-600	-225	-115	35	85	110
	6	-975	-775	-725	-375	-350	-250	-250	-250
	7	-1075	-875	-825	-475	-425	-350	-350	-350
51	1 & 2	-850	-700	-575	-150	-100	50	75	75
	3	-850	-725	-575	-150	-100	50	50	75
	4	-900	-750	-600	-225	-175	-50	-50	-25
	5	-950	-825	-750	-325	-250	-225	-200	-175
	6	-1050	-850	-825	-425	-400	-300	-300	-300
	7	-1150	-875	-850	-500	-475	-350	-350	-350
61	1-5	-1025	-875	-800	-375	-350	-225	-225	-225
	6	-1175	-975	-925	-550	-500	-375	-375	-375
	7	-1275	-1075	-1025	-650	-600	-475	-475	-475
71	1-6	-1225	-1125	-1050	-625	-600	-475	-475	-475
	7	-1300	-1150	-1100	-700	-675	-550	-550	-550
12 & 22	1 & 2	-650	-450	-275	0	325	425	500	500
	3	-700	-500	-325	0	275	375	425	425
	4	-725	-500	-325	-25	110	325	375	375
	5	-800	-675	-600	-225	-115	150	275	275
	6	-950	-750	-725	-375	-350	-200	-75	-75
	7	-1075	-875	-825	-475	-425	-300	-225	-225
32	1 & 2	-825	-725	-550	-150	25	50	175	175
	3	-850	-725	-575	-175	-75	-25	100	100
	4	-900	-750	-625	-200	-100	-75	-25	-25
	5	-1000	-875	-825	-375	-300	-125	-50	-50
	6	-1150	-950	-925	-550	-500	-425	-375	-375
	7	-1300	-1075	-1050	-650	-600	-525	-475	-475
42	1-3	-900	-800	-700	-225	-125	-100	-50	-50
	4	-950	-825	-725	-250	-175	-175	-125	-125
	5	-1100	-950	-850	-450	-400	-350	-300	-300
	6	-1300	-1025	-950	-600	-550	-550	-475	-475
	7	-1425	-1150	-1075	-725	-650	-600	-550	-550
	52	1-4	-1150	-950	-850	-525	-525	-450	-400
5		-1225	-1050	-925	-575	-575	-525	-450	-450
6		-1425	-1225	-1125	-725	-700	-625	-575	-575
7		-1525	-1350	-1250	-850	-825	-700	-650	-650
62	1-5	-1275	-1125	-1100	-650	-625	-550	-500	-500
	6	-1475	-1300	-1275	-850	-825	-725	-675	-675

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1200	-1050	-975	-525	-450	-325	-225	-225
	3	-1225	-1075	-1000	-550	-475	-350	-250	-250
	4	-1275	-1150	-1025	-575	-500	-400	-300	-300
	5	-1400	-1250	-1150	-700	-625	-525	-425	-425
	6	-1525	-1325	-1200	-800	-725	-625	-525	-525
	7	-1625	-1425	-1325	-925	-850	-750	-650	-650
33	1 & 2	-1275	-1100	-1000	-530	-475	-375	-275	-275
	3	-1275	-1100	-1000	-555	-500	-400	-275	-275
	4	-1350	-1175	-1050	-605	-550	-450	-325	-325
	5	-1500	-1275	-1175	-730	-675	-575	-450	-450
	6	-1575	-1350	-1250	-855	-800	-700	-575	-575
	7	-1675	-1475	-1350	-980	-925	-825	-700	-700
43	1-3	-1325	-1175	-1050	-605	-550	-450	-325	-325
	4	-1400	-1250	-1100	-630	-575	-475	-350	-350
	5	-1525	-1350	-1200	-760	-700	-600	-475	-475
	6	-1625	-1425	-1300	-880	-850	-750	-625	-625
	7	-1725	-1525	-1400	-980	-950	-850	-725	-725
53	1-4	-1450	-1350	-1225	-780	-775	-700	-575	-575
	5	-1550	-1425	-1325	-855	-850	-775	-650	-650
	6	-1650	-1525	-1425	-1005	-975	-900	-775	-775
	7	-1750	-1625	-1550	-1105	-1050	-975	-850	-850
63	1-5	-1650	-1500	-1375	-955	-875	-800	-675	-675
	6	-1750	-1625	-1475	-1075	-1000	-925	-800	-800
34	1 & 2	-1400	-1275	-1200	-750	-725	-650	-575	-575
	3	-1400	-1275	-1200	-750	-725	-650	-575	-575
	4	-1525	-1400	-1300	-850	-825	-750	-675	-675
	5	-1625	-1500	-1425	-975	-950	-875	-800	-800
	6	-1800	-1675	-1600	-1150	-1125	-1050	-975	-975
44	1-3	-1500	-1375	-1300	-850	-825	-750	-675	-675
	4	-1575	-1475	-1350	-900	-875	-800	-725	-725
	5	-1650	-1550	-1450	-1000	-975	-900	-825	-825
	6	-1825	-1700	-1625	-1175	-1150	-1075	-1000	-1000
54	1-4	-1600	-1500	-1425	-925	-925	-850	-800	-800
	5	-1700	-1600	-1500	-1025	-1000	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-1850
25-26	-1850
27-29	-1300
30-32	-825
33-34	-625
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-450
53 & Above	-525

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-485
20.0 - 20.9	-485
21.0 - 21.9	-460
22.0 - 22.9	-460
23.0 - 23.9	-435
24.0 - 24.9	-435
25.0 - 25.9	-385
26.0 - 26.9	-360
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	5
31.0 - 32.9	10
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-10
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-300
Prep - Level 2	-500
Bark - Level 1	-475
Bark - Level 2	-550
Other - Level 1	-950
Other - Level 2	-1000
Plastic - Level 1	-4000
Plastic - Level 2	-4000

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-575	-425	-225	225	475	750	850	875
	3	-675	-500	-300	150	375	725	805	830
	4	-675	-500	-350	75	200	375	400	400
	5	-700	-500	-350	25	175	325	350	350
	6	-775	-575	-475	-175	-150	-100	-100	-100
	7	-850	-625	-550	-250	-225	-175	-175	-175
	31	1 & 2	-775	-600	-375	175	400	700	800
3		-850	-650	-425	125	350	700	775	800
4		-875	-650	-500	50	150	300	350	350
5		-875	-650	-500	-75	50	175	200	200
6		-925	-675	-525	-250	-250	-225	-225	-225
7		-1025	-725	-600	-300	-300	-275	-275	-275
41		1 & 2	-900	-650	-425	25	125	250	250
	3	-925	-675	-450	0	50	225	225	250
	4	-975	-675	-575	69.33	0	0	0	25
	5	-1025	-750	-625	-250	-175	-125	-125	-75
	6	-1050	-800	-700	-450	-450	-325	-325	-325
	7	-1150	-875	-775	-500	-500	-425	-425	-425
	51	1 & 2	-950	-750	-625	-175	-75	-75	-75
3		-1000	-750	-625	-175	-75	-75	-75	-75
4		-1025	-750	-700	-275	-200	-200	-175	-175
5		-1025	-775	-750	-375	-325	-250	-225	-225
6		-1075	-825	-800	-525	-500	-375	-350	-350
7		-1175	-925	-900	-625	-600	-500	-475	-475
61		1-5	-1025	-825	-800	-425	-350	-250	-250
	6	-1150	-900	-875	-625	-550	-425	-425	-425
	7	-1250	-1050	-1000	-700	-625	-525	-525	-525
71	1-6	-1225	-1025	-950	-700	-600	-525	-525	-525
	7	-1300	-1050	-1000	-725	-675	-600	-600	-600
12 & 22	1 & 2	-775	-575	-325	100	250	375	475	500
	3	-800	-600	-350	50	200	325	375	400
	4	-850	-600	-500	-100	75	200	250	250
	5	-900	-675	-550	-125	0	75	75	75
	6	-925	-725	-625	-350	-350	-250	-200	-200
	7	-1050	-825	-725	-425	-425	-325	-275	-275
	32	1 & 2	-950	-700	-450	-125	0	25	75
3		-1025	-775	-500	-200	0	25	50	50
4		-1075	-825	-675	-250	-25	0	25	25
5		-1175	-975	-825	-450	-250	-225	-200	-200
6		-1225	-975	-900	-550	-450	-425	-375	-375
7		-1300	-1050	-925	-625	-525	-500	-450	-450
42		1-3	-1050	-800	-675	-300	-200	-125	-75
	4	-1125	-900	-700	-350	-225	-150	-100	-75
	5	-1225	-1050	-850	-500	-300	-300	-275	-250
	6	-1425	-1100	-925	-600	-500	-450	-425	-400
	7	-1450	-1150	-1000	-675	-550	-500	-475	-475
	52	1-4	-1250	-975	-900	-600	-475	-425	-375
5		-1325	-1075	-975	-650	-525	-475	-425	-425
6		-1525	-1250	-1150	-775	-675	-625	-575	-575
7		-1600	-1350	-1250	-850	-750	-700	-675	-675
62	1-5	-1375	-1150	-1075	-750	-650	-600	-550	-550
	6	-1550	-1300	-1225	-900	-825	-775	-725	-725

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1150	-900	-825	-450	-350	-325	-275	-275
	3	-1200	-925	-850	-475	-375	-350	-300	-300
	4	-1225	-1000	-925	-525	-425	-400	-350	-350
	5	-1325	-1075	-1025	-650	-550	-500	-450	-450
	6	-1425	-1150	-1100	-725	-625	-575	-525	-525
	7	-1500	-1250	-1175	-775	-725	-675	-625	-625
33	1 & 2	-1275	-975	-875	-500	-425	-400	-350	-350
	3	-1275	-975	-875	-500	-425	-400	-350	-350
	4	-1350	-1050	-975	-575	-500	-450	-400	-400
	5	-1475	-1150	-1075	-725	-625	-550	-500	-500
	6	-1525	-1225	-1200	-775	-725	-650	-600	-600
	7	-1600	-1325	-1250	-900	-825	-750	-700	-700
43	1-3	-1325	-1075	-1000	-575	-500	-450	-400	-400
	4	-1400	-1150	-1050	-650	-550	-450	-400	-400
	5	-1500	-1225	-1125	-775	-675	-575	-525	-525
	6	-1575	-1300	-1225	-850	-800	-725	-675	-675
	7	-1650	-1400	-1300	-925	-875	-800	-750	-750
53	1-4	-1500	-1325	-1200	-750	-700	-650	-600	-600
	5	-1575	-1350	-1250	-850	-800	-750	-700	-700
	6	-1700	-1450	-1350	-950	-925	-875	-825	-825
	7	-1750	-1525	-1450	-1075	-1050	-1000	-950	-950
63	1-5	-1725	-1475	-1350	-900	-825	-775	-725	-725
	6	-1775	-1550	-1400	-1050	-1000	-950	-900	-900
34	1 & 2	-1400	-1150	-1050	-650	-625	-575	-525	-525
	3	-1400	-1150	-1050	-650	-625	-575	-525	-525
	4	-1525	-1275	-1150	-750	-725	-675	-625	-625
	5	-1600	-1350	-1250	-875	-850	-800	-750	-750
	6	-1750	-1500	-1400	-1075	-1050	-1000	-950	-950
44	1-3	-1525	-1275	-1175	-750	-725	-675	-650	-650
	4	-1600	-1375	-1225	-800	-775	-725	-700	-700
	5	-1675	-1425	-1300	-900	-875	-825	-800	-800
	6	-1825	-1575	-1475	-1125	-1100	-1050	-1025	-1025
54	1-4	-1625	-1400	-1300	-875	-850	-800	-775	-775
	5	-1700	-1450	-1325	-975	-975	-925	-900	-900

Mike	
Range	Diff.
24 & Below	-1850
25-26	-1850
27-29	-1300
30-32	-825
33-34	-625
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-500
53 & Above	-525

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-475
20.0 - 20.9	-475
21.0 - 21.9	-450
22.0 - 22.9	-425
23.0 - 23.9	-400
24.0 - 24.9	-400
25.0 - 25.9	-275
26.0 - 26.9	-250
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	5
31.0 - 32.9	15
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-300
Prep - Level 2	-500
Bark - Level 1	-475
Bark - Level 2	-550
Other - Level 1	-650
Other - Level 2	-700
Plastic - Level 1	-4000
Plastic - Level 2	-4000



DESERT SOUTHWEST DIFFERENCES

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-125	150	475	750	785	825	24 & Below	-1350
	3	-125	125	400	700	725	750	25-26	-1150
	4	-325	25	250	360	420	445	27-29	-1050
	5	-400	-200	-25	75	160	160	30-32	-700
	6	-475	-375	-150	-110	-55	-55	33-34	-500
	7	-675	-400	-225	-165	-125	-125	35-36	0
	31	1 & 2	-200	125	425	675	725	750	37-42
3		-200	100	325	600	625	650	43-49	0
4		-375	0	150	310	370	420	50-52	-325
5		-425	-225	-100	-25	70	70	53 & Above	-525
6		-500	-400	-185	-145	-65	-65		
7		-700	-425	-275	-220	-140	-140		
41		1 & 2	-600	0	25	160	170	270	<b>Strength</b>
	3	-600	0	10	135	145	245	(Grams per Tex)	
	4	-650	70.33	0	85	120	170	Range	Diff.
	5	-675	-525	-425	-340	-280	-280	21.0 - 21.9	-675
	6	-825	-700	-525	-490	-440	-440	22.0 - 22.9	-525
	7	-975	-850	-700	-670	-635	-635	23.0 - 23.9	-375
	51	1 & 2	-725	-550	-350	-340	-330	-330	24.0 - 24.9
3		-725	-550	-350	-340	-330	-330	25.0 - 25.9	-275
4		-750	-625	-475	-425	-365	-365	26.0 - 26.9	-200
5		-850	-800	-675	-650	-600	-600	Base 27.0 - 28.9	0
6		-1000	-900	-775	-775	-725	-725	29.0 - 29.9	0
7		-1200	-1100	-975	-975	-950	-950	30.0 - 30.9	10
12 & 22		1 & 2	-500	25	175	260	345	345	31.0 - 32.9
	3	-500	25	150	210	295	295	33.0 & above	75
	4	-600	-25	150	210	295	295		
	5	-625	-450	-150	-150	-75	-75		
	6	-775	-650	-350	-350	-275	-275		
	7	-950	-825	-600	-600	-525	-525		
	32	1 & 2	-600	-225	0	110	120	120	<b>Extraneous Matter</b>
3		-600	-225	0	110	120	120	Type - Level	Diff.
4		-650	-450	-100	10	20	20	Prep - Level 1	-50
5		-700	-700	-450	-450	-450	-450	Prep - Level 2	-800
6		-900	-825	-575	-575	-575	-575	Other - Level 1	-600
7		-1050	-1000	-825	-825	-825	-825	Other - Level 2	-800
42		1-3	-700	-525	-250	-175	-175	-175	Plastic - Level 1
	4	-725	-600	-350	-275	-275	-275	Plastic - Level 2	-4000
	5	-800	-775	-550	-525	-525	-525		
	6	-975	-900	-675	-675	-675	-675		
	7	-1175	-1075	-925	-925	-925	-925		
52	1-4	-925	-800	-600	-550	-550	-550	<b>Uniformity</b>	
	5	-975	-875	-700	-700	-700	-700	Unit	Points
	6	-1075	-975	-800	-800	-800	-800	77.9 & Below	-100
	7	-1325	-1225	-1100	-1075	-1075	-1075	78.0 - 78.9	-90
43	1-3	-800	-725	-650	-575	-575	-575	79.0 - 79.9	-80
	4	-900	-825	-700	-650	-650	-650	80.0 - 80.9	0
	5	-1000	-900	-725	-700	-700	-700	Base 81.0 - 81.9	0
	6	-1100	-1000	-975	-975	-975	-975	82.0 - 82.9	0
	7	-1200	-1125	-1100	-1100	-1100	-1100	83.0 - 83.9	30
53	1-4	-1050	-950	-875	-875	-875	-875	84.0 - 84.9	40
	5	-1100	-1000	-925	-925	-925	-925	85.0 - 85.9	50
	6	-1200	-1100	-1025	-1025	-1025	-1025	86.0 & Above	60
	7	-1450	-1350	-1350	-1350	-1350	-1350		

SAN JOAQUIN VALLEY DIFFERENCES

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	315	940	1290	1415	1590		
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	70.58	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-675	-225	-175	-175	-175	29.0 - 29.9	0
	3	-700	-250	-200	-200	-200	30.0 - 30.9	75
	4	-750	-300	-275	-275	-275	31.0 - 32.9	125
	5	-775	-375	-325	-325	-325	33.0 & Above	250
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Type - Level	Diff.
	4	-200	25	50	100	100	Prep - Level 1	-50
	5	-525	-275	-275	-275	-275	Prep - Level 2	-800
	6	-675	-475	-475	-475	-475	Other - Level 1	-350
	7	-850	-750	-750	-750	-750	Other - Level 2	-925
							Plastic - Level 1	-4000
42	1-3	-450	-100	-75	-75	-75	Plastic - Level 2	-4000
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	50
	3	-500	-500	-500	-500	-500	83.0 - 83.9	80
	4	-600	-600	-600	-600	-600	84.0 - 84.9	90
	5	-800	-800	-800	-800	-800	85.0 - 85.9	100
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	110
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

## AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	170.75	176.50	178.25	178.25
	2	170.50	176.25	178.00	178.00
	3	163.75	171.50	172.50	172.50
	4				
	5				
	6				
2	1	170.50	176.25	178.00	178.00
	2	170.25	176.00	177.75	177.75
	3	163.50	171.25	172.25	172.25
	4	153.50	161.75	162.75	162.75
	5				
	6				
3	1	162.25	170.00	171.00	171.00
	2	159.75	167.50	168.50	168.50
	3	157.50	165.25	166.25	166.25
	4	148.50	156.25	157.25	157.25
	5	132.50	139.75	140.75	140.75
	6				
4	1	143.50	151.25	153.00	153.00
	2	143.25	151.00	152.25	152.25
	3	142.00	149.75	150.75	150.75
	4	137.00	144.75	145.75	145.75
	5	125.75	133.50	134.50	134.50
	6				
5	1				
	2	120.25	130.25	130.25	130.25
	3	120.25	129.75	130.00	130.00
	4	120.25	124.25	124.25	124.25
	5	120.00	124.00	124.00	124.00
	6				
6	1				
	2	112.50	115.50	115.50	115.50
	3	112.50	115.50	115.50	115.50
	4	112.50	115.50	115.50	115.50
	5	112.25	115.25	115.25	115.25
	6	111.75	114.75	114.75	114.75

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on February 23, 2024

Mike	
Range	Diff.
26 & Below	-2000
27-29	-1500
30-32	-1000
33-34	-500
35 & Above	0

Strength	
(Grams per Tex)	
Range	Diff.
34.9 & Below	-1650
35.0 – 35.9	-1400
36.0 – 36.9	-1150
37.0 – 37.9	-800
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-4000
Plastic - Level 2	-4000

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

## UNITED STATES AVERAGE DIFFERENCES

17-Apr-24

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-538	-310	-138	195	463	666	757	806
	3	-613	-335	-154	159	409	634	710	753
	4	-650	-355	-250	61	196	319	364	367
	5	-675	-480	-363	-139	-4	65	114	114
	6	-763	-555	-488	-364	-271	-230	-201	-201
	7	-838	-650	-604	-471	-396	-352	-329	-329
	31	1 & 2	-663	-350	-196	138	409	609	681
3		-713	-365	-208	116	366	574	638	674
4		-763	-395	-304	46	168	266	311	319
5		-788	-535	-413	-182	-61	-3	48	48
6		-850	-600	-521	-393	-316	-281	-256	-256
7		-938	-695	-638	-489	-429	-392	-370	-370
41		1 & 2	-775	-420	-329	43	150	277	284
	3	-813	-430	-338	21	101	218	231	267
	4	-850	-455	-404	73.08	59	143	160	181
	5	-963	-645	-558	-339	-220	-157	-140	-129
	6	-1013	-720	-667	-525	-439	-399	-391	-391
	7	-1113	-825	-800	-657	-579	-549	-544	-544
	51	1 & 2	-900	-655	-538	-354	-204	-170	-165
3		-925	-695	-542	-375	-221	-184	-183	-179
4		-963	-715	-571	-429	-304	-271	-259	-256
5		-988	-805	-742	-589	-468	-432	-418	-414
6		-1063	-880	-842	-704	-643	-607	-596	-596
7		-1163	-965	-967	-829	-771	-736	-729	-729
61		1-5	-1025	-835	-760	-545	-490	-445	-445
	6	-1163	-940	-895	-710	-670	-620	-620	-620
	7	-1263	-1070	-1015	-820	-760	-715	-715	-715
71	1-6	-1225	-1135	-1070	-885	-840	-800	-800	-800
	7	-1300	-1170	-1115	-920	-895	-855	-855	-855
12 & 22	1 & 2	-713	-370	-242	57	246	381	444	476
	3	-750	-385	-254	32	200	334	391	419
	4	-788	-395	-342	-32	116	237	280	284
	5	-850	-615	-525	-279	-116	-50	-7	-7
	6	-938	-715	-658	-496	-393	-339	-296	-296
	7	-1063	-800	-775	-629	-550	-500	-464	-464
	32	1 & 2	-888	-510	-379	-104	39	94	128
3		-938	-530	-396	-129	11	66	96	110
4		-988	-575	-450	-236	-71	-31	-11	-11
5		-1088	-775	-642	-450	-329	-289	-275	-275
6		-1188	-845	-796	-614	-511	-486	-471	-471
7		-1300	-945	-900	-736	-657	-639	-625	-625
42		1-3	-975	-650	-546	-339	-189	-150	-136
	4	-1038	-690	-571	-382	-257	-214	-200	-196
	5	-1163	-845	-717	-525	-389	-354	-343	-339
	6	-1363	-930	-838	-675	-604	-582	-568	-564
	7	-1438	-1005	-958	-807	-732	-714	-704	-704
52	1-4	-1200	-850	-754	-625	-554	-529	-514	-514
	5	-1275	-935	-863	-707	-639	-625	-607	-607
	6	-1475	-1060	-1000	-850	-796	-779	-764	-764
	7	-1563	-1160	-1129	-986	-939	-911	-900	-900
62	1-5	-1325	-1055	-980	-785	-750	-725	-705	-705
	6	-1513	-1215	-1140	-930	-900	-870	-850	-850

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1175	-975	-900	-488	-400	-325	-250	-250
	3	-1213	-1000	-925	-513	-425	-350	-275	-275
	4	-1250	-1075	-975	-550	-463	-400	-325	-325
	5	-1363	-1163	-1088	-675	-588	-513	-438	-438
	6	-1475	-1238	-1150	-763	-675	-600	-525	-525
33	1 & 2	-1275	-1038	-938	-510	-467	-425	-375	-375
	3	-1275	-1038	-938	-518	-475	-433	-375	-375
	4	-1350	-1113	-1013	-593	-550	-500	-442	-442
	5	-1488	-1213	-1125	-752	-700	-642	-583	-583
	6	-1550	-1288	-1225	-902	-867	-808	-750	-750
43	1-3	-1325	-990	-842	-651	-607	-571	-546	-546
	4	-1400	-1035	-892	-704	-646	-607	-582	-582
	5	-1513	-1085	-988	-844	-786	-754	-729	-729
	6	-1600	-1165	-1075	-940	-914	-889	-864	-864
	7	-1688	-1290	-1183	-1065	-1039	-1014	-989	-989
53	1-4	-1475	-1135	-1029	-830	-792	-771	-742	-742
	5	-1563	-1210	-1125	-922	-892	-871	-842	-842
	6	-1675	-1325	-1213	-1018	-988	-967	-938	-938
	7	-1750	-1390	-1350	-1147	-1125	-1104	-1075	-1075
63	1-5	-1688	-1310	-1230	-1006	-965	-940	-905	-905
	6	-1763	-1395	-1305	-1085	-1050	-1025	-990	-990
34	1 & 2	-1400	-1213	-1125	-700	-675	-613	-550	-550
	3	-1400	-1213	-1125	-700	-675	-613	-550	-550
	4	-1525	-1338	-1225	-800	-775	-713	-650	-650
	5	-1613	-1425	-1338	-925	-900	-838	-775	-775
	6	-1775	-1588	-1500	-1113	-1088	-1025	-963	-963
44	1-3	-1513	-1325	-1238	-800	-775	-713	-663	-663
	4	-1588	-1425	-1288	-850	-825	-763	-713	-713
	5	-1663	-1488	-1375	-950	-925	-863	-813	-813
	6	-1825	-1638	-1550	-1150	-1125	-1063	-1013	-1013
54	1-4	-1613	-1450	-1363	-900	-888	-825	-788	-788
	5	-1700	-1525	-1413	-1000	-988	-925	-888	-888

Mike	
Range	Diff.
24 & Below	-1683
25-26	-1338
27-29	-1046
30-32	-704
33-34	-500
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-346
53 & Above	-450

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-480
20.0 - 20.9	-480
21.0 - 21.9	-668
22.0 - 22.9	-614
23.0 - 23.9	-560
24.0 - 24.9	-523
25.0 - 25.9	-462
26.0 - 26.9	-287
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	24
31.0 - 32.9	48
33.0 & Above	75

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-61
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-186
Prep - Level 2	-714
Bark - Level 1	-475
Bark - Level 2	-550
Other - Level 1	-550
Other - Level 2	-828
Plastic - Level 1	-4000
Plastic - Level 2	-4000



## Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service  
Cotton and Tobacco Market News

17-Apr-24

Volume 106, No. 180

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract. Values represent the average of the differences from the Southeast, North and South Delta average, East Texas and South Texas, West Texas-Kansas-Oklahoma, and Desert Southwest markets.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-150	155	390	573	652
	3	-170	120	335	543	611
	4	-260	55	185	322	359
	5	-370	-135	0	85	137
21	1 & 2	-150	155	390	573	652
	3	-170	120	335	543	611
	4	-260	55	185	322	359
	5	-370	-135	0	85	137
31	1 & 2	-215	105	340	518	588
	3	-230	85	295	483	543
	4	-315	40	155	272	314
	5	-420	-170	-55	10	64
41	1 & 2	-345	30	120	252	259
	3	-355	15	82	199	211
	4	-430	0	42	114	131
	5	-570	-325	-223	-146	-124
51	1 & 2	-550	-290	-190	-153	-146
	3	-555	-310	-205	-163	-161
	4	-585	-370	-295	-255	-238
	5	-745	-540	-465	-430	-410
12	1 & 2	-265	45	210	315	372
	3	-280	30	170	270	317
22	1 & 2	-265	45	210	315	372
	3	-280	30	170	270	317
32	1 & 2	-405	-125	5	57	94
	3	-425	-150	-20	32	64
Strength	25.0 - 25.9	-507				

Source: USDA, AMS Cotton and Tobacco Market News  
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov  
<https://www.ams.usda.gov/market-news/cotton>  
<https://mymarketnews.ams.usda.gov>

## Daily Spot Cotton Quotations

Volume 106, No. 180

17-Apr-24

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program				
	N.Y. Futures	Staple 34	Staple 35	Today	Season			
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>			
Southeast	-325 Jul-24	78.08	80.83	0	62,602			
North Delta	-425 Jul-24	77.08	79.08	0	37,222			
South Delta	-425 Jul-24	77.08	79.08	0	17,423			
East TX-South TX	-1225 Jul-24	69.08	72.33	0	97,201			
West TX-KS-OK	-1200 Jul-24	69.33	72.83	0	573,372			
Desert SW	-1100 Jul-24	70.33	73.58	0	24,732			
SJ Valley	-1075 Jul-24	70.58	79.48	0	0			
Average	-825 Jul-24	73.08	76.74	<b>0</b>	<b>812,552</b>			
Previous day	-704 May-24	74.25	77.92					
	<b>AMERICAN PIMA SPOT PRICE QUOTATIONS</b>				AP Total			
	<b>Color 02, Leaf 2 - Staple 46</b>	<b>Color 03, Leaf 3 - Staple 44</b>	<b>Color 03, Leaf 3 - Staple 46</b>					
American Pima	176.00	157.50	165.25	<b>0</b>	<b>5,349</b>			
<b>ICE FUTURES US - CONTRACT NO. 2 1/</b>			<b>7-MARKET</b>		<b>Apr 12 - Apr 18</b>			
<b>COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER</b>			<b>BASE QUOTATIONS</b>		<b>ADJ. WORLD PRICE</b>			
Month	<i>Cents per pound</i>			<b>FOR UPLAND COTTON</b>		65.43		
	Today	Previous	Change			<b>CC ADJUSTMENT</b>		
May-24	79.56	81.29	↓ -1.73	<b>Season high</b>		0.00		
Jul-24	81.33	83.09	↓ -1.76			<b>FC ADJUSTMENT</b>		
Oct-24	79.06	79.05	↑ 0.01	2/28/2024	95.87	2018 2019		
Dec-24	78.54	79.14	↓ -0.60			0.08 0.33		
Mar-25	79.84	80.46	↓ -0.62			<b>LOAN DEFICIENCY PMT.</b>		
May-25	80.91	81.46	↓ -0.55	<b>Season low</b>		0.00		
Jul-25	81.58	82.07	↓ -0.49			<b>Pima Competitiveness</b>		
Oct-25	78.40	78.80	↓ -0.40	11/8/2023	70.07	<b>Payment</b>		
Dec-25	76.96	77.26	↓ -0.30			0.00		
Mar-26	77.57	78.01	↓ -0.44					
<b>PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/</b>								
	Color							
	11	21	31	41	51	12	22	32
Staple 33								
Leaf 1 & 2	-150	-150	-215	-345	-550	-265	-265	-405
3	-170	-170	-230	-355	-555	-280	-280	-425
4	-260	-260	-315	-430	-585	NOT TENDERABLE		
5	-370	-370	-420	-570	-745	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	155	155	105	30	-290	45	45	-125
3	120	120	85	15	-310	30	30	-150
4	55	55	40	0	-370	NOT TENDERABLE		
5	-135	-135	-170	-325	-540	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	390	390	340	120	-190	210	210	5
3	335	335	295	82	-205	170	170	-20
4	185	185	155	42	-295	NOT TENDERABLE		
5	0	0	-55	-223	-465	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	573	573	518	252	-153	314.5	315	57
3	543	543	483	199	-163	269.5	270	32
4	322	322	272	114	-255	NOT TENDERABLE		
5	85	85	10	-146	-430	NOT TENDERABLE		
Staple 37								
Leaf 1 & 2	652	652	588	259	-146	371.5	372	94
3	611	611	543	211	-161	316.5	317	64
4	359	359	314	131	-238	NOT TENDERABLE		
5	137	137	64	-124	-410	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas and South Texas, West Texas-Kansas-Oklahoma, and Desert Southwest markets.