



Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

20-Nov-24

Volume 107, No. 79

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS			SPOT TRANSACTIONS		
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program		
	ICE Futures	Staple 34	Staple 35	Today	Season	
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>	
Southeast	-250 Mar-25	67.78	72.03	1,672	8,387	
North Delta	-400 Mar-25	66.28	68.28	0	2,917	
South Delta	-400 Mar-25	66.28	68.78	0	5,368	
East TX-South TX	-575 Mar-25	64.53	68.78	1,901	88,645	
West TX-KS-OK	-625 Mar-25	64.03	67.78	1,172	25,731	
Desert SW	-650 Mar-25	63.78	67.03	0	23	
SJ Valley	-625 Mar-25	64.03	72.93	0	0	
Average	-504 Mar-25	65.24	69.37	Upland Total 4,745	131,071	
Previous day	-504 Mar-25	64.21	68.34			
American Pima	AMERICAN PIMA SPOT PRICE QUOTATIONS			AP Total 0	5,866	
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46			
	149.00	130.50	138.25			
ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Nov 15 - Nov 21 ADJ. WORLD PRICE 58.20	
Month	<i>Cents per pound</i>				CC ADJUSTMENT 0.00	
	Today	Previous	Change	FC ADJUSTMENT		
Dec-24	68.46	66.89	⬆️ 1.57	0.00		
Mar-25	70.28	69.25	⬆️ 1.03	2023 2024		
May-25	71.51	70.50	⬆️ 1.01	0.29 0.00		
Jul-25	72.65	71.68	⬆️ 0.97	LOAN DEFICIENCY PMT. 0.00		
Oct-25	71.43	70.61	⬆️ 0.82	PIMA COMPETITIVENESS		
Dec-25	71.26	70.58	⬆️ 0.68	PAYMENT		
Mar-26	72.22	71.55	⬆️ 0.67	0.00		
May-26	72.89	72.23	⬆️ 0.66			
Jul-26	73.38	72.73	⬆️ 0.65			
Oct-26	72.20	71.53	⬆️ 0.67			

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast						
North Delta						
South Delta						
East TX-South TX						
West TX-OK-KS						
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

20-Nov-24

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	450	525	575	600	25-26	-1075
	3	-225	-50	150	425	500	550	575	27-29	-675
	4	-225	-125	75	375	425	450	450	30-32	-525
	5	-475	-325	-225	25	75	75	75	33-34	-400
	6	-600	-450	-400	-225	-200	-200	-200	Base 35-36	0
	7	-725	-575	-550	-350	-325	-325	-325	37-42	0
31	1 & 2	-225	-100	75	425	500	525	550	Base 43-49	0
	3	-225	-100	75	425	475	500	525	50-52	-200
	4	-225	-125	75	375	400	425	425	53 & Above	-375
	5	-475	-325	-225	25	50	50	50		
	6	-600	-450	-400	-275	-250	-250	-250		
	7	-725	-575	-550	-400	-375	-375	-375		
41	1 & 2	-275	-150	50	350	375	375	400	Strength	
	3	-275	-150	50	325	350	350	375	(Grams per Tex)	
	4	-275	-200	67.78	200	350	350	375	Range	Diff.
	5	-550	-450	-300	-175	-125	-125	-125	21.0 - 21.9	-725
	6	-675	-550	-525	-450	-425	-425	-425	22.0 - 22.9	-675
	7	-775	-675	-650	-600	-575	-575	-575	23.0 - 23.9	-650
51	1 & 2	-475	-350	-225	-175	-150	-150	-150	24.0 - 24.9	-625
	3	-550	-375	-300	-225	-175	-175	-175	25.0 - 25.9	-600
	4	-575	-375	-325	-275	-250	-250	-250	26.0 - 26.9	-300
	5	-775	-650	-550	-500	-475	-475	-475	Base 27.0 - 28.9	0
	6	-850	-675	-625	-625	-600	-600	-600	29.0 - 29.9	0
	7	-925	-800	-775	-775	-750	-750	-750	30.0 - 30.9	25
61	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
71	1-6	-1075	-1000	-950	-950	-950	-950	-950		
	7	-1100	-1025	-975	-975	-975	-975	-975		
12 & 22	1 & 2	-275	-100	50	200	250	250	275	Extraneous Matter	
	3	-275	-100	50	175	225	225	250	Type - Level	Diff.
	4	-275	-125	0	150	200	200	225	Prep - Level 1	-200
	5	-525	-425	-300	-100	-75	-75	-75	Prep - Level 2	-800
	6	-650	-525	-525	-450	-425	-425	-425	Other - Level 1	-550
	7	-750	-650	-650	-600	-575	-575	-575	Other - Level 2	-800
32	1 & 2	-325	-175	-25	0	50	50	50	Plastic - Level 1	-4000
	3	-350	-200	-50	0	25	25	25	Plastic - Level 2	-4000
	4	-450	-200	-150	-100	-50	-50	-50		
	5	-625	-450	-400	-375	-350	-350	-350		
	6	-700	-550	-550	-525	-500	-500	-500		
	7	-800	-675	-675	-650	-625	-625	-625		
42	1-3	-550	-350	-225	-200	-175	-175	-175	Uniformity	
	4	-575	-375	-275	-275	-250	-250	-250	Unit	Points
	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-675	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
52	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	0
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
62	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
43	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
	7	-1125	-1000	-950	-925	-925	-925	-925		
53	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
63	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	250	450	525	525	25-26	-1000
	3	-225	-75	150	200	425	475	475	27-29	-650
	4	-275	-200	75	100	225	250	250	30-32	-525
	5	-450	-325	-175	-100	-100	-75	-75	33-34	-425
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0
	7	-600	-575	-550	-500	-500	-500	-500	37-42	25
									Base 43-49	0
31	1 & 2	-225	-100	125	225	425	450	450	50-52	-225
	3	-225	-100	125	200	400	425	425	53 & Above	-375
	4	-275	-250	75	100	175	200	200		
	5	-450	-325	-225	-150	-125	-100	-100		
	6	-500	-475	-450	-400	-400	-400	-400		
	7	-600	-575	-550	-500	-500	-500	-500		
41	1 & 2	-350	-250	50	100	275	275	300	Strength	
	3	-350	-250	25	50	250	275	300	(Grams per Tex)	
	4	-375	-275	66.28	0	175	200	200	Range	Diff.
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-425	-425	-425	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-550	-550	23.0 - 23.9	-750
									24.0 - 24.9	-700
51	1-2	-675	-475	-350	-250	-250	-250	-250	25.0 - 25.9	-650
	3	-725	-475	-375	-275	-275	-275	-275	26.0 - 26.9	-300
	4	-750	-500	-400	-350	-350	-350	-350	Base 27.0 - 28.9	0
	5	-825	-725	-650	-575	-550	-550	-550	29.0 - 29.9	0
	6	-950	-925	-775	-700	-700	-700	-700	30.0 - 30.9	25
	7	-1000	-975	-825	-775	-775	-775	-775	31.0 - 32.9	50
									33.0 & Above	50
61	1-5	-850	-750	-650	-575	-575	-575	-575		
	6	-950	-950	-775	-750	-750	-750	-750		
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
	3	-275	-125	25	50	200	250	250	Type - Level	Diff.
	4	-300	-250	0	0	175	200	200	Prep - Level 1	-200
	5	-600	-475	-300	-200	-175	-150	-150	Prep - Level 2	-800
	6	-725	-650	-525	-425	-400	-400	-400	Other - Level 1	-375
	7	-775	-750	-625	-550	-525	-525	-525	Other - Level 2	-785
									Plastic - Level 1	-4000
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-4000
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-700	-525	-350	-325	-300	-300	-300		
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
42	1-3	-550	-425	-325	-225	-200	-200	-200	Uniformity	
	4	-575	-450	-350	-300	-250	-250	-250	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-575	-525	-525	-525	78.0 - 78.9	-80
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-500	-475	-475	-475	-475	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

SOUTH DELTA DIFFERENCES

20-Nov-24

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	300	450	550	550	25-26	-1100
	3	-225	-75	150	250	425	500	500	27-29	-750
	4	-275	-200	75	150	275	300	300	30-32	-525
	5	-450	-325	-175	-100	-100	-75	-75	33-34	-425
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0
	7	-600	-575	-550	-500	-500	-500	-500	37-42	25
									Base 43-49	0
31	1 & 2	-225	-100	125	275	425	450	450	50-52	-225
	3	-225	-100	125	250	425	450	450	53 & Above	-375
	4	-275	-250	75	150	250	275	275		
	5	-550	-425	-225	-150	-125	-100	-100		
	6	-600	-575	-450	-400	-400	-400	-400		
	7	-700	-675	-550	-500	-500	-500	-500		
41	1 & 2	-350	-250	50	150	300	300	325	Strength	
	3	-350	-250	25	100	275	300	325	(Grams per Tex)	
	4	-375	-275	66.28	50	225	250	250	Range	Diff.
	5	-625	-500	-325	-200	-150	-150	-150	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-425	-425	-425	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-550	-550	23.0 - 23.9	-750
									24.0 - 24.9	-700
51	1-2	-675	-475	-350	-250	-250	-250	-250	25.0 - 25.9	-650
	3	-725	-475	-375	-275	-275	-275	-275	26.0 - 26.9	-300
	4	-750	-500	-400	-350	-350	-350	-350	Base 27.0 - 28.9	0
	5	-825	-725	-650	-575	-550	-550	-550	29.0 - 29.9	0
	6	-925	-825	-775	-700	-700	-700	-700	30.0 - 30.9	25
	7	-1100	-1075	-925	-800	-800	-800	-800	31.0 - 32.9	50
									33.0 & Above	50
61	1-5	-850	-750	-650	-575	-575	-575	-575		
	6	-925	-850	-775	-750	-750	-750	-750		
	7	-1125	-1100	-975	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	275	300	300	Extraneous Matter	
	3	-275	-125	25	50	225	275	275	Type - Level	Diff.
	4	-300	-250	0	0	175	200	200	Prep - Level 1	-200
	5	-600	-475	-300	-200	-175	-150	-150	Prep - Level 2	-800
	6	-725	-650	-525	-425	-400	-400	-400	Other - Level 1	-375
	7	-775	-750	-625	-550	-525	-525	-525	Other - Level 2	-785
									Plastic - Level 1	-4000
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-4000
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-700	-525	-350	-325	-300	-300	-300		
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
42	1-3	-550	-425	-325	-225	-200	-200	-200	Uniformity	
	4	-575	-450	-350	-300	-250	-250	-250	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-875	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-925	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1025	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-475	-450	-450	-450	-450	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-500	-450	-275	175	500	850	950	1000
	3	-550	-500	-300	125	475	825	925	975
	4	-625	-500	-300	25	150	375	425	475
	5	-650	-525	-450	-100	25	150	275	275
	6	-750	-600	-575	-300	-275	-150	-50	-50
	7	-825	-700	-675	-375	-350	-225	-150	-150
31	1 & 2	-575	-500	-300	100	450	750	850	900
	3	-600	-525	-325	75	425	725	850	900
	4	-675	-575	-325	0	150	325	425	475
	5	-700	-575	-475	-100	0	75	200	200
	6	-775	-625	-600	-300	-275	-175	-125	-125
	7	-850	-725	-700	-375	-350	-250	-225	-225
41	1 & 2	-675	-500	-325	50	175	450	550	625
	3	-725	-525	-325	25	175	335	435	510
	4	-750	-600	-450	64.53	110	210	285	360
	5	-900	-675	-600	-225	-90	60	110	135
	6	-975	-775	-725	-375	-350	-250	-250	-250
	7	-1075	-875	-825	-475	-425	-350	-350	-350
51	1 & 2	-850	-700	-575	-150	-100	50	75	75
	3	-875	-750	-600	-175	-100	50	50	75
	4	-925	-775	-625	-250	-175	-50	-50	-25
	5	-950	-825	-750	-325	-250	-225	-200	-175
	6	-1050	-850	-825	-425	-400	-300	-300	-300
	7	-1150	-875	-850	-500	-475	-350	-350	-350
61	1-5	-1025	-875	-800	-375	-350	-225	-225	-225
	6	-1175	-975	-925	-550	-500	-375	-375	-375
	7	-1275	-1075	-1025	-650	-600	-475	-475	-475
71	1-6	-1225	-1125	-1050	-625	-600	-475	-475	-475
	7	-1300	-1150	-1100	-700	-675	-550	-550	-550
12 & 22	1 & 2	-650	-450	-275	50	325	475	550	550
	3	-700	-500	-325	50	275	425	475	475
	4	-725	-500	-325	-25	110	325	375	375
	5	-800	-675	-600	-225	-115	150	275	275
	6	-950	-750	-725	-375	-350	-200	-75	-75
	7	-1075	-875	-825	-475	-425	-300	-225	-225
32	1 & 2	-825	-725	-550	-150	25	100	225	225
	3	-850	-725	-575	-175	-50	50	175	200
	4	-900	-750	-625	-200	-75	-50	0	25
	5	-1000	-875	-825	-375	-300	-125	-50	-50
	6	-1150	-950	-925	-550	-500	-425	-375	-375
	7	-1300	-1075	-1050	-650	-600	-525	-475	-475
42	1-3	-900	-800	-700	-225	-50	-25	25	50
	4	-975	-850	-750	-275	-75	-75	-50	0
	5	-1125	-975	-875	-475	-375	-325	-300	-250
	6	-1300	-1025	-950	-600	-550	-550	-475	-475
	7	-1425	-1150	-1075	-725	-650	-600	-550	-550
52	1-4	-1175	-975	-875	-525	-500	-400	-350	-325
	5	-1225	-1050	-925	-550	-550	-525	-450	-425
	6	-1425	-1225	-1125	-725	-700	-625	-575	-575
	7	-1525	-1350	-1250	-850	-825	-700	-650	-650
62	1-5	-1275	-1125	-1100	-650	-625	-550	-500	-500
	6	-1475	-1300	-1275	-850	-825	-725	-675	-675

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1200	-1050	-975	-525	-450	-325	-225	-225
	3	-1225	-1075	-1000	-550	-475	-350	-250	-250
	4	-1275	-1150	-1025	-575	-500	-400	-300	-300
	5	-1400	-1250	-1150	-700	-625	-525	-425	-425
	6	-1525	-1325	-1200	-800	-725	-625	-525	-525
	7	-1625	-1425	-1325	-925	-850	-750	-650	-650
33	1 & 2	-1275	-1100	-1000	-530	-475	-375	-275	-275
	3	-1275	-1100	-1000	-555	-500	-400	-275	-275
	4	-1350	-1175	-1050	-605	-550	-450	-325	-325
	5	-1500	-1275	-1175	-730	-675	-575	-450	-450
	6	-1575	-1350	-1250	-855	-800	-700	-575	-575
	7	-1675	-1475	-1350	-980	-925	-825	-700	-700
43	1-3	-1325	-1175	-1050	-605	-550	-450	-325	-325
	4	-1400	-1250	-1100	-630	-575	-475	-350	-350
	5	-1525	-1350	-1200	-760	-700	-600	-475	-475
	6	-1625	-1425	-1300	-880	-850	-750	-625	-625
	7	-1725	-1525	-1400	-980	-950	-850	-725	-725
53	1-4	-1450	-1350	-1225	-755	-750	-700	-575	-575
	5	-1550	-1425	-1325	-830	-825	-775	-650	-650
	6	-1650	-1525	-1425	-1005	-950	-900	-775	-775
	7	-1750	-1625	-1550	-1105	-1050	-975	-850	-850
63	1-5	-1650	-1500	-1375	-955	-875	-800	-675	-675
	6	-1750	-1625	-1475	-1075	-1000	-925	-800	-800
34	1 & 2	-1400	-1275	-1200	-750	-725	-650	-575	-575
	3	-1400	-1275	-1200	-750	-725	-650	-575	-575
	4	-1525	-1400	-1300	-850	-825	-750	-675	-675
	5	-1625	-1500	-1425	-975	-950	-875	-800	-800
	6	-1800	-1675	-1600	-1150	-1125	-1050	-975	-975
44	1-3	-1500	-1375	-1300	-850	-825	-750	-675	-675
	4	-1575	-1475	-1350	-900	-875	-800	-725	-725
	5	-1650	-1550	-1450	-1000	-975	-900	-825	-825
	6	-1825	-1700	-1625	-1175	-1150	-1075	-1000	-1000
54	1-4	-1600	-1500	-1425	-925	-925	-850	-800	-800
	5	-1700	-1600	-1500	-1025	-1000	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-1850
25-26	-1850
27-29	-1300
30-32	-825
33-34	-625
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-375
53 & Above	-450

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-10
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-485
20.0 - 20.9	-485
21.0 - 21.9	-460
22.0 - 22.9	-460
23.0 - 23.9	-435
24.0 - 24.9	-435
25.0 - 25.9	-385
26.0 - 26.9	-360
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	30
31.0 - 32.9	35
33.0 & above	50

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-300
Prep - Level 2	-500
Bark - Level 1	-475
Bark - Level 2	-550
Other - Level 1	-950
Other - Level 2	-1000
Plastic - Level 1	-4000
Plastic - Level 2	-4000

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-525	-375	-150	325	525	800	925	975
	3	-625	-450	-225	225	425	775	880	930
	4	-625	-450	-300	125	225	400	425	425
	5	-650	-450	-300	75	200	350	375	375
	6	-775	-575	-475	-175	-150	-100	-100	-100
	7	-850	-625	-550	-250	-225	-175	-175	-175
31	1 & 2	-725	-550	-325	225	425	725	850	875
	3	-800	-600	-375	175	375	725	825	850
	4	-825	-600	-450	100	175	325	400	400
	5	-825	-600	-450	-25	75	200	225	225
	6	-925	-675	-525	-250	-250	-225	-225	-225
	7	-1025	-725	-600	-300	-300	-275	-275	-275
41	1 & 2	-850	-600	-375	75	125	250	250	275
	3	-875	-625	-400	50	50	225	225	250
	4	-925	-625	-525	64.03	0	0	0	25
	5	-975	-700	-575	-200	-175	-125	-125	-75
	6	-1050	-800	-700	-450	-450	-325	-325	-325
	7	-1150	-875	-775	-500	-500	-425	-425	-425
51	1 & 2	-900	-700	-575	-125	-75	-75	-75	-75
	3	-950	-700	-575	-125	-75	-75	-75	-75
	4	-975	-700	-650	-225	-200	-200	-175	-175
	5	-975	-725	-700	-325	-325	-250	-225	-225
	6	-1075	-825	-800	-525	-500	-375	-350	-350
	7	-1175	-925	-900	-625	-600	-500	-475	-475
61	1-5	-975	-775	-750	-375	-350	-250	-250	-250
	6	-1150	-900	-875	-625	-550	-425	-425	-425
	7	-1250	-1050	-1000	-700	-625	-525	-525	-525
71	1-6	-1175	-975	-900	-650	-600	-525	-525	-525
	7	-1300	-1050	-1000	-725	-675	-600	-600	-600
12 & 22	1 & 2	-675	-500	-225	200	325	425	525	550
	3	-700	-525	-250	150	275	375	425	450
	4	-800	-550	-450	-50	75	200	250	250
	5	-850	-625	-500	-75	0	75	75	75
	6	-925	-725	-625	-350	-350	-250	-200	-200
	7	-1050	-825	-725	-425	-425	-325	-275	-275
32	1 & 2	-900	-650	-400	-75	0	25	75	100
	3	-975	-725	-450	-150	0	25	50	50
	4	-1025	-775	-625	-200	-25	0	25	25
	5	-1125	-925	-775	-400	-250	-225	-200	-200
	6	-1225	-975	-900	-550	-450	-425	-375	-375
	7	-1300	-1050	-925	-625	-525	-500	-450	-450
42	1-3	-1000	-750	-625	-250	-200	-125	-75	-75
	4	-1075	-850	-650	-300	-225	-150	-100	-75
	5	-1175	-1000	-800	-450	-300	-300	-275	-250
	6	-1425	-1100	-925	-600	-500	-450	-425	-400
	7	-1450	-1150	-1000	-675	-550	-500	-475	-475
52	1-4	-1200	-925	-850	-550	-475	-425	-375	-375
	5	-1275	-1025	-925	-600	-525	-475	-425	-425
	6	-1525	-1250	-1150	-775	-675	-625	-575	-575
	7	-1600	-1350	-1250	-850	-750	-700	-675	-675
62	1-5	-1325	-1100	-1025	-700	-650	-600	-550	-550
	6	-1550	-1300	-1225	-900	-825	-775	-725	-725

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1075	-850	-775	-400	-350	-325	-275	-275
	3	-1150	-875	-800	-425	-375	-350	-300	-300
	4	-1175	-950	-875	-475	-425	-400	-350	-350
	5	-1275	-1025	-975	-600	-550	-500	-450	-450
	6	-1425	-1150	-1100	-725	-625	-575	-525	-525
	7	-1500	-1250	-1175	-775	-725	-675	-625	-625
33	1 & 2	-1225	-925	-825	-450	-425	-400	-350	-350
	3	-1225	-925	-825	-450	-425	-400	-350	-350
	4	-1300	-1000	-925	-525	-500	-450	-400	-400
	5	-1425	-1100	-1025	-675	-625	-550	-500	-500
	6	-1525	-1225	-1200	-775	-725	-650	-600	-600
	7	-1600	-1325	-1250	-900	-825	-750	-700	-700
43	1-3	-1275	-1025	-950	-525	-500	-450	-400	-400
	4	-1350	-1100	-1000	-600	-550	-450	-400	-400
	5	-1450	-1175	-1075	-725	-675	-575	-525	-525
	6	-1575	-1300	-1225	-850	-800	-725	-675	-675
	7	-1650	-1400	-1300	-925	-875	-800	-750	-750
53	1-4	-1450	-1275	-1150	-700	-700	-650	-600	-600
	5	-1525	-1300	-1200	-800	-800	-750	-700	-700
	6	-1700	-1450	-1350	-950	-925	-875	-825	-825
	7	-1750	-1525	-1450	-1075	-1050	-1000	-950	-950
63	1-5	-1675	-1425	-1300	-850	-825	-775	-725	-725
	6	-1775	-1550	-1400	-1050	-1000	-950	-900	-900
34	1 & 2	-1375	-1125	-1025	-625	-625	-575	-525	-525
	3	-1375	-1125	-1025	-625	-625	-575	-525	-525
	4	-1500	-1250	-1125	-725	-725	-675	-625	-625
	5	-1575	-1325	-1225	-850	-850	-800	-750	-750
	6	-1750	-1500	-1400	-1075	-1050	-1000	-950	-950
44	1-3	-1500	-1250	-1150	-725	-725	-675	-650	-650
	4	-1575	-1350	-1200	-775	-775	-725	-700	-700
	5	-1650	-1400	-1275	-875	-875	-825	-800	-800
	6	-1825	-1575	-1475	-1125	-1100	-1050	-1025	-1025
54	1-4	-1600	-1375	-1275	-850	-850	-800	-775	-775
	5	-1675	-1425	-1300	-975	-975	-925	-900	-900

Mike	
Range	Diff.
24 & Below	-1825
25-26	-1825
27-29	-1225
30-32	-700
33-34	-500
Base 35-36	0
37-42	35
Base 43-49	0
50-52	-475
53 & Above	-500

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-425
20.0 - 20.9	-425
21.0 - 21.9	-400
22.0 - 22.9	-375
23.0 - 23.9	-325
24.0 - 24.9	-325
25.0 - 25.9	-200
26.0 - 26.9	-175
Base 27.0 - 28.9	0
29.0 - 29.9	10
30.0 - 30.9	10
31.0 - 32.9	15
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-70
78.0 - 78.9	-55
79.0 - 79.9	-40
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-300
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-550
Other - Level 1	-650
Other - Level 2	-700
Plastic - Level 1	-4000
Plastic - Level 2	-4000

DESERT SOUTHWEST DIFFERENCES

20-Nov-24

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-125	150	475	750	785	825	24 & Below	-1350
	3	-125	125	400	700	725	750	25-26	-1150
	4	-325	25	250	360	420	445	27-29	-1050
	5	-400	-200	-25	75	160	160	30-32	-700
	6	-475	-375	-150	-110	-55	-55	33-34	-500
	7	-675	-400	-225	-165	-125	-125	35-36	0
								37-42	25
31	1 & 2	-200	125	425	675	725	750	43-49	0
	3	-200	100	325	600	625	650	50-52	-325
	4	-375	0	150	310	370	420	53 & Above	-525
	5	-425	-225	-100	-25	70	70		
	6	-500	-400	-185	-145	-65	-65		
	7	-700	-425	-275	-220	-140	-140		
41	1 & 2	-600	0	25	160	170	270	Strength	
	3	-600	0	10	135	145	245	(Grams per Tex)	
	4	-650	63.78	0	85	120	170	Range	Diff.
	5	-675	-525	-425	-340	-280	-280	21.0 - 21.9	-675
	6	-825	-700	-525	-490	-440	-440	22.0 - 22.9	-525
	7	-975	-850	-700	-670	-635	-635	23.0 - 23.9	-375
								24.0 - 24.9	-300
51	1 & 2	-725	-550	-350	-340	-330	-330	25.0 - 25.9	-275
	3	-725	-550	-350	-340	-330	-330	26.0 - 26.9	-200
	4	-750	-625	-475	-425	-365	-365	Base 27.0 - 28.9	0
	5	-850	-800	-675	-650	-600	-600	29.0 - 29.9	0
	6	-1000	-900	-775	-775	-725	-725	30.0 - 30.9	10
	7	-1200	-1100	-975	-975	-950	-950	31.0 - 32.9	35
								33.0 & above	75
12 & 22	1 & 2	-500	25	175	260	345	345	Extraneous Matter	
	3	-500	25	150	210	295	295	Type - Level	Diff.
	4	-600	-25	150	210	295	295	Prep - Level 1	-50
	5	-625	-450	-150	-150	-75	-75	Prep - Level 2	-800
	6	-775	-650	-350	-350	-275	-275	Other - Level 1	-600
	7	-950	-825	-600	-600	-525	-525	Other - Level 2	-800
								Plastic - Level 1	-4000
32	1 & 2	-600	-225	0	110	120	120	Plastic - Level 2	-4000
	3	-600	-225	0	110	120	120	Uniformity	
	4	-650	-450	-100	10	20	20	Unit	Points
	5	-700	-700	-450	-450	-450	-450	77.9 & Below	-100
	6	-900	-825	-575	-575	-575	-575	78.0 - 78.9	-90
	7	-1050	-1000	-825	-825	-825	-825	79.0 - 79.9	-80
								80.0 - 80.9	0
42	1-3	-700	-525	-250	-175	-175	-175	Base 81.0 - 81.9	0
	4	-725	-600	-350	-275	-275	-275	82.0 - 82.9	0
	5	-800	-775	-550	-525	-525	-525	83.0 - 83.9	30
	6	-975	-900	-675	-675	-675	-675	84.0 - 84.9	40
	7	-1175	-1075	-925	-925	-925	-925	85.0 - 85.9	50
								86.0 & Above	60
52	1-4	-925	-800	-600	-550	-550	-550	Uniformity	
	5	-975	-875	-700	-700	-700	-700	Unit	Points
	6	-1075	-975	-800	-800	-800	-800	77.9 & Below	-100
	7	-1325	-1225	-1100	-1075	-1075	-1075	78.0 - 78.9	-90
								79.0 - 79.9	-80
								80.0 - 80.9	0
								Base 81.0 - 81.9	0
43	1-3	-800	-725	-650	-575	-575	-575	82.0 - 82.9	0
	4	-900	-825	-700	-650	-650	-650	83.0 - 83.9	30
	5	-1000	-900	-725	-700	-700	-700	84.0 - 84.9	40
	6	-1100	-1000	-975	-975	-975	-975	85.0 - 85.9	50
	7	-1200	-1125	-1100	-1100	-1100	-1100	86.0 & Above	60
53	1-4	-1050	-950	-875	-875	-875	-875	Uniformity	
	5	-1100	-1000	-925	-925	-925	-925	Unit	Points
	6	-1200	-1100	-1025	-1025	-1025	-1025	77.9 & Below	-100
	7	-1450	-1350	-1350	-1350	-1350	-1350	78.0 - 78.9	-90
								79.0 - 79.9	-80
								80.0 - 80.9	0
								Base 81.0 - 81.9	0

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	315	940	1290	1415	1590		
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440		
	3	50	250	330	340	340		
	4	64.03	200	280	290	290		
	5	-425	-200	-195	-185	-185		
	6	-625	-450	-450	-450	-450		
	7	-825	-725	-725	-725	-725		
51	1 & 2	-675	-225	-175	-175	-175		
	3	-700	-250	-200	-200	-200		
	4	-750	-300	-275	-275	-275		
	5	-775	-375	-325	-325	-325		
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475		
	3	-50	200	275	325	425		
	4	-200	25	50	100	100		
	5	-525	-275	-275	-275	-275		
	6	-675	-475	-475	-475	-475		
	7	-850	-750	-750	-750	-750		
42	1-3	-450	-100	-75	-75	-75		
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775		
	5	-875	-825	-825	-825	-825		
	6	-1025	-1025	-1025	-1025	-1025		
	7	-1225	-1225	-1225	-1225	-1225		
33	1 & 2	-500	-500	-500	-500	-500		
	3	-500	-500	-500	-500	-500		
	4	-600	-600	-600	-600	-600		
	5	-800	-800	-800	-800	-800		
	6	-1075	-1075	-1075	-1075	-1075		
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	143.75	149.50	151.25	151.25
	2	143.50	149.25	151.00	151.00
	3	136.75	144.50	145.50	145.50
	4				
	5				
	6				
2	1	143.50	149.25	151.00	151.00
	2	143.25	149.00	150.75	150.75
	3	136.50	144.25	145.25	145.25
	4	126.50	134.75	135.75	135.75
	5				
	6				
3	1	135.25	143.00	144.00	144.00
	2	132.75	140.50	141.50	141.50
	3	130.50	138.25	139.25	139.25
	4	121.50	129.25	130.25	130.25
	5	105.50	112.75	113.75	113.75
	6				
4	1	116.50	124.25	126.00	126.00
	2	116.25	124.00	125.25	125.25
	3	115.00	122.75	123.75	123.75
	4	110.00	117.75	118.75	118.75
	5	98.75	106.50	107.50	107.50
	6				
5	1				
	2	93.25	103.25	103.25	103.25
	3	93.25	102.75	103.00	103.00
	4	93.25	97.25	97.25	97.25
	5	93.00	97.00	97.00	97.00
	6				
6	1				
	2	85.50	88.50	88.50	88.50
	3	85.50	88.50	88.50	88.50
	4	85.50	88.50	88.50	88.50
	5	85.25	88.25	88.25	88.25
	6	84.75	87.75	87.75	87.75

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on October 16, 2024

Mike	
Range	Diff.
26 & Below	-2000
27-29	-1500
30-32	-1000
33-34	-500
35 & Above	0

Strength	
(Grams per Tex)	
Range	Diff.
34.9 & Below	-1650
35.0 – 35.9	-1400
36.0 – 36.9	-1150
37.0 – 37.9	-800
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-4000
Plastic - Level 2	-4000

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

20-Nov-24

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-513	-300	-125	224	506	745	836	891
	3	-588	-325	-142	184	452	713	789	839
	4	-625	-345	-242	68	229	351	396	406
	5	-650	-470	-354	-132	14	83	132	132
	6	-763	-555	-488	-364	-257	-216	-186	-186
	7	-838	-650	-604	-471	-382	-338	-314	-314
31	1 & 2	-650	-345	-188	156	452	684	752	795
	3	-700	-360	-200	134	413	656	720	763
	4	-750	-390	-296	54	200	302	358	372
	5	-763	-530	-404	-175	-43	15	66	66
	6	-850	-600	-521	-393	-301	-267	-241	-241
	7	-938	-695	-638	-489	-414	-378	-356	-356
41	1 & 2	-763	-415	-325	54	182	320	337	376
	3	-800	-425	-329	32	137	271	296	335
	4	-838	-450	-396	65.24	80	189	214	239
	5	-938	-635	-550	-332	-213	-150	-133	-122
	6	-1013	-720	-667	-525	-439	-399	-391	-391
	7	-1113	-825	-800	-657	-579	-549	-544	-544
51	1 & 2	-875	-645	-529	-346	-204	-170	-165	-165
	3	-913	-690	-538	-371	-221	-184	-183	-179
	4	-950	-710	-567	-425	-304	-271	-259	-256
	5	-963	-795	-733	-582	-468	-432	-418	-414
	6	-1063	-880	-842	-704	-643	-607	-596	-596
	7	-1163	-965	-967	-829	-771	-736	-729	-729
61	1-5	-1000	-825	-750	-535	-490	-445	-445	-445
	6	-1163	-940	-895	-710	-670	-620	-620	-620
	7	-1263	-1070	-1015	-820	-760	-715	-715	-715
71	1-6	-1200	-1125	-1060	-875	-840	-800	-800	-800
	7	-1300	-1170	-1115	-920	-895	-855	-855	-855
12 & 22	1 & 2	-663	-355	-225	79	257	395	459	491
	3	-700	-370	-238	54	211	349	405	434
	4	-763	-385	-333	-25	116	237	280	284
	5	-825	-605	-517	-271	-116	-50	-7	-7
	6	-938	-715	-658	-496	-393	-339	-296	-296
	7	-1063	-800	-775	-629	-550	-500	-464	-464
32	1 & 2	-863	-500	-371	-96	39	101	135	153
	3	-913	-520	-388	-121	14	76	106	124
	4	-963	-565	-442	-229	-68	-27	-8	-4
	5	-1063	-765	-633	-443	-329	-289	-275	-275
	6	-1188	-845	-796	-614	-511	-486	-471	-471
	7	-1300	-945	-900	-736	-657	-639	-625	-625
42	1-3	-950	-640	-538	-332	-179	-139	-125	-121
	4	-1025	-685	-567	-379	-243	-200	-189	-179
	5	-1150	-840	-713	-521	-386	-350	-343	-332
	6	-1363	-930	-838	-675	-604	-582	-568	-564
	7	-1438	-1005	-958	-807	-732	-714	-704	-704
52	1-4	-1188	-845	-750	-618	-550	-521	-507	-504
	5	-1250	-925	-854	-696	-636	-625	-607	-604
	6	-1475	-1060	-1000	-850	-796	-779	-764	-764
	7	-1563	-1160	-1129	-986	-939	-911	-900	-900
62	1-5	-1300	-1045	-970	-775	-750	-725	-705	-705
	6	-1513	-1215	-1140	-930	-900	-870	-850	-850

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1138	-950	-875	-463	-400	-325	-250	-250
	3	-1188	-975	-900	-488	-425	-350	-275	-275
	4	-1225	-1050	-950	-525	-463	-400	-325	-325
	5	-1338	-1138	-1063	-650	-588	-513	-438	-438
	6	-1475	-1238	-1150	-763	-675	-600	-525	-525
	7	-1563	-1338	-1250	-850	-788	-713	-638	-638
33	1 & 2	-1250	-1013	-913	-493	-467	-425	-375	-375
	3	-1250	-1013	-913	-502	-475	-433	-375	-375
	4	-1325	-1088	-988	-577	-550	-500	-442	-442
	5	-1463	-1188	-1100	-735	-700	-642	-583	-583
	6	-1550	-1288	-1225	-902	-867	-808	-750	-750
	7	-1638	-1400	-1300	-1035	-992	-933	-875	-875
43	1-3	-1300	-980	-833	-644	-607	-571	-546	-546
	4	-1375	-1025	-883	-697	-646	-607	-582	-582
	5	-1488	-1075	-979	-837	-786	-754	-729	-729
	6	-1600	-1165	-1075	-940	-914	-889	-864	-864
	7	-1688	-1290	-1183	-1065	-1039	-1014	-989	-989
53	1-4	-1450	-1125	-1021	-818	-788	-771	-742	-742
	5	-1538	-1200	-1117	-909	-888	-871	-842	-842
	6	-1675	-1325	-1213	-1018	-983	-967	-938	-938
	7	-1750	-1390	-1350	-1147	-1125	-1104	-1075	-1075
63	1-5	-1663	-1300	-1220	-996	-965	-940	-905	-905
	6	-1763	-1395	-1305	-1085	-1050	-1025	-990	-990
34	1 & 2	-1388	-1200	-1113	-688	-675	-613	-550	-550
	3	-1388	-1200	-1113	-688	-675	-613	-550	-550
	4	-1513	-1325	-1213	-788	-775	-713	-650	-650
	5	-1600	-1413	-1325	-913	-900	-838	-775	-775
	6	-1775	-1588	-1500	-1113	-1088	-1025	-963	-963
44	1-3	-1500	-1313	-1225	-788	-775	-713	-663	-663
	4	-1575	-1413	-1275	-838	-825	-763	-713	-713
	5	-1650	-1475	-1363	-938	-925	-863	-813	-813
	6	-1825	-1638	-1550	-1150	-1125	-1063	-1013	-1013
54	1-4	-1600	-1438	-1350	-888	-888	-825	-788	-788
	5	-1688	-1513	-1400	-1000	-988	-925	-888	-888

Mike	
Range	Diff.
24 & Below	-1675
25-26	-1333
27-29	-1036
30-32	-686
33-34	-482
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-332
53 & Above	-433

Strength	
(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-455
20.0 - 20.9	-455
21.0 - 21.9	-660
22.0 - 22.9	-606
23.0 - 23.9	-548
24.0 - 24.9	-512
25.0 - 25.9	-451
26.0 - 26.9	-276
Base 27.0 - 28.9	0
29.0 - 29.9	1
30.0 - 30.9	29
31.0 - 32.9	51
33.0 & Above	79

Uniformity	
Unit	Points
77.9 & Below	-89
78.0 - 78.9	-77
79.0 - 79.9	-59
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-186
Prep - Level 2	-714
Bark - Level 1	-413
Bark - Level 2	-550
Other - Level 1	-550
Other - Level 2	-828
Plastic - Level 1	-4000
Plastic - Level 2	-4000



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

20-Nov-24

Volume 107, No. 79

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract. Valued represent the average of the differences from the Southeast, North and South Delta average, East Texas and South Texas, West Texas-Kansas-Oklahoma, and Desert Southwest markets.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-135	195	445	675	755
	3	-155	155	390	645	714
	4	-250	65	225	362	399
	5	-360	-125	25	110	162
21	1 & 2	-135	195	445	675	755
	3	-155	155	390	645	714
	4	-250	65	225	362	399
	5	-360	-125	25	110	162
31	1 & 2	-205	130	395	615	680
	3	-220	110	355	588	648
	4	-305	50	195	315	372
	5	-410	-160	-30	35	89
41	1 & 2	-340	45	160	305	327
	3	-345	30	127	262	289
	4	-420	0	67	169	196
	5	-560	-315	-216	-139	-117
51	1 & 2	-540	-280	-190	-153	-146
	3	-550	-305	-205	-163	-161
	4	-580	-365	-295	-255	-238
	5	-735	-530	-465	-430	-410
12	1 & 2	-245	75	225	335	392
	3	-260	60	185	290	337
22	1 & 2	-245	75	225	335	392
	3	-260	60	185	290	337
32	1 & 2	-395	-115	5	67	104
	3	-415	-140	-15	47	79
Strength	25.0 - 25.9	-492				

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 107, No. 79

20-Nov-24

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program				
	N.Y. Futures	Staple 34	Staple 35	Today	Season			
	Points	Cents per pound		Bales	Bales			
Southeast	-250 Mar-25	67.78	72.03	1,672	8,387			
North Delta	-400 Mar-25	66.28	68.28	0	2,917			
South Delta	-400 Mar-25	66.28	68.78	0	5,368			
East TX-South TX	-575 Mar-25	64.53	68.78	1,901	88,645			
West TX-KS-OK	-625 Mar-25	64.03	67.78	1,172	25,731			
Desert SW	-650 Mar-25	63.78	67.03	0	23			
SJ Valley	-625 Mar-25	64.03	72.93	0	0			
Average	-504 Mar-25	65.24	69.37	4,745	131,071			
Previous day	-504 Mar-25	64.21	68.34					
American Pima	AMERICAN PIMA SPOT PRICE QUOTATIONS			AP Total				
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46					
	149.00	130.50	138.25					
ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Nov 15 - Nov 21 ADJ. WORLD PRICE 58.20			
Month	Cents per pound					CC ADJUSTMENT 0.00		
	Today	Previous	Change			FC ADJUSTMENT		
Dec-24	68.46	66.89	↑ 1.57	Season high		0.00		
Mar-25	70.28	69.25	↑ 1.03			2018 2019		
May-25	71.51	70.50	↑ 1.01	9/24/2024	67.70	0.29 0.00		
Jul-25	72.65	71.68	↑ 0.97			LOAN DEFICIENCY PMT. 0.00		
Oct-25	71.43	70.61	↑ 0.82			Pima Competitiveness Payment		
Dec-25	71.26	70.58	↑ 0.68	Season low		0.00		
Mar-26	72.22	71.55	↑ 0.67					
May-26	72.89	72.23	↑ 0.66	8/6/2024	58.84			
Jul-26	73.38	72.73	↑ 0.65					
Oct-26	72.20	71.53	↑ 0.67					
PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/								
Staple 33 Leaf 1 & 2 3 4 5 Staple 34 Leaf 1 & 2 3 4 5 Staple 35 Leaf 1 & 2 3 4 5 Staple 36 Leaf 1 & 2 3 4 5 Staple 37 Leaf 1 & 2 3 4 5	Color							
	11	21	31	41	51	12	22	32
	-135	-135	-205	-340	-540	-245	-245	-395
	-155	-155	-220	-345	-550	-260	-260	-415
	-250	-250	-305	-420	-580	NOT TENDERABLE		
	-360	-360	-410	-560	-735	NOT TENDERABLE		
	195	195	130	45	-280	75	75	-115
	155	155	110	30	-305	60	60	-140
	65	65	50	0	-365	NOT TENDERABLE		
	-125	-125	-160	-315	-530	NOT TENDERABLE		
	445	445	395	160	-190	225	225	5
	390	390	355	127	-205	185	185	-15
	225	225	195	67	-295	NOT TENDERABLE		
	25	25	-30	-215.5	-465	NOT TENDERABLE		
	675	675	615	304.5	-153	334.5	335	67
	645	645	588	261.5	-163	289.5	290	47
	362	362	315	169	-255	NOT TENDERABLE		
	110	110	35	-138.5	-430	NOT TENDERABLE		
	755	755	680	326.5	-146	391.5	392	104
	714	714	648	288.5	-161	336.5	337	79
399	399	372	196	-238	NOT TENDERABLE			
162	162	89	-116.5	-410	NOT TENDERABLE			

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas and South Texas, West Texas-Kansas-Oklahoma, and Desert Southwest markets.

MP_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT: <http://www.ams.usda.gov/mnreports/cnddsq.pdf>