



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	-	-	-	-	23	79.9	66.4	629,850
AR	-	-	-	-	26	85.1	66.6	1,948,601
AZ	-	-	-	-	9	89.3	74.6	237,027
CA	-	-	-	-	11	85.4	72.5	89,614
FL	-	-	-	-	4	68.6	48.1	113,053
GA	-	-	-	-	55	78.6	59.7	1,886,795
KS	-	-	-	-	3	46.5	30.0	175,904
LA	-	-	-	-	15	77.3	55.2	329,898
MO*	-	-	-	-	19	91.2	77.7	891,820
MS	-	-	-	-	33	78.0	56.3	1,154,244
NC	-	-	-	-	31	92.0	78.8	792,089
NM	-	-	-	-	5	89.2	77.4	22,013
OK	-	-	-	-	11	75.0	61.6	166,574
SC	-	-	-	-	11	87.1	70.0	328,157
TN	-	-	-	-	18	86.4	78.1	535,227
TX*	-	-	-	-	156	75.2	56.7	4,065,370
VA	-	-	-	-	4	97.1	86.2	214,946
United States*	-	-	-	-	434	80.6	63.3	13,581,182
AMERICAN PIMA								
AZ*	-	-	-	-	3	-	-	26,221
CA	-	-	-	-	11	-	-	355,487
NM	-	-	-	-	3	-	-	21,907
TX	-	-	-	-	3	-	-	49,266
United States	-	-	-	-	21	-	-	452,881
United States all cotton	3	-	-	612	444	-	-	14,034,067

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 17, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	2.3	-	1.8	-	80.5	-	71.6	-	0.8	-	2.0
	3	-	1.7	-	1.3	-	6.0	-	6.9	-	0.4	-	1.1
	4	-	0.1	-	*	-	0.1	-	0.8	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	4.0	-	3.1	-	86.6	-	79.3	-	1.2	-	3.1
31	1 - 2	-	5.6	-	5.9	-	5.7	-	8.7	-	3.0	-	6.3
	3	-	22.0	-	19.8	-	4.5	-	3.0	-	17.5	-	19.1
	4	-	4.9	-	4.7	-	1.1	-	2.0	-	4.7	-	3.1
	5	-	0.2	-	0.2	-	0.2	-	0.3	-	0.1	-	0.1
	6	-	*	-	*	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	32.8	-	30.7	-	11.5	-	14.0	-	25.4	-	28.6
41	1 - 2	-	1.9	-	2.9	-	*	-	0.4	-	0.8	-	2.4
	3	-	20.9	-	29.9	-	*	-	0.5	-	15.9	-	24.1
	4	-	15.6	-	19.1	-	0.1	-	0.8	-	18.9	-	14.4
	5	-	2.3	-	2.9	-	0.1	-	0.3	-	3.3	-	1.7
	6	-	0.1	-	0.3	-	*	-	*	-	0.2	-	0.1
	7	-	*	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
Total	----	-	40.8	-	55.1	-	0.3	-	2.0	-	39.1	-	42.6
51	1 - 2	-	0.3	-	0.1	-	-	-	*	-	0.1	-	0.6
	3	-	3.7	-	1.9	-	-	-	*	-	5.3	-	7.2
	4	-	3.5	-	2.0	-	*	-	*	-	11.5	-	6.9
	5	-	1.0	-	0.6	-	*	-	*	-	3.4	-	1.7
	6	-	0.2	-	0.2	-	*	-	*	-	0.3	-	0.2
	7	-	*	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	-	8.8	-	4.8	-	*	-	0.1	-	20.5	-	16.5
61	1 - 2	-	*	-	-	-	-	-	*	-	-	-	*
	3	-	*	-	*	-	-	-	*	-	*	-	*
	4	-	*	-	*	-	-	-	-	-	0.2	-	*
	5	-	*	-	*	-	-	-	-	-	0.1	-	*
	6	-	*	-	*	-	-	-	-	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	-	0.1	-	*	-	-	-	*	-	0.4	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	*	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	*	-	*	-	0.9	-	1.8	-	*	-	*
	3	-	*	-	*	-	0.3	-	1.0	-	*	-	*
	4	-	*	-	*	-	*	-	0.2	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.1	-	*	-	1.2	-	3.1	-	*	-	*
32	1 - 2	-	0.1	-	*	-	*	-	0.1	-	*	-	0.1
	3	-	1.1	-	0.2	-	0.1	-	0.3	-	0.5	-	0.5
	4	-	0.4	-	0.1	-	0.1	-	0.3	-	0.3	-	0.2
	5	-	*	-	*	-	*	-	0.2	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	1.7	-	0.3	-	0.2	-	0.9	-	0.8	-	0.8
42	1 - 2	-	0.3	-	0.1	-	*	-	*	-	*	-	0.1
	3	-	3.7	-	2.6	-	*	-	*	-	1.1	-	2.3
	4	-	4.1	-	1.9	-	*	-	0.1	-	2.5	-	2.4
	5	-	1.1	-	0.2	-	*	-	*	-	0.9	-	0.4
	6	-	0.1	-	*	-	*	-	*	-	0.1	-	*
	7	-	*	-	*	-	*	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	9.3	-	4.8	-	*	-	0.2	-	4.5	-	5.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 17, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	-	-	*	-	*	-	*
	3	-	0.5	-	0.5	-	-	-	*	-	0.9	-	0.6
	4	-	0.9	-	0.5	-	-	-	*	-	3.8	-	1.5
	5	-	0.5	-	0.1	-	-	-	*	-	1.7	-	0.5
	6	-	0.1	-	*	-	-	-	*	-	0.2	-	0.1
	7	-	*	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	2.0	-	1.2	-	-	-	0.1	-	6.7	-	2.7
62	1 - 2	-	-	-	*	-	-	-	*	-	-	-	*
	3	-	*	-	*	-	-	-	*	-	*	-	*
	4	-	*	-	*	-	-	-	-	-	0.2	-	*
	5	-	*	-	*	-	-	-	-	-	0.1	-	*
	6	-	*	-	*	-	-	-	-	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	-	*	-	*	-	-	-	*	-	0.3	-	*
13 & 23	1 - 2	-	-	-	-	-	0.1	-	*	-	*	-	*
	3	-	*	-	-	-	*	-	0.1	-	*	-	*
	4	-	-	-	-	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	0.1	-	0.2	-	*	-	*
33	1 - 2	-	*	-	-	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	0.1	-	*	-	*
	5	-	*	-	-	-	*	-	0.1	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	0.2	-	*	-	*
43	1 - 2	-	*	-	*	-	-	-	*	-	*	-	*
	3	-	0.1	-	*	-	*	-	*	-	*	-	0.1
	4	-	0.2	-	*	-	*	-	*	-	0.1	-	0.1
	5	-	0.1	-	*	-	*	-	-	-	*	-	*
	6	-	*	-	*	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.4	-	0.1	-	*	-	*	-	0.2	-	0.3
53	1 - 2	-	-	-	*	-	-	-	*	-	-	-	*
	3	-	*	-	*	-	-	-	*	-	0.1	-	*
	4	-	*	-	*	-	-	-	-	-	0.5	-	0.1
	5	-	*	-	*	-	-	-	-	-	0.2	-	0.1
	6	-	*	-	*	-	-	-	-	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.1	-	*	-	-	-	*	-	0.7	-	0.2
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	*	-	*
24 - 54	1 - 8	-	*	-	*	-	*	-	*	-	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		-	*	-	*	-	*	-	-	-	-	-	*
32		-	0.2	-	*	-	*	-	*	-	*	-	0.1
33		-	2.1	-	0.1	-	0.1	-	0.1	-	0.2	-	0.8
34		-	7.9	-	0.8	-	0.4	-	1.0	-	3.4	-	5.2
35		-	17.0	-	7.2	-	2.1	-	6.2	-	11.1	-	17.4
36		-	26.3	-	23.5	-	8.5	-	17.9	-	21.4	-	29.9
37		-	34.3	-	57.7	-	34.2	-	40.3	-	33.3	-	33.6
38		-	9.5	-	9.8	-	30.7	-	17.2	-	20.3	-	10.2
39		-	2.3	-	0.9	-	17.3	-	9.2	-	8.3	-	2.5
40 & Longer		-	0.3	-	*	-	6.7	-	8.1	-	2.0	-	0.3
Average Staple		-	36.22	-	36.71	-	37.72	-	37.28	-	36.88	-	36.32
Average Length		-	1.13	-	1.14	-	1.18	-	1.16	-	1.15	-	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 17, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	14.1	-	12.0	-	2.8	-	1.7	-	0.6	-	62.6
	3	-	14.5	-	5.6	-	1.1	-	1.2	-	0.5	-	10.4
	4	-	1.4	-	0.2	-	*	-	*	-	*	-	0.6
	5	-	*	-	*	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	29.9	-	17.8	-	3.9	-	2.9	-	1.0	-	73.6
31	1 - 2	-	0.9	-	7.6	-	14.6	-	4.4	-	4.7	-	7.0
	3	-	5.6	-	25.3	-	31.2	-	19.4	-	18.5	-	8.8
	4	-	3.5	-	6.6	-	3.9	-	7.1	-	6.3	-	4.7
	5	-	0.7	-	0.3	-	0.1	-	0.4	-	0.5	-	1.4
	6	-	*	-	*	-	*	-	*	-	*	-	0.1
	7	-	*	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-
Total	----	-	10.6	-	39.8	-	49.8	-	31.3	-	30.0	-	22.1
41	1 - 2	-	*	-	0.4	-	4.9	-	0.9	-	2.4	-	0.2
	3	-	0.5	-	13.3	-	26.7	-	19.0	-	27.3	-	1.0
	4	-	1.3	-	19.0	-	9.2	-	25.3	-	26.8	-	1.1
	5	-	0.7	-	4.4	-	0.6	-	6.2	-	5.8	-	0.5
	6	-	0.1	-	0.2	-	*	-	0.5	-	0.5	-	0.1
	7	-	*	-	*	-	-	-	*	-	0.1	-	-
	8	-	*	-	*	-	-	-	-	-	*	-	-
Total	----	-	2.7	-	37.3	-	41.5	-	51.9	-	62.9	-	2.9
51	1 - 2	-	*	-	0.1	-	0.1	-	*	-	*	-	-
	3	-	0.4	-	0.5	-	0.4	-	0.9	-	0.7	-	*
	4	-	1.1	-	0.9	-	0.3	-	2.8	-	2.1	-	0.1
	5	-	1.2	-	0.3	-	0.1	-	1.4	-	1.3	-	0.1
	6	-	0.5	-	*	-	*	-	0.2	-	0.3	-	*
	7	-	0.2	-	*	-	-	-	*	-	0.1	-	-
	8	-	0.1	-	*	-	-	-	-	-	*	-	-
Total	----	-	3.4	-	1.8	-	0.8	-	5.3	-	4.5	-	0.3
61	1 - 2	-	-	-	-	-	*	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-	-	-
	4	-	-	-	*	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	*	-	-
Total	----	-	*	-	*	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	-	-	*	-	*	-	-
12 & 22	1 - 2	-	4.0	-	*	-	*	-	*	-	*	-	0.2
	3	-	5.7	-	0.1	-	*	-	*	-	*	-	0.5
	4	-	0.9	-	*	-	*	-	*	-	*	-	0.1
	5	-	*	-	*	-	-	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	10.6	-	0.1	-	*	-	0.1	-	*	-	0.8
32	1 - 2	-	0.1	-	*	-	*	-	0.1	-	*	-	-
	3	-	1.5	-	0.4	-	0.3	-	0.3	-	0.1	-	0.1
	4	-	1.5	-	0.2	-	0.1	-	0.2	-	0.1	-	0.1
	5	-	0.4	-	*	-	*	-	*	-	*	-	*
	6	-	0.1	-	*	-	-	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	*	-	-
Total	----	-	3.6	-	0.6	-	0.4	-	0.6	-	0.3	-	0.1
42	1 - 2	-	*	-	*	-	0.2	-	0.1	-	*	-	*
	3	-	1.4	-	0.7	-	2.0	-	1.8	-	0.2	-	*
	4	-	3.3	-	1.0	-	0.9	-	2.7	-	0.4	-	*
	5	-	1.6	-	0.4	-	0.1	-	0.8	-	0.1	-	*
	6	-	0.3	-	*	-	*	-	0.1	-	*	-	-
	7	-	0.1	-	*	-	-	-	*	-	*	-	-
	8	-	*	-	*	-	-	-	-	-	*	-	-
Total	----	-	6.8	-	2.1	-	3.1	-	5.6	-	0.9	-	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 17, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	*	-	*	-	-	-	-
	3	-	0.6	-	0.1	-	0.2	-	0.3	-	*	-	0.1
	4	-	2.9	-	0.2	-	0.1	-	1.1	-	0.1	-	0.1
	5	-	4.8	-	0.1	-	*	-	0.6	-	0.1	-	*
	6	-	3.0	-	*	-	*	-	0.1	-	*	-	-
	7	-	1.3	-	*	-	-	-	*	-	*	-	-
	8	-	0.4	-	*	-	-	-	-	-	*	-	-
Total	----	-	13.0	-	0.4	-	0.3	-	2.1	-	0.2	-	0.1
62	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-	-	-
	4	-	*	-	-	-	*	-	*	-	-	-	-
	5	-	*	-	*	-	*	-	*	-	-	-	-
	6	-	*	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	*	-	*	-	*	-	-
	8	-	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	-	0.1	-	*	-	*	-	*	-	*	-	-
13 & 23	1 - 2	-	0.1	-	*	-	*	-	-	-	-	-	*
	3	-	0.2	-	*	-	*	-	*	-	*	-	*
	4	-	0.1	-	*	-	-	-	*	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.4	-	*	-	*	-	*	-	*	-	*
33	1 - 2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.1	-	*	-	*	-	*	-	*	-	*
	4	-	0.2	-	*	-	*	-	*	-	*	-	-
	5	-	0.1	-	*	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-
Total	----	-	0.4	-	0.1	-	*	-	*	-	*	-	*
43	1 - 2	-	*	-	*	-	*	-	*	-	*	-	-
	3	-	0.4	-	*	-	*	-	*	-	*	-	-
	4	-	1.1	-	*	-	*	-	*	-	*	-	-
	5	-	0.6	-	*	-	*	-	*	-	*	-	*
	6	-	0.1	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	*	-	-
Total	----	-	2.2	-	*	-	0.1	-	0.1	-	0.1	-	*
53	1 - 2	-	*	-	-	-	-	-	*	-	-	-	-
	3	-	0.5	-	*	-	*	-	*	-	*	-	-
	4	-	2.7	-	*	-	*	-	*	-	*	-	-
	5	-	4.7	-	*	-	*	-	*	-	*	-	-
	6	-	3.8	-	*	-	*	-	*	-	*	-	-
	7	-	1.8	-	-	-	-	-	*	-	*	-	-
	8	-	0.4	-	*	-	-	-	-	-	*	-	-
Total	----	-	13.8	-	*	-	*	-	0.1	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	*	-	-	-	-
	5	-	*	-	-	-	-	-	*	-	-	-	-
	6	-	0.1	-	-	-	-	-	*	-	-	-	-
	7	-	0.1	-	-	-	-	-	*	-	-	-	-
	8	-	0.1	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.2	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	-	2.2	-	*	-	*	-	*	-	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	0.2	-	-	-	*	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	-
31		-	0.3	-	-	-	-	-	*	-	-	-	-
32		-	1.4	-	*	-	*	-	*	-	-	-	*
33		-	4.7	-	0.1	-	0.1	-	0.3	-	0.2	-	0.1
34		-	13.0	-	0.7	-	1.0	-	2.9	-	4.3	-	1.3
35		-	21.6	-	7.4	-	7.5	-	14.0	-	19.1	-	7.5
36		-	24.0	-	22.6	-	25.4	-	28.9	-	39.8	-	21.5
37		-	27.6	-	40.3	-	56.0	-	41.1	-	31.6	-	35.4
38		-	7.0	-	18.4	-	9.4	-	10.4	-	4.2	-	23.2
39		-	0.6	-	8.2	-	0.6	-	2.1	-	0.6	-	7.8
40 & Longer		-	*	-	2.3	-	*	-	0.2	-	0.1	-	3.3
Average Staple		-	35.75	-	37.02	-	36.67	-	36.48	-	36.14	-	37.12
Average Length		-	1.11	-	1.16	-	1.14	-	1.14	-	1.13	-	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Apr 17, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	47.7	-	1.0	-	3.5	-	24.4	-	0.3
	3	-	8.8	-	1.1	-	1.9	-	8.3	-	0.4
	4	-	0.2	-	*	-	*	-	0.6	-	*
	5	-	*	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	56.7	-	2.2	-	5.5	-	33.3	-	0.8
31	1 - 2	-	1.5	-	3.8	-	13.0	-	4.1	-	7.6
	3	-	2.3	-	22.5	-	22.5	-	16.1	-	27.8
	4	-	0.4	-	8.9	-	3.2	-	7.2	-	5.9
	5	-	*	-	0.5	-	0.1	-	1.1	-	0.3
	6	-	-	-	*	-	*	-	0.1	-	*
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	4.3	-	35.6	-	38.9	-	28.6	-	41.7
41	1 - 2	-	1.0	-	0.9	-	8.0	-	0.4	-	4.7
	3	-	8.2	-	17.7	-	24.1	-	6.1	-	31.5
	4	-	2.9	-	22.4	-	6.9	-	7.5	-	17.2
	5	-	0.5	-	5.1	-	0.5	-	2.9	-	2.4
	6	-	0.1	-	0.3	-	*	-	1.2	-	0.1
	7	-	-	-	*	-	-	-	0.5	-	*
	8	-	-	-	*	-	-	-	0.2	-	*
Total	----	-	12.6	-	46.3	-	39.5	-	18.9	-	56.0
51	1 - 2	-	*	-	0.1	-	0.4	-	*	-	*
	3	-	0.7	-	3.9	-	2.1	-	0.3	-	0.3
	4	-	0.6	-	7.3	-	0.8	-	0.6	-	0.3
	5	-	0.2	-	2.0	-	0.1	-	0.3	-	0.1
	6	-	0.1	-	0.2	-	*	-	0.1	-	*
	7	-	*	-	*	-	-	-	0.1	-	*
	8	-	-	-	*	-	-	-	0.2	-	-
Total	----	-	1.5	-	13.5	-	3.4	-	1.6	-	0.7
61	1 - 2	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	*	-	-
Total	----	-	-	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	*	-	-
12 & 22	1 - 2	-	3.3	-	*	-	*	-	3.7	-	*
	3	-	1.6	-	*	-	*	-	2.2	-	*
	4	-	0.2	-	*	-	*	-	0.3	-	*
	5	-	*	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	5.2	-	*	-	*	-	6.2	-	*
32	1 - 2	-	0.8	-	*	-	0.2	-	0.5	-	*
	3	-	1.2	-	0.1	-	0.6	-	2.0	-	0.3
	4	-	0.3	-	0.1	-	0.1	-	1.2	-	0.1
	5	-	*	-	*	-	*	-	0.3	-	*
	6	-	*	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	2.3	-	0.3	-	0.9	-	4.2	-	0.4
42	1 - 2	-	1.1	-	*	-	1.9	-	*	-	*
	3	-	6.2	-	0.2	-	6.3	-	1.0	-	0.1
	4	-	4.3	-	0.5	-	1.5	-	1.9	-	0.1
	5	-	0.9	-	0.3	-	0.1	-	0.8	-	*
	6	-	0.1	-	*	-	*	-	0.2	-	*
	7	-	*	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	12.5	-	1.0	-	9.8	-	3.9	-	0.3

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Apr 17, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	0.2	-	*	-	*
	3	-	0.2	-	0.1	-	0.9	-	0.1	-	*
	4	-	0.6	-	0.5	-	0.6	-	0.4	-	*
	5	-	0.5	-	0.3	-	0.1	-	0.4	-	*
	6	-	0.2	-	*	-	*	-	0.2	-	-
	7	-	0.1	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	1.6	-	0.9	-	1.8	-	1.2	-	*
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	*
Total	----	-	*	-	*	-	*	-	*	-	*
13 & 23	1 - 2	-	0.2	-	*	-	-	-	0.2	-	*
	3	-	0.2	-	*	-	-	-	0.2	-	*
	4	-	*	-	*	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.5	-	*	-	-	-	0.5	-	*
33	1 - 2	-	0.2	-	-	-	*	-	0.1	-	*
	3	-	0.4	-	*	-	*	-	0.3	-	0.1
	4	-	0.1	-	*	-	*	-	0.2	-	*
	5	-	*	-	*	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	0.7	-	*	-	*	-	0.7	-	0.1
43	1 - 2	-	0.1	-	*	-	*	-	*	-	*
	3	-	0.6	-	*	-	0.1	-	0.1	-	*
	4	-	0.4	-	*	-	*	-	0.2	-	*
	5	-	0.1	-	*	-	*	-	0.1	-	*
	6	-	*	-	*	-	-	-	*	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	1.3	-	0.1	-	0.1	-	0.4	-	*
53	1 - 2	-	*	-	-	-	-	-	*	-	-
	3	-	0.1	-	*	-	-	-	*	-	-
	4	-	0.1	-	*	-	*	-	0.1	-	-
	5	-	0.1	-	*	-	-	-	0.2	-	-
	6	-	0.1	-	*	-	-	-	0.1	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	0.3	-	*	-	*	-	0.4	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	-
	4	-	*	-	-	-	-	-	*	-	-
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	*	-	-	-	-	*	-	-	
24 - 54	1 - 8	-	0.5	-	*	-	*	-	0.2	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	*	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	*	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	*	-	-
29		-	0.1	-	-	-	-	-	*	-	-
30		-	0.2	-	-	-	-	-	0.1	-	-
31		-	0.7	-	-	-	*	-	0.6	-	-
32		-	1.4	-	-	-	*	-	2.1	-	-
33		-	3.3	-	0.2	-	0.2	-	5.4	-	0.2
34		-	9.1	-	2.6	-	2.0	-	12.3	-	2.7
35		-	18.3	-	14.5	-	13.2	-	19.7	-	16.2
36		-	24.9	-	33.4	-	35.5	-	21.9	-	45.9
37		-	25.4	-	36.9	-	42.3	-	24.3	-	32.8
38		-	10.8	-	9.6	-	6.0	-	9.5	-	1.9
39		-	5.2	-	2.3	-	0.8	-	3.4	-	0.2
40 & Longer		-	0.6	-	0.4	-	0.1	-	0.5	-	*
Average Staple		-	36.08	-	36.45	-	36.39	-	35.82	-	36.15
Average Length		-	1.12	-	1.14	-	1.13	-	1.12	-	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 17, 2025

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	0.4	-	0.1	-	0.4	-	4.0	-	0.9	-	1.1
Bark - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Bark - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	*	-	0.1	-	0.1	-	0.1	-	0.1
Grass - Level 2	-	*	-	-	-	-	-	-	-	-	-	*
Prep - Level 1	-	*	-	*	-	*	-	-	-	*	-	*
Prep - Level 2	-	-	-	*	-	-	-	-	-	-	-	*
Seed Coat - Level 1	-	1.6	-	0.3	-	0.1	-	*	-	8.3	-	3.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	*	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	-	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	*	-	-	-	-	-	-	-	-	-	*
24	-	*	-	*	-	*	-	*	-	*	-	*
25	-	0.1	-	*	-	*	-	0.1	-	*	-	0.1
26	-	0.8	-	0.2	-	0.2	-	0.3	-	0.1	-	0.5
27	-	4.0	-	2.7	-	0.8	-	1.2	-	0.6	-	3.0
28	-	14.4	-	20.9	-	3.2	-	4.3	-	2.8	-	10.4
29	-	28.6	-	40.5	-	6.9	-	11.2	-	11.5	-	23.4
30	-	26.5	-	23.9	-	13.8	-	23.0	-	23.7	-	27.8
31	-	16.0	-	8.8	-	21.8	-	24.0	-	25.3	-	19.6
32	-	6.7	-	2.3	-	20.2	-	11.0	-	18.5	-	9.6
33	-	2.0	-	0.5	-	14.2	-	7.0	-	8.0	-	3.8
34	-	0.6	-	0.1	-	9.7	-	6.9	-	6.0	-	1.2
35	-	0.1	-	*	-	5.6	-	4.6	-	2.9	-	0.3
36	-	*	-	*	-	2.5	-	3.7	-	0.5	-	0.1
37	-	*	-	*	-	0.7	-	1.9	-	0.1	-	*
38	-	*	-	-	-	0.3	-	0.7	-	*	-	*
39	-	-	-	-	-	0.1	-	0.1	-	*	-	*
40 & Above	-	*	-	-	-	*	-	*	-	-	-	*
Average	-	30.11	-	29.69	-	32.23	-	31.80	-	31.55	-	30.47
Mike	-	-	-	-	-	*	-	-	-	-	-	*
2.4 & Below	-	-	-	*	-	*	-	*	-	-	-	*
2.5	-	-	-	*	-	*	-	*	-	-	-	*
2.6	-	-	-	*	-	*	-	*	-	-	-	*
2.7	-	*	-	*	-	*	-	*	-	-	-	*
2.8	-	*	-	*	-	0.1	-	0.1	-	*	-	*
2.9	-	*	-	*	-	*	-	0.1	-	*	-	*
3.0	-	*	-	*	-	0.1	-	0.3	-	*	-	*
3.1	-	*	-	*	-	0.2	-	0.6	-	*	-	*
3.2	-	0.1	-	*	-	0.3	-	1.1	-	*	-	*
3.3	-	0.1	-	*	-	0.5	-	1.4	-	*	-	*
3.4	-	0.2	-	0.1	-	0.6	-	2.5	-	*	-	*
3.5	-	0.4	-	0.1	-	0.8	-	2.4	-	*	-	0.1
3.6	-	0.7	-	0.2	-	1.3	-	3.4	-	0.1	-	0.1
3.7	-	1.3	-	0.4	-	2.0	-	5.1	-	0.2	-	0.3
3.8	-	2.4	-	0.7	-	3.3	-	7.4	-	0.5	-	0.6
3.9	-	3.7	-	1.4	-	4.8	-	10.4	-	0.7	-	1.1
4.0	-	5.3	-	2.4	-	5.8	-	11.4	-	0.8	-	1.9
4.1	-	7.4	-	3.7	-	7.5	-	10.3	-	1.8	-	3.2
4.2	-	9.4	-	5.3	-	9.0	-	8.7	-	3.0	-	5.2
4.3	-	10.2	-	7.5	-	9.4	-	7.3	-	4.6	-	7.5
4.4	-	10.7	-	9.9	-	10.7	-	5.3	-	8.2	-	10.2
4.5	-	10.2	-	12.4	-	8.6	-	4.4	-	10.7	-	12.4
4.6	-	10.1	-	14.6	-	7.7	-	3.3	-	14.2	-	13.6
4.7	-	9.1	-	14.2	-	7.4	-	3.4	-	15.3	-	13.4
4.8	-	7.1	-	11.2	-	6.9	-	2.9	-	13.1	-	11.4
4.9	-	5.1	-	7.7	-	5.0	-	2.6	-	10.9	-	8.3
5.0	-	3.1	-	4.4	-	2.9	-	2.0	-	7.7	-	5.4
5.1	-	1.9	-	2.3	-	2.0	-	1.7	-	4.2	-	3.0
5.2	-	0.9	-	1.0	-	1.2	-	1.0	-	2.5	-	1.3
5.3	-	0.4	-	0.4	-	1.0	-	0.7	-	1.1	-	0.6
5.4	-	0.1	-	0.1	-	0.6	-	*	-	0.2	-	0.2
5.5 & Above	-	*	-	*	-	0.3	-	*	-	0.1	-	0.1
Average	-	4.43	-	4.57	-	4.39	-	4.13	-	4.67	-	4.59

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 17, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	27.1	-	*	-	*	-	0.2	-	2.6	-	3.2
Bark - Level 1	-	-	-	*	-	-	-	*	-	-	-	-
Bark - Level 2	-	-	-	*	-	-	-	*	-	-	-	-
Grass - Level 1	-	0.1	-	0.1	-	*	-	*	-	0.2	-	0.6
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	-	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.1	-	0.2	-	*	-	0.8	-	*	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	-	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	-	-	-	-	-
23	-	*	-	-	-	-	-	-	-	-	-	-
24	-	0.1	-	*	-	*	-	*	-	*	-	-
25	-	0.3	-	*	-	*	-	0.1	-	0.2	-	*
26	-	0.9	-	*	-	0.2	-	0.5	-	2.5	-	0.2
27	-	2.6	-	0.3	-	1.8	-	3.3	-	17.0	-	1.5
28	-	5.8	-	3.4	-	17.2	-	14.8	-	36.5	-	6.9
29	-	10.9	-	19.2	-	40.5	-	31.4	-	27.2	-	18.4
30	-	18.5	-	33.3	-	27.5	-	29.6	-	11.6	-	21.6
31	-	20.8	-	28.9	-	9.3	-	14.1	-	3.9	-	23.4
32	-	18.4	-	10.4	-	2.8	-	4.4	-	1.0	-	14.4
33	-	13.9	-	3.0	-	0.6	-	1.3	-	0.2	-	7.8
34	-	5.9	-	1.1	-	0.1	-	0.4	-	*	-	4.3
35	-	1.3	-	0.3	-	*	-	0.1	-	*	-	1.1
36	-	0.4	-	*	-	*	-	*	-	-	-	0.3
37	-	0.1	-	*	-	*	-	*	-	-	-	*
38	-	*	-	*	-	-	-	-	-	-	-	*
39	-	*	-	-	-	-	-	-	-	-	-	-
40 & Above	-	*	-	-	-	-	-	-	-	-	-	*
Average	-	31.41	-	30.82	-	29.81	-	30.01	-	28.89	-	31.07
Mike	-	-	-	-	-	-	-	-	-	-	-	-
2.4 & Below	-	*	-	-	-	-	-	*	-	-	-	-
2.5	-	0.1	-	-	-	-	-	*	-	*	-	-
2.6	-	0.2	-	-	-	-	-	*	-	*	-	-
2.7	-	0.2	-	*	-	*	-	*	-	*	-	*
2.8	-	0.4	-	*	-	*	-	*	-	*	-	0.1
2.9	-	0.7	-	*	-	*	-	*	-	*	-	0.1
3.0	-	1.1	-	*	-	*	-	*	-	0.1	-	0.2
3.1	-	1.9	-	*	-	*	-	*	-	0.1	-	0.2
3.2	-	1.9	-	*	-	0.1	-	*	-	0.1	-	0.9
3.3	-	2.5	-	0.1	-	0.1	-	*	-	0.2	-	1.4
3.4	-	2.1	-	0.1	-	0.2	-	*	-	0.3	-	1.6
3.5	-	3.6	-	0.1	-	0.3	-	0.1	-	0.5	-	2.2
3.6	-	5.2	-	0.2	-	0.5	-	0.1	-	0.7	-	2.5
3.7	-	6.1	-	0.2	-	0.9	-	0.3	-	1.1	-	5.3
3.8	-	7.2	-	0.4	-	1.6	-	0.6	-	1.7	-	6.0
3.9	-	8.1	-	0.9	-	2.4	-	0.9	-	2.8	-	6.7
4.0	-	8.0	-	1.6	-	3.6	-	1.7	-	4.5	-	7.1
4.1	-	8.7	-	2.4	-	5.1	-	2.7	-	6.7	-	7.0
4.2	-	8.8	-	4.2	-	7.4	-	4.1	-	8.6	-	9.2
4.3	-	8.1	-	6.5	-	10.1	-	6.4	-	11.1	-	7.6
4.4	-	7.0	-	8.7	-	12.2	-	8.6	-	13.2	-	6.8
4.5	-	5.3	-	9.3	-	13.4	-	10.8	-	13.9	-	8.4
4.6	-	3.7	-	10.4	-	13.3	-	13.3	-	12.6	-	8.2
4.7	-	3.0	-	12.3	-	10.7	-	14.0	-	9.7	-	7.4
4.8	-	2.3	-	12.9	-	8.0	-	12.7	-	6.2	-	3.5
4.9	-	1.9	-	9.2	-	4.9	-	9.8	-	3.4	-	3.3
5.0	-	1.3	-	6.6	-	2.9	-	7.0	-	1.6	-	2.9
5.1	-	0.6	-	5.2	-	1.2	-	3.8	-	0.6	-	0.7
5.2	-	0.1	-	3.6	-	0.6	-	1.8	-	0.2	-	0.4
5.3	-	*	-	2.8	-	0.2	-	0.8	-	*	-	0.1
5.4	-	*	-	1.4	-	0.1	-	0.3	-	*	-	0.1
5.5 & Above	-	-	-	0.8	-	*	-	0.1	-	*	-	*
Average	-	4.03	-	4.67	-	4.47	-	4.63	-	4.41	-	4.23

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 17, 2025

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	-	4.2	-	3.1	-	*	-	5.8	-	1.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	-	0.3	-	*	-	0.6	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	*	-	*	-	-	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	0.2	-	*	-	0.1	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	*	-	-
Oil - Level 1	-	*	-	-	-	-	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	0.1	-	-	-	-	-	0.1	-	-
23	-	0.2	-	-	-	-	-	0.2	-	-
24	-	0.4	-	-	-	*	-	0.4	-	-
25	-	0.9	-	0.1	-	0.1	-	1.0	-	0.5
26	-	2.0	-	0.7	-	1.0	-	2.3	-	7.2
27	-	4.5	-	4.3	-	8.2	-	5.2	-	28.5
28	-	8.0	-	15.3	-	30.0	-	10.3	-	39.2
29	-	12.1	-	27.5	-	36.1	-	16.0	-	18.4
30	-	13.4	-	26.1	-	18.4	-	20.0	-	5.3
31	-	12.8	-	15.4	-	4.7	-	19.0	-	0.9
32	-	15.6	-	7.4	-	1.1	-	12.6	-	0.1
33	-	17.0	-	2.6	-	0.3	-	6.9	-	*
34	-	9.3	-	0.6	-	*	-	3.5	-	*
35	-	2.8	-	0.1	-	*	-	1.6	-	*
36	-	0.7	-	*	-	*	-	0.6	-	-
37	-	0.2	-	-	-	-	-	0.2	-	-
38	-	*	-	-	-	-	-	*	-	-
39	-	*	-	-	-	-	-	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	-	31.39	-	30.12	-	29.27	-	30.65	-	28.33
Mike										
2.4 & Below	-	*	-	-	-	-	-	*	-	-
2.5	-	*	-	-	-	-	-	*	-	-
2.6	-	*	-	-	-	-	-	0.1	-	-
2.7	-	*	-	-	-	*	-	0.1	-	*
2.8	-	*	-	*	-	*	-	0.2	-	*
2.9	-	0.1	-	*	-	*	-	0.3	-	*
3.0	-	0.1	-	*	-	*	-	0.5	-	0.1
3.1	-	0.2	-	*	-	*	-	0.7	-	*
3.2	-	0.3	-	*	-	0.1	-	0.9	-	0.1
3.3	-	0.5	-	*	-	0.2	-	1.1	-	0.2
3.4	-	0.8	-	*	-	0.3	-	1.4	-	0.5
3.5	-	1.0	-	0.1	-	0.4	-	1.8	-	0.8
3.6	-	2.6	-	0.2	-	0.7	-	2.4	-	1.5
3.7	-	3.3	-	0.4	-	1.3	-	2.9	-	3.0
3.8	-	4.1	-	0.8	-	2.4	-	3.6	-	5.2
3.9	-	6.2	-	1.2	-	3.8	-	4.5	-	7.4
4.0	-	7.6	-	2.4	-	5.9	-	5.3	-	9.3
4.1	-	9.0	-	4.1	-	8.5	-	6.4	-	11.0
4.2	-	10.2	-	7.1	-	11.0	-	7.7	-	13.5
4.3	-	10.6	-	10.3	-	13.0	-	8.9	-	15.7
4.4	-	10.5	-	12.7	-	13.5	-	9.6	-	13.9
4.5	-	9.9	-	13.3	-	12.6	-	9.5	-	9.7
4.6	-	7.7	-	13.3	-	11.0	-	9.0	-	4.7
4.7	-	6.1	-	11.1	-	7.6	-	8.0	-	2.2
4.8	-	3.5	-	9.3	-	4.5	-	6.3	-	0.8
4.9	-	2.6	-	6.6	-	1.9	-	4.2	-	0.2
5.0	-	1.7	-	4.0	-	0.8	-	2.4	-	*
5.1	-	0.8	-	2.0	-	0.3	-	1.2	-	-
5.2	-	0.3	-	0.8	-	0.1	-	0.6	-	*
5.3	-	0.1	-	0.3	-	*	-	0.3	-	-
5.4	-	*	-	*	-	*	-	0.1	-	-
5.5 & Above	-	*	-	*	-	*	-	*	-	-
Average	-	4.27	-	4.53	-	4.35	-	4.30	-	4.20

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 17, 2025

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	*	-	-	-	-	-	*
2.5 - 2.6	-	-	-	*	-	*	-	*	-	-	-	*
2.7 - 2.9	-	*	-	*	-	0.1	-	0.2	-	*	-	*
3.0 - 3.2	-	0.1	-	*	-	0.6	-	2.0	-	*	-	*
3.3 - 3.4	-	0.3	-	0.1	-	1.2	-	4.0	-	*	-	0.1
3.5 - 3.6	-	1.1	-	0.3	-	2.1	-	5.7	-	0.2	-	0.2
3.7 - 4.2	-	29.5	-	13.8	-	32.3	-	53.4	-	7.0	-	12.3
4.3 - 4.9	-	62.6	-	77.5	-	55.6	-	29.2	-	77.1	-	76.9
5.0 - 5.2	-	5.9	-	7.7	-	6.2	-	4.7	-	14.3	-	9.7
5.3 & Above	-	0.6	-	0.5	-	1.8	-	0.7	-	1.4	-	0.8
Average	-	4.43	-	4.57	-	4.39	-	4.13	-	4.67	-	4.59
Leaf												
1 - 2	-	10.6	-	10.7	-	87.2	-	82.7	-	4.9	-	11.5
3	-	53.9	-	56.3	-	11.0	-	11.9	-	41.7	-	55.0
4	-	29.8	-	28.4	-	1.4	-	4.4	-	42.7	-	28.7
5	-	5.3	-	4.1	-	0.3	-	0.9	-	10.0	-	4.4
6	-	0.5	-	0.6	-	0.1	-	0.1	-	0.8	-	0.3
7	-	*	-	*	-	*	-	*	-	*	-	*
8	-	*	-	-	-	*	-	-	-	-	-	*
Average	-	3.31	-	3.27	-	1.75	-	1.93	-	3.60	-	3.27
HVI Trash 1/												
00	-	-	-	-	-	0.2	-	0.1	-	-	-	-
01	-	1.0	-	1.0	-	57.8	-	50.1	-	0.4	-	1.0
02	-	14.3	-	14.1	-	32.3	-	33.8	-	6.6	-	14.2
03	-	28.4	-	29.1	-	6.7	-	7.7	-	18.8	-	28.0
04	-	25.6	-	25.7	-	1.8	-	3.5	-	25.1	-	25.5
05	-	15.8	-	15.6	-	0.7	-	2.3	-	21.5	-	16.0
06	-	8.1	-	7.9	-	0.3	-	1.3	-	14.0	-	8.2
07	-	3.8	-	3.7	-	0.1	-	0.6	-	7.5	-	3.9
08	-	1.7	-	1.6	-	0.1	-	0.3	-	3.5	-	1.7
09	-	0.7	-	0.7	-	*	-	0.1	-	1.5	-	0.8
10	-	0.3	-	0.3	-	*	-	0.1	-	0.6	-	0.3
11	-	0.2	-	0.2	-	*	-	0.1	-	0.3	-	0.1
12	-	0.1	-	0.1	-	*	-	*	-	0.1	-	0.1
13	-	*	-	*	-	*	-	*	-	0.1	-	*
14	-	*	-	*	-	*	-	*	-	*	-	*
15	-	*	-	*	-	*	-	*	-	*	-	*
16	-	*	-	*	-	*	-	-	-	*	-	*
17	-	*	-	*	-	*	-	-	-	*	-	*
18 & Above	-	*	-	*	-	-	-	-	-	*	-	*
Average	-	0.40	-	0.40	-	0.16	-	0.18	-	0.47	-	0.40
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	-	-	-	*	-	*	-	-	-	*
76	-	*	-	*	-	*	-	*	-	*	-	*
77	-	0.2	-	*	-	0.1	-	0.4	-	*	-	0.1
78	-	1.2	-	0.2	-	0.5	-	2.7	-	0.1	-	0.5
79	-	7.2	-	1.9	-	3.1	-	10.6	-	1.4	-	2.9
80	-	22.3	-	13.2	-	18.9	-	37.4	-	10.8	-	13.9
81	-	36.3	-	31.9	-	40.7	-	24.7	-	30.4	-	31.9
82	-	25.7	-	37.5	-	29.4	-	13.2	-	34.1	-	30.7
83	-	6.5	-	13.5	-	6.6	-	6.1	-	18.2	-	15.8
84	-	0.6	-	1.5	-	0.6	-	4.1	-	4.5	-	3.9
85 & Above	-	*	-	0.2	-	*	-	0.7	-	0.3	-	0.4
Average	-	81.45	-	81.97	-	81.63	-	81.17	-	82.17	-	81.99
Tenderable 3/	-	79.9	-	85.1	-	89.3	-	85.4	-	68.6	-	78.6
SAMPLES CLASSED	-	629,850	-	1,948,601	-	237,027	-	89,614	-	113,053	-	1,886,795

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 17, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	*	-	-	-	-	-	*	-	-	-	-
2.5 - 2.6	-	0.3	-	-	-	-	-	*	-	*	-	-
2.7 - 2.9	-	1.4	-	*	-	*	-	*	-	*	-	0.2
3.0 - 3.2	-	4.9	-	0.1	-	0.1	-	*	-	0.2	-	1.2
3.3 - 3.4	-	4.6	-	0.2	-	0.3	-	0.1	-	0.6	-	3.0
3.5 - 3.6	-	8.8	-	0.2	-	0.8	-	0.2	-	1.2	-	4.8
3.7 - 4.2	-	46.8	-	9.8	-	21.0	-	10.3	-	25.4	-	41.3
4.3 - 4.9	-	31.2	-	69.4	-	72.7	-	75.6	-	70.1	-	45.2
5.0 - 5.2	-	1.9	-	15.4	-	4.7	-	12.7	-	2.4	-	4.1
5.3 & Above	-	*	-	4.9	-	0.3	-	1.1	-	*	-	0.2
Average	-	4.03	-	4.67	-	4.47	-	4.63	-	4.41	-	4.23
Leaf												
1 - 2	-	19.2	-	20.2	-	22.6	-	7.4	-	7.7	-	70.0
3	-	31.4	-	45.9	-	61.9	-	43.0	-	47.5	-	20.8
4	-	20.4	-	28.0	-	14.6	-	39.3	-	35.9	-	6.8
5	-	15.5	-	5.5	-	0.9	-	9.5	-	7.8	-	2.1
6	-	8.6	-	0.4	-	*	-	0.8	-	0.9	-	0.3
7	-	3.7	-	*	-	*	-	*	-	0.2	-	-
8	-	1.3	-	*	-	-	-	-	-	0.1	-	-
Average	-	3.77	-	3.19	-	2.93	-	3.53	-	3.47	-	2.12
HVI Trash 1/												
00	-	-	-	-	-	-	-	*	-	-	-	0.1
01	-	6.0	-	4.1	-	2.8	-	0.8	-	0.6	-	40.3
02	-	17.5	-	19.3	-	25.9	-	9.1	-	9.6	-	31.4
03	-	17.7	-	23.8	-	35.0	-	20.8	-	22.3	-	13.2
04	-	12.0	-	21.3	-	21.4	-	24.4	-	24.8	-	6.3
05	-	8.9	-	15.1	-	9.5	-	19.9	-	19.1	-	3.8
06	-	7.5	-	8.7	-	3.5	-	12.7	-	11.7	-	2.3
07	-	6.7	-	4.5	-	1.2	-	6.8	-	6.2	-	1.2
08	-	5.5	-	1.9	-	0.4	-	3.2	-	3.0	-	0.6
09	-	4.7	-	0.8	-	0.1	-	1.3	-	1.4	-	0.3
10	-	3.7	-	0.3	-	0.1	-	0.5	-	0.6	-	0.2
11	-	2.8	-	0.1	-	*	-	0.2	-	0.3	-	0.1
12	-	2.1	-	*	-	*	-	0.1	-	0.1	-	*
13	-	1.5	-	*	-	*	-	*	-	0.1	-	*
14	-	1.1	-	*	-	*	-	*	-	*	-	-
15	-	0.7	-	*	-	*	-	*	-	*	-	-
16	-	0.5	-	*	-	-	-	*	-	*	-	-
17	-	0.3	-	*	-	-	-	*	-	*	-	-
18 & Above	-	0.5	-	*	-	-	-	*	-	*	-	-
Average	-	0.53	-	0.39	-	0.33	-	0.45	-	0.45	-	0.22
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	-	-	-	-	-	-	-
75	-	0.1	-	*	-	-	-	*	-	-	-	-
76	-	0.3	-	*	-	*	-	*	-	-	-	*
77	-	1.5	-	*	-	*	-	0.1	-	*	-	0.2
78	-	7.3	-	0.1	-	0.2	-	0.5	-	0.3	-	0.8
79	-	20.6	-	1.8	-	1.8	-	3.6	-	3.2	-	8.7
80	-	31.3	-	13.8	-	10.6	-	19.7	-	18.6	-	24.2
81	-	30.0	-	33.8	-	32.2	-	37.5	-	37.3	-	36.9
82	-	8.4	-	33.9	-	40.5	-	27.8	-	30.7	-	25.0
83	-	0.5	-	14.2	-	13.6	-	9.5	-	9.2	-	3.6
84	-	*	-	2.2	-	0.9	-	1.1	-	0.7	-	0.6
85 & Above	-	-	-	0.2	-	0.1	-	0.2	-	*	-	*
Average	-	80.52	-	81.97	-	82.00	-	81.67	-	81.70	-	81.34
Tenderable 3/	-	46.5	-	77.3	-	91.2	-	78.0	-	92.0	-	89.2
SAMPLES CLASSED	-	175,904	-	329,898	-	891,820	-	1,154,244	-	792,089	-	22,013

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Apr 17, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	*	-	-	-	-	-	*	-	-
2.5 - 2.6	-	*	-	-	-	-	-	0.1	-	-
2.7 - 2.9	-	0.1	-	*	-	*	-	0.6	-	*
3.0 - 3.2	-	0.6	-	*	-	0.2	-	2.0	-	0.2
3.3 - 3.4	-	1.3	-	0.1	-	0.5	-	2.5	-	0.7
3.5 - 3.6	-	3.7	-	0.3	-	1.1	-	4.2	-	2.3
3.7 - 4.2	-	40.4	-	15.9	-	33.0	-	30.4	-	49.4
4.3 - 4.9	-	50.9	-	76.6	-	64.0	-	55.5	-	47.3
5.0 - 5.2	-	2.8	-	6.9	-	1.3	-	4.1	-	*
5.3 & Above	-	0.1	-	0.3	-	*	-	0.4	-	-
Average	-	4.27	-	4.53	-	4.35	-	4.30	-	4.20
Leaf										
1 - 2	-	56.0	-	5.8	-	27.3	-	33.6	-	12.7
3	-	30.9	-	45.5	-	58.5	-	36.9	-	60.6
4	-	10.1	-	39.8	-	13.2	-	20.3	-	23.7
5	-	2.4	-	8.2	-	1.0	-	6.1	-	2.8
6	-	0.5	-	0.6	-	*	-	1.8	-	0.2
7	-	0.1	-	*	-	-	-	0.7	-	*
8	-	*	-	*	-	-	-	0.5	-	*
Average	-	2.42	-	3.52	-	2.87	-	3.01	-	3.17
HVI Trash 1/										
00	-	0.2	-	-	-	-	-	0.1	-	-
01	-	27.9	-	0.4	-	4.6	-	14.8	-	0.7
02	-	30.3	-	7.9	-	28.8	-	22.1	-	14.6
03	-	17.1	-	21.4	-	33.7	-	19.6	-	31.3
04	-	10.7	-	25.7	-	19.6	-	15.9	-	26.1
05	-	6.3	-	20.5	-	8.4	-	10.8	-	15.0
06	-	3.3	-	12.8	-	3.2	-	6.6	-	7.3
07	-	1.7	-	6.4	-	1.1	-	3.8	-	3.2
08	-	1.0	-	2.9	-	0.4	-	2.2	-	1.2
09	-	0.6	-	1.2	-	0.2	-	1.3	-	0.4
10	-	0.3	-	0.5	-	0.1	-	0.8	-	0.2
11	-	0.2	-	0.2	-	*	-	0.6	-	0.1
12	-	0.1	-	0.1	-	*	-	0.4	-	*
13	-	0.1	-	*	-	*	-	0.3	-	*
14	-	*	-	*	-	*	-	0.2	-	*
15	-	*	-	*	-	*	-	0.1	-	*
16	-	*	-	*	-	-	-	0.1	-	*
17	-	*	-	*	-	-	-	0.1	-	*
18 & Above	-	*	-	*	-	-	-	0.1	-	*
Average	-	0.27	-	0.45	-	0.32	-	0.36	-	0.39
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	-	0.1	-	-
75	-	0.1	-	-	-	-	-	0.2	-	-
76	-	0.5	-	-	-	*	-	0.8	-	-
77	-	1.6	-	*	-	0.1	-	2.8	-	*
78	-	4.7	-	0.2	-	0.5	-	7.9	-	0.4
79	-	12.7	-	1.9	-	4.2	-	16.4	-	3.4
80	-	20.4	-	15.6	-	18.6	-	26.0	-	22.3
81	-	27.4	-	37.5	-	38.8	-	27.3	-	36.5
82	-	23.8	-	33.8	-	30.6	-	14.6	-	28.8
83	-	8.1	-	10.2	-	6.8	-	3.5	-	8.0
84	-	0.6	-	0.7	-	0.3	-	0.4	-	0.7
85 & Above	-	*	-	*	-	*	-	*	-	*
Average	-	81.17	-	81.82	-	81.61	-	80.68	-	81.62
Tenderable 3/	-	75.0	-	87.1	-	86.4	-	75.2	-	97.1
SAMPLES CLASSED	-	166,574	-	328,157	-	535,227	-	4,065,370	-	214,946

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE									
For The Week Ending Apr 17, 2025									
Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	70.3	-	14.6	-	21.8	-	11.9
	2	-	15.6	-	14.0	-	23.1	-	21.2
	3	-	0.3	-	0.2	-	2.1	-	3.5
	4	-	-	-	*	-	*	-	0.6
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	86.2	-	28.9	-	47.0	-	37.3
02	1	-	10.7	-	16.1	-	12.2	-	11.5
	2	-	3.0	-	45.7	-	27.0	-	34.6
	3	-	0.1	-	3.8	-	9.3	-	6.5
	4	-	-	-	*	-	1.1	-	2.2
	5	-	-	-	-	-	*	-	0.3
	6	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	*
Total -----		-	13.7	-	65.6	-	49.7	-	55.1
03	1	-	*	-	0.3	-	0.1	-	0.3
	2	-	*	-	3.0	-	0.7	-	3.3
	3	-	*	-	1.5	-	1.8	-	2.7
	4	-	*	-	0.2	-	0.6	-	0.7
	5	-	-	-	*	-	0.1	-	0.1
	6	-	-	-	*	-	-	-	*
	7	-	-	-	*	-	-	-	*
Total -----		-	0.1	-	5.0	-	3.3	-	7.1
04	1	-	-	-	*	-	-	-	*
	2	-	*	-	0.1	-	*	-	0.1
	3	-	-	-	0.2	-	*	-	0.2
	4	-	-	-	0.1	-	*	-	0.1
	5	-	-	-	*	-	-	-	*
	6	-	-	-	*	-	-	-	*
	7	-	-	-	*	-	-	-	-
Total -----		-	*	-	0.4	-	*	-	0.5
05	1	-	-	-	*	-	-	-	-
	2	-	*	-	*	-	-	-	-
	3	-	-	-	0.1	-	-	-	*
	4	-	-	-	0.1	-	-	-	*
	5	-	-	-	*	-	-	-	*
	6	-	-	-	*	-	-	-	*
	7	-	-	-	*	-	-	-	*
Total -----		-	*	-	0.2	-	-	-	0.1
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	*
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	-	-	*	-	-	-	*
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
44 & Shorter		-	*	-	0.2	-	1.3	-	9.3
46		-	4.0	-	3.4	-	14.8	-	28.4
48		-	50.9	-	17.4	-	66.8	-	52.4
50		-	42.4	-	57.6	-	16.2	-	9.3
52 & Longer		-	2.7	-	21.4	-	0.9	-	0.6
Average Staple		-	48.88	-	49.93	-	48.01	-	47.26
Average Length		-	1.42	-	1.45	-	1.39	-	1.38
EXTRANEIOUS MATTER									
Bark		-	-	-	*	-	0.2	-	0.3
Grass		-	-	-	0.1	-	1.3	-	0.4
Spindle Twist		-	-	-	0.7	-	-	-	0.2
Preparation		-	-	-	*	-	-	-	*
All Other		-	0.1	-	*	-	*	-	0.2

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE								
For The Week Ending Apr 17, 2025								
Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	*	-	-	-	*
2.5 - 2.6	-	*	-	*	-	*	-	*
2.7 - 2.9	-	*	-	0.5	-	0.2	-	0.4
3.0 - 3.2	-	0.4	-	1.7	-	6.0	-	1.3
3.3 - 3.4	-	0.6	-	5.1	-	10.1	-	2.9
3.5 - 3.6	-	5.7	-	18.5	-	18.9	-	8.8
3.7 - 4.2	-	92.6	-	73.6	-	61.2	-	79.4
4.3 - 4.9	-	0.7	-	0.6	-	3.6	-	7.1
5.0 - 5.2	-	-	-	*	-	-	-	*
5.3 & Above	-	-	-	*	-	-	-	-
Average	-	3.88	-	3.77	-	3.75	-	3.92
ALL RANGE MIKE								
2.4 & Below	-	-	-	*	-	-	-	*
2.5	-	-	-	*	-	-	-	-
2.6	-	*	-	*	-	*	-	*
2.7	-	*	-	0.1	-	0.1	-	0.1
2.8	-	*	-	0.2	-	0.1	-	0.1
2.9	-	*	-	0.2	-	0.1	-	0.3
3.0	-	*	-	0.3	-	0.3	-	0.2
3.1	-	0.1	-	0.5	-	1.6	-	0.5
3.2	-	0.3	-	0.8	-	4.2	-	0.6
3.3	-	0.2	-	1.6	-	3.7	-	1.2
3.4	-	0.4	-	3.5	-	6.4	-	1.7
3.5	-	1.5	-	6.9	-	7.7	-	3.0
3.6	-	4.3	-	11.6	-	11.2	-	5.8
3.7	-	10.1	-	17.1	-	11.8	-	9.0
3.8	-	21.8	-	19.7	-	14.1	-	12.6
3.9	-	27.8	-	17.5	-	13.3	-	14.5
4.0	-	22.1	-	11.3	-	11.5	-	16.6
4.1	-	8.6	-	5.9	-	6.5	-	15.4
4.2	-	2.2	-	2.0	-	3.9	-	11.3
4.3	-	0.3	-	0.5	-	3.3	-	5.1
4.4	-	0.4	-	0.1	-	0.3	-	1.6
4.5	-	*	-	*	-	*	-	0.3
4.6	-	-	-	*	-	*	-	0.1
4.7	-	*	-	*	-	-	-	*
4.8	-	-	-	*	-	-	-	*
4.9	-	-	-	*	-	*	-	*
5.0	-	-	-	*	-	-	-	-
5.1	-	-	-	*	-	-	-	*
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	*
Average	-	3.88	-	3.77	-	3.75	-	3.92
STRENGTH 1/								
36 & Below	-	*	-	0.6	-	17.2	-	14.0
37	-	*	-	1.8	-	13.5	-	10.4
38	-	0.8	-	3.6	-	4.3	-	11.3
39	-	1.9	-	3.9	-	1.7	-	2.1
40	-	3.1	-	4.2	-	1.2	-	2.2
41	-	6.6	-	7.7	-	4.1	-	4.8
42	-	16.8	-	14.6	-	11.1	-	8.8
43	-	25.8	-	20.4	-	14.1	-	14.0
44	-	21.0	-	20.4	-	13.7	-	15.8
45	-	14.5	-	14.6	-	13.4	-	10.7
46	-	6.8	-	6.0	-	4.2	-	4.0
47	-	2.1	-	1.7	-	1.4	-	1.5
48 & Above	-	0.5	-	0.5	-	0.2	-	0.3
Average	-	43.75	-	43.30	-	41.48	-	41.36
UNIFORMITY								
83 & Below	-	*	-	0.5	-	0.3	-	6.6
84	-	1.7	-	4.9	-	12.2	-	17.8
85	-	8.0	-	21.5	-	41.3	-	26.1
86	-	50.4	-	53.7	-	40.7	-	43.8
87	-	38.3	-	17.5	-	5.3	-	5.5
88 & Above	-	1.6	-	1.8	-	0.3	-	0.1
Average	-	86.74	-	86.33	-	85.86	-	85.67
Samples Classed	-	26,221	-	355,487	-	21,907	-	49,266

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.