



Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

01-Jul-25

Volume 107, No. 233

SEE IMPORTANT MESSAGE AT THE BOTTOM OF THIS PAGE

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS	
	Basis	Color 41 Leaf 4	Color 31 Leaf 3		Number of Bales Provided to Cotton Program	
	ICE Futures	Staple 34	Staple 35		Today	Season
	<i>Points</i>	<i>Cents per pound</i>			<i>Bales</i>	<i>Bales</i>
Southeast	-50 Oct-25	67.18	71.93		0	73,918
North Delta	-125 Oct-25	66.43	68.43		0	40,523
South Delta	-125 Oct-25	66.43	68.93		0	9,308
East TX-South TX	-400 Oct-25	63.68	67.93		0	148,758
West TX-KS-OK	-425 Oct-25	63.43	65.93		1,885	697,987
Desert SW	-425 Oct-25	63.43	66.68		0	10,653
SJ Valley	-350 Oct-25	64.18	73.08		0	0
Average	-271 Oct-25	64.97	68.99		Upland Total	
Previous day	-271 Oct-25	64.97	68.99		1,885	981,147
AMERICAN PIMA SPOT PRICE QUOTATIONS						
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46		AP Total	
American Pima	149.00	130.50	138.25		0	11,953
ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER				7-MARKET BASE QUOTATIONS FOR UPLAND COTTON	Jun 27 - Jul 03 ADJ. WORLD PRICE 54.18	
Month	<i>Cents per pound</i>				CC ADJUSTMENT 0.00	
	Today	Previous	Change		FC ADJUSTMENT 2023 2024 0.00 0.00	
Jul-25	66.28	66.28 ➡	0.00	Season high	LOAN DEFICIENCY PMT. 0.00	
Oct-25	67.68	67.68 ➡	0.00		PIMA COMPETITIVENESS PAYMENT 0.00	
Dec-25	68.03	68.13 ⬇	-0.10	9/24/2024 67.70		
Mar-26	69.31	69.46 ⬇	-0.15			
May-26	70.36	70.50 ⬇	-0.14	Season low		
Jul-26	71.15	71.30 ⬇	-0.15			
Oct-26	69.63	69.68 ⬇	-0.05			
Dec-26	69.37	69.33 ⬆	0.04	8/6/2024 58.84		
Mar-27	70.27	70.30 ⬇	-0.03			
May-27	70.87	70.90 ⬇	-0.03			

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast						
North Delta						
South Delta						
East TX-South TX						
West TX-OK-KS						
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnndsqr.pdf>

Source: USDA, AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

You're invited to the "Cotton Price & Data Access" webinar scheduled for July 15th at 2 pm CDT, which will highlight exciting changes to the Daily Spot Quotations and enhanced ways to access and download cotton price data.

[Register Here](#)

SOUTHEAST DIFFERENCES

1-Jul-25

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	175	500	600	650	675	25-26	-1075
	3	-225	-50	175	475	575	625	650	27-29	-675
	4	-225	-125	100	425	500	525	525	30-32	-525
	5	-475	-325	-225	25	100	100	100	33-34	-400
	6	-600	-450	-400	-225	-175	-175	-175	Base 35-36	0
	7	-725	-575	-550	-350	-300	-300	-300	37-42	0
31	1 & 2	-225	-100	100	475	575	600	625	Base 43-49	0
	3	-225	-100	100	475	550	575	600	50-52	-200
	4	-225	-125	100	425	475	500	500	53 & Above	-375
	5	-475	-325	-225	25	75	75	75		
	6	-600	-450	-400	-275	-225	-225	-225		
	7	-725	-575	-550	-400	-350	-350	-350		
41	1 & 2	-275	-150	75	400	450	450	475	Strength	
	3	-275	-150	75	375	425	425	450	(Grams per Tex)	
	4	-275	-200	67.18	225	400	400	425	Range	Diff.
	5	-550	-450	-300	-175	-100	-100	-100	21.0 - 21.9	-725
	6	-675	-550	-525	-450	-400	-400	-400	22.0 - 22.9	-675
	7	-775	-675	-650	-600	-550	-550	-550	23.0 - 23.9	-650
51	1 & 2	-475	-350	-175	-125	-75	-75	-75	24.0 - 24.9	-625
	3	-550	-375	-250	-175	-100	-100	-100	25.0 - 25.9	-600
	4	-575	-375	-300	-250	-200	-200	-200	26.0 - 26.9	-300
	5	-775	-650	-525	-475	-425	-425	-425	Base 27.0 - 28.9	0
	6	-850	-675	-625	-625	-575	-575	-575	29.0 - 29.9	0
	7	-925	-800	-775	-775	-725	-725	-725	30.0 - 30.9	25
61	1-5	-775	-700	-625	-600	-575	-575	-575	31.0 - 32.9	50
	6	-950	-875	-825	-800	-775	-775	-775	33.0 & Above	50
	7	-1075	-950	-900	-875	-850	-850	-850		
71	1-6	-1075	-1000	-950	-950	-925	-925	-925		
	7	-1100	-1025	-975	-975	-950	-950	-950		
12 & 22	1 & 2	-275	-100	50	200	275	275	300	Extraneous Matter	
	3	-275	-100	50	175	250	250	275	Type - Level	Diff.
	4	-275	-125	0	150	225	225	250	Prep - Level 1	-200
	5	-525	-425	-300	-100	-50	-50	-50	Prep - Level 2	-800
	6	-650	-525	-525	-450	-400	-400	-400	Other - Level 1	-550
	7	-750	-650	-650	-600	-550	-550	-550	Other - Level 2	-800
32	1 & 2	-325	-175	-25	0	75	75	75	Plastic - Level 1	-4000
	3	-350	-200	-50	0	50	50	50	Plastic - Level 2	-4000
	4	-450	-200	-150	-100	-25	-25	-25		
	5	-625	-450	-400	-375	-325	-325	-325		
	6	-700	-550	-550	-525	-475	-475	-475		
	7	-800	-675	-675	-650	-600	-600	-600		
42	1-3	-550	-350	-200	-175	-125	-125	-125	Uniformity	
	4	-575	-375	-275	-275	-225	-225	-225	Unit	Points
	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-675	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
52	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	0
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
62	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
43	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
	7	-1125	-1000	-950	-925	-925	-925	-925		
53	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
63	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

1-Jul-25

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	250	500	575	575	25-26	-1000
	3	-225	-75	150	200	475	525	525	27-29	-650
	4	-275	-200	75	100	225	250	250	30-32	-525
	5	-450	-325	-175	-100	-100	-75	-75	33-34	-425
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0
	7	-600	-575	-550	-500	-500	-500	-500	37-42	25
31	1 & 2	-225	-100	125	225	500	525	525	Base 43-49	0
	3	-225	-100	125	200	475	500	500	50-52	-225
	4	-275	-250	75	100	175	225	225	53 & Above	-375
	5	-450	-325	-225	-150	-125	-100	-100		
	6	-500	-475	-450	-400	-400	-400	-400		
	7	-600	-575	-550	-500	-500	-500	-500		
41	1 & 2	-350	-250	50	100	350	350	375	Strength	
	3	-350	-250	25	50	325	350	375	(Grams per Tex)	
	4	-375	-275	66.43	0	175	200	200	Range	Diff.
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-425	-425	-425	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-550	-550	23.0 - 23.9	-750
51	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-700
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-650
	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-300
	5	-825	-725	-650	-575	-550	-550	-550	Base 27.0 - 28.9	0
	6	-950	-925	-775	-700	-700	-700	-700	29.0 - 29.9	0
	7	-1000	-975	-825	-775	-775	-775	-775	30.0 - 30.9	25
61	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-950	-950	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
	3	-275	-125	25	50	200	250	250	Type - Level	Diff.
	4	-300	-250	0	0	175	200	200	Prep - Level 1	-200
	5	-600	-475	-300	-200	-175	-150	-150	Prep - Level 2	-800
	6	-725	-650	-525	-425	-400	-400	-400	Other - Level 1	-375
	7	-775	-750	-625	-550	-525	-525	-525	Other - Level 2	-785
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 1	-4000
	3	-400	-250	-100	-25	25	25	25	Plastic - Level 2	-4000
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-700	-525	-350	-325	-300	-300	-300		
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
42	1-3	-550	-425	-325	-225	-200	-200	-200	Uniformity	
	4	-575	-450	-350	-300	-250	-250	-250	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-575	-525	-525	-525	78.0 - 78.9	-80
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-500	-475	-475	-475	-475	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

SOUTH DELTA DIFFERENCES

1-Jul-25

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	300	450	550	550	25-26	-1100
	3	-225	-75	150	250	425	500	500	27-29	-750
	4	-275	-200	75	150	275	300	300	30-32	-525
	5	-450	-325	-175	-100	-100	-75	-75	33-34	-425
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0
	7	-600	-575	-550	-500	-500	-500	-500	37-42	25
31	1 & 2	-225	-100	125	275	425	450	450	Base 43-49	0
	3	-225	-100	125	250	425	450	450	50-52	-225
	4	-275	-250	75	150	250	275	275	53 & Above	-375
	5	-550	-425	-225	-150	-125	-100	-100		
	6	-600	-575	-450	-400	-400	-400	-400		
	7	-700	-675	-550	-500	-500	-500	-500		
41	1 & 2	-350	-250	50	150	300	300	325	Strength	
	3	-350	-250	25	100	275	300	325	(Grams per Tex)	
	4	-375	-275	66.43	50	225	250	250	Range	Diff.
	5	-625	-500	-325	-200	-150	-150	-150	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-425	-425	-425	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-550	-550	23.0 - 23.9	-750
51	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-700
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-650
	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-300
	5	-825	-725	-650	-575	-550	-550	-550	Base 27.0 - 28.9	0
	6	-925	-825	-775	-700	-700	-700	-700	29.0 - 29.9	0
	7	-1100	-1075	-925	-800	-800	-800	-800	30.0 - 30.9	25
61	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1125	-1100	-975	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	275	300	300	Extraneous Matter	
	3	-275	-125	25	50	225	275	275	Type - Level	Diff.
	4	-300	-250	0	0	175	200	200	Prep - Level 1	-200
	5	-600	-475	-300	-200	-175	-150	-150	Prep - Level 2	-800
	6	-725	-650	-525	-425	-400	-400	-400	Other - Level 1	-375
	7	-775	-750	-625	-550	-525	-525	-525	Other - Level 2	-785
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 1	-4000
	3	-400	-250	-100	-25	25	25	25	Plastic - Level 2	-4000
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-700	-525	-350	-325	-300	-300	-300		
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
42	1-3	-550	-425	-325	-225	-200	-200	-200	Uniformity	
	4	-575	-450	-350	-300	-250	-250	-250	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-875	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-925	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1025	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-475	-450	-450	-450	-450	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-500	-450	-275	175	500	850	925	975
	3	-550	-500	-300	125	475	825	900	950
	4	-625	-500	-300	25	150	375	400	450
	5	-650	-525	-450	-100	25	150	275	275
	6	-750	-600	-575	-300	-275	-150	-50	-50
	7	-825	-700	-675	-375	-350	-225	-150	-150
31	1 & 2	-575	-500	-300	100	450	750	825	875
	3	-600	-525	-325	75	425	725	825	875
	4	-675	-575	-325	0	150	325	400	450
	5	-700	-575	-475	-100	0	75	200	200
	6	-775	-625	-600	-300	-275	-175	-125	-125
	7	-850	-725	-700	-375	-350	-250	-225	-225
41	1 & 2	-675	-500	-325	50	175	450	550	625
	3	-725	-525	-325	25	175	310	410	485
	4	-750	-600	-450	63.68	110	185	260	335
	5	-900	-675	-600	-225	-90	35	85	110
	6	-975	-775	-725	-375	-350	-250	-250	-250
	7	-1075	-875	-825	-475	-425	-350	-350	-350
51	1 & 2	-850	-700	-575	-150	-100	50	75	75
	3	-875	-750	-600	-175	-100	50	50	75
	4	-925	-775	-625	-250	-175	-50	-50	-25
	5	-950	-825	-750	-325	-250	-225	-200	-175
	6	-1050	-850	-825	-425	-400	-300	-300	-300
	7	-1150	-875	-850	-500	-475	-350	-350	-350
61	1-5	-1025	-875	-800	-375	-350	-225	-225	-225
	6	-1175	-975	-925	-550	-500	-375	-375	-375
	7	-1275	-1075	-1025	-650	-600	-475	-475	-475
71	1-6	-1225	-1125	-1050	-625	-600	-475	-475	-475
	7	-1300	-1150	-1100	-700	-675	-550	-550	-550
12 & 22	1 & 2	-650	-450	-275	50	325	475	550	550
	3	-700	-500	-325	50	275	425	475	475
	4	-725	-500	-325	-25	110	325	375	375
	5	-800	-675	-600	-225	-115	150	275	275
	6	-950	-750	-725	-375	-350	-200	-75	-75
	7	-1075	-875	-825	-475	-425	-300	-225	-225
32	1 & 2	-825	-725	-550	-150	25	100	225	225
	3	-850	-725	-575	-175	-50	50	175	200
	4	-900	-750	-625	-200	-75	-50	0	25
	5	-1000	-875	-825	-375	-300	-125	-50	-50
	6	-1150	-950	-925	-550	-500	-425	-375	-375
	7	-1300	-1075	-1050	-650	-600	-525	-475	-475
42	1-3	-900	-800	-700	-225	-50	-25	25	50
	4	-975	-850	-750	-275	-75	-75	-50	0
	5	-1125	-975	-875	-475	-375	-325	-300	-250
	6	-1300	-1025	-950	-600	-550	-550	-475	-475
	7	-1425	-1150	-1075	-725	-650	-600	-550	-550
52	1-4	-1175	-975	-875	-525	-500	-400	-350	-325
	5	-1225	-1050	-925	-550	-550	-525	-450	-425
	6	-1425	-1225	-1125	-725	-700	-625	-575	-575
	7	-1525	-1350	-1250	-850	-825	-700	-650	-650
62	1-5	-1275	-1125	-1100	-650	-625	-550	-500	-500
	6	-1475	-1300	-1275	-850	-825	-725	-675	-675

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1200	-1050	-975	-525	-450	-325	-225	-225
	3	-1225	-1075	-1000	-550	-475	-350	-250	-250
	4	-1275	-1150	-1025	-575	-500	-400	-300	-300
	5	-1400	-1250	-1150	-700	-625	-525	-425	-425
	6	-1525	-1325	-1200	-800	-725	-625	-525	-525
	7	-1625	-1425	-1325	-925	-850	-750	-650	-650
33	1 & 2	-1275	-1100	-1000	-530	-475	-375	-275	-275
	3	-1275	-1100	-1000	-555	-500	-400	-275	-275
	4	-1350	-1175	-1050	-605	-550	-450	-325	-325
	5	-1500	-1275	-1175	-730	-675	-575	-450	-450
	6	-1575	-1350	-1250	-855	-800	-700	-575	-575
	7	-1675	-1475	-1350	-980	-925	-825	-700	-700
43	1-3	-1325	-1175	-1050	-605	-550	-450	-325	-325
	4	-1400	-1250	-1100	-630	-575	-475	-350	-350
	5	-1525	-1350	-1200	-760	-700	-600	-475	-475
	6	-1625	-1425	-1300	-880	-850	-750	-625	-625
	7	-1725	-1525	-1400	-980	-950	-850	-725	-725
53	1-4	-1450	-1350	-1225	-755	-750	-700	-575	-575
	5	-1550	-1425	-1325	-830	-825	-775	-650	-650
	6	-1650	-1525	-1425	-1005	-950	-900	-775	-775
	7	-1750	-1625	-1550	-1105	-1050	-975	-850	-850
63	1-5	-1650	-1500	-1375	-955	-875	-800	-675	-675
	6	-1750	-1625	-1475	-1075	-1000	-925	-800	-800
34	1 & 2	-1400	-1275	-1200	-750	-725	-650	-575	-575
	3	-1400	-1275	-1200	-750	-725	-650	-575	-575
	4	-1525	-1400	-1300	-850	-825	-750	-675	-675
	5	-1625	-1500	-1425	-975	-950	-875	-800	-800
	6	-1800	-1675	-1600	-1150	-1125	-1050	-975	-975
44	1-3	-1500	-1375	-1300	-850	-825	-750	-675	-675
	4	-1575	-1475	-1350	-900	-875	-800	-725	-725
	5	-1650	-1550	-1450	-1000	-975	-900	-825	-825
	6	-1825	-1700	-1625	-1175	-1150	-1075	-1000	-1000
54	1-4	-1600	-1500	-1425	-925	-925	-850	-800	-800
	5	-1700	-1600	-1500	-1025	-1000	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-1850
25-26	-1850
27-29	-1300
30-32	-825
33-34	-625
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-375
53 & Above	-450

Strength	
(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-485
20.0 - 20.9	-485
21.0 - 21.9	-460
22.0 - 22.9	-460
23.0 - 23.9	-435
24.0 - 24.9	-435
25.0 - 25.9	-385
26.0 - 26.9	-360
Base 27.0 - 28.9	0
29.0 - 29.9	10
30.0 - 30.9	40
31.0 - 32.9	45
33.0 & above	50

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-10
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-300
Prep - Level 2	-500
Bark - Level 1	-475
Bark - Level 2	-550
Other - Level 1	-950
Other - Level 2	-1000
Plastic - Level 1	-4000
Plastic - Level 2	-4000

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-475	-325	-125	225	350	550	700	750
	3	-575	-400	-200	125	250	525	655	705
	4	-625	-450	-325	100	200	350	375	375
	5	-650	-450	-325	75	175	325	350	350
	6	-775	-575	-475	-175	-150	-100	-100	-100
	7	-850	-625	-550	-250	-225	-175	-175	-175
31	1 & 2	-725	-500	-300	175	300	525	675	700
	3	-775	-525	-325	100	250	525	650	675
	4	-800	-550	-400	100	150	275	350	350
	5	-825	-600	-450	0	100	225	250	250
	6	-925	-675	-500	-225	-225	-200	-200	-200
	7	-1025	-725	-575	-275	-275	-250	-250	-250
41	1 & 2	-825	-575	-325	50	100	225	300	325
	3	-850	-600	-350	25	75	200	275	300
	4	-900	-625	-500	63.43	50	50	125	150
	5	-950	-675	-525	-175	-150	-100	-75	-25
	6	-1050	-800	-675	-425	-425	-300	-300	-300
	7	-1150	-875	-750	-475	-475	-400	-400	-400
51	1 & 2	-900	-700	-575	-125	-75	-75	-75	-75
	3	-950	-700	-575	-125	-75	-75	-75	-75
	4	-975	-700	-650	-225	-200	-200	-175	-175
	5	-975	-725	-700	-325	-325	-250	-225	-225
	6	-1075	-825	-800	-525	-500	-400	-375	-375
	7	-1175	-925	-900	-625	-600	-525	-500	-500
61	1-5	-975	-775	-750	-375	-350	-250	-250	-250
	6	-1150	-900	-875	-625	-550	-450	-450	-450
	7	-1250	-1050	-1000	-700	-625	-550	-550	-550
71	1-6	-1175	-975	-900	-650	-600	-525	-525	-525
	7	-1300	-1050	-1000	-725	-675	-600	-600	-600
12 & 22	1 & 2	-625	-425	-175	175	225	275	400	400
	3	-650	-450	-225	100	150	225	300	300
	4	-750	-500	-400	0	100	200	250	250
	5	-850	-625	-500	-75	0	75	75	75
	6	-925	-725	-625	-350	-350	-250	-200	-200
	7	-1050	-825	-725	-425	-425	-325	-275	-275
32	1 & 2	-850	-575	-325	-50	25	25	50	75
	3	-925	-650	-375	-125	25	25	25	25
	4	-975	-725	-575	-150	25	25	25	25
	5	-1125	-925	-775	-400	-250	-225	-200	-200
	6	-1225	-975	-900	-550	-450	-425	-375	-375
	7	-1300	-1050	-925	-625	-525	-500	-450	-450
42	1-3	-950	-700	-525	-175	-125	-50	0	0
	4	-1025	-800	-575	-225	-150	-75	-25	0
	5	-1175	-1000	-775	-425	-275	-275	-250	-225
	6	-1425	-1100	-900	-575	-475	-450	-425	-400
	7	-1450	-1150	-1000	-675	-550	-525	-500	-500
52	1-4	-1200	-925	-850	-525	-450	-400	-350	-350
	5	-1275	-1025	-925	-550	-475	-425	-375	-375
	6	-1525	-1250	-1150	-725	-625	-575	-525	-525
	7	-1600	-1350	-1250	-800	-725	-675	-650	-650
62	1-5	-1325	-1100	-1025	-650	-600	-550	-500	-500
	6	-1550	-1300	-1225	-900	-825	-775	-700	-700

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1025	-800	-725	-400	-350	-325	-275	-275
	3	-1125	-850	-775	-425	-375	-350	-300	-300
	4	-1175	-950	-875	-475	-425	-400	-350	-350
	5	-1275	-1025	-975	-600	-550	-500	-450	-450
	6	-1425	-1150	-1100	-725	-625	-575	-525	-525
	7	-1500	-1250	-1175	-775	-725	-675	-625	-625
33	1 & 2	-1200	-900	-800	-450	-425	-400	-350	-350
	3	-1200	-900	-800	-450	-425	-400	-350	-350
	4	-1300	-1000	-925	-525	-500	-450	-400	-400
	5	-1425	-1100	-1025	-675	-625	-550	-500	-500
	6	-1525	-1225	-1200	-775	-725	-650	-600	-600
	7	-1600	-1325	-1250	-900	-825	-750	-700	-700
43	1-3	-1275	-1025	-950	-525	-500	-450	-400	-400
	4	-1350	-1100	-1000	-600	-550	-450	-400	-400
	5	-1450	-1175	-1075	-725	-675	-575	-525	-525
	6	-1575	-1300	-1225	-850	-800	-725	-675	-675
	7	-1650	-1400	-1300	-925	-875	-800	-750	-750
53	1-4	-1450	-1275	-1150	-700	-675	-550	-500	-500
	5	-1525	-1300	-1200	-800	-750	-600	-550	-550
	6	-1700	-1450	-1350	-950	-875	-725	-675	-675
	7	-1750	-1525	-1450	-1075	-1000	-875	-825	-825
63	1-5	-1675	-1425	-1300	-850	-825	-775	-725	-725
	6	-1775	-1550	-1400	-1050	-1000	-950	-900	-900
34	1 & 2	-1375	-1125	-1025	-625	-625	-575	-525	-525
	3	-1375	-1125	-1025	-625	-625	-575	-525	-525
	4	-1500	-1250	-1125	-725	-725	-675	-625	-625
	5	-1575	-1325	-1225	-850	-850	-800	-750	-750
	6	-1750	-1500	-1400	-1075	-1050	-1000	-950	-950
44	1-3	-1500	-1250	-1150	-725	-725	-675	-650	-650
	4	-1575	-1350	-1200	-775	-775	-725	-700	-700
	5	-1650	-1400	-1275	-875	-875	-825	-800	-800
	6	-1825	-1575	-1475	-1125	-1100	-1050	-1025	-1025
54	1-4	-1600	-1375	-1275	-850	-850	-800	-775	-775
	5	-1675	-1425	-1300	-975	-975	-925	-900	-900

Mike	
Range	Diff.
24 & Below	-1825
25-26	-1825
27-29	-1200
30-32	-675
33-34	-500
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-475
53 & Above	-500

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-525
20.0 - 20.9	-500
21.0 - 21.9	-475
22.0 - 22.9	-450
23.0 - 23.9	-425
24.0 - 24.9	-400
25.0 - 25.9	-275
26.0 - 26.9	-250
Base 27.0 - 28.9	0
29.0 - 29.9	10
30.0 - 30.9	10
31.0 - 32.9	15
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-70
78.0 - 78.9	-55
79.0 - 79.9	-40
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-300
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-550
Other - Level 1	-650
Other - Level 2	-700
Plastic - Level 1	-4000
Plastic - Level 2	-4000

DESERT SOUTHWEST DIFFERENCES

1-Jul-25

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-125	150	475	750	785	825	24 & Below	-1350
	3	-125	125	400	700	725	750	25-26	-1150
	4	-325	25	250	360	420	445	27-29	-1050
	5	-400	-200	-25	75	160	160	30-32	-700
	6	-475	-375	-150	-110	-55	-55	33-34	-500
	7	-675	-400	-225	-165	-125	-125	35-36	0
								37-42	25
31	1 & 2	-200	125	425	675	725	750	43-49	0
	3	-200	100	325	600	625	650	50-52	-325
	4	-375	0	150	310	370	420	53 & Above	-525
	5	-425	-225	-100	-25	70	70		
	6	-500	-400	-185	-145	-65	-65		
	7	-700	-425	-275	-220	-140	-140		
41	1 & 2	-600	0	25	160	170	270	Strength	
	3	-600	0	10	135	145	245	(Grams per Tex)	
	4	-650	63.43	0	85	120	170	Range	Diff.
	5	-675	-525	-425	-340	-280	-280	21.0 - 21.9	-675
	6	-825	-700	-525	-490	-440	-440	22.0 - 22.9	-525
	7	-975	-850	-700	-670	-635	-635	23.0 - 23.9	-375
								24.0 - 24.9	-300
51	1 & 2	-725	-550	-350	-340	-330	-330	25.0 - 25.9	-275
	3	-725	-550	-350	-340	-330	-330	26.0 - 26.9	-200
	4	-750	-625	-475	-425	-365	-365	Base 27.0 - 28.9	0
	5	-850	-800	-675	-650	-600	-600	29.0 - 29.9	0
	6	-1000	-900	-775	-775	-725	-725	30.0 - 30.9	10
	7	-1200	-1100	-975	-975	-950	-950	31.0 - 32.9	35
								33.0 & above	75
12 & 22	1 & 2	-500	25	175	260	345	345	Extraneous Matter	
	3	-500	25	150	210	295	295	Type - Level	Diff.
	4	-600	-25	150	210	295	295	Prep - Level 1	-50
	5	-625	-450	-150	-150	-75	-75	Prep - Level 2	-800
	6	-775	-650	-350	-350	-275	-275	Other - Level 1	-600
	7	-950	-825	-600	-600	-525	-525	Other - Level 2	-800
								Plastic - Level 1	-4000
32	1 & 2	-600	-225	0	110	120	120	Plastic - Level 2	-4000
	3	-600	-225	0	110	120	120	Uniformity	
	4	-650	-450	-100	10	20	20	Unit	Points
	5	-700	-700	-450	-450	-450	-450	77.9 & Below	-100
	6	-900	-825	-575	-575	-575	-575	78.0 - 78.9	-90
	7	-1050	-1000	-825	-825	-825	-825	79.0 - 79.9	-80
								80.0 - 80.9	0
42	1-3	-700	-525	-250	-175	-175	-175	Base 81.0 - 81.9	0
	4	-725	-600	-350	-275	-275	-275	82.0 - 82.9	0
	5	-800	-775	-550	-525	-525	-525	83.0 - 83.9	30
	6	-975	-900	-675	-675	-675	-675	84.0 - 84.9	40
	7	-1175	-1075	-925	-925	-925	-925	85.0 - 85.9	50
								86.0 & Above	60
52	1-4	-925	-800	-600	-550	-550	-550	Uniformity	
	5	-975	-875	-700	-700	-700	-700	Unit	Points
	6	-1075	-975	-800	-800	-800	-800	77.9 & Below	-100
	7	-1325	-1225	-1100	-1075	-1075	-1075	78.0 - 78.9	-90
								79.0 - 79.9	-80
								80.0 - 80.9	0
								Base 81.0 - 81.9	0
43	1-3	-800	-725	-650	-575	-575	-575	82.0 - 82.9	0
	4	-900	-825	-700	-650	-650	-650	83.0 - 83.9	30
	5	-1000	-900	-725	-700	-700	-700	84.0 - 84.9	40
	6	-1100	-1000	-975	-975	-975	-975	85.0 - 85.9	50
	7	-1200	-1125	-1100	-1100	-1100	-1100	86.0 & Above	60
53	1-4	-1050	-950	-875	-875	-875	-875	Uniformity	
	5	-1100	-1000	-925	-925	-925	-925	Unit	Points
	6	-1200	-1100	-1025	-1025	-1025	-1025	77.9 & Below	-100
	7	-1450	-1350	-1350	-1350	-1350	-1350	78.0 - 78.9	-90
								79.0 - 79.9	-80
								80.0 - 80.9	0
								Base 81.0 - 81.9	0

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
31	1 & 2	315	940	1290	1415	1590	50-52	-500
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	64.18	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
51	1 & 2	-675	-225	-175	-175	-175	Base 27.0 - 28.9	0
	3	-700	-250	-200	-200	-200	29.0 - 29.9	0
	4	-750	-300	-275	-275	-275	30.0 - 30.9	75
	5	-775	-375	-325	-325	-325	31.0 - 32.9	125
	6	-900	-800	-800	-800	-800	33.0 & Above	250
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Type - Level	Diff.
	4	-200	25	50	100	100	Prep - Level 1	-50
	5	-525	-275	-275	-275	-275	Prep - Level 2	-800
	6	-675	-475	-475	-475	-475	Other - Level 1	-350
	7	-850	-750	-750	-750	-750	Other - Level 2	-925
42	1-3	-450	-100	-75	-75	-75	Plastic - Level 1	-4000
	4	-500	-175	-150	-150	-150	Plastic - Level 2	-4000
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
33	1 & 2	-500	-500	-500	-500	-500	79.0 - 79.9	-40
	3	-500	-500	-500	-500	-500	80.0 - 80.9	0
	4	-600	-600	-600	-600	-600	Base 81.0 - 81.9	0
	5	-800	-800	-800	-800	-800	82.0 - 82.9	50
	6	-1075	-1075	-1075	-1075	-1075	83.0 - 83.9	80
	7	-1225	-1225	-1225	-1225	-1225	84.0 - 84.9	90
43	1-3	-875	-875	-875	-875	-875	85.0 - 85.9	100
	4	-925	-925	-925	-925	-925	86.0 & Above	110
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	143.75	149.50	151.25	151.25
	2	143.50	149.25	151.00	151.00
	3	136.75	144.50	145.50	145.50
	4				
	5				
	6				
2	1	143.50	149.25	151.00	151.00
	2	143.25	149.00	150.75	150.75
	3	136.50	144.25	145.25	145.25
	4	126.50	134.75	135.75	135.75
	5				
	6				
3	1	135.25	143.00	144.00	144.00
	2	132.75	140.50	141.50	141.50
	3	130.50	138.25	139.25	139.25
	4	121.50	129.25	130.25	130.25
	5	105.50	112.75	113.75	113.75
	6				
4	1	116.50	124.25	126.00	126.00
	2	116.25	124.00	125.25	125.25
	3	115.00	122.75	123.75	123.75
	4	110.00	117.75	118.75	118.75
	5	98.75	106.50	107.50	107.50
	6				
5	1				
	2	93.25	103.25	103.25	103.25
	3	93.25	102.75	103.00	103.00
	4	93.25	97.25	97.25	97.25
	5	93.00	97.00	97.00	97.00
	6				
6	1				
	2	85.50	88.50	88.50	88.50
	3	85.50	88.50	88.50	88.50
	4	85.50	88.50	88.50	88.50
	5	85.25	88.25	88.25	88.25
	6	84.75	87.75	87.75	87.75

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on March 6, 2025

Mike	
Range	Diff.
26 & Below	-2000
27-29	-1500
30-32	-1000
33-34	-500
35 & Above	0

Strength	
(Grams per Tex)	
Range	Diff.
34.9 & Below	-1650
35.0 – 35.9	-1400
36.0 – 36.9	-1150
37.0 – 37.9	-800
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-4000
Plastic - Level 2	-4000

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-488	-290	-121	213	488	727	818	874
	3	-563	-315	-138	174	434	695	771	821
	4	-625	-345	-246	68	232	355	396	406
	5	-650	-470	-358	-132	11	83	132	132
	6	-763	-555	-488	-364	-257	-212	-183	-183
	7	-838	-650	-604	-471	-382	-334	-311	-311
31	1 & 2	-650	-335	-183	152	441	677	745	788
	3	-688	-345	-192	127	402	649	713	756
	4	-738	-380	-288	57	204	306	361	376
	5	-763	-530	-404	-171	-39	22	73	73
	6	-850	-600	-517	-389	-298	-260	-234	-234
	7	-938	-695	-633	-486	-411	-371	-349	-349
41	1 & 2	-750	-410	-317	54	186	338	366	405
	3	-788	-420	-321	32	148	286	321	360
	4	-825	-450	-392	64.97	91	200	235	260
	5	-925	-630	-542	-329	-209	-146	-126	-115
	6	-1013	-720	-663	-521	-436	-391	-384	-384
	7	-1113	-825	-796	-654	-575	-542	-537	-537
51	1 & 2	-875	-645	-529	-339	-196	-159	-154	-154
	3	-913	-690	-538	-364	-214	-174	-172	-169
	4	-950	-710	-567	-421	-300	-264	-252	-249
	5	-963	-795	-733	-579	-464	-425	-411	-407
	6	-1063	-880	-842	-704	-643	-607	-596	-596
	7	-1163	-965	-967	-829	-771	-736	-729	-729
61	1-5	-1000	-825	-750	-535	-490	-440	-440	-440
	6	-1163	-940	-895	-710	-670	-620	-620	-620
	7	-1263	-1070	-1015	-820	-760	-715	-715	-715
71	1-6	-1200	-1125	-1060	-875	-840	-795	-795	-795
	7	-1300	-1170	-1115	-920	-895	-850	-850	-850
12 & 22	1 & 2	-638	-340	-217	75	243	377	444	473
	3	-675	-355	-233	46	193	331	391	416
	4	-738	-375	-325	-18	119	241	284	287
	5	-825	-605	-517	-271	-116	-46	-4	-4
	6	-938	-715	-658	-496	-393	-336	-293	-293
	7	-1063	-800	-775	-629	-550	-496	-461	-461
32	1 & 2	-838	-485	-358	-93	43	105	135	153
	3	-888	-505	-375	-118	18	80	106	124
	4	-938	-555	-433	-221	-61	-20	-4	-1
	5	-1063	-765	-633	-443	-329	-286	-271	-271
	6	-1188	-845	-796	-614	-511	-482	-468	-468
	7	-1300	-945	-900	-736	-657	-636	-621	-621
42	1-3	-925	-630	-521	-318	-164	-121	-107	-104
	4	-1000	-675	-554	-368	-232	-186	-175	-164
	5	-1150	-840	-708	-518	-382	-346	-339	-329
	6	-1363	-930	-833	-671	-600	-582	-568	-564
	7	-1438	-1005	-958	-807	-732	-718	-707	-707
52	1-4	-1188	-845	-750	-614	-546	-518	-504	-500
	5	-1250	-925	-854	-689	-629	-618	-600	-596
	6	-1475	-1060	-1000	-843	-789	-771	-757	-757
	7	-1563	-1160	-1129	-979	-936	-907	-896	-896
62	1-5	-1300	-1045	-970	-765	-740	-715	-695	-695
	6	-1513	-1215	-1140	-930	-900	-870	-845	-845

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1113	-925	-850	-463	-400	-325	-250	-250
	3	-1175	-963	-888	-488	-425	-350	-275	-275
	4	-1225	-1050	-950	-525	-463	-400	-325	-325
	5	-1338	-1138	-1063	-650	-588	-513	-438	-438
	6	-1475	-1238	-1150	-763	-675	-600	-525	-525
	7	-1563	-1338	-1250	-850	-788	-713	-638	-638
33	1 & 2	-1238	-1000	-900	-493	-467	-425	-375	-375
	3	-1238	-1000	-900	-502	-475	-433	-375	-375
	4	-1325	-1088	-988	-577	-550	-500	-442	-442
	5	-1463	-1188	-1100	-735	-700	-642	-583	-583
	6	-1550	-1288	-1225	-902	-867	-808	-750	-750
	7	-1638	-1400	-1300	-1035	-992	-933	-875	-875
43	1-3	-1300	-980	-833	-644	-607	-571	-546	-546
	4	-1375	-1025	-883	-697	-646	-607	-582	-582
	5	-1488	-1075	-979	-837	-786	-754	-729	-729
	6	-1600	-1165	-1075	-940	-914	-889	-864	-864
	7	-1688	-1290	-1183	-1065	-1039	-1014	-989	-989
53	1-4	-1450	-1125	-1021	-818	-783	-754	-725	-725
	5	-1538	-1200	-1117	-909	-879	-846	-817	-817
	6	-1675	-1325	-1213	-1018	-975	-942	-913	-913
	7	-1750	-1390	-1350	-1147	-1117	-1083	-1054	-1054
63	1-5	-1663	-1300	-1220	-996	-965	-940	-905	-905
	6	-1763	-1395	-1305	-1085	-1050	-1025	-990	-990
34	1 & 2	-1388	-1200	-1113	-688	-675	-613	-550	-550
	3	-1388	-1200	-1113	-688	-675	-613	-550	-550
	4	-1513	-1325	-1213	-788	-775	-713	-650	-650
	5	-1600	-1413	-1325	-913	-900	-838	-775	-775
	6	-1775	-1588	-1500	-1113	-1088	-1025	-963	-963
44	1-3	-1500	-1313	-1225	-788	-775	-713	-663	-663
	4	-1575	-1413	-1275	-838	-825	-763	-713	-713
	5	-1650	-1475	-1363	-938	-925	-863	-813	-813
	6	-1825	-1638	-1550	-1150	-1125	-1063	-1013	-1013
54	1-4	-1600	-1438	-1350	-888	-888	-825	-788	-788
	5	-1688	-1513	-1400	-1000	-988	-925	-888	-888

Mike	
Range	Diff.
24 & Below	-1675
25-26	-1333
27-29	-1032
30-32	-682
33-34	-482
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-332
53 & Above	-433

Strength	
(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-505
20.0 - 20.9	-493
21.0 - 21.9	-673
22.0 - 22.9	-618
23.0 - 23.9	-564
24.0 - 24.9	-523
25.0 - 25.9	-462
26.0 - 26.9	-287
Base 27.0 - 28.9	0
29.0 - 29.9	3
30.0 - 30.9	30
31.0 - 32.9	53
33.0 & Above	79

Uniformity	
Unit	Points
77.9 & Below	-89
78.0 - 78.9	-77
79.0 - 79.9	-59
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-186
Prep - Level 2	-714
Bark - Level 1	-413
Bark - Level 2	-550
Other - Level 1	-550
Other - Level 2	-828
Plastic - Level 1	-4000
Plastic - Level 2	-4000



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

01-Jul-25

Volume 107, No. 233

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract. Values represent the average of the differences from the Southeast, North and South Delta average, East Texas and South Texas, West Texas-Kansas-Oklahoma, and Desert Southwest markets.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-130	180	420	645	725
	3	-150	140	365	615	684
	4	-255	65	230	367	399
	5	-365	-125	20	110	162
21	1 & 2	-130	180	420	645	725
	3	-150	140	365	615	684
	4	-255	65	230	367	399
	5	-365	-125	20	110	162
31	1 & 2	-200	125	380	598	663
	3	-210	100	340	570	630
	4	-295	55	200	320	374
	5	-410	-155	-25	45	99
41	1 & 2	-330	45	165	322	359
	3	-335	30	142	274	316
	4	-415	0	82	184	226
	5	-550	-310	-211	-134	-107
51	1 & 2	-540	-270	-180	-138	-131
	3	-550	-295	-195	-148	-146
	4	-580	-360	-290	-245	-228
	5	-735	-525	-460	-420	-400
12	1 & 2	-235	70	205	310	372
	3	-255	50	160	265	317
22	1 & 2	-235	70	205	310	372
	3	-255	50	160	265	317
32	1 & 2	-380	-110	10	72	104
	3	-400	-135	-10	52	79
Strength	25.0 - 25.9	-507				

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 107, No. 233

01-Jul-25

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
Growth Areas	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program				
	N.Y. Futures	Staple 34	Staple 35	Today	Season			
	Points	Cents per pound		Bales	Bales			
Southeast	-50 Oct-25	67.18	71.93	0	73,918			
North Delta	-125 Oct-25	66.43	68.43	0	40,523			
South Delta	-125 Oct-25	66.43	68.93	0	9,308			
East TX-South TX	-400 Oct-25	63.68	67.93	0	148,758			
West TX-KS-OK	-425 Oct-25	63.43	65.93	1,885	697,987			
Desert SW	-425 Oct-25	63.43	66.68	0	10,653			
SJ Valley	-350 Oct-25	64.18	73.08	0	0			
Average	-271 Oct-25	64.97	68.99	Upland Total				
Previous day	-271 Oct-25	64.97	68.99	1,885	981,147			
	AMERICAN PIMA SPOT PRICE QUOTATIONS							
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total				
American Pima	149.00	130.50	138.25	0	11,953			
ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Jun 27 - Jul 03 ADJ. WORLD PRICE 54.18			
Month	Cents per pound					CC ADJUSTMENT 0.00		
	Today	Previous	Change			FC ADJUSTMENT 2018 2019 0.00 0.00		
Jul-25	66.28	66.28 ➡	0.00	Season high		LOAN DEFICIENCY PMT. 0.00		
Oct-25	67.68	67.68 ➡	0.00	9/24/2024 67.70		Pima Competitiveness Payment 0.00		
Dec-25	68.03	68.13 ⬇	-0.10					
Mar-26	69.31	69.46 ⬇	-0.15					
May-26	70.36	70.50 ⬇	-0.14					
Jul-26	71.15	71.30 ⬇	-0.15	Season low				
Oct-26	69.63	69.68 ⬇	-0.05					
Dec-26	69.37	69.33 ⬆	0.04	8/6/2024 58.84				
Mar-27	70.27	70.30 ⬇	-0.03					
May-27	70.87	70.90 ⬇	-0.03					
PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/								
	Color							
	11	21	31	41	51	12	22	32
Staple 33								
Leaf 1 & 2	-130	-130	-200	-330	-540	-235	-235	-380
3	-150	-150	-210	-335	-550	-255	-255	-400
4	-255	-255	-295	-415	-580	NOT TENDERABLE		
5	-365	-365	-410	-550	-735	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	180	180	125	45	-270	70	70	-110
3	140	140	100	30	-295	50	50	-135
4	65	65	55	0	-360	NOT TENDERABLE		
5	-125	-125	-155	-310	-525	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	420	420	380	165	-180	205	205	10
3	365	365	340	142	-195	160	160	-10
4	230	230	200	82	-290	NOT TENDERABLE		
5	20	20	-25	-210.5	-460	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	645	645	598	322	-138	309.5	310	72
3	615	615	570	274	-148	264.5	265	52
4	367	367	320	184	-245	NOT TENDERABLE		
5	110	110	45	-133.5	-420	NOT TENDERABLE		
Staple 37								
Leaf 1 & 2	725	725	663	359	-131	371.5	372	104
3	684	684	630	316	-146	316.5	317	79
4	399	399	374	226	-228	NOT TENDERABLE		
5	162	162	99	-106.5	-400	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas and South Texas, West Texas-Kansas-Oklahoma, and Desert Southwest market

MP_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT: <http://www.ams.usda.gov/mnreports/cnndsqs.pdf>