



USDA, AMS, Cotton and Tobacco Program  
Cotton Market News Division  
3275 Appling Road  
Memphis, Tennessee 38133  
901-384-3016

Mp\_cn820

Vol. 106 No. 11  
June 2025

Inside this Issue

Overview

Spot Cotton  
Quotations

U. S. Monthly  
Averages

Monthly Averages

Southeast

North Delta

South Delta

East Texas/South  
Texas

West Texas/KS/OK

Desert SW

San Joaquin  
Valley

American Pima

U. S. Season Average

Spot Transactions

Farm Prices

U. S. Weighted  
Average

Contact Us

cottonmn@usda.gov



Cotton Price \$tatistic\$

Spot cotton quotations were 43 points higher than the previous month, according to the USDA, Agricultural Marketing Service’s Cotton and Tobacco Program. The average spot quotation in the seven designated markets for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength of 27.0-28.9 grams per tex, and uniformity of 81.0-81.9 units was 63.75 cents per pound in June 2025. This compares with 63.32 from the previous month. The average basis for the base quality at the end of June was 271 points off the ICE Oct 2025 No. 2 futures contract. Spot transactions reported in the designated markets for June totaled 20,249 running bales.

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36, and 43-49, strength readings of 27.0-28.9 grams per tex, and uniformity of 81.0-81.9 units in the designated spot markets averaged 63.75 cents per pound in June. Quotations averaged 63.32 cents in May and 64.93 cents in June 2024. Daily average quotations ranged from a low of 62.13 cents on June 4 to a high of 66.23 cents on June 27.

Prices received by farmers for Upland cotton averaged 63.50 cents per pound in May, according to the National Agricultural Statistics Service, USDA. The price was 63.50 for the month of April and 84.70 cents in May 2024, according to the National Agricultural Statistics Service, USDA. These prices include cotton delivered against forward contracts.

CCC-loan stocks June 30, 2025

|                         | Delivered to the CCC | Loans Outstanding | Total     |
|-------------------------|----------------------|-------------------|-----------|
| 2024-crop American Pima |                      | 105,059           | 105,059   |
| 2023-crop American Pima | 264                  |                   | 264       |
| 2024-crop Upland        | 2                    | 1,483,951         | 1,483,953 |
| 2023-crop Upland        | 627                  |                   |           |
| Total                   | 893                  | 1,589,010         | 1,589,276 |

Table 1. Upland cotton: Spot quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4 grams per tex and uniformity 81, in mixed lots, net weight, compressed, FOB car/truck, in cents per pound.

June-2025

| Date    | Southeast       | North Delta | South Delta | East TX-South TX | WTX KS-OK | Desert SW | SJ Valley | U.S. Average |       |        |
|---------|-----------------|-------------|-------------|------------------|-----------|-----------|-----------|--------------|-------|--------|
|         | Cents per pound |             |             |                  |           |           |           | Price        | Basis |        |
| 1       |                 |             |             |                  |           |           |           |              |       |        |
| 2       | 65.13           | 64.38       | 64.38       | 62.13            | 62.63     | 62.13     | 62.13     | 63.27        | -286  | Jul-25 |
| 3       | 65.05           | 64.30       | 64.30       | 62.05            | 62.55     | 62.05     | 62.05     | 63.19        | -286  | Jul-25 |
| 4       | 63.99           | 63.24       | 63.24       | 60.99            | 61.49     | 60.99     | 60.99     | 62.13        | -286  | Jul-25 |
| 5       | 64.36           | 63.61       | 63.61       | 61.36            | 61.86     | 61.36     | 61.36     | 62.50        | -286  | Jul-25 |
| 6       | 64.62           | 63.87       | 63.87       | 61.62            | 62.37     | 61.62     | 61.62     | 62.80        | -282  | Jul-25 |
| 7       |                 |             |             |                  |           |           |           |              |       |        |
| 8       |                 |             |             |                  |           |           |           |              |       |        |
| 9       | 64.99           | 64.24       | 64.24       | 61.99            | 62.74     | 61.99     | 61.99     | 63.17        | -282  | Jul-25 |
| 10      | 64.42           | 63.67       | 63.67       | 61.42            | 62.17     | 61.42     | 61.42     | 62.60        | -282  | Jul-25 |
| 11      | 64.47           | 63.72       | 63.72       | 61.47            | 62.22     | 61.47     | 61.47     | 62.65        | -282  | Jul-25 |
| 12      | 64.14           | 63.39       | 63.39       | 61.14            | 61.89     | 61.14     | 61.14     | 62.32        | -282  | Jul-25 |
| 13      | 64.36           | 63.61       | 63.61       | 61.36            | 62.11     | 61.36     | 61.36     | 62.54        | -282  | Jul-25 |
| 14      |                 |             |             |                  |           |           |           |              |       |        |
| 15      |                 |             |             |                  |           |           |           |              |       |        |
| 16      | 65.80           | 65.05       | 65.05       | 62.80            | 63.55     | 62.55     | 62.80     | 63.94        | -236  | Oct-25 |
| 17      | 65.63           | 64.88       | 64.88       | 62.63            | 63.38     | 62.38     | 62.63     | 63.77        | -236  | Oct-25 |
| 18      | 65.61           | 64.86       | 64.86       | 62.61            | 63.11     | 62.36     | 62.61     | 63.72        | -239  | Oct-25 |
| 19      |                 |             |             |                  |           |           |           |              |       |        |
| 20      | 66.55           | 65.80       | 65.80       | 63.55            | 63.80     | 63.30     | 63.55     | 64.62        | -243  | Oct-25 |
| 21      |                 |             |             |                  |           |           |           |              |       |        |
| 22      |                 |             |             |                  |           |           |           |              |       |        |
| 23      | 66.38           | 65.63       | 65.63       | 63.38            | 63.63     | 63.13     | 63.38     | 64.45        | -243  | Oct-25 |
| 24      | 66.94           | 66.19       | 66.19       | 63.94            | 64.19     | 63.69     | 63.94     | 65.01        | -243  | Oct-25 |
| 25      | 67.37           | 66.62       | 66.62       | 64.37            | 64.62     | 64.12     | 64.37     | 65.44        | -243  | Oct-25 |
| 26      | 67.64           | 66.89       | 66.89       | 64.64            | 64.89     | 64.39     | 64.64     | 65.71        | -243  | Oct-25 |
| 27      | 68.30           | 67.55       | 67.55       | 64.80            | 65.05     | 65.05     | 65.30     | 66.23        | -257  | Oct-25 |
| 28      |                 |             |             |                  |           |           |           |              |       |        |
| 29      |                 |             |             |                  |           |           |           |              |       |        |
| 30      | 67.18           | 66.43       | 66.43       | 63.68            | 63.43     | 63.43     | 64.18     | 64.97        | -271  | Oct-25 |
| 31      |                 |             |             |                  |           |           |           |              |       |        |
| Average | 65.65           | 64.90       | 64.90       | 62.60            | 63.08     | 62.50     | 62.65     | 63.75        |       |        |
| High    | 68.30           | 67.55       | 67.55       | 64.80            | 65.05     | 65.05     | 65.30     | 66.23        |       |        |
| Low     | 63.99           | 63.24       | 63.24       | 60.99            | 61.49     | 60.99     | 60.99     | 62.13        |       |        |

Table 2. United States spot cotton differences, monthly average.

June-2025

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -488   | -290  | -121  | 213   | 488  | 731  | 821  | 877  |
|         | 3     | -563   | -315  | -138  | 174   | 434  | 698  | 774  | 824  |
|         | 4     | -625   | -345  | -246  | 68    | 232  | 355  | 396  | 406  |
|         | 5     | -650   | -470  | -358  | -132  | 11   | 83   | 132  | 132  |
|         | 6     | -763   | -555  | -488  | -364  | -257 | -212 | -183 | -183 |
|         | 7     | -838   | -650  | -604  | -471  | -382 | -334 | -311 | -311 |
| 31      | 1 & 2 | -650   | -335  | -183  | 152   | 441  | 681  | 748  | 791  |
|         | 3     | -688   | -345  | -192  | 127   | 402  | 652  | 716  | 759  |
|         | 4     | -738   | -380  | -288  | 57    | 204  | 306  | 361  | 376  |
|         | 5     | -763   | -530  | -404  | -171  | -39  | 22   | 73   | 73   |
|         | 6     | -850   | -600  | -517  | -389  | -298 | -260 | -234 | -234 |
|         | 7     | -938   | -695  | -633  | -486  | -411 | -371 | -349 | -349 |
| 41      | 1 & 2 | -750   | -410  | -317  | 54    | 186  | 338  | 366  | 405  |
|         | 3     | -788   | -420  | -321  | 32    | 148  | 286  | 321  | 360  |
|         | 4     | -825   | -450  | -392  | 63.75 | 91   | 200  | 235  | 260  |
|         | 5     | -925   | -630  | -542  | -329  | -209 | -146 | -126 | -115 |
|         | 6     | -1013  | -720  | -663  | -521  | -436 | -391 | -384 | -384 |
|         | 7     | -1113  | -825  | -796  | -654  | -575 | -542 | -537 | -537 |
| 51      | 1 & 2 | -875   | -645  | -529  | -339  | -196 | -159 | -154 | -154 |
|         | 3     | -913   | -690  | -538  | -364  | -214 | -174 | -172 | -169 |
|         | 4     | -950   | -710  | -567  | -421  | -300 | -264 | -252 | -249 |
|         | 5     | -963   | -795  | -733  | -579  | -464 | -425 | -411 | -407 |
|         | 6     | -1063  | -880  | -842  | -704  | -643 | -607 | -596 | -596 |
|         | 7     | -1163  | -965  | -967  | -829  | -771 | -736 | -729 | -729 |
| 61      | 1-5   | -1000  | -825  | -750  | -535  | -490 | -440 | -440 | -440 |
|         | 6     | -1163  | -940  | -895  | -710  | -670 | -620 | -620 | -620 |
|         | 7     | -1263  | -1070 | -1015 | -820  | -760 | -715 | -715 | -715 |
| 71      | 1-6   | -1200  | -1125 | -1060 | -875  | -840 | -795 | -795 | -795 |
|         | 7     | -1300  | -1170 | -1115 | -920  | -895 | -850 | -850 | -850 |
| 12 & 22 | 1 & 2 | -638   | -340  | -217  | 75    | 243  | 381  | 448  | 476  |
|         | 3     | -675   | -355  | -233  | 46    | 193  | 334  | 394  | 419  |
|         | 4     | -738   | -375  | -325  | -18   | 119  | 244  | 287  | 291  |
|         | 5     | -825   | -605  | -517  | -271  | -116 | -46  | -4   | -4   |
|         | 6     | -938   | -715  | -658  | -496  | -393 | -336 | -293 | -293 |
|         | 7     | -1063  | -800  | -775  | -629  | -550 | -496 | -461 | -461 |
| 32      | 1 & 2 | -838   | -485  | -358  | -93   | 43   | 105  | 135  | 153  |
|         | 3     | -888   | -505  | -375  | -118  | 18   | 80   | 106  | 124  |
|         | 4     | -938   | -555  | -433  | -221  | -61  | -20  | -4   | -1   |
|         | 5     | -1063  | -765  | -633  | -443  | -329 | -286 | -271 | -271 |
|         | 6     | -1188  | -845  | -796  | -614  | -511 | -482 | -468 | -468 |
|         | 7     | -1300  | -945  | -900  | -736  | -657 | -636 | -621 | -621 |
| 42      | 1-3   | -925   | -630  | -521  | -318  | -164 | -121 | -107 | -104 |
|         | 4     | -1000  | -675  | -554  | -368  | -232 | -186 | -175 | -164 |
|         | 5     | -1150  | -840  | -708  | -518  | -382 | -346 | -339 | -329 |
|         | 6     | -1363  | -930  | -833  | -671  | -600 | -582 | -568 | -564 |
|         | 7     | -1438  | -1005 | -958  | -807  | -732 | -718 | -707 | -707 |
| 52      | 1-4   | -1188  | -845  | -750  | -614  | -546 | -518 | -504 | -500 |
|         | 5     | -1250  | -925  | -854  | -689  | -629 | -618 | -600 | -596 |
|         | 6     | -1475  | -1060 | -1000 | -843  | -789 | -771 | -757 | -757 |
|         | 7     | -1563  | -1160 | -1129 | -979  | -936 | -907 | -896 | -896 |
| 62      | 1-5   | -1300  | -1045 | -970  | -765  | -740 | -715 | -695 | -695 |
|         | 6     | -1513  | -1215 | -1140 | -930  | -900 | -870 | -845 | -845 |

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1113  | -925  | -850  | -463  | -400  | -325  | -250  | -250  |
|         | 3     | -1175  | -963  | -888  | -488  | -425  | -350  | -275  | -275  |
|         | 4     | -1225  | -1050 | -950  | -525  | -463  | -400  | -325  | -325  |
|         | 5     | -1338  | -1138 | -1063 | -650  | -588  | -513  | -438  | -438  |
|         | 6     | -1475  | -1238 | -1150 | -763  | -675  | -600  | -525  | -525  |
|         | 7     | -1563  | -1338 | -1250 | -850  | -788  | -713  | -638  | -638  |
|         |       |        |       |       |       |       |       |       |       |
| 33      | 1 & 2 | -1238  | -1000 | -900  | -493  | -467  | -425  | -375  | -375  |
|         | 3     | -1238  | -1000 | -900  | -502  | -475  | -433  | -375  | -375  |
|         | 4     | -1325  | -1088 | -988  | -577  | -550  | -500  | -442  | -442  |
|         | 5     | -1463  | -1188 | -1100 | -735  | -700  | -642  | -583  | -583  |
|         | 6     | -1550  | -1288 | -1225 | -902  | -867  | -808  | -750  | -750  |
|         | 7     | -1638  | -1400 | -1300 | -1035 | -992  | -933  | -875  | -875  |
|         |       |        |       |       |       |       |       |       |       |
| 43      | 1-3   | -1300  | -980  | -833  | -644  | -607  | -571  | -546  | -546  |
|         | 4     | -1375  | -1025 | -883  | -697  | -646  | -607  | -582  | -582  |
|         | 5     | -1488  | -1075 | -979  | -837  | -786  | -754  | -729  | -729  |
|         | 6     | -1600  | -1165 | -1075 | -940  | -914  | -889  | -864  | -864  |
|         | 7     | -1688  | -1290 | -1183 | -1065 | -1039 | -1014 | -989  | -989  |
|         |       |        |       |       |       |       |       |       |       |
|         |       |        |       |       |       |       |       |       |       |
| 53      | 1-4   | -1450  | -1125 | -1021 | -818  | -783  | -754  | -725  | -725  |
|         | 5     | -1538  | -1200 | -1117 | -909  | -879  | -846  | -817  | -817  |
|         | 6     | -1675  | -1325 | -1213 | -1018 | -975  | -942  | -913  | -913  |
|         | 7     | -1750  | -1390 | -1350 | -1147 | -1117 | -1083 | -1054 | -1054 |
| 63      | 1-5   | -1663  | -1300 | -1220 | -996  | -965  | -940  | -905  | -905  |
|         | 6     | -1763  | -1395 | -1305 | -1085 | -1050 | -1025 | -990  | -990  |
| 34      | 1 & 2 | -1388  | -1200 | -1113 | -688  | -675  | -613  | -550  | -550  |
|         | 3     | -1388  | -1200 | -1113 | -688  | -675  | -613  | -550  | -550  |
|         | 4     | -1513  | -1325 | -1213 | -788  | -775  | -713  | -650  | -650  |
|         | 5     | -1600  | -1413 | -1325 | -913  | -900  | -838  | -775  | -775  |
|         | 6     | -1775  | -1588 | -1500 | -1113 | -1088 | -1025 | -963  | -963  |
|         |       |        |       |       |       |       |       |       |       |
| 44      | 1-3   | -1500  | -1313 | -1225 | -788  | -775  | -713  | -663  | -663  |
|         | 4     | -1575  | -1413 | -1275 | -838  | -825  | -763  | -713  | -713  |
|         | 5     | -1650  | -1475 | -1363 | -938  | -925  | -863  | -813  | -813  |
|         | 6     | -1825  | -1638 | -1550 | -1150 | -1125 | -1063 | -1013 | -1013 |
| 54      | 1-4   | -1600  | -1438 | -1350 | -888  | -888  | -825  | -788  | -788  |
|         | 5     | -1688  | -1513 | -1400 | -1000 | -988  | -925  | -888  | -888  |

## Mike

| Range      | Diff. |
|------------|-------|
| 24 & Below | -1675 |
| 25-26      | -1333 |
| 27-29      | -1032 |
| 30-32      | -682  |
| 33-34      | -482  |
| Base 35-36 | 0     |
| 37-42      | 14    |
| Base 43-49 | 0     |
| 50-52      | -332  |
| 53 & Above | -433  |

## Strength

| (Grams per Tex)  |       |
|------------------|-------|
| Range            | Diff. |
| 19.0 - 19.9      | -505  |
| 20.0 - 20.9      | -493  |
| 21.0 - 21.9      | -673  |
| 22.0 - 22.9      | -618  |
| 23.0 - 23.9      | -564  |
| 24.0 - 24.9      | -523  |
| 25.0 - 25.9      | -462  |
| 26.0 - 26.9      | -287  |
| Base 27.0 - 28.9 | 0     |
| 29.0 - 29.9      | 3     |
| 30.0 - 30.9      | 30    |
| 31.0 - 32.9      | 53    |
| 33.0 & above     | 79    |

## Uniformity

| Unit             | Points |
|------------------|--------|
| 77.9 & Below     | -89    |
| 78.0 - 78.9      | -77    |
| 79.0 - 79.9      | -59    |
| 80.0 - 80.9      | 0      |
| Base 81.0 - 81.9 | 0      |
| 82.0 - 82.9      | 7      |
| 83.0 - 83.9      | 27     |
| 84.0 - 84.9      | 34     |
| 85.0 - 85.9      | 41     |
| 86.0 & Above     | 49     |

## Extraneous Matter

| Prep    | Diff. |
|---------|-------|
| Level 1 | -186  |
| Level 2 | -714  |
| Bark    |       |
| Level 1 | -413  |
| Level 2 | -550  |
| Other   |       |
| Level 1 | -550  |
| Level 2 | -828  |
| Plastic |       |
| Level 1 | -4000 |
| Level 2 | -4000 |

Table 3. Southeast spot cotton differences, monthly average.

June-2025

| Color   | Leaf  | Staple |       |       |       |       |       |       | Mike              |        |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
|         |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    | Range             | Diff.  |
| 11 & 21 | 1 & 2 | -225   | -50   | 175   | 500   | 600   | 650   | 675   | 25-26             | -1075  |
|         | 3     | -225   | -50   | 175   | 475   | 575   | 625   | 650   | 27-29             | -675   |
|         | 4     | -225   | -125  | 100   | 425   | 500   | 525   | 525   | 30-32             | -525   |
|         | 5     | -475   | -325  | -225  | 25    | 100   | 100   | 100   | 33-34             | -400   |
|         | 6     | -600   | -450  | -400  | -225  | -175  | -175  | -175  | Base 35-36        | 0      |
|         | 7     | -725   | -575  | -550  | -350  | -300  | -300  | -300  | 37-42             | 0      |
| 31      | 1 & 2 | -225   | -100  | 100   | 475   | 575   | 600   | 625   | Base 43-49        | 0      |
|         | 3     | -225   | -100  | 100   | 475   | 550   | 575   | 600   | 50-52             | -200   |
|         | 4     | -225   | -125  | 100   | 425   | 475   | 500   | 500   | 53 & Above        | -375   |
|         | 5     | -475   | -325  | -225  | 25    | 75    | 75    | 75    |                   |        |
|         | 6     | -600   | -450  | -400  | -275  | -225  | -225  | -225  |                   |        |
|         | 7     | -725   | -575  | -550  | -400  | -350  | -350  | -350  |                   |        |
| 41      | 1 & 2 | -275   | -150  | 75    | 400   | 450   | 450   | 475   | Strength          |        |
|         | 3     | -275   | -150  | 75    | 375   | 425   | 425   | 450   | (Grams per Tex)   |        |
|         | 4     | -275   | -200  | 65.65 | 225   | 400   | 400   | 425   | Range             | Diff.  |
|         | 5     | -550   | -450  | -300  | -175  | -100  | -100  | -100  | 21.0 - 21.9       | -725   |
|         | 6     | -675   | -550  | -525  | -450  | -400  | -400  | -400  | 22.0 - 22.9       | -675   |
|         | 7     | -775   | -675  | -650  | -600  | -550  | -550  | -550  | 23.0 - 23.9       | -650   |
| 51      | 1 & 2 | -475   | -350  | -175  | -125  | -75   | -75   | -75   | 24.0 - 24.9       | -625   |
|         | 3     | -550   | -375  | -250  | -175  | -100  | -100  | -100  | 25.0 - 25.9       | -600   |
|         | 4     | -575   | -375  | -300  | -250  | -200  | -200  | -200  | 26.0 - 26.9       | -300   |
|         | 5     | -775   | -650  | -525  | -475  | -425  | -425  | -425  | Base 27.0 - 28.9  | 0      |
|         | 6     | -850   | -675  | -625  | -625  | -575  | -575  | -575  | 29.0 - 29.9       | 0      |
|         | 7     | -925   | -800  | -775  | -775  | -725  | -725  | -725  | 30.0 - 30.9       | 25     |
| 61      | 1-5   | -775   | -700  | -625  | -600  | -575  | -575  | -575  | 31.0 - 32.9       | 50     |
|         | 6     | -950   | -875  | -825  | -800  | -775  | -775  | -775  | 33.0 & above      | 50     |
|         | 7     | -1075  | -950  | -900  | -875  | -850  | -850  | -850  |                   |        |
| 71      | 1-6   | -1075  | -1000 | -950  | -950  | -925  | -925  | -925  |                   |        |
|         | 7     | -1100  | -1025 | -975  | -975  | -950  | -950  | -950  |                   |        |
| 12 & 22 | 1 & 2 | -275   | -100  | 50    | 200   | 275   | 275   | 300   | Extraneous Matter |        |
|         | 3     | -275   | -100  | 50    | 175   | 250   | 250   | 275   | Prep              | Diff.  |
|         | 4     | -275   | -125  | 0     | 150   | 225   | 225   | 250   | Level 1           | -200   |
|         | 5     | -525   | -425  | -300  | -100  | -50   | -50   | -50   | Level 2           | -800   |
|         | 6     | -650   | -525  | -525  | -450  | -400  | -400  | -400  |                   |        |
|         | 7     | -750   | -650  | -650  | -600  | -550  | -550  | -550  | Other             | Diff.  |
| 32      | 1 & 2 | -325   | -175  | -25   | 0     | 75    | 75    | 75    | Level 1           | -550   |
|         | 3     | -350   | -200  | -50   | 0     | 50    | 50    | 50    | Level 2           | -800   |
|         | 4     | -450   | -200  | -150  | -100  | -25   | -25   | -25   |                   |        |
|         | 5     | -625   | -450  | -400  | -375  | -325  | -325  | -325  | Plastic           | Diff.  |
|         | 6     | -700   | -550  | -550  | -525  | -475  | -475  | -475  | Level 1           | -4000  |
|         | 7     | -800   | -675  | -675  | -650  | -600  | -600  | -600  | Level 2           | -4000  |
| 42      | 1-3   | -550   | -350  | -200  | -175  | -125  | -125  | -125  | Uniformity        |        |
|         | 4     | -575   | -375  | -275  | -275  | -225  | -225  | -225  | Unit              | Points |
|         | 5     | -775   | -650  | -425  | -375  | -350  | -350  | -350  | 77.9 & Below      | -125   |
|         | 6     | -825   | -675  | -625  | -625  | -600  | -600  | -600  | 78.0 - 78.9       | -110   |
|         | 7     | -925   | -800  | -775  | -750  | -725  | -725  | -725  | 79.0 - 79.9       | -100   |
| 52      | 1-4   | -825   | -700  | -575  | -500  | -500  | -500  | -500  | 80.0 - 80.9       | 0      |
|         | 5     | -850   | -850  | -675  | -650  | -650  | -650  | -650  | Base 81.0 - 81.9  | 0      |
|         | 6     | -925   | -900  | -850  | -825  | -825  | -825  | -825  | 82.0 - 82.9       | 0      |
|         | 7     | -1075  | -1000 | -950  | -925  | -925  | -925  | -925  | 83.0 - 83.9       | 20     |
| 62      | 1-5   | -950   | -875  | -825  | -825  | -825  | -825  | -825  | 84.0 - 84.9       | 30     |
|         | 6     | -1125  | -1050 | -1000 | -1000 | -1000 | -1000 | -1000 | 85.0 - 85.9       | 40     |
| 43      | 1-3   | -900   | -850  | -800  | -750  | -725  | -725  | -725  | 86.0 & Above      | 50     |
|         | 4     | -925   | -900  | -850  | -775  | -750  | -750  | -750  |                   |        |
|         | 5     | -950   | -900  | -850  | -825  | -825  | -825  | -825  |                   |        |
|         | 6     | -1000  | -925  | -875  | -850  | -850  | -850  | -850  |                   |        |
| 53      | 1-4   | -1125  | -1000 | -950  | -925  | -925  | -925  | -925  |                   |        |
|         | 5     | -1125  | -1075 | -975  | -975  | -975  | -975  | -975  |                   |        |
|         | 6     | -1150  | -1100 | -1000 | -1000 | -1000 | -1000 | -1000 |                   |        |
|         | 7     | -1250  | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |                   |        |
| 63      | 1-5   | -1125  | -1075 | -975  | -975  | -975  | -975  | -975  |                   |        |
|         | 6     | -1250  | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |                   |        |

Table 4. North Delta spot cotton differences, monthly average.

June-2025

| Color   | Leaf  | Staple |       |       |       |       |       |       | Mike              |        |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
|         |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    | Range             | Diff.  |
| 11 & 21 | 1 & 2 | -225   | -75   | 175   | 250   | 500   | 575   | 575   | 25-26             | -1000  |
|         | 3     | -225   | -75   | 150   | 200   | 475   | 525   | 525   | 27-29             | -650   |
|         | 4     | -275   | -200  | 75    | 100   | 225   | 250   | 250   | 30-32             | -525   |
|         | 5     | -450   | -325  | -175  | -100  | -100  | -75   | -75   | 33-34             | -425   |
|         | 6     | -500   | -475  | -450  | -400  | -400  | -400  | -400  | Base 35-36        | 0      |
|         | 7     | -600   | -575  | -550  | -500  | -500  | -500  | -500  | 37-42             | 25     |
| 31      | 1 & 2 | -225   | -100  | 125   | 225   | 500   | 525   | 525   | Base 43-49        | 0      |
|         | 3     | -225   | -100  | 125   | 200   | 475   | 500   | 500   | 50-52             | -225   |
|         | 4     | -275   | -250  | 75    | 100   | 175   | 225   | 225   | 53 & Above        | -375   |
|         | 5     | -450   | -325  | -225  | -150  | -125  | -100  | -100  |                   |        |
|         | 6     | -500   | -475  | -450  | -400  | -400  | -400  | -400  |                   |        |
|         | 7     | -600   | -575  | -550  | -500  | -500  | -500  | -500  |                   |        |
| 41      | 1 & 2 | -350   | -250  | 50    | 100   | 350   | 350   | 375   | Strength          |        |
|         | 3     | -350   | -250  | 25    | 50    | 325   | 350   | 375   | (Grams per Tex)   |        |
|         | 4     | -375   | -275  | 64.90 | 0     | 175   | 200   | 200   | Range             | Diff.  |
|         | 5     | -625   | -500  | -325  | -225  | -175  | -175  | -175  | 21.0 - 21.9       | -850   |
|         | 6     | -675   | -600  | -500  | -425  | -425  | -425  | -425  | 22.0 - 22.9       | -800   |
|         | 7     | -800   | -775  | -650  | -550  | -550  | -550  | -550  | 23.0 - 23.9       | -750   |
| 51      | 1 & 2 | -675   | -475  | -350  | -250  | -250  | -250  | -250  | 24.0 - 24.9       | -700   |
|         | 3     | -725   | -475  | -375  | -275  | -275  | -275  | -275  | 25.0 - 25.9       | -650   |
|         | 4     | -750   | -500  | -400  | -350  | -350  | -350  | -350  | 26.0 - 26.9       | -300   |
|         | 5     | -825   | -725  | -650  | -575  | -550  | -550  | -550  | Base 27.0 - 28.9  | 0      |
|         | 6     | -950   | -925  | -775  | -700  | -700  | -700  | -700  | 29.0 - 29.9       | 0      |
|         | 7     | -1000  | -975  | -825  | -775  | -775  | -775  | -775  | 30.0 - 30.9       | 25     |
| 61      | 1-5   | -850   | -750  | -650  | -575  | -575  | -575  | -575  | 31.0 - 32.9       | 50     |
|         | 6     | -950   | -950  | -775  | -750  | -750  | -750  | -750  | 33.0 & above      | 50     |
|         | 7     | -1025  | -1000 | -875  | -850  | -850  | -850  | -850  |                   |        |
| 71      | 1-6   | -1225  | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 |                   |        |
|         | 7     | -1275  | -1225 | -1075 | -1075 | -1075 | -1075 | -1075 |                   |        |
| 12 & 22 | 1 & 2 | -275   | -125  | 50    | 100   | 250   | 275   | 275   | Extraneous Matter |        |
|         | 3     | -275   | -125  | 25    | 50    | 200   | 250   | 250   | Prep              | Diff.  |
|         | 4     | -300   | -250  | 0     | 0     | 175   | 200   | 200   | Level 1           | -200   |
|         | 5     | -600   | -475  | -300  | -200  | -175  | -150  | -150  | Level 2           | -800   |
|         | 6     | -725   | -650  | -525  | -425  | -400  | -400  | -400  |                   |        |
|         | 7     | -775   | -750  | -625  | -550  | -525  | -525  | -525  | Other             | Diff.  |
| 32      | 1 & 2 | -400   | -250  | -100  | 0     | 50    | 50    | 50    | Level 1           | -375   |
|         | 3     | -400   | -250  | -100  | -25   | 25    | 25    | 25    | Level 2           | -785   |
|         | 4     | -425   | -275  | -200  | -100  | -75   | -75   | -75   |                   |        |
|         | 5     | -700   | -525  | -350  | -325  | -300  | -300  | -300  | Plastic           | Diff.  |
|         | 6     | -800   | -750  | -575  | -525  | -500  | -500  | -500  | Level 1           | -4000  |
|         | 7     | -900   | -850  | -675  | -625  | -625  | -625  | -625  | Level 2           | -4000  |
| 42      | 1-3   | -550   | -425  | -325  | -225  | -200  | -200  | -200  | Uniformity        |        |
|         | 4     | -575   | -450  | -350  | -300  | -250  | -250  | -250  |                   |        |
|         | 5     | -725   | -575  | -425  | -375  | -325  | -325  | -325  | Unit              | Points |
|         | 6     | -850   | -750  | -600  | -575  | -525  | -525  | -525  | 77.9 & Below      | -90    |
|         | 7     | -900   | -850  | -700  | -650  | -650  | -650  | -650  | 78.0 - 78.9       | -80    |
| 52      | 1-4   | -750   | -575  | -525  | -500  | -500  | -500  | -500  | 79.0 - 79.9       | -70    |
|         | 5     | -825   | -725  | -650  | -600  | -600  | -600  | -600  | 80.0 - 80.9       | 0      |
|         | 6     | -975   | -875  | -800  | -775  | -775  | -775  | -775  | Base 81.0 - 81.9  | 0      |
|         | 7     | -1000  | -975  | -900  | -875  | -875  | -875  | -875  | 82.0 - 82.9       | 0      |
| 62      | 1-5   | -1025  | -925  | -850  | -825  | -825  | -825  | -825  | 83.0 - 83.9       | 30     |
|         | 6     | -1175  | -1075 | -950  | -925  | -925  | -925  | -925  | 84.0 - 84.9       | 40     |
| 43      | 1-3   | -900   | -675  | -500  | -475  | -475  | -475  | -475  | 85.0 - 85.9       | 50     |
|         | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  | 86.0 & Above      | 60     |
|         | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |                   |        |
|         | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |                   |        |
|         | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |                   |        |
| 53      | 1-4   | -1000  | -900  | -825  | -800  | -800  | -800  | -800  |                   |        |
|         | 5     | -1075  | -1000 | -925  | -900  | -900  | -900  | -900  |                   |        |
|         | 6     | -1250  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |                   |        |
|         | 7     | -1275  | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |                   |        |
| 63      | 1-5   | -1225  | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |                   |        |
|         | 6     | -1275  | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |                   |        |

Table 5. South Delta spot cotton differences, monthly average.

June-2025

| Color   | Leaf  | Staple |       |       |       |       |       |       | Mike              |        |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
|         |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    | Range             | Diff.  |
| 11 & 21 | 1 & 2 | -225   | -75   | 175   | 300   | 450   | 550   | 550   | 25-26             | -1100  |
|         | 3     | -225   | -75   | 150   | 250   | 425   | 500   | 500   | 27-29             | -750   |
|         | 4     | -275   | -200  | 75    | 150   | 275   | 300   | 300   | 30-32             | -525   |
|         | 5     | -450   | -325  | -175  | -100  | -100  | -75   | -75   | 33-34             | -425   |
|         | 6     | -500   | -475  | -450  | -400  | -400  | -400  | -400  | Base 35-36        | 0      |
|         | 7     | -600   | -575  | -550  | -500  | -500  | -500  | -500  | 37-42             | 25     |
| 31      | 1 & 2 | -225   | -100  | 125   | 275   | 425   | 450   | 450   | Base 43-49        | 0      |
|         | 3     | -225   | -100  | 125   | 250   | 425   | 450   | 450   | 50-52             | -225   |
|         | 4     | -275   | -250  | 75    | 150   | 250   | 275   | 275   | 53 & Above        | -375   |
|         | 5     | -550   | -425  | -225  | -150  | -125  | -100  | -100  |                   |        |
|         | 6     | -600   | -575  | -450  | -400  | -400  | -400  | -400  |                   |        |
|         | 7     | -700   | -675  | -550  | -500  | -500  | -500  | -500  |                   |        |
| 41      | 1 & 2 | -350   | -250  | 50    | 150   | 300   | 300   | 325   | Strength          |        |
|         | 3     | -350   | -250  | 25    | 100   | 275   | 300   | 325   | (Grams per Tex)   |        |
|         | 4     | -375   | -275  | 64.90 | 50    | 225   | 250   | 250   | Range             | Diff.  |
|         | 5     | -625   | -500  | -325  | -200  | -150  | -150  | -150  | 21.0 - 21.9       | -850   |
|         | 6     | -675   | -600  | -500  | -425  | -425  | -425  | -425  | 22.0 - 22.9       | -800   |
|         | 7     | -800   | -775  | -650  | -550  | -550  | -550  | -550  | 23.0 - 23.9       | -750   |
| 51      | 1 & 2 | -675   | -475  | -350  | -250  | -250  | -250  | -250  | 24.0 - 24.9       | -700   |
|         | 3     | -725   | -475  | -375  | -275  | -275  | -275  | -275  | 25.0 - 25.9       | -650   |
|         | 4     | -750   | -500  | -400  | -350  | -350  | -350  | -350  | 26.0 - 26.9       | -300   |
|         | 5     | -825   | -725  | -650  | -575  | -550  | -550  | -550  | Base 27.0 - 28.9  | 0      |
|         | 6     | -925   | -825  | -775  | -700  | -700  | -700  | -700  | 29.0 - 29.9       | 0      |
|         | 7     | -1100  | -1075 | -925  | -800  | -800  | -800  | -800  | 30.0 - 30.9       | 25     |
| 61      | 1-5   | -850   | -750  | -650  | -575  | -575  | -575  | -575  | 31.0 - 32.9       | 50     |
|         | 6     | -925   | -850  | -775  | -750  | -750  | -750  | -750  | 33.0 & above      | 50     |
|         | 7     | -1125  | -1100 | -975  | -850  | -850  | -850  | -850  |                   |        |
| 71      | 1-6   | -1225  | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 |                   |        |
|         | 7     | -1275  | -1225 | -1125 | -1075 | -1075 | -1075 | -1075 |                   |        |
| 12 & 22 | 1 & 2 | -275   | -125  | 50    | 100   | 275   | 300   | 300   | Extraneous Matter |        |
|         | 3     | -275   | -125  | 25    | 50    | 225   | 275   | 275   | Prep              | Diff.  |
|         | 4     | -300   | -250  | 0     | 0     | 175   | 200   | 200   | Level 1           | -200   |
|         | 5     | -600   | -475  | -300  | -200  | -175  | -150  | -150  | Level 2           | -800   |
|         | 6     | -725   | -650  | -525  | -425  | -400  | -400  | -400  |                   |        |
|         | 7     | -775   | -750  | -625  | -550  | -525  | -525  | -525  | Other             | Diff.  |
| 32      | 1 & 2 | -400   | -250  | -100  | 0     | 50    | 50    | 50    | Level 1           | -375   |
|         | 3     | -400   | -250  | -100  | -25   | 25    | 25    | 25    | Level 2           | -785   |
|         | 4     | -425   | -275  | -200  | -100  | -75   | -75   | -75   |                   |        |
|         | 5     | -700   | -525  | -350  | -325  | -300  | -300  | -300  | Plastic           | Diff.  |
|         | 6     | -800   | -750  | -575  | -525  | -500  | -500  | -500  | Level 1           | -4000  |
|         | 7     | -900   | -850  | -675  | -625  | -625  | -625  | -625  | Level 2           | -4000  |
| 42      | 1-3   | -550   | -425  | -325  | -225  | -200  | -200  | -200  | Uniformity        |        |
|         | 4     | -575   | -450  | -350  | -300  | -250  | -250  | -250  | Unit              | Points |
|         | 5     | -725   | -575  | -425  | -375  | -325  | -325  | -325  | 77.9 & Below      | -90    |
|         | 6     | -850   | -750  | -600  | -525  | -500  | -500  | -500  | 78.0 - 78.9       | -80    |
|         | 7     | -900   | -850  | -700  | -650  | -650  | -650  | -650  | 79.0 - 79.9       | -70    |
| 52      | 1-4   | -750   | -575  | -525  | -500  | -500  | -500  | -500  | 80.0 - 80.9       | 0      |
|         | 5     | -875   | -725  | -650  | -600  | -600  | -600  | -600  | Base 81.0 - 81.9  | 0      |
|         | 6     | -925   | -875  | -800  | -775  | -775  | -775  | -775  | 82.0 - 82.9       | 0      |
|         | 7     | -1025  | -975  | -900  | -875  | -875  | -875  | -875  | 83.0 - 83.9       | 30     |
| 62      | 1-5   | -1025  | -925  | -850  | -825  | -825  | -825  | -825  | 84.0 - 84.9       | 40     |
|         | 6     | -1175  | -1075 | -950  | -925  | -925  | -925  | -925  | 85.0 - 85.9       | 50     |
| 43      | 1-3   | -900   | -675  | -475  | -450  | -450  | -450  | -450  | 86.0 & Above      | 60     |
|         | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  |                   |        |
|         | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |                   |        |
|         | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |                   |        |
|         | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |                   |        |
| 53      | 1-4   | -1000  | -900  | -825  | -800  | -800  | -800  | -800  |                   |        |
|         | 5     | -1075  | -1000 | -925  | -900  | -900  | -900  | -900  |                   |        |
|         | 6     | -1250  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |                   |        |
|         | 7     | -1275  | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |                   |        |
| 63      | 1-5   | -1225  | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |                   |        |
|         | 6     | -1275  | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |                   |        |



Table 6. East Texas and South Texas spot cotton differences, monthly average.

June-2025

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -500   | -450  | -275  | 175   | 500  | 850  | 925  | 975  |
|         | 3     | -550   | -500  | -300  | 125   | 475  | 825  | 900  | 950  |
|         | 4     | -625   | -500  | -300  | 25    | 150  | 375  | 400  | 450  |
|         | 5     | -650   | -525  | -450  | -100  | 25   | 150  | 275  | 275  |
|         | 6     | -750   | -600  | -575  | -300  | -275 | -150 | -50  | -50  |
|         | 7     | -825   | -700  | -675  | -375  | -350 | -225 | -150 | -150 |
| 31      | 1 & 2 | -575   | -500  | -300  | 100   | 450  | 750  | 825  | 875  |
|         | 3     | -600   | -525  | -325  | 75    | 425  | 725  | 825  | 875  |
|         | 4     | -675   | -575  | -325  | 0     | 150  | 325  | 400  | 450  |
|         | 5     | -700   | -575  | -475  | -100  | 0    | 75   | 200  | 200  |
|         | 6     | -775   | -625  | -600  | -300  | -275 | -175 | -125 | -125 |
|         | 7     | -850   | -725  | -700  | -375  | -350 | -250 | -225 | -225 |
| 41      | 1 & 2 | -675   | -500  | -325  | 50    | 175  | 450  | 550  | 625  |
|         | 3     | -725   | -525  | -325  | 25    | 175  | 310  | 410  | 485  |
|         | 4     | -750   | -600  | -450  | 62.60 | 110  | 185  | 260  | 335  |
|         | 5     | -900   | -675  | -600  | -225  | -90  | 35   | 85   | 110  |
|         | 6     | -975   | -775  | -725  | -375  | -350 | -250 | -250 | -250 |
|         | 7     | -1075  | -875  | -825  | -475  | -425 | -350 | -350 | -350 |
| 51      | 1 & 2 | -850   | -700  | -575  | -150  | -100 | 50   | 75   | 75   |
|         | 3     | -875   | -750  | -600  | -175  | -100 | 50   | 50   | 75   |
|         | 4     | -925   | -775  | -625  | -250  | -175 | -50  | -50  | -25  |
|         | 5     | -950   | -825  | -750  | -325  | -250 | -225 | -200 | -175 |
|         | 6     | -1050  | -850  | -825  | -425  | -400 | -300 | -300 | -300 |
|         | 7     | -1150  | -875  | -850  | -500  | -475 | -350 | -350 | -350 |
| 61      | 1-5   | -1025  | -875  | -800  | -375  | -350 | -225 | -225 | -225 |
|         | 6     | -1175  | -975  | -925  | -550  | -500 | -375 | -375 | -375 |
|         | 7     | -1275  | -1075 | -1025 | -650  | -600 | -475 | -475 | -475 |
| 71      | 1-6   | -1225  | -1125 | -1050 | -625  | -600 | -475 | -475 | -475 |
|         | 7     | -1300  | -1150 | -1100 | -700  | -675 | -550 | -550 | -550 |
| 12 & 22 | 1 & 2 | -650   | -450  | -275  | 50    | 325  | 475  | 550  | 550  |
|         | 3     | -700   | -500  | -325  | 50    | 275  | 425  | 475  | 475  |
|         | 4     | -725   | -500  | -325  | -25   | 110  | 325  | 375  | 375  |
|         | 5     | -800   | -675  | -600  | -225  | -115 | 150  | 275  | 275  |
|         | 6     | -950   | -750  | -725  | -375  | -350 | -200 | -75  | -75  |
|         | 7     | -1075  | -875  | -825  | -475  | -425 | -300 | -225 | -225 |
| 32      | 1 & 2 | -825   | -725  | -550  | -150  | 25   | 100  | 225  | 225  |
|         | 3     | -850   | -725  | -575  | -175  | -50  | 50   | 175  | 200  |
|         | 4     | -900   | -750  | -625  | -200  | -75  | -50  | 0    | 25   |
|         | 5     | -1000  | -875  | -825  | -375  | -300 | -125 | -50  | -50  |
|         | 6     | -1150  | -950  | -925  | -550  | -500 | -425 | -375 | -375 |
|         | 7     | -1300  | -1075 | -1050 | -650  | -600 | -525 | -475 | -475 |
| 42      | 1-3   | -900   | -800  | -700  | -225  | -50  | -25  | 25   | 50   |
|         | 4     | -975   | -850  | -750  | -275  | -75  | -75  | -50  | 0    |
|         | 5     | -1125  | -975  | -875  | -475  | -375 | -325 | -300 | -250 |
|         | 6     | -1300  | -1025 | -950  | -600  | -550 | -550 | -475 | -475 |
|         | 7     | -1425  | -1150 | -1075 | -725  | -650 | -600 | -550 | -550 |
| 52      | 1-4   | -1175  | -975  | -875  | -525  | -500 | -400 | -350 | -325 |
|         | 5     | -1225  | -1050 | -925  | -550  | -550 | -525 | -450 | -425 |
|         | 6     | -1425  | -1225 | -1125 | -725  | -700 | -625 | -575 | -575 |
|         | 7     | -1525  | -1350 | -1250 | -850  | -825 | -700 | -650 | -650 |
| 62      | 1-5   | -1275  | -1125 | -1100 | -650  | -625 | -550 | -500 | -500 |
|         | 6     | -1475  | -1300 | -1275 | -850  | -825 | -725 | -675 | -675 |



| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1200  | -1050 | -975  | -525  | -450  | -325  | -225  | -225  |
|         | 3     | -1225  | -1075 | -1000 | -550  | -475  | -350  | -250  | -250  |
|         | 4     | -1275  | -1150 | -1025 | -575  | -500  | -400  | -300  | -300  |
|         | 5     | -1400  | -1250 | -1150 | -700  | -625  | -525  | -425  | -425  |
|         | 6     | -1525  | -1325 | -1200 | -800  | -725  | -625  | -525  | -525  |
|         | 7     | -1625  | -1425 | -1325 | -925  | -850  | -750  | -650  | -650  |
| 33      | 1 & 2 | -1275  | -1100 | -1000 | -530  | -475  | -375  | -275  | -275  |
|         | 3     | -1275  | -1100 | -1000 | -555  | -500  | -400  | -275  | -275  |
|         | 4     | -1350  | -1175 | -1050 | -605  | -550  | -450  | -325  | -325  |
|         | 5     | -1500  | -1275 | -1175 | -730  | -675  | -575  | -450  | -450  |
|         | 6     | -1575  | -1350 | -1250 | -855  | -800  | -700  | -575  | -575  |
|         | 7     | -1675  | -1475 | -1350 | -980  | -925  | -825  | -700  | -700  |
| 43      | 1-3   | -1325  | -1175 | -1050 | -605  | -550  | -450  | -325  | -325  |
|         | 4     | -1400  | -1250 | -1100 | -630  | -575  | -475  | -350  | -350  |
|         | 5     | -1525  | -1350 | -1200 | -760  | -700  | -600  | -475  | -475  |
|         | 6     | -1625  | -1425 | -1300 | -880  | -850  | -750  | -625  | -625  |
|         | 7     | -1725  | -1525 | -1400 | -980  | -950  | -850  | -725  | -725  |
| 53      | 1-4   | -1450  | -1350 | -1225 | -755  | -750  | -700  | -575  | -575  |
|         | 5     | -1550  | -1425 | -1325 | -830  | -825  | -775  | -650  | -650  |
|         | 6     | -1650  | -1525 | -1425 | -1005 | -950  | -900  | -775  | -775  |
|         | 7     | -1750  | -1625 | -1550 | -1105 | -1050 | -975  | -850  | -850  |
| 63      | 1-5   | -1650  | -1500 | -1375 | -955  | -875  | -800  | -675  | -675  |
|         | 6     | -1750  | -1625 | -1475 | -1075 | -1000 | -925  | -800  | -800  |
| 34      | 1 & 2 | -1400  | -1275 | -1200 | -750  | -725  | -650  | -575  | -575  |
|         | 3     | -1400  | -1275 | -1200 | -750  | -725  | -650  | -575  | -575  |
|         | 4     | -1525  | -1400 | -1300 | -850  | -825  | -750  | -675  | -675  |
|         | 5     | -1625  | -1500 | -1425 | -975  | -950  | -875  | -800  | -800  |
|         | 6     | -1800  | -1675 | -1600 | -1150 | -1125 | -1050 | -975  | -975  |
| 44      | 1-3   | -1500  | -1375 | -1300 | -850  | -825  | -750  | -675  | -675  |
|         | 4     | -1575  | -1475 | -1350 | -900  | -875  | -800  | -725  | -725  |
|         | 5     | -1650  | -1550 | -1450 | -1000 | -975  | -900  | -825  | -825  |
|         | 6     | -1825  | -1700 | -1625 | -1175 | -1150 | -1075 | -1000 | -1000 |
| 54      | 1-4   | -1600  | -1500 | -1425 | -925  | -925  | -850  | -800  | -800  |
|         | 5     | -1700  | -1600 | -1500 | -1025 | -1000 | -925  | -875  | -875  |

## Mike

| Range      | Diff. |
|------------|-------|
| 24 & Below | -1850 |
| 25-26      | -1850 |
| 27-29      | -1300 |
| 30-32      | -825  |
| 33-34      | -625  |
| Base 35-36 | 0     |
| 37-42      | 0     |
| Base 43-49 | 0     |
| 50-52      | -375  |
| 53 & Above | -450  |

## Strength

| (Grams per Tex)  |       |
|------------------|-------|
| Range            | Diff. |
| 19.0 - 19.9      | -485  |
| 20.0 - 20.9      | -485  |
| 21.0 - 21.9      | -460  |
| 22.0 - 22.9      | -460  |
| 23.0 - 23.9      | -435  |
| 24.0 - 24.9      | -435  |
| 25.0 - 25.9      | -385  |
| 26.0 - 26.9      | -360  |
| Base 27.0 - 28.9 | 0     |
| 29.0 - 29.9      | 10    |
| 30.0 - 30.9      | 40    |
| 31.0 - 32.9      | 45    |
| 33.0 & above     | 50    |

## Uniformity

| Unit             | Points |
|------------------|--------|
| 77.9 & Below     | -90    |
| 78.0 - 78.9      | -75    |
| 79.0 - 79.9      | -10    |
| 80.0 - 80.9      | 0      |
| Base 81.0 - 81.9 | 0      |
| 82.0 - 82.9      | 0      |
| 83.0 - 83.9      | 0      |
| 84.0 - 84.9      | 0      |
| 85.0 - 85.9      | 0      |
| 86.0 & Above     | 0      |

## Extraneous Matter

| Prep    | Diff. |
|---------|-------|
| Level 1 | -300  |
| Level 2 | -500  |
| Bark    |       |
| Level 1 | -475  |
| Level 2 | -550  |
| Other   |       |
| Level 1 | -950  |
| Level 2 | -1000 |
| Plastic |       |
| Level 1 | -4000 |
| Level 2 | -4000 |

Table 7. West Texas, Kansas, and Oklahoma spot cotton differences, monthly average.

June-2025

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -475   | -325  | -125  | 225   | 350  | 574  | 724  | 774  |
|         | 3     | -575   | -400  | -200  | 125   | 250  | 549  | 679  | 729  |
|         | 4     | -625   | -450  | -325  | 100   | 200  | 350  | 375  | 375  |
|         | 5     | -650   | -450  | -325  | 75    | 175  | 325  | 350  | 350  |
|         | 6     | -775   | -575  | -475  | -175  | -150 | -100 | -100 | -100 |
|         | 7     | -850   | -625  | -550  | -250  | -225 | -175 | -175 | -175 |
| 31      | 1 & 2 | -725   | -500  | -300  | 175   | 300  | 549  | 699  | 724  |
|         | 3     | -775   | -525  | -325  | 100   | 250  | 549  | 674  | 699  |
|         | 4     | -800   | -550  | -400  | 100   | 150  | 275  | 350  | 350  |
|         | 5     | -825   | -600  | -450  | 0     | 100  | 225  | 250  | 250  |
|         | 6     | -925   | -675  | -500  | -225  | -225 | -200 | -200 | -200 |
|         | 7     | -1025  | -725  | -575  | -275  | -275 | -250 | -250 | -250 |
| 41      | 1 & 2 | -825   | -575  | -325  | 50    | 100  | 225  | 300  | 325  |
|         | 3     | -850   | -600  | -350  | 25    | 75   | 200  | 275  | 300  |
|         | 4     | -900   | -625  | -500  | 63.08 | 50   | 50   | 125  | 150  |
|         | 5     | -950   | -675  | -525  | -175  | -150 | -100 | -75  | -25  |
|         | 6     | -1050  | -800  | -675  | -425  | -425 | -300 | -300 | -300 |
|         | 7     | -1150  | -875  | -750  | -475  | -475 | -400 | -400 | -400 |
| 51      | 1 & 2 | -900   | -700  | -575  | -125  | -75  | -75  | -75  | -75  |
|         | 3     | -950   | -700  | -575  | -125  | -75  | -75  | -75  | -75  |
|         | 4     | -975   | -700  | -650  | -225  | -200 | -200 | -175 | -175 |
|         | 5     | -975   | -725  | -700  | -325  | -325 | -250 | -225 | -225 |
|         | 6     | -1075  | -825  | -800  | -525  | -500 | -400 | -375 | -375 |
|         | 7     | -1175  | -925  | -900  | -625  | -600 | -525 | -500 | -500 |
| 61      | 1-5   | -975   | -775  | -750  | -375  | -350 | -250 | -250 | -250 |
|         | 6     | -1150  | -900  | -875  | -625  | -550 | -450 | -450 | -450 |
|         | 7     | -1250  | -1050 | -1000 | -700  | -625 | -550 | -550 | -550 |
| 71      | 1-6   | -1175  | -975  | -900  | -650  | -600 | -525 | -525 | -525 |
|         | 7     | -1300  | -1050 | -1000 | -725  | -675 | -600 | -600 | -600 |
| 12 & 22 | 1 & 2 | -625   | -425  | -175  | 175   | 225  | 299  | 424  | 424  |
|         | 3     | -650   | -450  | -225  | 100   | 150  | 249  | 324  | 324  |
|         | 4     | -750   | -500  | -400  | 0     | 100  | 224  | 274  | 274  |
|         | 5     | -850   | -625  | -500  | -75   | 0    | 75   | 75   | 75   |
|         | 6     | -925   | -725  | -625  | -350  | -350 | -250 | -200 | -200 |
|         | 7     | -1050  | -825  | -725  | -425  | -425 | -325 | -275 | -275 |
| 32      | 1 & 2 | -850   | -575  | -325  | -50   | 25   | 25   | 50   | 75   |
|         | 3     | -925   | -650  | -375  | -125  | 25   | 25   | 25   | 25   |
|         | 4     | -975   | -725  | -575  | -150  | 25   | 25   | 25   | 25   |
|         | 5     | -1125  | -925  | -775  | -400  | -250 | -225 | -200 | -200 |
|         | 6     | -1225  | -975  | -900  | -550  | -450 | -425 | -375 | -375 |
|         | 7     | -1300  | -1050 | -925  | -625  | -525 | -500 | -450 | -450 |
| 42      | 1-3   | -950   | -700  | -525  | -175  | -125 | -50  | 0    | 0    |
|         | 4     | -1025  | -800  | -575  | -225  | -150 | -75  | -25  | 0    |
|         | 5     | -1175  | -1000 | -775  | -425  | -275 | -275 | -250 | -225 |
|         | 6     | -1425  | -1100 | -900  | -575  | -475 | -450 | -425 | -400 |
|         | 7     | -1450  | -1150 | -1000 | -675  | -550 | -525 | -500 | -500 |
| 52      | 1-4   | -1200  | -925  | -850  | -525  | -450 | -400 | -350 | -350 |
|         | 5     | -1275  | -1025 | -925  | -550  | -475 | -425 | -375 | -375 |
|         | 6     | -1525  | -1250 | -1150 | -725  | -625 | -575 | -525 | -525 |
|         | 7     | -1600  | -1350 | -1250 | -800  | -725 | -675 | -650 | -650 |
| 62      | 1-5   | -1325  | -1100 | -1025 | -650  | -600 | -550 | -500 | -500 |
|         | 6     | -1550  | -1300 | -1225 | -900  | -825 | -775 | -700 | -700 |

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1025  | -800  | -725  | -400  | -350  | -325  | -275  | -275  |
|         | 3     | -1125  | -850  | -775  | -425  | -375  | -350  | -300  | -300  |
|         | 4     | -1175  | -950  | -875  | -475  | -425  | -400  | -350  | -350  |
|         | 5     | -1275  | -1025 | -975  | -600  | -550  | -500  | -450  | -450  |
|         | 6     | -1425  | -1150 | -1100 | -725  | -625  | -575  | -525  | -525  |
|         | 7     | -1500  | -1250 | -1175 | -775  | -725  | -675  | -625  | -625  |
| 33      | 1 & 2 | -1200  | -900  | -800  | -450  | -425  | -400  | -350  | -350  |
|         | 3     | -1200  | -900  | -800  | -450  | -425  | -400  | -350  | -350  |
|         | 4     | -1300  | -1000 | -925  | -525  | -500  | -450  | -400  | -400  |
|         | 5     | -1425  | -1100 | -1025 | -675  | -625  | -550  | -500  | -500  |
|         | 6     | -1525  | -1225 | -1200 | -775  | -725  | -650  | -600  | -600  |
|         | 7     | -1600  | -1325 | -1250 | -900  | -825  | -750  | -700  | -700  |
| 43      | 1-3   | -1275  | -1025 | -950  | -525  | -500  | -450  | -400  | -400  |
|         | 4     | -1350  | -1100 | -1000 | -600  | -550  | -450  | -400  | -400  |
|         | 5     | -1450  | -1175 | -1075 | -725  | -675  | -575  | -525  | -525  |
|         | 6     | -1575  | -1300 | -1225 | -850  | -800  | -725  | -675  | -675  |
|         | 7     | -1650  | -1400 | -1300 | -925  | -875  | -800  | -750  | -750  |
| 53      | 1-4   | -1450  | -1275 | -1150 | -700  | -675  | -550  | -500  | -500  |
|         | 5     | -1525  | -1300 | -1200 | -800  | -750  | -600  | -550  | -550  |
|         | 6     | -1700  | -1450 | -1350 | -950  | -875  | -725  | -675  | -675  |
|         | 7     | -1750  | -1525 | -1450 | -1075 | -1000 | -875  | -825  | -825  |
| 63      | 1-5   | -1675  | -1425 | -1300 | -850  | -825  | -775  | -725  | -725  |
|         | 6     | -1775  | -1550 | -1400 | -1050 | -1000 | -950  | -900  | -900  |
| 34      | 1 & 2 | -1375  | -1125 | -1025 | -625  | -625  | -575  | -525  | -525  |
|         | 3     | -1375  | -1125 | -1025 | -625  | -625  | -575  | -525  | -525  |
|         | 4     | -1500  | -1250 | -1125 | -725  | -725  | -675  | -625  | -625  |
|         | 5     | -1575  | -1325 | -1225 | -850  | -850  | -800  | -750  | -750  |
|         | 6     | -1750  | -1500 | -1400 | -1075 | -1050 | -1000 | -950  | -950  |
| 44      | 1-3   | -1500  | -1250 | -1150 | -725  | -725  | -675  | -650  | -650  |
|         | 4     | -1575  | -1350 | -1200 | -775  | -775  | -725  | -700  | -700  |
|         | 5     | -1650  | -1400 | -1275 | -875  | -875  | -825  | -800  | -800  |
|         | 6     | -1825  | -1575 | -1475 | -1125 | -1100 | -1050 | -1025 | -1025 |
| 54      | 1-4   | -1600  | -1375 | -1275 | -850  | -850  | -800  | -775  | -775  |
|         | 5     | -1675  | -1425 | -1300 | -975  | -975  | -925  | -900  | -900  |

## Mike

| Range      | Diff. |
|------------|-------|
| 24 & Below | -1825 |
| 25-26      | -1825 |
| 27-29      | -1200 |
| 30-32      | -675  |
| 33-34      | -500  |
| Base 35-36 | 0     |
| 37-42      | 0     |
| Base 43-49 | 0     |
| 50-52      | -475  |
| 53 & Above | -500  |

## Strength

| (Grams per Tex)  |       |
|------------------|-------|
| Range            | Diff. |
| 19.0 - 19.9      | -525  |
| 20.0 - 20.9      | -500  |
| 21.0 - 21.9      | -475  |
| 22.0 - 22.9      | -450  |
| 23.0 - 23.9      | -425  |
| 24.0 - 24.9      | -400  |
| 25.0 - 25.9      | -275  |
| 26.0 - 26.9      | -250  |
| Base 27.0 - 28.9 | 0     |
| 29.0 - 29.9      | 10    |
| 30.0 - 30.9      | 10    |
| 31.0 - 32.9      | 15    |
| 33.0 & above     | 25    |

## Uniformity

| Unit             | Points |
|------------------|--------|
| 77.9 & Below     | -70    |
| 78.0 - 78.9      | -55    |
| 79.0 - 79.9      | -40    |
| 80.0 - 80.9      | 0      |
| Base 81.0 - 81.9 | 0      |
| 82.0 - 82.9      | 0      |
| 83.0 - 83.9      | 0      |
| 84.0 - 84.9      | 0      |
| 85.0 - 85.9      | 0      |
| 86.0 & Above     | 0      |

## Extraneous Matter

| Prep    | Diff. |
|---------|-------|
| Level 1 | -300  |
| Level 2 | -500  |
| Bark    |       |
| Level 1 | -350  |
| Level 2 | -550  |
| Other   |       |
| Level 1 | -650  |
| Level 2 | -700  |
| Plastic |       |
| Level 1 | -4000 |
| Level 2 | -4000 |

Table 8. Desert Southwest spot cotton differences, monthly average.

June-2025

| Color   | Leaf  | Staple |       |       |       |       |       | Mike                     |        |
|---------|-------|--------|-------|-------|-------|-------|-------|--------------------------|--------|
|         |       | 33     | 34    | 35    | 36    | 37    | 38    | Range                    | Diff.  |
| 11 & 21 | 1 & 2 | -125   | 150   | 475   | 750   | 785   | 825   | 24 & Below               | -1350  |
|         | 3     | -125   | 125   | 400   | 700   | 725   | 750   | 25-26                    | -1150  |
|         | 4     | -325   | 25    | 250   | 360   | 420   | 445   | 27-29                    | -1050  |
|         | 5     | -400   | -200  | -25   | 75    | 160   | 160   | 30-32                    | -700   |
|         | 6     | -475   | -375  | -150  | -110  | -55   | -55   | 33-34                    | -500   |
|         | 7     | -675   | -400  | -225  | -165  | -125  | -125  | Base 35-36               | 0      |
| 31      | 1 & 2 | -200   | 125   | 425   | 675   | 725   | 750   | 37-42                    | 25     |
|         | 3     | -200   | 100   | 325   | 600   | 625   | 650   | Base 43-49               | 0      |
|         | 4     | -375   | 0     | 150   | 310   | 370   | 420   | 50-52                    | -325   |
|         | 5     | -425   | -225  | -100  | -25   | 70    | 70    | 53 & Above               | -525   |
|         | 6     | -500   | -400  | -185  | -145  | -65   | -65   |                          |        |
|         | 7     | -700   | -425  | -275  | -220  | -140  | -140  |                          |        |
| 41      | 1 & 2 | -600   | 0     | 25    | 160   | 170   | 270   | <b>Strength</b>          |        |
|         | 3     | -600   | 0     | 10    | 135   | 145   | 245   | (Grams per Tex)          |        |
|         | 4     | -650   | 62.50 | 0     | 85    | 120   | 170   | Range                    | Diff.  |
|         | 5     | -675   | -525  | -425  | -340  | -280  | -280  | 21.0 - 21.9              | -675   |
|         | 6     | -825   | -700  | -525  | -490  | -440  | -440  | 22.0 - 22.9              | -525   |
|         | 7     | -975   | -850  | -700  | -670  | -635  | -635  | 23.0 - 23.9              | -375   |
| 51      | 1 & 2 | -725   | -550  | -350  | -340  | -330  | -330  | 24.0 - 24.9              | -300   |
|         | 3     | -725   | -550  | -350  | -340  | -330  | -330  | 25.0 - 25.9              | -275   |
|         | 4     | -750   | -625  | -475  | -425  | -365  | -365  | 26.0 - 26.9              | -200   |
|         | 5     | -850   | -800  | -675  | -650  | -600  | -600  | Base 27.0 - 28.9         | 0      |
|         | 6     | -1000  | -900  | -775  | -775  | -725  | -725  | 29.0 - 29.9              | 0      |
|         | 7     | -1200  | -1100 | -975  | -975  | -950  | -950  | 30.0 - 30.9              | 10     |
| 12 & 22 | 1 & 2 | -500   | 25    | 175   | 260   | 345   | 345   | 31.0 - 32.9              | 35     |
|         | 3     | -500   | 25    | 150   | 210   | 295   | 295   | 33.0 & above             | 75     |
|         | 4     | -600   | -25   | 150   | 210   | 295   | 295   |                          |        |
|         | 5     | -625   | -450  | -150  | -150  | -75   | -75   |                          |        |
|         | 6     | -775   | -650  | -350  | -350  | -275  | -275  |                          |        |
|         | 7     | -950   | -825  | -600  | -600  | -525  | -525  |                          |        |
| 32      | 1 & 2 | -600   | -225  | 0     | 110   | 120   | 120   | <b>Extraneous Matter</b> |        |
|         | 3     | -600   | -225  | 0     | 110   | 120   | 120   | Prep                     | Diff.  |
|         | 4     | -650   | -450  | -100  | 10    | 20    | 20    | Level 1                  | -50    |
|         | 5     | -700   | -700  | -450  | -450  | -450  | -450  | Level 2                  | -800   |
|         | 6     | -900   | -825  | -575  | -575  | -575  | -575  | Other                    |        |
|         | 7     | -1050  | -1000 | -825  | -825  | -825  | -825  | Level 1                  | -600   |
| 42      | 1-3   | -700   | -525  | -250  | -175  | -175  | -175  | Level 2                  | -800   |
|         | 4     | -725   | -600  | -350  | -275  | -275  | -275  | Plastic                  |        |
|         | 5     | -800   | -775  | -550  | -525  | -525  | -525  | Level 1                  | -4000  |
|         | 6     | -975   | -900  | -675  | -675  | -675  | -675  | Level 2                  | -4000  |
|         | 7     | -1175  | -1075 | -925  | -925  | -925  | -925  |                          |        |
|         |       |        |       |       |       |       |       |                          |        |
| 52      | 1-4   | -925   | -800  | -600  | -550  | -550  | -550  | <b>Uniformity</b>        |        |
|         | 5     | -975   | -875  | -700  | -700  | -700  | -700  | Unit                     | Points |
|         | 6     | -1075  | -975  | -800  | -800  | -800  | -800  | 77.9 & Below             | -100   |
|         | 7     | -1325  | -1225 | -1100 | -1075 | -1075 | -1075 | 78.0 - 78.9              | -90    |
| 43      | 1-3   | -800   | -725  | -650  | -575  | -575  | -575  | 79.0 - 79.9              | -80    |
|         | 4     | -900   | -825  | -700  | -650  | -650  | -650  | 80.0 - 80.9              | 0      |
|         | 5     | -1000  | -900  | -725  | -700  | -700  | -700  | Base 81.0 - 81.9         | 0      |
|         | 6     | -1100  | -1000 | -975  | -975  | -975  | -975  | 82.0 - 82.9              | 0      |
|         | 7     | -1200  | -1125 | -1100 | -1100 | -1100 | -1100 | 83.0 - 83.9              | 30     |
| 53      | 1-4   | -1050  | -950  | -875  | -875  | -875  | -875  | 84.0 - 84.9              | 40     |
|         | 5     | -1100  | -1000 | -925  | -925  | -925  | -925  | 85.0 - 85.9              | 50     |
|         | 6     | -1200  | -1100 | -1025 | -1025 | -1025 | -1025 | 86.0 & Above             | 60     |
|         | 7     | -1450  | -1350 | -1350 | -1350 | -1350 | -1350 |                          |        |

Table 9. San Joaquin Valley spot cotton differences, monthly average.

June-2025

| Color   | Leaf  | Staple |       |       |       |       | Mike              |        |
|---------|-------|--------|-------|-------|-------|-------|-------------------|--------|
|         |       | 34     | 35    | 36    | 37    | 38    | Range             | Diff.  |
| 11 & 21 | 1 & 2 | 415    | 1040  | 1390  | 1540  | 1765  | 27-29             | -1600  |
|         | 3     | 365    | 990   | 1340  | 1465  | 1665  | 30-32             | -1000  |
|         | 4     | 75     | 350   | 400   | 500   | 500   | 33-34             | -500   |
|         | 5     | -125   | 75    | 130   | 190   | 190   | Base 35-36        | 0      |
|         | 6     | -400   | -200  | -150  | -100  | -100  | 37-42             | 25     |
|         | 7     | -625   | -525  | -475  | -425  | -425  | Base 43-49        | 0      |
|         |       |        |       |       |       |       | 50-52             | -500   |
| 31      | 1 & 2 | 315    | 940   | 1290  | 1415  | 1590  |                   |        |
|         | 3     | 265    | 890   | 1240  | 1365  | 1540  |                   |        |
|         | 4     | 50     | 300   | 330   | 410   | 410   |                   |        |
|         | 5     | -200   | 0     | 55    | 115   | 115   |                   |        |
|         | 6     | -500   | -325  | -275  | -225  | -225  |                   |        |
|         | 7     | -675   | -575  | -525  | -475  | -475  |                   |        |
|         |       |        |       |       |       |       |                   |        |
| 41      | 1 & 2 | 100    | 350   | 430   | 440   | 440   | Strength          |        |
|         | 3     | 50     | 250   | 330   | 340   | 340   | (Grams per Tex)   |        |
|         | 4     | 62.65  | 200   | 280   | 290   | 290   | Range             | Diff.  |
|         | 5     | -425   | -200  | -195  | -185  | -185  | 24.0 - 24.9       | -500   |
|         | 6     | -625   | -450  | -450  | -450  | -450  | 25.0 - 25.9       | -400   |
|         | 7     | -825   | -725  | -725  | -725  | -725  | 26.0 - 26.9       | -300   |
|         |       |        |       |       |       |       | Base 27.0 - 28.9  | 0      |
| 51      | 1 & 2 | -675   | -225  | -175  | -175  | -175  | 29.0 - 29.9       | 0      |
|         | 3     | -700   | -250  | -200  | -200  | -200  | 30.0 - 30.9       | 75     |
|         | 4     | -750   | -300  | -275  | -275  | -275  | 31.0 - 32.9       | 125    |
|         | 5     | -775   | -375  | -325  | -325  | -325  | 33.0 & above      | 250    |
|         | 6     | -900   | -800  | -800  | -800  | -800  |                   |        |
|         | 7     | -1050  | -1000 | -1000 | -1000 | -1000 |                   |        |
|         |       |        |       |       |       |       |                   |        |
| 12 & 22 | 1 & 2 | 125    | 575   | 830   | 965   | 1140  |                   |        |
|         | 3     | 50     | 500   | 780   | 890   | 1040  |                   |        |
|         | 4     | -75    | 325   | 375   | 440   | 440   |                   |        |
|         | 5     | -250   | -50   | 0     | 50    | 50    |                   |        |
|         | 6     | -525   | -400  | -350  | -300  | -300  |                   |        |
|         | 7     | -775   | -700  | -650  | -600  | -600  |                   |        |
|         |       |        |       |       |       |       |                   |        |
| 32      | 1 & 2 | 0      | 250   | 325   | 375   | 475   | Extraneous Matter |        |
|         | 3     | -50    | 200   | 275   | 325   | 425   | Prep              | Diff.  |
|         | 4     | -200   | 25    | 50    | 100   | 100   | Level 1           | -50    |
|         | 5     | -525   | -275  | -275  | -275  | -275  | Level 2           | -800   |
|         | 6     | -675   | -475  | -475  | -475  | -475  | Other             |        |
|         | 7     | -850   | -750  | -750  | -750  | -750  | Level 1           | -350   |
|         |       |        |       |       |       |       | Level 2           | -925   |
| 42      | 1-3   | -450   | -100  | -75   | -75   | -75   | Plastic           |        |
|         | 4     | -500   | -175  | -150  | -150  | -150  | Level 1           | -4000  |
|         | 5     | -675   | -350  | -300  | -300  | -300  | Level 2           | -4000  |
|         | 6     | -800   | -775  | -775  | -775  | -775  |                   |        |
|         | 7     | -1000  | -950  | -950  | -950  | -950  |                   |        |
|         |       |        |       |       |       |       |                   |        |
|         |       |        |       |       |       |       |                   |        |
| 52      | 1-4   | -825   | -775  | -775  | -775  | -775  | Uniformity        |        |
|         | 5     | -875   | -825  | -825  | -825  | -825  | Unit              | Points |
|         | 6     | -1025  | -1025 | -1025 | -1025 | -1025 | 77.9 & Below      | -60    |
|         | 7     | -1225  | -1225 | -1225 | -1225 | -1225 | 78.0 - 78.9       | -50    |
|         |       |        |       |       |       |       | 79.0 - 79.9       | -40    |
|         |       |        |       |       |       |       | 80.0 - 80.9       | 0      |
|         |       |        |       |       |       |       | Base 81.0 - 81.9  | 0      |
| 33      | 1 & 2 | -500   | -500  | -500  | -500  | -500  | 82.0 - 82.9       | 50     |
|         | 3     | -500   | -500  | -500  | -500  | -500  | 83.0 - 83.9       | 80     |
|         | 4     | -600   | -600  | -600  | -600  | -600  | 84.0 - 84.9       | 90     |
|         | 5     | -800   | -800  | -800  | -800  | -800  | 85.0 - 85.9       | 100    |
|         | 6     | -1075  | -1075 | -1075 | -1075 | -1075 | 86.0 & Above      | 110    |
|         | 7     | -1225  | -1225 | -1225 | -1225 | -1225 |                   |        |
|         |       |        |       |       |       |       |                   |        |
| 43      | 1-3   | -875   | -875  | -875  | -875  | -875  |                   |        |
|         | 4     | -925   | -925  | -925  | -925  | -925  |                   |        |
|         | 5     | -1075  | -1075 | -1075 | -1075 | -1075 |                   |        |
|         | 6     | -1225  | -1225 | -1225 | -1225 | -1225 |                   |        |
|         | 7     | -1425  | -1425 | -1425 | -1425 | -1425 |                   |        |
|         |       |        |       |       |       |       |                   |        |
|         |       |        |       |       |       |       |                   |        |

Table 10. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

**AMERICAN PIMA SPOT QUOTATIONS**

| Color | Leaf | Staple |        |        |        |
|-------|------|--------|--------|--------|--------|
|       |      | 44     | 46     | 48     | 50     |
| 1     | 1    | 143.75 | 149.50 | 151.25 | 151.25 |
|       | 2    | 143.50 | 149.25 | 151.00 | 151.00 |
|       | 3    | 136.75 | 144.50 | 145.50 | 145.50 |
|       | 4    |        |        |        |        |
|       | 5    |        |        |        |        |
|       | 6    |        |        |        |        |
| 2     | 1    | 143.50 | 149.25 | 151.00 | 151.00 |
|       | 2    | 143.25 | 149.00 | 150.75 | 150.75 |
|       | 3    | 136.50 | 144.25 | 145.25 | 145.25 |
|       | 4    | 126.50 | 134.75 | 135.75 | 135.75 |
|       | 5    |        |        |        |        |
|       | 6    |        |        |        |        |
| 3     | 1    | 135.25 | 143.00 | 144.00 | 144.00 |
|       | 2    | 132.75 | 140.50 | 141.50 | 141.50 |
|       | 3    | 130.50 | 138.25 | 139.25 | 139.25 |
|       | 4    | 121.50 | 129.25 | 130.25 | 130.25 |
|       | 5    | 105.50 | 112.75 | 113.75 | 113.75 |
|       | 6    |        |        |        |        |
| 4     | 1    | 116.50 | 124.25 | 126.00 | 126.00 |
|       | 2    | 116.25 | 124.00 | 125.25 | 125.25 |
|       | 3    | 115.00 | 122.75 | 123.75 | 123.75 |
|       | 4    | 110.00 | 117.75 | 118.75 | 118.75 |
|       | 5    | 98.75  | 106.50 | 107.50 | 107.50 |
|       | 6    |        |        |        |        |
| 5     | 1    |        |        |        |        |
|       | 2    | 93.25  | 103.25 | 103.25 | 103.25 |
|       | 3    | 93.25  | 102.75 | 103.00 | 103.00 |
|       | 4    | 93.25  | 97.25  | 97.25  | 97.25  |
|       | 5    | 93.00  | 97.00  | 97.00  | 97.00  |
|       | 6    |        |        |        |        |
| 6     | 1    |        |        |        |        |
|       | 2    | 85.50  | 88.50  | 88.50  | 88.50  |
|       | 3    | 85.50  | 88.50  | 88.50  | 88.50  |
|       | 4    | 85.50  | 88.50  | 88.50  | 88.50  |
|       | 5    | 85.25  | 88.25  | 88.25  | 88.25  |
|       | 6    | 84.75  | 87.75  | 87.75  | 87.75  |

  

| Mike       |       |
|------------|-------|
| Range      | Diff. |
| 26 & Below | -2000 |
| 27-29      | -1500 |
| 30-32      | -1000 |
| 33-34      | -500  |
| 35 & Above | 0     |

  

| Strength<br>(Grams per Tex) |       |
|-----------------------------|-------|
| Range                       | Diff. |
| 34.9 and Below              | -1650 |
| 35.0-35.9                   | -1400 |
| 36.0-36.9                   | -1150 |
| 37.0-37.9                   | -800  |
| 38.0-38.9                   | 0     |
| 39.0-39.9                   | 0     |
| 40.0 & Above                | 0     |

  

| Extraneous Matter |       |
|-------------------|-------|
| Level             | Diff. |
| Prep              |       |
| 1                 | -810  |
| 2                 | -1095 |
| Other             |       |
| 1                 | -715  |
| 2                 | -1035 |
| Plastic           |       |
| 1                 | -4000 |
| 2                 | -4000 |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 11. United States spot cotton differences, season averages

August 2024 - June 2025

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -502   | -295  | -126  | 211   | 485  | 723  | 814  | 868  |
|         | 3     | -577   | -320  | -143  | 173   | 432  | 691  | 767  | 815  |
|         | 4     | -631   | -347  | -246  | 66    | 222  | 345  | 387  | 395  |
|         | 5     | -656   | -472  | -358  | -134  | 7    | 77   | 126  | 126  |
|         | 6     | -763   | -555  | -488  | -364  | -262 | -219 | -190 | -190 |
|         | 7     | -838   | -650  | -604  | -471  | -387 | -341 | -318 | -318 |
| 31      | 1 & 2 | -654   | -342  | -187  | 149   | 436  | 668  | 735  | 776  |
|         | 3     | -700   | -356  | -199  | 126   | 397  | 638  | 701  | 742  |
|         | 4     | -750   | -388  | -294  | 53    | 193  | 294  | 347  | 360  |
|         | 5     | -769   | -532  | -406  | -175  | -47  | 12   | 63   | 63   |
|         | 6     | -850   | -600  | -519  | -391  | -304 | -269 | -243 | -243 |
|         | 7     | -938   | -695  | -635  | -487  | -417 | -380 | -357 | -357 |
| 41      | 1 & 2 | -759   | -414  | -321  | 51    | 176  | 319  | 338  | 375  |
|         | 3     | -800   | -425  | -327  | 30    | 135  | 266  | 291  | 329  |
|         | 4     | -838   | -453  | -396  | 63.81 | 83   | 184  | 209  | 233  |
|         | 5     | -939   | -636  | -548  | -332  | -213 | -151 | -133 | -122 |
|         | 6     | -1013  | -720  | -665  | -523  | -437 | -396 | -389 | -389 |
|         | 7     | -1113  | -825  | -798  | -655  | -577 | -547 | -542 | -542 |
| 51      | 1 & 2 | -881   | -647  | -531  | -345  | -200 | -166 | -161 | -161 |
|         | 3     | -917   | -692  | -539  | -370  | -218 | -180 | -179 | -175 |
|         | 4     | -954   | -712  | -568  | -425  | -302 | -269 | -257 | -253 |
|         | 5     | -969   | -797  | -735  | -582  | -466 | -430 | -415 | -412 |
|         | 6     | -1063  | -880  | -842  | -704  | -643 | -608 | -598 | -598 |
|         | 7     | -1163  | -965  | -967  | -829  | -771 | -737 | -730 | -730 |
| 61      | 1-5   | -1006  | -827  | -752  | -537  | -490 | -444 | -444 | -444 |
|         | 6     | -1163  | -940  | -895  | -710  | -670 | -622 | -622 | -622 |
|         | 7     | -1263  | -1070 | -1015 | -820  | -760 | -717 | -717 | -717 |
| 71      | 1-6   | -1206  | -1127 | -1062 | -877  | -840 | -799 | -799 | -799 |
|         | 7     | -1300  | -1170 | -1115 | -920  | -895 | -854 | -854 | -854 |
| 12 & 22 | 1 & 2 | -659   | -350  | -224  | 71    | 245  | 384  | 450  | 479  |
|         | 3     | -697   | -365  | -239  | 45    | 197  | 338  | 396  | 422  |
|         | 4     | -752   | -381  | -330  | -22   | 118  | 240  | 283  | 287  |
|         | 5     | -831   | -607  | -519  | -273  | -116 | -49  | -6   | -6   |
|         | 6     | -938   | -715  | -658  | -496  | -393 | -338 | -295 | -295 |
|         | 7     | -1063  | -800  | -775  | -629  | -550 | -499 | -463 | -463 |
| 32      | 1 & 2 | -852   | -494  | -365  | -96   | 42   | 102  | 133  | 151  |
|         | 3     | -902   | -514  | -382  | -121  | 16   | 76   | 104  | 121  |
|         | 4     | -952   | -561  | -438  | -226  | -64  | -25  | -8   | -5   |
|         | 5     | -1069  | -767  | -635  | -445  | -329 | -288 | -274 | -274 |
|         | 6     | -1188  | -845  | -796  | -614  | -511 | -485 | -470 | -470 |
|         | 7     | -1300  | -945  | -900  | -736  | -657 | -638 | -624 | -624 |
| 42      | 1-3   | -942   | -637  | -531  | -326  | -172 | -132 | -118 | -115 |
|         | 4     | -1015  | -681  | -561  | -374  | -239 | -195 | -184 | -175 |
|         | 5     | -1154  | -842  | -712  | -521  | -384 | -348 | -341 | -332 |
|         | 6     | -1363  | -930  | -835  | -673  | -602 | -582 | -568 | -564 |
|         | 7     | -1438  | -1005 | -958  | -807  | -732 | -716 | -705 | -705 |
| 52      | 1-4   | -1192  | -847  | -751  | -618  | -549 | -520 | -506 | -503 |
|         | 5     | -1256  | -927  | -856  | -695  | -632 | -621 | -603 | -601 |
|         | 6     | -1475  | -1060 | -1000 | -846  | -793 | -775 | -761 | -761 |
|         | 7     | -1563  | -1160 | -1129 | -982  | -937 | -909 | -898 | -898 |
| 62      | 1-5   | -1306  | -1047 | -972  | -773  | -746 | -721 | -701 | -701 |
|         | 6     | -1513  | -1215 | -1140 | -930  | -900 | -870 | -849 | -849 |

Table 11. United States (Continued)

August 2024 - June 2025

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1131  | -940  | -865  | -469  | -400  | -325  | -250  | -250  |
|         | 3     | -1185  | -973  | -898  | -494  | -425  | -350  | -275  | -275  |
|         | 4     | -1231  | -1056 | -956  | -531  | -463  | -400  | -325  | -325  |
|         | 5     | -1344  | -1144 | -1069 | -656  | -588  | -513  | -438  | -438  |
|         | 6     | -1475  | -1238 | -1150 | -763  | -675  | -600  | -525  | -525  |
|         | 7     | -1563  | -1338 | -1250 | -850  | -788  | -713  | -638  | -638  |
| 33      | 1 & 2 | -1248  | -1010 | -910  | -497  | -467  | -425  | -375  | -375  |
|         | 3     | -1248  | -1010 | -910  | -506  | -475  | -433  | -375  | -375  |
|         | 4     | -1331  | -1094 | -994  | -581  | -550  | -500  | -442  | -442  |
|         | 5     | -1469  | -1194 | -1106 | -739  | -700  | -642  | -583  | -583  |
|         | 6     | -1550  | -1288 | -1225 | -902  | -867  | -808  | -750  | -750  |
|         | 7     | -1638  | -1400 | -1300 | -1035 | -992  | -933  | -875  | -875  |
| 43      | 1-3   | -1306  | -982  | -835  | -645  | -607  | -571  | -546  | -546  |
|         | 4     | -1381  | -1027 | -885  | -699  | -646  | -607  | -582  | -582  |
|         | 5     | -1494  | -1077 | -981  | -839  | -786  | -754  | -729  | -729  |
|         | 6     | -1600  | -1165 | -1075 | -940  | -914  | -889  | -864  | -864  |
|         | 7     | -1688  | -1290 | -1183 | -1065 | -1039 | -1014 | -989  | -989  |
| 53      | 1-4   | -1456  | -1127 | -1023 | -820  | -786  | -763  | -734  | -734  |
|         | 5     | -1544  | -1202 | -1119 | -912  | -885  | -860  | -831  | -831  |
|         | 6     | -1675  | -1325 | -1213 | -1018 | -981  | -956  | -927  | -927  |
|         | 7     | -1750  | -1390 | -1350 | -1147 | -1122 | -1094 | -1065 | -1065 |
| 63      | 1-5   | -1669  | -1302 | -1222 | -998  | -965  | -940  | -905  | -905  |
|         | 6     | -1763  | -1395 | -1305 | -1085 | -1050 | -1025 | -990  | -990  |
| 34      | 1 & 2 | -1391  | -1203 | -1116 | -691  | -675  | -613  | -550  | -550  |
|         | 3     | -1391  | -1203 | -1116 | -691  | -675  | -613  | -550  | -550  |
|         | 4     | -1516  | -1328 | -1216 | -791  | -775  | -713  | -650  | -650  |
|         | 5     | -1603  | -1416 | -1328 | -916  | -900  | -838  | -775  | -775  |
|         | 6     | -1775  | -1588 | -1500 | -1113 | -1088 | -1025 | -963  | -963  |
| 44      | 1-3   | -1503  | -1316 | -1228 | -791  | -775  | -713  | -663  | -663  |
|         | 4     | -1578  | -1416 | -1278 | -841  | -825  | -763  | -713  | -713  |
|         | 5     | -1653  | -1478 | -1366 | -941  | -925  | -863  | -813  | -813  |
|         | 6     | -1825  | -1638 | -1550 | -1150 | -1125 | -1063 | -1013 | -1013 |
| 54      | 1-4   | -1603  | -1441 | -1353 | -891  | -888  | -825  | -788  | -788  |
|         | 5     | -1691  | -1516 | -1403 | -1000 | -988  | -925  | -888  | -888  |

## Mike

| Range      | Diff. |
|------------|-------|
| 24 & Below | -1675 |
| 25-26      | -1333 |
| 27-29      | -1036 |
| 30-32      | -686  |
| 33-34      | -484  |
| Base 35-36 | 0     |
| 37-42      | 16    |
| Base 43-49 | 0     |
| 50-52      | -334  |
| 53 & Above | -435  |

## Strength

| (Grams per Tex)  |       |
|------------------|-------|
| Range            | Diff. |
| 19.0 - 19.9      | -492  |
| 20.0 - 20.9      | -485  |
| 21.0 - 21.9      | -670  |
| 22.0 - 22.9      | -616  |
| 23.0 - 23.9      | -561  |
| 24.0 - 24.9      | -522  |
| 25.0 - 25.9      | -461  |
| 26.0 - 26.9      | -286  |
| Base 27.0 - 28.9 | 0     |
| 29.0 - 29.9      | 2     |
| 30.0 - 30.9      | 28    |
| 31.0 - 32.9      | 51    |
| 33.0 & above     | 78    |

## Uniformity

| Unit             | Points |
|------------------|--------|
| 77.9 & Below     | -90    |
| 78.0 - 78.9      | -78    |
| 79.0 - 79.9      | -59    |
| 80.0 - 80.9      | 0      |
| Base 81.0 - 81.9 | 0      |
| 82.0 - 82.9      | 7      |
| 83.0 - 83.9      | 27     |
| 84.0 - 84.9      | 34     |
| 85.0 - 85.9      | 41     |
| 86.0 & Above     | 49     |

## Extraneous Matter

| Prep    | Diff. |
|---------|-------|
| Level 1 | -186  |
| Level 2 | -714  |
| Bark    | Diff. |
| Level 1 | -413  |
| Level 2 | -550  |
| Other   | Diff. |
| Level 1 | -550  |
| Level 2 | -828  |
| Plastic | Diff. |
| Level 1 | -4000 |
| Level 2 | -4000 |



Table 12. Spot transactions reported, in running bales, in the designated spot markets.

August 2024 - June 2025

| Month  | Southeast      | North Delta | South Delta | East Texas and South Texas | West Texas, Kansas and Oklahoma | Desert Southwest | SJ Valley | All Markets |
|--------|----------------|-------------|-------------|----------------------------|---------------------------------|------------------|-----------|-------------|
| Aug-24 | BALES REPORTED |             |             |                            |                                 |                  |           |             |
| UP     | 1,234          | 592         | 185         | 15,209                     | 1,310                           | -                | -         | 18,530      |
| AP     |                |             |             |                            |                                 |                  | 960       | 960         |
| Sep-24 | 481            | 40          | 1           | 31,674                     | 1,643                           | 23               | -         | 33,862      |
| UP     |                |             |             |                            |                                 |                  | 264       | 264         |
| AP     |                |             |             |                            |                                 |                  |           |             |
| Oct-24 | 607            | 50          | 547         | 30,576                     | 5,651                           | -                | -         | 37,431      |
| UP     |                |             |             |                            |                                 |                  | 3,742     | 3,742       |
| AP     |                |             |             |                            |                                 |                  |           |             |
| Nov-24 | 11,414         | 4,846       | 4,635       | 27,170                     | 51,197                          | -                | -         | 99,262      |
| UP     |                |             |             |                            |                                 |                  | 1,854     | 1,854       |
| AP     |                |             |             |                            |                                 |                  |           |             |
| Dec-24 | 7,096          | 8,785       | 259         | 11,933                     | 131,924                         | 7,041            | -         | 167,038     |
| UP     |                |             |             |                            |                                 |                  | 1,740     | 1,740       |
| AP     |                |             |             |                            |                                 |                  |           |             |
| Jan-25 | 6,311          | 312         | 1,752       | 2,138                      | 249,621                         | 399              | -         | 260,533     |
| UP     |                |             |             |                            |                                 |                  | 1,290     | 1,290       |
| AP     |                |             |             |                            |                                 |                  |           |             |
| Feb-25 | 10,944         | 7,934       | -           | 5,990                      | 118,357                         | 943              | -         | 144,168     |
| UP     |                |             |             |                            |                                 |                  | 87        | 87          |
| AP     |                |             |             |                            |                                 |                  |           |             |
| Mar-25 | 10,759         | 11,339      | 802         | 4,326                      | 53,312                          | -                | -         | 80,538      |
| UP     |                |             |             |                            |                                 |                  | 2,016     | 2,016       |
| AP     |                |             |             |                            |                                 |                  |           |             |
| Apr-25 | 18,190         | 3,724       | 1,125       | 17,365                     | 56,191                          | -                | -         | 96,595      |
| UP     |                |             |             |                            |                                 |                  |           |             |
| AP     |                |             |             |                            |                                 |                  |           |             |
| May-25 | 1,882          | 1,232       | 2           | 2,008                      | 13,985                          | 1,947            | -         | 21,056      |
| UP     |                |             |             |                            |                                 |                  |           |             |
| AP     |                |             |             |                            |                                 |                  |           |             |
| Jun-25 | 5,000          | 1,669       | -           | 369                        | 12,911                          | 300              | -         | 20,249      |
| UP     |                |             |             |                            |                                 |                  |           |             |
| AP     |                |             |             |                            |                                 |                  |           |             |
| Jul-25 |                |             |             |                            |                                 |                  |           |             |
| UP     |                |             |             |                            |                                 |                  |           |             |
| AP     |                |             |             |                            |                                 |                  |           |             |
| Total  |                |             |             |                            |                                 |                  |           |             |
| UP     | 73,918         | 40,523      | 9,308       | 148,758                    | 696,102                         | 10,653           | -         | 979,262     |
| AP     |                |             |             |                            |                                 |                  | 11,953    | 11,953      |
| ALL    | 73,918         | 40,523      | 9,308       | 148,758                    | 696,102                         | 10,653           | -         | 991,215     |

Table 13. Farm prices, average quotations in designated spot markets  
in cents per pound, net weight, United States, marketing years 2011-2024

| Year<br>beginning<br>August 1                           | AUG   | SEP   | OCT   | NOV   | DEC   | JAN   | FEB   | MAR    | APR   | MAY   | JUN   | JUL   | AVERAGE |
|---------------------------------------------------------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|---------|
| Average prices received by farmers for Upland cotton 1/ |       |       |       |       |       |       |       |        |       |       |       |       |         |
| 2011                                                    | 94.00 | 93.50 | 92.20 | 92.60 | 88.90 | 90.10 | 92.30 | 90.00  | 90.40 | 84.40 | 77.10 | 76.60 | 88.30   |
| 2012                                                    | 71.40 | 70.90 | 69.80 | 69.20 | 71.80 | 72.90 | 76.90 | 77.50  | 78.40 | 78.30 | 79.30 | 80.90 | 72.50   |
| 2013                                                    | 76.90 | 74.80 | 77.80 | 75.90 | 77.20 | 77.50 | 80.20 | 81.70  | 82.70 | 81.70 | 83.90 | 84.70 | 77.90   |
| 2014                                                    | 69.50 | 68.90 | 64.50 | 62.70 | 60.80 | 59.10 | 57.80 | 61.30  | 62.60 | 65.90 | 66.80 | 69.30 | 61.30   |
| 2015                                                    | 59.90 | 60.30 | 57.90 | 60.00 | 61.30 | 60.30 | 59.80 | 58.20  | 58.70 | 63.20 | 67.00 | 74.50 | 61.20   |
| 2016                                                    | 67.30 | 67.00 | 66.00 | 67.20 | 67.90 | 67.00 | 68.80 | 69.20  | 69.30 | 69.90 | 70.40 | 73.00 | 68.00   |
| 2017                                                    | 64.80 | 64.10 | 66.50 | 67.30 | 68.60 | 68.90 | 68.10 | 68.30  | 67.70 | 69.60 | 75.70 | 76.80 | 68.60   |
| 2018                                                    | 69.90 | 70.80 | 72.10 | 72.90 | 72.60 | 65.40 | 67.60 | 68.90  | 70.50 | 69.60 | 68.20 | 74.70 | 70.30   |
| 2019                                                    | 56.20 | 59.40 | 59.00 | 59.70 | 61.60 | 59.70 | 60.60 | 57.60  | 55.00 | 54.90 | 56.50 | 60.30 | 59.60   |
| 2020                                                    | 57.10 | 59.30 | 60.10 | 63.40 | 65.70 | 69.30 | 72.80 | 70.00  | 71.10 | 71.20 | 72.90 | 74.50 | 66.30   |
| 2021                                                    | 78.30 | 76.40 | 84.30 | 85.90 | 87.70 | 96.30 | 98.60 | 104.00 | 99.40 | 95.90 | 98.30 | 98.20 | 91.40   |
| 2022                                                    | 94.60 | 85.90 | 86.40 | 80.10 | 84.60 | 81.40 | 80.30 | 83.00  | 86.20 | 86.00 | 91.30 | 96.00 | 84.80   |
| 2023                                                    | 76.40 | 76.20 | 76.20 | 67.70 | 73.80 | 76.70 | 78.10 | 82.90  | 82.20 | 84.70 | 83.50 | 86.50 | 76.10   |
| 2024                                                    | 56.40 | 59.80 | 63.10 | 65.60 | 62.40 | 61.90 | 62.70 | 61.60  | 63.50 | 63.50 |       |       |         |

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

|      |        |        |        |        |        |        |        |        |        |        |        |        |        |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 2011 | 102.89 | 102.06 | 97.63  | 93.59  | 85.99  | 89.83  | 85.17  | 83.14  | 83.37  | 72.51  | 67.35  | 66.14  | 85.81  |
| 2012 | 69.97  | 69.38  | 68.03  | 67.34  | 70.61  | 73.33  | 76.87  | 82.80  | 80.94  | 79.84  | 82.18  | 81.62  | 75.24  |
| 2013 | 83.36  | 81.25  | 77.37  | 74.43  | 78.75  | 81.43  | 83.21  | 86.70  | 85.48  | 83.20  | 78.54  | 69.63  | 80.28  |
| 2014 | 64.99  | 64.83  | 63.51  | 59.64  | 59.38  | 58.19  | 61.74  | 60.65  | 63.08  | 63.06  | 62.86  | 62.36  | 62.02  |
| 2015 | 61.85  | 59.70  | 60.83  | 60.99  | 62.32  | 60.69  | 58.06  | 55.96  | 59.65  | 60.36  | 62.78  | 69.25  | 61.04  |
| 2016 | 68.57  | 67.65  | 68.04  | 69.42  | 69.69  | 71.81  | 73.02  | 74.33  | 74.13  | 75.75  | 69.85  | 66.24  | 70.71  |
| 2017 | 67.71  | 69.12  | 66.67  | 68.09  | 73.13  | 77.58  | 75.24  | 79.57  | 79.34  | 82.40  | 85.54  | 83.95  | 75.70  |
| 2018 | 80.75  | 76.72  | 73.90  | 73.72  | 72.66  | 68.72  | 67.17  | 69.78  | 72.27  | 64.05  | 61.19  | 58.08  | 69.92  |
| 2019 | 54.17  | 57.01  | 60.63  | 60.89  | 62.39  | 65.60  | 62.38  | 52.35  | 48.73  | 52.40  | 56.00  | 58.46  | 57.58  |
| 2020 | 58.60  | 59.46  | 63.87  | 66.30  | 70.37  | 76.69  | 82.79  | 80.56  | 79.89  | 80.86  | 81.88  | 85.03  | 73.86  |
| 2021 | 89.70  | 91.67  | 105.50 | 112.87 | 105.14 | 115.90 | 120.09 | 123.02 | 134.25 | 140.06 | 127.09 | 104.26 | 114.13 |
| 2022 | 116.41 | 100.51 | 81.99  | 82.99  | 82.35  | 83.24  | 82.07  | 78.57  | 79.16  | 79.22  | 77.27  | 78.86  | 85.22  |
| 2023 | 81.08  | 82.03  | 79.99  | 74.22  | 76.22  | 78.80  | 88.11  | 88.00  | 76.30  | 69.94  | 64.93  | 61.16  | 76.73  |
| 2024 | 61.48  | 65.11  | 65.83  | 65.16  | 64.96  | 63.39  | 63.32  | 62.35  | 63.26  | 63.32  | 63.75  |        |        |

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

|      |        |        |        |        |        |        |        |        |        |        |        |        |        |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 2011 | 104.77 | 103.85 | 99.37  | 95.40  | 87.80  | 91.64  | 86.98  | 85.00  | 85.25  | 74.39  | 69.23  | 68.02  | 87.64  |
| 2012 | 71.85  | 71.26  | 69.91  | 69.22  | 72.49  | 74.96  | 78.33  | 84.25  | 82.35  | 81.25  | 83.59  | 83.03  | 76.87  |
| 2013 | 84.77  | 82.66  | 78.78  | 75.86  | 80.16  | 82.81  | 84.59  | 88.08  | 86.86  | 84.58  | 79.92  | 71.03  | 81.68  |
| 2014 | 66.51  | 66.30  | 64.92  | 60.98  | 60.68  | 59.46  | 63.01  | 61.92  | 64.35  | 64.33  | 64.13  | 63.63  | 63.35  |
| 2015 | 63.12  | 60.97  | 62.10  | 62.29  | 63.66  | 62.06  | 59.44  | 57.32  | 60.99  | 61.70  | 64.03  | 70.45  | 62.34  |
| 2016 | 69.77  | 68.85  | 69.24  | 70.68  | 70.86  | 72.06  | 73.98  | 75.17  | 74.99  | 76.63  | 70.73  | 67.12  | 71.67  |
| 2017 | 68.59  | 70.00  | 67.55  | 68.97  | 74.08  | 78.53  | 76.19  | 80.52  | 80.28  | 83.33  | 86.62  | 85.09  | 76.65  |
| 2018 | 81.89  | 77.86  | 75.04  | 74.86  | 73.80  | 69.86  | 68.30  | 70.89  | 73.35  | 65.26  | 62.40  | 59.29  | 71.07  |
| 2019 | 55.38  | 58.22  | 61.84  | 62.08  | 63.50  | 66.71  | 63.49  | 53.46  | 49.77  | 53.44  | 57.04  | 59.47  | 58.70  |
| 2020 | 59.60  | 60.46  | 64.88  | 67.34  | 71.44  | 77.76  | 83.90  | 81.67  | 81.00  | 81.97  | 82.99  | 86.13  | 74.93  |
| 2021 | 90.81  | 92.81  | 106.68 | 113.98 | 106.17 | 116.90 | 121.08 | 124.01 | 135.24 | 141.05 | 128.08 | 105.25 | 115.17 |
| 2022 | 117.40 | 101.50 | 82.01  | 83.99  | 83.34  | 84.23  | 83.06  | 79.56  | 80.15  | 80.21  | 78.26  | 79.83  | 86.13  |
| 2023 | 81.99  | 82.94  | 80.90  | 75.13  | 77.30  | 79.88  | 89.20  | 89.09  | 77.45  | 71.10  | 66.09  | 62.32  | 77.78  |
| 2024 | 62.66  | 66.29  | 67.10  | 66.50  | 66.28  | 64.61  | 64.58  | 63.62  | 64.53  | 64.59  | 65.02  |        |        |

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA.

Table 14. United States spot cotton differences, WEIGHTED monthly average.

August 2024 - July 2025

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -502   | -270  | -101  | 178   | 385  | 566  | 643  | 666  |
|         | 3     | -580   | -286  | -115  | 150   | 340  | 540  | 606  | 628  |
|         | 4     | -632   | -309  | -203  | 76    | 230  | 345  | 372  | 377  |
|         | 5     | -657   | -470  | -341  | -153  | -9   | 52   | 81   | 81   |
|         | 6     | -764   | -562  | -477  | -373  | -289 | -254 | -241 | -241 |
|         | 7     | -839   | -665  | -586  | -484  | -392 | -357 | -347 | -347 |
| 31      | 1 & 2 | -662   | -302  | -157  | 114   | 350  | 530  | 578  | 596  |
|         | 3     | -710   | -311  | -166  | 102   | 329  | 509  | 555  | 573  |
|         | 4     | -758   | -336  | -240  | 71    | 220  | 303  | 344  | 349  |
|         | 5     | -775   | -507  | -373  | -183  | -44  | 5    | 33   | 33   |
|         | 6     | -857   | -589  | -495  | -383  | -322 | -293 | -285 | -285 |
|         | 7     | -946   | -692  | -604  | -490  | -422 | -393 | -388 | -388 |
| 41      | 1 & 2 | -767   | -373  | -243  | 53    | 204  | 333  | 346  | 377  |
|         | 3     | -808   | -381  | -248  | 38    | 171  | 293  | 314  | 346  |
|         | 4     | -847   | -400  | -311  | 64.87 | 101  | 216  | 236  | 258  |
|         | 5     | -943   | -613  | -506  | -292  | -185 | -122 | -113 | -104 |
|         | 6     | -1016  | -705  | -613  | -492  | -430 | -388 | -387 | -387 |
|         | 7     | -1116  | -810  | -746  | -613  | -550 | -518 | -517 | -517 |
| 51      | 1 & 2 | -884   | -604  | -461  | -247  | -174 | -143 | -140 | -140 |
|         | 3     | -921   | -657  | -473  | -286  | -201 | -161 | -161 | -158 |
|         | 4     | -958   | -678  | -495  | -333  | -279 | -251 | -246 | -243 |
|         | 5     | -970   | -793  | -700  | -531  | -472 | -437 | -429 | -427 |
|         | 6     | -1064  | -878  | -792  | -646  | -611 | -572 | -567 | -567 |
|         | 7     | -1164  | -955  | -898  | -757  | -724 | -685 | -681 | -681 |
| 61      | 1-5   | -1004  | -814  | -738  | -570  | -526 | -494 | -494 | -494 |
|         | 6     | -1161  | -943  | -897  | -747  | -711 | -678 | -678 | -678 |
|         | 7     | -1261  | -1064 | -993  | -843  | -798 | -768 | -768 | -768 |
| 71      | 1-6   | -1204  | -1120 | -1053 | -913  | -884 | -856 | -856 | -856 |
|         | 7     | -1300  | -1159 | -1099 | -946  | -931 | -902 | -902 | -902 |
| 12 & 22 | 1 & 2 | -660   | -324  | -156  | 63    | 187  | 296  | 331  | 342  |
|         | 3     | -697   | -334  | -167  | 47    | 146  | 255  | 289  | 300  |
|         | 4     | -755   | -347  | -245  | -8    | 88   | 212  | 235  | 245  |
|         | 5     | -834   | -585  | -479  | -265  | -122 | -60  | -36  | -36  |
|         | 6     | -936   | -698  | -610  | -486  | -414 | -362 | -338 | -338 |
|         | 7     | -1061  | -784  | -722  | -595  | -539 | -490 | -472 | -472 |
| 32      | 1 & 2 | -855   | -440  | -281  | -75   | 6    | 57   | 77   | 80   |
|         | 3     | -908   | -461  | -301  | -99   | -12  | 33   | 49   | 51   |
|         | 4     | -958   | -521  | -342  | -184  | -82  | -45  | -38  | -36  |
|         | 5     | -1075  | -725  | -572  | -390  | -334 | -290 | -277 | -277 |
|         | 6     | -1191  | -803  | -718  | -566  | -513 | -480 | -467 | -467 |
|         | 7     | -1300  | -903  | -821  | -674  | -623 | -599 | -586 | -586 |
| 42      | 1-3   | -946   | -606  | -458  | -261  | -183 | -147 | -134 | -132 |
|         | 4     | -1020  | -644  | -486  | -308  | -251 | -209 | -199 | -191 |
|         | 5     | -1158  | -815  | -675  | -443  | -367 | -334 | -328 | -320 |
|         | 6     | -1369  | -897  | -773  | -616  | -577 | -548 | -536 | -533 |
|         | 7     | -1439  | -975  | -886  | -738  | -682 | -662 | -652 | -652 |
| 52      | 1-4   | -1194  | -833  | -707  | -555  | -498 | -479 | -466 | -464 |
|         | 5     | -1259  | -897  | -832  | -646  | -603 | -593 | -577 | -575 |
|         | 6     | -1480  | -1020 | -957  | -808  | -769 | -754 | -741 | -741 |
|         | 7     | -1566  | -1124 | -1064 | -912  | -876 | -854 | -845 | -845 |
| 62      | 1-5   | -1309  | -1020 | -942  | -794  | -773 | -757 | -744 | -744 |
|         | 6     | -1516  | -1188 | -1110 | -951  | -928 | -909 | -895 | -895 |

Table 14. United States spot cotton differences, WEIGHTED monthly average. (Continued)

August 2024 - July 2025

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1124  | -929  | -854  | -463  | -395  | -325  | -252  | -252  |
|         | 3     | -1181  | -963  | -888  | -488  | -420  | -350  | -277  | -277  |
|         | 4     | -1227  | -1047 | -949  | -527  | -459  | -400  | -327  | -327  |
|         | 5     | -1338  | -1133 | -1061 | -652  | -584  | -511  | -439  | -439  |
|         | 6     | -1470  | -1229 | -1145 | -759  | -670  | -598  | -525  | -525  |
|         | 7     | -1556  | -1329 | -1243 | -843  | -781  | -709  | -636  | -636  |
| 33      | 1 & 2 | -1245  | -1002 | -902  | -177  | -166  | -150  | -131  | -131  |
|         | 3     | -1245  | -1002 | -902  | -180  | -169  | -153  | -131  | -131  |
|         | 4     | -1329  | -1086 | -988  | -207  | -195  | -176  | -154  | -154  |
|         | 5     | -1465  | -1186 | -1099 | -263  | -247  | -224  | -203  | -203  |
|         | 6     | -1548  | -1281 | -1223 | -317  | -303  | -280  | -258  | -258  |
|         | 7     | -1634  | -1393 | -1295 | -364  | -347  | -324  | -302  | -302  |
| 43      | 1-3   | -1304  | -952  | -829  | -636  | -595  | -565  | -544  | -544  |
|         | 4     | -1379  | -990  | -872  | -682  | -627  | -590  | -569  | -569  |
|         | 5     | -1490  | -1031 | -947  | -800  | -762  | -736  | -715  | -715  |
|         | 6     | -1598  | -1111 | -1023 | -875  | -846  | -824  | -803  | -803  |
|         | 7     | -1684  | -1238 | -1127 | -980  | -951  | -929  | -907  | -907  |
| 53      | 1-4   | -1457  | -1083 | -978  | -814  | -781  | -763  | -742  | -742  |
|         | 5     | -1543  | -1170 | -1099 | -920  | -905  | -885  | -864  | -864  |
|         | 6     | -1677  | -1272 | -1175 | -1005 | -982  | -963  | -941  | -941  |
|         | 7     | -1750  | -1342 | -1290 | -1112 | -1091 | -1070 | -1048 | -1048 |
| 63      | 1-5   | -1670  | -1249 | -1179 | -999  | -976  | -960  | -938  | -938  |
|         | 6     | -1764  | -1346 | -1270 | -1090 | -1065 | -1049 | -1027 | -1027 |
| 34      | 1 & 2 | -1390  | -1196 | -1107 | -685  | -670  | -609  | -548  | -548  |
|         | 3     | -1390  | -1196 | -1107 | -685  | -670  | -609  | -548  | -548  |
|         | 4     | -1515  | -1321 | -1207 | -785  | -770  | -709  | -648  | -648  |
|         | 5     | -1601  | -1407 | -1319 | -910  | -895  | -834  | -773  | -773  |
|         | 6     | -1773  | -1579 | -1490 | -1109 | -1084 | -1023 | -961  | -961  |
| 44      | 1-3   | -1503  | -1310 | -1221 | -785  | -770  | -709  | -661  | -661  |
|         | 4     | -1578  | -1410 | -1271 | -835  | -820  | -759  | -711  | -711  |
|         | 5     | -1653  | -1471 | -1357 | -935  | -920  | -859  | -811  | -811  |
|         | 6     | -1825  | -1631 | -1543 | -1148 | -1123 | -1061 | -1014 | -1014 |
| 54      | 1-4   | -1603  | -1435 | -1346 | -887  | -884  | -823  | -786  | -786  |
|         | 5     | -1690  | -1507 | -1394 | -998  | -986  | -925  | -889  | -889  |

| Mike       |       |
|------------|-------|
| Range      | Diff. |
| 24 & Below | -1793 |
| 25-26      | -1256 |
| 27-29      | -837  |
| 30-32      | -590  |
| 33-34      | -453  |
| Base 35-36 | 0     |
| 37-42      | 10    |
| Base 43-49 | 0     |
| 50-52      | -272  |
| 53 & Above | -405  |

| Strength         |       |
|------------------|-------|
| (Grams per Tex)  |       |
| Range            | Diff. |
| 19.0 - 19.9      | -493  |
| 20.0 - 20.9      | -485  |
| 21.0 - 21.9      | -698  |
| 22.0 - 22.9      | -655  |
| 23.0 - 23.9      | -618  |
| 24.0 - 24.9      | -587  |
| 25.0 - 25.9      | -537  |
| 26.0 - 26.9      | -296  |
| Base 27.0 - 28.9 | 0     |
| 29.0 - 29.9      | 2     |
| 30.0 - 30.9      | 23    |
| 31.0 - 32.9      | 43    |
| 33.0 & above     | 47    |

| Uniformity       |        |
|------------------|--------|
| Unit             | Points |
| 77.9 & Below     | -102   |
| 78.0 - 78.9      | -88    |
| 79.0 - 79.9      | -71    |
| 80.0 - 80.9      | 0      |
| Base 81.0 - 81.9 | 0      |
| 82.0 - 82.9      | 0      |
| 83.0 - 83.9      | 19     |
| 84.0 - 84.9      | 26     |
| 85.0 - 85.9      | 34     |
| 86.0 & Above     | 41     |

| Extraneous Matter                      |       |
|----------------------------------------|-------|
| Level                                  | Diff. |
| Prep                                   |       |
| Level 1                                | -221  |
| Level 2                                | -724  |
| Other (ET-OK and WT Bark not included) |       |
| Level 1                                | -552  |
| Level 2                                | -804  |
| Bark                                   |       |
| Level 1                                | -406  |
| Level 2                                | -550  |
| Plastic                                |       |
| Level 1                                | -4000 |
| Level 2                                | -4000 |