



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	12	73.2	51.8	13,599	12	72.0	47.9	17,624
AR	15	52.8	28.8	46,977	15	45.0	21.2	83,866
AZ*	-	-	-	-	-	-	-	-
CA	-	-	-	-	-	-	-	-
FL	2	77.9	59.0	1,733	2	77.9	59.0	1,733
GA	21	65.5	42.7	27,930	21	66.1	42.9	32,424
KS	-	-	-	-	-	-	-	-
LA	9	60.0	39.2	19,272	9	64.6	44.2	45,675
MO	6	35.7	26.6	3,115	6	35.7	26.6	3,115
MS	17	48.8	20.0	48,136	17	51.0	21.8	72,106
NC	5	76.6	57.4	1,386	5	76.6	57.4	1,386
NM	-	-	-	-	-	-	-	-
OK	-	-	-	-	-	-	-	-
SC	2	89.3	52.4	615	2	89.3	52.4	615
TN	10	52.3	36.8	11,297	10	52.3	36.8	11,297
TX	43	86.5	69.6	127,334	47	88.1	72.3	907,373
VA	-	-	-	-	-	-	-	-
United States	143	69.2	48.3	304,404	147	80.6	62.7	1,186,564
AMERICAN PIMA								
AZ	-			-	-			-
CA*	-			-	-			-
NM	-			-	-			-
TX	-			-	-			-
United States	-			-	-			-
United States all cotton	144			304,411	148			1,186,571

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 09, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	3.0	5.8	1.3	1.0	-	-	-	-	59.3	59.3	8.5	8.4
	3	3.1	3.3	0.7	0.8	-	-	-	-	9.5	9.5	3.1	3.0
	4	*	*	*	*	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	6.2	9.1	2.0	1.8	-	-	-	-	68.8	68.8	11.7	11.4
31	1 - 2	8.4	13.5	1.2	3.2	-	-	-	-	3.4	3.4	14.7	15.1
	3	33.9	34.4	7.7	17.4	-	-	-	-	14.3	14.3	31.0	32.3
	4	6.0	5.4	3.0	6.6	-	-	-	-	2.4	2.4	3.1	3.0
	5	0.1	0.2	0.1	0.2	-	-	-	-	-	-	0.1	*
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	48.3	53.4	12.0	27.4	-	-	-	-	20.1	20.1	48.9	50.4
41	1 - 2	1.4	1.2	1.3	0.9	-	-	-	-	0.1	0.1	1.3	1.7
	3	14.9	12.1	23.3	20.0	-	-	-	-	2.1	2.1	21.8	21.6
	4	12.1	9.7	33.7	30.8	-	-	-	-	7.8	7.8	11.5	10.5
	5	2.3	1.9	9.0	6.7	-	-	-	-	0.9	0.9	0.7	0.7
	6	0.2	0.1	0.6	0.4	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	30.9	25.0	67.9	58.8	-	-	-	-	10.8	10.8	35.4	34.5
51	1 - 2	-	-	*	*	-	-	-	-	-	-	*	*
	3	0.1	0.1	1.0	0.7	-	-	-	-	-	-	0.1	0.1
	4	0.1	0.1	2.4	1.6	-	-	-	-	-	-	0.1	0.1
	5	*	*	1.4	0.8	-	-	-	-	-	-	*	*
	6	-	-	0.2	0.1	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.2	5.0	3.3	-	-	-	-	-	-	0.2	0.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	-	-	-	-	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	0.2	0.2	-	-	-	-	-	-	-	-	*	*
	3	0.1	0.3	*	*	-	-	-	-	-	-	0.1	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.5	*	*	-	-	-	-	-	-	0.2	0.1
32	1 - 2	0.3	0.4	-	*	-	-	-	-	-	-	0.1	0.1
	3	2.1	2.4	0.1	0.2	-	-	-	-	0.1	0.1	0.3	0.3
	4	0.6	0.5	0.2	0.2	-	-	-	-	0.1	0.1	0.1	0.1
	5	0.1	*	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	3.0	3.3	0.3	0.3	-	-	-	-	0.1	0.1	0.5	0.5
42	1 - 2	0.1	0.1	0.1	*	-	-	-	-	0.1	0.1	0.1	0.1
	3	4.7	3.7	3.4	2.4	-	-	-	-	-	-	1.3	1.2
	4	4.5	3.5	5.2	3.4	-	-	-	-	-	-	1.3	1.1
	5	1.1	0.9	1.7	1.1	-	-	-	-	-	-	0.1	0.1
	6	0.2	0.2	0.1	0.1	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	10.7	8.3	10.5	7.0	-	-	-	-	0.1	0.1	2.8	2.5

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 09, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	-	-	-	-	-	-	-	-
	3	0.1	0.1	0.7	0.4	-	-	-	-	-	-	0.2	0.1
	4	0.1	0.1	1.0	0.6	-	-	-	-	0.1	0.1	0.2	0.2
	5	*	*	0.4	0.2	-	-	-	-	-	-	*	*
	6	*	*	0.1	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.2	2.2	1.4	-	-	-	-	0.1	0.1	0.4	0.3
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	-	-	-	-	-	-	-	-	-
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	*	*	-	-	-	-	-	-	-	-
32		*	*	*	0.1	-	-	-	-	-	-	0.1	0.1
33		0.5	0.4	0.9	0.6	-	-	-	-	-	-	2.1	2.0
34		3.1	2.9	1.0	0.6	-	-	-	-	0.1	0.1	8.6	9.0
35		11.6	12.4	4.9	4.9	-	-	-	-	16.3	16.3	21.2	23.1
36		25.4	26.6	23.4	26.1	-	-	-	-	37.3	37.3	35.9	36.2
37		42.2	43.1	52.5	52.6	-	-	-	-	46.3	46.3	26.3	24.6
38		15.2	12.9	14.9	13.3	-	-	-	-	0.1	0.1	3.7	3.2
39		1.9	1.7	2.1	1.7	-	-	-	-	-	-	1.8	1.5
40 & Longer		0.1	0.1	0.2	0.1	-	-	-	-	-	-	0.2	0.2
Average Staple		36.59	36.55	36.80	36.77	-	-	-	-	36.30	36.30	35.95	35.89
Average Length		1.14	1.14	1.15	1.15	-	-	-	-	1.13	1.13	1.12	1.12

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 09, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	3.9	7.7	-	-	1.5	5.8	28.4	28.4	-	-
	3	-	-	1.8	4.1	-	-	1.0	2.2	2.8	2.8	-	-
	4	-	-	0.1	0.1	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	5.8	12.0	-	-	2.6	8.1	31.2	31.2	-	-
31	1 - 2	-	-	8.1	7.3	-	-	3.5	6.0	3.7	3.7	-	-
	3	-	-	34.8	38.5	0.3	0.3	16.6	22.6	22.0	22.0	-	-
	4	-	-	11.1	13.7	0.1	0.1	8.9	8.3	11.0	11.0	-	-
	5	-	-	0.5	0.8	-	-	0.9	0.6	0.2	0.2	-	-
	6	-	-	-	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	54.4	60.3	0.4	0.4	30.0	37.6	36.9	36.9	-	-
41	1 - 2	-	-	0.4	0.2	0.6	0.6	1.1	0.9	0.1	0.1	-	-
	3	-	-	9.5	5.7	19.3	19.3	26.1	21.0	5.6	5.6	-	-
	4	-	-	20.7	14.8	11.7	11.7	17.7	14.5	16.5	16.5	-	-
	5	-	-	5.7	4.5	1.1	1.1	4.0	3.0	4.5	4.5	-	-
	6	-	-	0.1	0.1	-	-	0.8	0.6	0.2	0.2	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	36.3	25.3	32.7	32.7	49.8	39.9	27.0	27.0	-	-
51	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-
	3	-	-	0.1	*	3.4	3.4	1.3	1.0	0.3	0.3	-	-
	4	-	-	0.9	0.4	2.2	2.2	2.4	1.8	1.2	1.2	-	-
	5	-	-	1.3	0.6	0.2	0.2	1.8	1.2	1.5	1.5	-	-
	6	-	-	0.2	0.1	-	-	0.6	0.4	0.5	0.5	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	2.5	1.1	5.8	5.8	6.1	4.5	3.5	3.5	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	*	0.3	-	-	*	0.1	0.2	0.2	-	-
	3	-	-	*	0.1	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	0.4	-	-	*	0.1	0.2	0.2	-	-
32	1 - 2	-	-	0.1	0.2	-	-	0.1	0.2	-	-	-	-
	3	-	-	0.3	0.4	0.2	0.2	0.4	0.7	0.9	0.9	-	-
	4	-	-	0.1	0.1	-	-	0.2	0.3	0.1	0.1	-	-
	5	-	-	*	*	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.5	0.7	0.2	0.2	0.6	1.2	1.1	1.1	-	-
42	1 - 2	-	-	*	*	0.6	0.6	0.1	0.1	-	-	-	-
	3	-	-	0.1	0.1	14.3	14.3	3.7	3.2	-	-	-	-
	4	-	-	0.3	0.2	11.9	11.9	5.0	3.8	-	-	-	-
	5	-	-	0.1	*	0.6	0.6	0.8	0.5	0.1	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.5	0.3	27.5	27.5	9.5	7.6	0.1	0.1	-	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 09, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	0.6	0.6	-	-	-	-	-	-
	3	-	-	-	*	14.3	14.3	0.3	0.3	-	-	-	-
	4	-	-	-	*	17.1	17.1	0.8	0.6	-	-	-	-
	5	-	-	*	*	1.1	1.1	0.2	0.1	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	* *	33.1	33.1	1.4	1.0	-	-	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	0.1	0.1	-	-	-	-	-	-
	4	-	-	-	-	0.1	0.1	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	-	0.2	0.2	*	*	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	* *	-	-	-	-	-	-	-	-
43	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	*	-	-	-	-	-	-	-	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	-	-	-	*	*	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-	-	-	-	-
32		-	-	-	-	-	-	*	*	-	-	-	-
33		-	-	*	*	-	-	0.2	0.3	2.0	2.0	-	-
34		-	-	1.4	1.3	-	-	3.7	3.9	11.0	11.0	-	-
35		-	-	17.0	11.5	0.4	0.4	18.6	19.4	17.6	17.6	-	-
36		-	-	37.3	41.8	30.9	30.9	30.9	32.5	22.9	22.9	-	-
37		-	-	29.9	29.5	58.0	58.0	32.0	31.4	36.5	36.5	-	-
38		-	-	12.6	12.0	9.7	9.7	13.2	11.2	9.8	9.8	-	-
39		-	-	1.7	3.7	1.0	1.0	1.4	1.3	0.2	0.2	-	-
40 & Longer		-	-	0.1	0.1	-	-	*	*	-	-	-	-
Average Staple		-	-	36.41	36.51	36.80	36.80	36.36	36.30	36.11	36.11	-	-
Average Length		-	-	1.13	1.14	1.15	1.15	1.13	1.13	1.13	1.13	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Oct 09, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	10.1	10.1	4.0	4.0	11.9	16.1	-	-
	3	-	-	8.0	8.0	0.3	0.3	13.8	14.7	-	-
	4	-	-	-	-	-	-	1.3	1.3	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	18.0	18.0	4.3	4.3	26.9	32.1	-	-
31	1 - 2	-	-	3.3	3.3	3.0	3.0	2.9	5.1	-	-
	3	-	-	28.1	28.1	2.3	2.3	20.1	21.8	-	-
	4	-	-	7.5	7.5	0.5	0.5	7.6	9.5	-	-
	5	-	-	-	-	*	*	0.8	1.0	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	38.9	38.9	5.8	5.8	31.4	37.4	-	-
41	1 - 2	-	-	0.2	0.2	4.5	4.5	0.6	0.4	-	-
	3	-	-	10.6	10.6	24.3	24.3	5.9	4.7	-	-
	4	-	-	31.2	31.2	7.5	7.5	7.8	5.4	-	-
	5	-	-	1.0	1.0	0.7	0.7	1.9	1.4	-	-
	6	-	-	-	-	*	*	0.2	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	42.9	42.9	37.0	37.0	16.3	12.1	-	-
51	1 - 2	-	-	-	-	0.1	0.1	*	*	-	-
	3	-	-	-	-	1.2	1.2	0.1	0.1	-	-
	4	-	-	-	-	0.5	0.5	0.2	0.4	-	-
	5	-	-	-	-	0.1	0.1	*	0.1	-	-
	6	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	2.0	2.0	0.4	0.7	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	0.3	0.3	6.7	4.4	-	-
	3	-	-	-	-	*	*	4.5	3.5	-	-
	4	-	-	-	-	-	-	0.9	0.7	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	0.3	0.3	12.2	8.6	-	-
32	1 - 2	-	-	-	-	2.5	2.5	0.5	0.5	-	-
	3	-	-	0.2	0.2	2.7	2.7	2.8	2.3	-	-
	4	-	-	-	-	0.1	0.1	2.6	2.2	-	-
	5	-	-	-	-	-	-	0.9	0.7	-	-
	6	-	-	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.2	0.2	5.3	5.3	6.7	5.7	-	-
42	1 - 2	-	-	-	-	7.2	7.2	0.1	0.1	-	-
	3	-	-	-	-	25.5	25.5	1.4	0.6	-	-
	4	-	-	-	-	7.5	7.5	1.6	1.1	-	-
	5	-	-	-	-	0.5	0.5	0.8	0.7	-	-
	6	-	-	-	-	0.1	0.1	0.2	0.2	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	40.8	40.8	4.1	2.6	-	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Oct 09, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	0.1	0.1	-	*	-	-
	3	-	-	-	-	2.3	2.3	*	*	-	-
	4	-	-	-	-	1.8	1.8	0.1	0.1	-	-
	5	-	-	-	-	0.2	0.2	0.1	0.1	-	-
	6	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	4.4	4.4	0.2	0.3	-	-
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	*	*	-	*	-	-
	5	-	-	-	-	*	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	*	*	-	*	-	-
13 & 23	1 - 2	-	-	-	-	-	-	0.3	0.1	-	-
	3	-	-	-	-	-	-	0.3	0.1	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	0.6	0.2	-	-
33	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	0.3	0.1	-	-
	4	-	-	-	-	-	-	0.2	0.1	-	-
	5	-	-	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	0.6	0.1	-	-
43	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	0.1	*	-	-
	4	-	-	-	-	-	-	0.2	*	-	-
	5	-	-	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	0.4	0.1	-	-
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	0.1	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	*	*	-	-
31		-	-	-	-	-	-	0.1	*	-	-
32		-	-	-	-	-	-	0.2	*	-	-
33		-	-	-	-	*	*	0.4	0.1	-	-
34		-	-	-	-	8.2	8.2	0.9	0.4	-	-
35		-	-	0.3	0.3	22.4	22.4	3.4	2.5	-	-
36		-	-	19.5	19.5	36.6	36.6	15.2	13.1	-	-
37		-	-	76.4	76.4	29.1	29.1	51.6	47.7	-	-
38		-	-	3.7	3.7	3.5	3.5	23.6	26.8	-	-
39		-	-	-	-	0.2	0.2	4.2	8.7	-	-
40 & Longer		-	-	-	-	-	-	0.5	0.8	-	-
Average Staple		-	-	36.84	36.84	35.98	35.98	37.06	37.27	-	-
Average Length		-	-	1.15	1.15	1.12	1.12	1.16	1.16	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 09, 2025

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.1	0.1	*	*	-	-	-	-	0.1	0.1	0.4	0.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	*	-	-	-	-	-	-	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.5	0.7	4.5	12.2	-	-	-	-	0.1	0.1	0.6	0.5
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	-	-	-	-	0.1	0.1	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-	*	*
25	-	-	*	*	-	-	-	-	-	-	*	*
26	*	*	0.1	0.1	-	-	-	-	-	-	0.3	0.4
27	0.2	0.2	0.6	1.2	-	-	-	-	-	-	1.5	2.0
28	2.5	1.9	3.7	6.4	-	-	-	-	0.1	0.1	6.8	7.8
29	14.2	13.8	14.3	18.1	-	-	-	-	6.9	6.9	19.3	21.2
30	20.5	23.9	29.6	30.2	-	-	-	-	26.3	26.3	29.4	29.6
31	21.1	22.3	31.7	27.5	-	-	-	-	20.9	20.9	23.2	21.9
32	20.3	19.1	15.1	12.6	-	-	-	-	7.8	7.8	11.6	10.2
33	13.9	12.1	4.2	3.4	-	-	-	-	13.9	13.9	5.1	4.4
34	5.3	5.0	0.5	0.4	-	-	-	-	19.0	19.0	2.0	1.7
35	2.0	1.7	0.1	0.1	-	-	-	-	4.8	4.8	0.5	0.4
36	0.1	0.1	*	*	-	-	-	-	0.3	0.3	0.1	0.1
37	*	*	-	-	-	-	-	-	-	-	*	*
38	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	31.59	31.52	30.98	30.75	-	-	-	-	32.17	32.17	30.79	30.66
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	*	*
3.0	-	-	-	-	-	-	-	-	-	-	*	*
3.1	-	-	-	-	-	-	-	-	-	-	*	*
3.2	-	-	-	-	-	-	-	-	-	-	*	*
3.3	*	*	-	-	-	-	-	-	-	-	*	*
3.4	*	*	-	-	-	-	-	-	-	-	*	*
3.5	*	*	*	*	-	-	-	-	-	-	*	*
3.6	*	*	*	*	-	-	-	-	-	-	*	*
3.7	0.4	0.3	*	*	-	-	-	-	-	-	*	*
3.8	1.3	1.0	*	*	-	-	-	-	-	-	0.1	0.1
3.9	1.7	1.7	0.1	0.1	-	-	-	-	-	-	0.2	0.2
4.0	3.8	3.4	0.2	0.2	-	-	-	-	-	-	0.4	0.4
4.1	4.5	3.6	0.5	0.4	-	-	-	-	0.3	0.3	0.7	0.8
4.2	5.3	4.8	1.3	1.0	-	-	-	-	3.9	3.9	2.2	2.1
4.3	11.0	9.0	2.5	1.9	-	-	-	-	10.3	10.3	3.6	3.9
4.4	9.0	7.6	4.6	3.3	-	-	-	-	8.4	8.4	7.0	7.6
4.5	9.2	8.4	7.1	5.1	-	-	-	-	10.4	10.4	9.3	9.1
4.6	7.9	8.3	9.7	6.7	-	-	-	-	12.0	12.0	9.3	9.2
4.7	8.5	9.5	11.4	9.2	-	-	-	-	13.8	13.8	11.4	10.8
4.8	12.2	12.9	13.8	13.8	-	-	-	-	11.0	11.0	11.8	11.9
4.9	9.6	10.4	15.1	16.3	-	-	-	-	8.0	8.0	11.7	12.1
5.0	6.0	7.1	11.0	14.6	-	-	-	-	9.6	9.6	12.7	12.8
5.1	4.4	5.6	9.2	11.7	-	-	-	-	3.3	3.3	10.1	10.3
5.2	2.1	3.1	6.8	8.3	-	-	-	-	5.5	5.5	5.5	5.0
5.3	1.7	2.0	4.3	4.8	-	-	-	-	2.4	2.4	2.5	2.3
5.4	0.6	0.7	1.5	1.8	-	-	-	-	1.0	1.0	0.9	0.7
5.5 & Above	0.8	0.6	1.0	0.9	-	-	-	-	-	-	0.4	0.4
Average	4.59	4.64	4.83	4.88	-	-	-	-	4.70	4.70	4.78	4.77

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 09, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	-	-	-	-	*	*	-	-	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	*	*	-	-	0.1	0.1	-	-	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	*	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	0.3	0.3	-	-	*	0.1	-	-	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	-	-	*	*	-	-	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	*	-	-	-	-
25	-	-	-	-	-	-	*	*	-	-	-	-
26	-	-	*	*	-	-	0.2	0.4	3.0	3.0	-	-
27	-	-	0.8	0.4	-	-	2.6	3.5	5.4	5.4	-	-
28	-	-	7.0	5.9	*	*	7.4	7.1	9.6	9.6	-	-
29	-	-	24.8	22.3	4.6	4.6	16.6	16.9	20.5	20.5	-	-
30	-	-	28.5	28.8	30.3	30.3	25.1	26.6	24.5	24.5	-	-
31	-	-	22.2	21.4	36.0	36.0	23.1	23.3	25.5	25.5	-	-
32	-	-	12.9	15.3	17.1	17.1	13.9	13.0	10.4	10.4	-	-
33	-	-	2.4	2.7	9.1	9.1	6.9	6.0	1.0	1.0	-	-
34	-	-	1.0	1.8	2.9	2.9	3.4	2.5	0.1	0.1	-	-
35	-	-	0.3	1.3	*	*	0.6	0.4	-	-	-	-
36	-	-	*	*	-	-	0.2	0.1	-	-	-	-
37	-	-	*	*	-	-	0.1	*	-	-	-	-
38	-	-	-	-	-	-	*	*	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	30.64	30.84	31.50	31.50	30.94	30.81	30.28	30.28	-	-
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-	-	-	-	-
3.2	-	-	*	*	-	-	-	-	-	-	-	-
3.3	-	-	-	-	-	-	-	-	-	-	-	-
3.4	-	-	*	0.1	-	-	*	*	-	-	-	-
3.5	-	-	*	*	-	-	*	*	-	-	-	-
3.6	-	-	0.5	0.2	-	-	*	*	-	-	-	-
3.7	-	-	0.6	0.3	-	-	-	-	-	-	-	-
3.8	-	-	0.9	0.5	-	-	*	*	-	-	-	-
3.9	-	-	0.8	0.7	-	-	*	*	1.3	1.3	-	-
4.0	-	-	1.3	1.2	0.9	0.9	0.1	0.1	3.2	3.2	-	-
4.1	-	-	2.2	1.9	2.2	2.2	0.2	0.3	2.7	2.7	-	-
4.2	-	-	1.6	2.4	4.2	4.2	0.4	0.6	5.7	5.7	-	-
4.3	-	-	1.8	3.2	5.0	5.0	0.9	1.0	7.8	7.8	-	-
4.4	-	-	2.5	4.0	15.1	15.1	2.6	2.6	9.2	9.2	-	-
4.5	-	-	5.5	7.3	14.6	14.6	4.1	4.5	11.3	11.3	-	-
4.6	-	-	13.3	11.8	12.7	12.7	6.4	6.7	11.5	11.5	-	-
4.7	-	-	9.3	11.5	21.5	21.5	9.7	9.9	8.4	8.4	-	-
4.8	-	-	9.7	10.0	13.7	13.7	15.1	14.5	8.0	8.0	-	-
4.9	-	-	10.9	10.3	4.7	4.7	18.0	17.6	8.4	8.4	-	-
5.0	-	-	7.9	8.3	4.8	4.8	17.7	16.1	5.6	5.6	-	-
5.1	-	-	13.6	13.3	0.5	0.5	12.4	11.7	7.8	7.8	-	-
5.2	-	-	9.6	6.6	*	*	6.3	7.1	8.1	8.1	-	-
5.3	-	-	6.2	3.8	*	*	2.9	4.1	0.8	0.8	-	-
5.4	-	-	1.9	1.9	-	-	1.9	2.2	0.2	0.2	-	-
5.5 & Above	-	-	*	0.7	-	-	1.2	1.0	-	-	-	-
Average	-	-	4.81	4.79	4.59	4.59	4.90	4.90	4.65	4.65	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Oct 09, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	-	-	-	-	*	*	0.8	0.5	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	-	-	0.1	0.1	0.5	0.2	-	-
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	-	-	*	*	0.4	0.7	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	-	-	*	*	0.1	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	-	-	-	-	-	-	*	-	-
23	-	-	-	-	-	-	-	*	-	-
24	-	-	-	-	-	-	*	*	-	-
25	-	-	-	-	-	-	0.1	*	-	-
26	-	-	-	-	*	*	0.4	0.1	-	-
27	-	-	-	-	0.3	0.3	1.2	0.6	-	-
28	-	-	0.3	0.3	4.0	4.0	6.8	3.7	-	-
29	-	-	1.5	1.5	21.6	21.6	21.8	13.0	-	-
30	-	-	20.7	20.7	47.4	47.4	24.2	21.7	-	-
31	-	-	38.0	38.0	21.1	21.1	14.5	17.5	-	-
32	-	-	26.3	26.3	3.9	3.9	10.4	12.5	-	-
33	-	-	11.2	11.2	1.7	1.7	9.7	12.3	-	-
34	-	-	2.0	2.0	0.1	0.1	8.3	11.6	-	-
35	-	-	-	-	-	-	2.1	5.2	-	-
36	-	-	-	-	-	-	0.3	1.4	-	-
37	-	-	-	-	-	-	0.1	0.3	-	-
38	-	-	-	-	-	-	*	0.1	-	-
39	-	-	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	-	-	31.72	31.72	30.47	30.47	31.14	31.85	-	-
Mike										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	*	-	-
2.7	-	-	-	-	-	-	*	*	-	-
2.8	-	-	-	-	-	-	*	*	-	-
2.9	-	-	-	-	-	-	*	*	-	-
3.0	-	-	-	-	-	-	*	0.1	-	-
3.1	-	-	-	-	-	-	0.1	0.1	-	-
3.2	-	-	-	-	-	-	0.3	0.3	-	-
3.3	-	-	-	-	-	-	0.7	0.5	-	-
3.4	-	-	-	-	*	*	1.2	0.9	-	-
3.5	-	-	0.2	0.2	-	-	1.6	1.2	-	-
3.6	-	-	0.5	0.5	0.7	0.7	2.2	1.6	-	-
3.7	-	-	0.8	0.8	0.2	0.2	3.5	2.4	-	-
3.8	-	-	0.7	0.7	1.2	1.2	6.4	4.2	-	-
3.9	-	-	1.1	1.1	0.8	0.8	10.0	6.6	-	-
4.0	-	-	3.6	3.6	1.3	1.3	13.4	9.0	-	-
4.1	-	-	5.0	5.0	1.5	1.5	12.1	10.9	-	-
4.2	-	-	4.7	4.7	2.8	2.8	12.0	12.3	-	-
4.3	-	-	3.6	3.6	7.1	7.1	11.3	12.4	-	-
4.4	-	-	5.9	5.9	11.7	11.7	9.5	10.9	-	-
4.5	-	-	3.6	3.6	10.7	10.7	7.0	8.6	-	-
4.6	-	-	8.1	8.1	14.5	14.5	4.4	6.3	-	-
4.7	-	-	15.4	15.4	14.4	14.4	2.2	4.3	-	-
4.8	-	-	21.6	21.6	14.9	14.9	1.1	2.9	-	-
4.9	-	-	14.5	14.5	12.1	12.1	0.5	1.7	-	-
5.0	-	-	10.6	10.6	4.2	4.2	0.3	1.0	-	-
5.1	-	-	-	-	1.9	1.9	0.2	0.6	-	-
5.2	-	-	0.2	0.2	*	*	*	0.4	-	-
5.3	-	-	-	-	-	-	*	0.2	-	-
5.4	-	-	-	-	*	*	*	0.2	-	-
5.5 & Above	-	-	-	-	-	-	*	0.4	-	-
Average	-	-	4.63	4.63	4.60	4.60	4.14	4.25	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE												
For The Week Ending Oct 09, 2025												
Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	*	*
3.0 - 3.2	-	-	-	-	-	-	-	-	-	-	0.1	*
3.3 - 3.4	*	*	-	-	-	-	-	-	-	-	0.1	0.1
3.5 - 3.6	*	0.1	*	*	-	-	-	-	-	-	*	*
3.7 - 4.2	17.0	14.7	2.1	1.7	-	-	-	-	4.2	4.2	3.7	3.6
4.3 - 4.9	67.4	66.1	64.2	56.3	-	-	-	-	74.0	74.0	64.1	64.6
5.0 - 5.2	12.5	15.9	26.9	34.6	-	-	-	-	18.5	18.5	28.2	28.2
5.3 & Above	3.1	3.2	6.8	7.5	-	-	-	-	3.3	3.3	3.8	3.4
Average	4.59	4.64	4.83	4.88	-	-	-	-	4.70	4.70	4.78	4.77
Leaf												
1 - 2	13.4	21.1	3.9	5.2	-	-	-	-	62.8	62.8	24.8	25.4
3	59.0	56.3	36.8	41.9	-	-	-	-	26.0	26.0	57.9	58.8
4	23.4	19.3	45.5	43.2	-	-	-	-	10.3	10.3	16.3	15.0
5	3.7	3.0	12.6	9.0	-	-	-	-	0.9	0.9	1.0	0.9
6	0.4	0.3	1.1	0.7	-	-	-	-	-	-	*	*
7	-	-	-	-	-	-	-	-	-	-	*	*
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	3.19	3.04	3.70	3.58	-	-	-	-	2.40	2.40	2.93	2.91
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	1.2	3.0	0.6	0.6	-	-	-	-	23.3	23.3	4.4	4.3
02	16.8	22.1	4.9	6.2	-	-	-	-	42.2	42.2	27.0	27.6
03	29.8	29.8	14.2	16.7	-	-	-	-	16.1	16.1	30.8	31.9
04	24.4	21.7	20.8	22.7	-	-	-	-	7.8	7.8	20.6	20.2
05	13.4	11.5	21.1	21.4	-	-	-	-	5.0	5.0	10.0	9.4
06	7.2	5.9	16.6	15.4	-	-	-	-	3.3	3.3	4.5	4.1
07	3.8	3.2	10.8	8.9	-	-	-	-	1.2	1.2	1.7	1.6
08	1.9	1.6	6.0	4.6	-	-	-	-	0.8	0.8	0.6	0.6
09	0.8	0.6	2.8	2.0	-	-	-	-	0.3	0.3	0.3	0.2
10	0.3	0.3	1.4	0.9	-	-	-	-	-	-	0.1	0.1
11	0.2	0.2	0.5	0.3	-	-	-	-	-	-	*	*
12	0.1	0.1	0.2	0.1	-	-	-	-	-	-	*	*
13	*	*	0.1	*	-	-	-	-	-	-	-	-
14	*	*	*	*	-	-	-	-	-	-	-	-
15	-	-	*	*	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	*	*
17	*	*	-	-	-	-	-	-	-	-	-	-
18 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	0.39	0.36	0.51	0.49	-	-	-	-	0.25	0.25	0.33	0.33
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	*	*	-	-	-	-	-	-	*	*
77	-	-	*	*	-	-	-	-	-	-	0.2	0.2
78	*	*	0.1	0.2	-	-	-	-	-	-	1.5	1.6
79	0.6	0.5	0.9	1.2	-	-	-	-	-	-	9.3	9.6
80	6.3	6.1	6.2	7.1	-	-	-	-	2.1	2.1	22.2	24.9
81	28.7	31.1	18.8	21.7	-	-	-	-	38.7	38.7	36.4	36.1
82	44.0	43.4	39.1	36.6	-	-	-	-	54.2	54.2	20.8	19.2
83	18.9	17.3	29.3	26.2	-	-	-	-	4.8	4.8	7.7	6.6
84	1.4	1.5	5.2	6.7	-	-	-	-	0.2	0.2	1.8	1.6
85 & Above	0.1	0.1	0.2	0.3	-	-	-	-	-	-	0.1	0.1
Average	82.24	82.20	82.50	82.45	-	-	-	-	82.09	82.09	81.40	81.32
Tenderable 3/	73.2	72.0	52.8	45.0	-	-	-	-	77.9	77.9	65.5	66.1
SAMPLES CLASSED	13,599	17,624	46,977	83,866	-	-	-	-	1,733	1,733	27,930	32,424

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 09, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	*	*	-	-	-	-	-	-	-	-
3.3 - 3.4	-	-	*	0.1	-	-	*	*	-	-	-	-
3.5 - 3.6	-	-	0.5	0.3	-	-	*	*	-	-	-	-
3.7 - 4.2	-	-	7.4	6.9	7.3	7.3	0.7	1.0	12.9	12.9	-	-
4.3 - 4.9	-	-	52.8	58.1	87.3	87.3	56.9	56.8	64.6	64.6	-	-
5.0 - 5.2	-	-	31.1	28.2	5.4	5.4	36.4	34.9	21.5	21.5	-	-
5.3 & Above	-	-	8.1	6.5	*	*	6.1	7.3	1.0	1.0	-	-
Average	-	-	4.81	4.79	4.59	4.59	4.90	4.90	4.65	4.65	-	-
Leaf												
1 - 2	-	-	12.5	15.8	1.8	1.8	6.4	13.1	32.4	32.4	-	-
3	-	-	46.5	48.8	52.0	52.0	49.4	51.0	31.7	31.7	-	-
4	-	-	33.2	29.3	43.1	43.1	35.1	29.3	28.9	28.9	-	-
5	-	-	7.5	5.8	3.0	3.0	7.6	5.5	6.3	6.3	-	-
6	-	-	0.3	0.2	-	-	1.6	1.1	0.7	0.7	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	3.36	3.25	3.47	3.47	3.49	3.30	3.05	3.05	-	-
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	1.2	1.9	-	-	0.5	1.8	14.9	14.9	-	-
02	-	-	13.2	15.7	3.5	3.5	7.2	13.5	18.4	18.4	-	-
03	-	-	22.6	24.3	18.3	18.3	22.5	24.5	11.2	11.2	-	-
04	-	-	21.5	22.6	29.4	29.4	27.1	25.1	14.9	14.9	-	-
05	-	-	17.2	16.0	25.0	25.0	20.0	17.2	17.6	17.6	-	-
06	-	-	11.3	9.8	13.1	13.1	10.7	8.8	10.3	10.3	-	-
07	-	-	6.7	5.3	6.8	6.8	5.5	4.3	6.4	6.4	-	-
08	-	-	3.5	2.5	2.7	2.7	3.0	2.2	3.5	3.5	-	-
09	-	-	1.7	1.2	0.6	0.6	1.7	1.2	1.2	1.2	-	-
10	-	-	0.7	0.5	0.2	0.2	0.9	0.7	0.8	0.8	-	-
11	-	-	0.2	0.2	0.4	0.4	0.5	0.3	0.6	0.6	-	-
12	-	-	0.1	0.1	*	*	0.2	0.2	0.2	0.2	-	-
13	-	-	*	*	-	-	0.1	0.1	0.1	0.1	-	-
14	-	-	*	*	-	-	*	*	-	-	-	-
15	-	-	-	-	-	-	*	*	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	0.44	0.41	0.46	0.46	0.45	0.41	0.40	0.40	-	-
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	*	*	-	-	-	-
78	-	-	0.1	0.1	-	-	0.2	0.1	0.8	0.8	-	-
79	-	-	1.6	1.8	-	-	1.9	1.6	4.8	4.8	-	-
80	-	-	10.7	7.8	0.1	0.1	9.9	10.5	13.4	13.4	-	-
81	-	-	45.7	38.9	9.6	9.6	28.2	29.7	30.2	30.2	-	-
82	-	-	32.3	39.0	73.2	73.2	39.3	36.5	30.4	30.4	-	-
83	-	-	8.5	11.6	16.4	16.4	17.4	17.9	17.9	17.9	-	-
84	-	-	1.1	0.8	0.7	0.7	3.0	3.5	2.3	2.3	-	-
85 & Above	-	-	*	*	*	*	0.1	0.1	0.1	0.1	-	-
Average	-	-	81.84	81.98	82.53	82.53	82.14	82.14	81.94	81.94	-	-
Tenderable 3/	-	-	60.0	64.6	35.7	35.7	48.8	51.0	76.6	76.6	-	-
SAMPLES CLASSED	-	-	19,272	45,675	3,115	3,115	48,136	72,106	1,386	1,386	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Oct 09, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	*	-	-
2.7 - 2.9	-	-	-	-	-	-	0.1	0.1	-	-
3.0 - 3.2	-	-	-	-	-	-	0.4	0.4	-	-
3.3 - 3.4	-	-	-	-	*	*	1.9	1.4	-	-
3.5 - 3.6	-	-	0.7	0.7	0.7	0.7	3.8	2.8	-	-
3.7 - 4.2	-	-	15.9	15.9	7.8	7.8	57.4	45.4	-	-
4.3 - 4.9	-	-	72.7	72.7	85.4	85.4	36.0	47.1	-	-
5.0 - 5.2	-	-	10.7	10.7	6.1	6.1	0.5	2.0	-	-
5.3 & Above	-	-	-	-	*	*	*	0.8	-	-
Average	-	-	4.63	4.63	4.60	4.60	4.14	4.25	-	-
Leaf										
1 - 2	-	-	13.5	13.5	21.8	21.8	22.9	26.6	-	-
3	-	-	46.8	46.8	58.7	58.7	49.3	47.9	-	-
4	-	-	38.7	38.7	17.8	17.8	22.4	21.0	-	-
5	-	-	1.0	1.0	1.6	1.6	4.7	4.1	-	-
6	-	-	-	-	0.1	0.1	0.6	0.4	-	-
7	-	-	-	-	-	-	0.1	*	-	-
8	-	-	-	-	-	-	-	*	-	-
Average	-	-	3.27	3.27	2.98	2.98	3.09	3.01	-	-
HVI Trash 1/										
00	-	-	-	-	-	-	*	*	-	-
01	-	-	0.8	0.8	4.1	4.1	4.4	5.6	-	-
02	-	-	18.2	18.2	21.3	21.3	21.9	23.0	-	-
03	-	-	21.5	21.5	31.3	31.3	27.7	26.8	-	-
04	-	-	18.9	18.9	22.6	22.6	19.3	19.4	-	-
05	-	-	20.5	20.5	12.2	12.2	12.4	12.1	-	-
06	-	-	12.7	12.7	5.1	5.1	7.5	6.9	-	-
07	-	-	6.5	6.5	2.0	2.0	3.7	3.4	-	-
08	-	-	0.8	0.8	0.8	0.8	1.7	1.5	-	-
09	-	-	0.2	0.2	0.3	0.3	0.8	0.7	-	-
10	-	-	-	-	0.1	0.1	0.3	0.3	-	-
11	-	-	-	-	0.1	0.1	0.2	0.1	-	-
12	-	-	-	-	*	*	0.1	0.1	-	-
13	-	-	-	-	*	*	0.1	*	-	-
14	-	-	-	-	*	*	*	*	-	-
15	-	-	-	-	-	-	*	*	-	-
16	-	-	-	-	-	-	*	*	-	-
17	-	-	-	-	-	-	*	*	-	-
18 & Above	-	-	-	-	-	-	*	*	-	-
Average	-	-	0.41	0.41	0.35	0.35	0.37	0.36	-	-
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	*	*	-	-
75	-	-	-	-	-	-	*	*	-	-
76	-	-	-	-	-	-	*	*	-	-
77	-	-	-	-	-	-	0.1	0.1	-	-
78	-	-	-	-	*	*	0.8	0.4	-	-
79	-	-	-	-	0.2	0.2	3.8	2.0	-	-
80	-	-	0.7	0.7	7.4	7.4	15.8	8.5	-	-
81	-	-	6.5	6.5	43.1	43.1	35.1	27.1	-	-
82	-	-	50.7	50.7	43.6	43.6	31.6	34.8	-	-
83	-	-	40.3	40.3	5.5	5.5	11.2	20.7	-	-
84	-	-	1.8	1.8	0.2	0.2	1.6	5.8	-	-
85 & Above	-	-	-	-	-	-	0.1	0.6	-	-
Average	-	-	82.80	82.80	81.92	81.92	81.78	82.27	-	-
Tenderable 3/	-	-	89.3	89.3	52.3	52.3	86.5	88.1	-	-
SAMPLES CLASSED	-	-	615	615	11,297	11,297	127,334	907,373	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 09, 2025

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
02	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
03	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	-	-	-	-	-	-
46		-	-	-	-	-	-	-	-
48		-	-	-	-	-	-	-	-
50		-	-	-	-	-	-	-	-
52 & Longer		-	-	-	-	-	-	-	-
Average Staple		-	-	-	-	-	-	-	-
Average Length		-	-	-	-	-	-	-	-
EXTRANEIOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	-	-	-	-	-	-
Spindle Twist		-	-	-	-	-	-	-	-
Preparation		-	-	-	-	-	-	-	-
All Other		-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 09, 2025

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	-	-	-	-	-
3.3 - 3.4	-	-	-	-	-	-	-	-
3.5 - 3.6	-	-	-	-	-	-	-	-
3.7 - 4.2	-	-	-	-	-	-	-	-
4.3 - 4.9	-	-	-	-	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-
3.2	-	-	-	-	-	-	-	-
3.3	-	-	-	-	-	-	-	-
3.4	-	-	-	-	-	-	-	-
3.5	-	-	-	-	-	-	-	-
3.6	-	-	-	-	-	-	-	-
3.7	-	-	-	-	-	-	-	-
3.8	-	-	-	-	-	-	-	-
3.9	-	-	-	-	-	-	-	-
4.0	-	-	-	-	-	-	-	-
4.1	-	-	-	-	-	-	-	-
4.2	-	-	-	-	-	-	-	-
4.3	-	-	-	-	-	-	-	-
4.4	-	-	-	-	-	-	-	-
4.5	-	-	-	-	-	-	-	-
4.6	-	-	-	-	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
STRENGTH 1/								
36 & Below	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-
45	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-
48 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
UNIFORMITY								
83 & Below	-	-	-	-	-	-	-	-
84	-	-	-	-	-	-	-	-
85	-	-	-	-	-	-	-	-
86	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-
88 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
Samples Classed	-	-	-	-	-	-	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.