



Volume 27, No.11

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	14	79.7	63.7	26,305	14	76.6	57.3	43,929
AR	24	64.3	39.2	94,757	24	55.2	30.8	178,623
AZ*	-	-	-	-	-	-	-	-
CA*	-	-	-	-	-	-	-	-
FL	2	73.7	55.3	1,495	2	76.0	57.3	3,228
GA	27	67.3	45.4	47,949	28	66.8	44.4	80,373
KS	-	-	-	-	-	-	-	-
LA	11	64.7	46.2	17,599	11	64.6	44.7	63,274
MO	14	75.7	51.8	29,956	14	72.0	49.4	33,071
MS	25	51.7	23.3	74,166	25	51.4	22.5	146,272
NC	8	63.6	43.3	6,756	9	65.8	45.7	8,142
NM	-	-	-	-	-	-	-	-
OK	5	92.2	63.1	8,115	5	92.2	63.1	8,115
SC	3	81.3	60.5	1,151	3	84.1	57.6	1,766
TN	15	64.9	53.1	34,316	15	61.8	49.1	45,613
TX	55	86.9	67.7	125,714	63	88.0	71.8	1,033,087
VA	-	-	-	-	-	-	-	-
United States	205	71.0	49.1	471,692	215	77.8	58.9	1,658,256
AMERICAN PIMA								
AZ	-			-	-			-
CA	2			2,819	3			2,826
NM	-			-	-			-
TX	-			-	-			-
United States	2			2,819	3			2,826
United States all cotton	207			474,511	218			1,661,082

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 16, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.9	2.8	0.2	0.6	-	-	-	-	15.3	38.9	2.2	4.7
	3	0.6	1.7	0.1	0.4	-	-	-	-	4.4	7.2	0.7	1.7
	4	*	*	*	*	-	-	-	-	0.1	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	1.5	4.6	0.3	1.0	-	-	-	-	19.7	46.1	2.9
31	1 - 2	3.7	7.6	0.4	1.7	-	-	-	-	3.8	3.6	10.4	12.3
	3	23.8	28.0	5.7	11.2	-	-	-	-	21.1	17.5	23.4	27.0
	4	7.3	6.5	2.9	4.7	-	-	-	-	5.3	3.7	2.7	2.8
	5	0.3	0.2	0.1	0.1	-	-	-	-	-	-	0.1	0.1
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	35.1	42.4	9.1	17.7	-	-	-	-	30.2	24.8	36.6
41	1 - 2	1.7	1.5	0.8	0.9	-	-	-	-	2.6	1.2	3.8	2.9
	3	26.6	20.8	26.1	23.2	-	-	-	-	34.0	16.9	31.1	27.3
	4	22.4	17.3	36.6	33.9	-	-	-	-	10.1	8.9	15.1	13.2
	5	3.2	2.6	9.4	8.1	-	-	-	-	0.3	0.6	1.1	0.9
	6	0.2	0.1	0.8	0.6	-	-	-	-	-	-	*	*
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	54.0	42.4	73.7	66.7	-	-	-	-	47.1	27.6	51.0
51	1 - 2	-	-	0.1	*	-	-	-	-	-	-	*	*
	3	0.2	0.2	1.7	1.2	-	-	-	-	1.1	0.5	0.2	0.1
	4	0.4	0.3	3.4	2.5	-	-	-	-	0.7	0.3	0.3	0.2
	5	0.1	0.1	1.6	1.2	-	-	-	-	-	-	0.1	0.1
	6	*	*	0.3	0.2	-	-	-	-	-	-	*	*
	7	-	-	*	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	*
	Total	----	0.8	0.6	7.0	5.2	-	-	-	-	1.8	0.8	0.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	*	*
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	*	*	-	-	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	0.8	0.6	-	-	-	-	-	-	0.1	*	*	*
	3	0.1	0.2	-	*	-	-	-	-	-	-	-	*
	4	*	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.9	0.8	-	*	-	-	-	-	0.1	*	*
32	1 - 2	0.8	0.6	*	*	-	-	-	-	-	-	0.3	0.2
	3	1.6	1.9	0.3	0.2	-	-	-	-	-	*	1.3	0.9
	4	0.2	0.3	0.1	0.1	-	-	-	-	-	*	0.1	0.1
	5	*	*	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	2.7	2.9	0.4	0.4	-	-	-	-	-	0.1	1.7
42	1 - 2	0.1	0.1	0.1	0.1	-	-	-	-	-	*	0.5	0.3
	3	2.0	2.7	2.3	2.4	-	-	-	-	0.5	0.2	4.0	2.9
	4	2.2	2.7	3.7	3.6	-	-	-	-	0.3	0.2	2.2	1.8
	5	0.5	0.6	1.2	1.2	-	-	-	-	0.1	*	0.2	0.1
	6	0.1	0.1	0.1	0.1	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	4.9	6.3	7.4	7.2	-	-	-	-	0.9	0.4	6.9

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 16, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	*	*	-	-	-	-	-	-	-	-
	3	*	*	0.3	0.4	-	-	-	-	0.1	0.1	0.1	0.1
	4	0.1	0.1	1.1	0.9	-	-	-	-	0.1	0.1	0.1	0.1
	5	*	*	0.5	0.4	-	-	-	-	-	-	*	*
	6	*	*	0.1	0.1	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	2.0	1.7	-	-	-	-	0.2	0.1	0.2	0.2
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	-
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	*	*	-	-	-	-	-	-	*	*
	4	-	-	*	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	-	-	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*
	3	*	*	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*
	5	*	*	*	*	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	-	-	0.1	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-	*	*
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	-	-	-	-	-	-	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	*	*
31		-	-	-	*	-	-	-	-	-	-	*	*
32		*	*	-	*	-	-	-	-	-	-	0.1	0.1
33		0.5	0.4	*	0.3	-	-	-	-	0.1	0.1	0.8	1.3
34		3.7	3.4	0.4	0.5	-	-	-	-	0.4	0.2	5.6	7.0
35		13.0	12.8	3.7	4.3	-	-	-	-	8.2	12.5	18.0	20.1
36		23.8	24.9	20.7	23.2	-	-	-	-	38.9	38.0	34.9	35.4
37		39.5	40.9	51.2	51.9	-	-	-	-	48.4	47.3	29.8	27.7
38		16.5	15.0	19.9	16.8	-	-	-	-	3.6	1.7	7.5	5.8
39		2.4	2.1	3.8	2.8	-	-	-	-	0.4	0.2	2.9	2.3
40 & Longer		0.6	0.4	0.4	0.2	-	-	-	-	-	-	0.4	0.3
Average Staple		36.60	36.58	36.99	36.89	-	-	-	-	36.47	36.38	36.23	36.09
Average Length		1.14	1.14	1.15	1.15	-	-	-	-	1.14	1.13	1.13	1.12

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Oct 16, 2025													
Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	2.2	6.2	*	*	3.9	4.9	4.1	8.3	-	-
	3	-	-	1.1	3.3	*	*	3.0	2.6	1.4	1.6	-	-
	4	-	-	*	0.1	-	-	0.1	*	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	3.4	9.6	*	*	7.0	7.5	5.5	9.9	-	-
31	1 - 2	-	-	10.0	8.1	1.1	1.0	4.5	5.2	7.9	7.2	-	-
	3	-	-	40.1	38.9	8.2	7.5	18.9	20.8	22.5	22.5	-	-
	4	-	-	10.9	13.0	1.3	1.2	5.0	6.6	3.8	5.0	-	-
	5	-	-	0.4	0.7	*	*	0.2	0.4	*	0.1	-	-
	6	-	-	-	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	61.5	60.7	10.7	9.7	28.6	33.1	34.2	34.7	-	-
41	1 - 2	-	-	0.4	0.3	1.5	1.4	1.7	1.3	1.8	1.5	-	-
	3	-	-	12.5	7.6	31.4	30.3	23.5	22.3	18.9	16.7	-	-
	4	-	-	16.7	15.3	26.8	25.4	21.1	17.8	18.8	18.4	-	-
	5	-	-	3.1	4.1	2.9	2.7	4.1	3.5	7.0	6.6	-	-
	6	-	-	0.1	0.1	*	*	0.3	0.4	0.4	0.4	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	32.8	27.4	62.7	59.8	50.8	45.4	46.9	43.5	-	-
51	1 - 2	-	-	-	-	0.1	0.1	*	*	*	*	-	-
	3	-	-	-	*	1.6	1.8	1.8	1.4	0.4	0.4	-	-
	4	-	-	*	0.3	3.7	3.5	3.9	2.9	3.4	3.1	-	-
	5	-	-	0.1	0.4	0.9	0.8	1.4	1.3	2.5	2.3	-	-
	6	-	-	*	0.1	*	*	0.2	0.3	1.1	1.0	-	-
	7	-	-	-	-	-	-	-	-	0.8	0.7	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	0.8	6.3	6.2	7.4	6.0	8.3	7.5	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	*	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	0.2	-	-	*	0.1	0.1	0.1	-	-
	3	-	-	-	*	-	-	*	*	0.1	0.1	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	0.3	-	-	*	0.1	0.2	0.2	-	-
32	1 - 2	-	-	-	0.2	0.1	0.1	*	0.1	0.3	0.2	-	-
	3	-	-	*	0.3	1.0	1.0	0.2	0.5	0.6	0.7	-	-
	4	-	-	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	-	-
	5	-	-	-	*	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	0.5	1.2	1.1	0.4	0.8	0.9	1.0	-	-
42	1 - 2	-	-	-	*	1.3	1.2	*	*	0.5	0.5	-	-
	3	-	-	0.1	0.1	7.8	8.4	0.8	2.0	2.3	1.9	-	-
	4	-	-	1.2	0.5	4.5	5.2	2.2	3.0	0.5	0.4	-	-
	5	-	-	0.6	0.2	0.6	0.6	0.9	0.7	0.1	0.1	-	-
	6	-	-	*	*	*	*	0.2	0.1	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	2.0	0.8	14.3	15.5	4.1	5.8	3.5	2.9	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 16, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
52	1 - 2	-	-	-	-	0.2	0.2	*	*	*	*	-	-	
	3	-	-	-	*	1.4	2.6	0.1	0.2	0.3	0.3	-	-	
	4	-	-	*	*	2.0	3.4	0.3	0.5	*	*	-	-	
	5	-	-	*	*	1.1	1.1	0.7	0.4	*	*	-	-	
	6	-	-	-	-	0.1	0.1	0.5	0.2	-	-	-	-	
	7	-	-	-	-	*	*	*	*	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	*	*	4.8	7.5	1.6	1.3	0.4	0.3	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	-	-	-	-	-	-	
	4	-	-	-	-	-	*	-	*	-	-	-	-	
	5	-	-	-	-	*	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	-	-	*	*	*	*	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	-	-	-	-	-	-	-	-	-	
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	-	-	-	-	*	*	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	-	*	-	-	-	*	*	-	-	
43	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-	
	3	-	-	-	*	-	-	*	*	-	-	-	-	
	4	-	-	*	*	-	-	*	*	-	-	-	-	
	5	-	-	*	*	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	*	*	-	-	*	*	-	-	-	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	
	4	-	-	-	-	-	-	*	*	-	-	-	-	
	5	-	-	-	-	-	-	*	*	-	-	-	-	
	6	-	-	-	-	-	-	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	-	-	-	0.1	*	*	*	-	-	
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	-	-	-	-	-	-	-	-	-	
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	
STAPLE														
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	-	
30		-	-	-	-	-	-	-	-	-	-	-	-	
31		-	-	-	-	-	-	-	-	-	-	-	-	
32		-	-	-	-	-	-	*	*	-	-	-	-	
33		-	-	0.1	*	0.1	0.1	0.7	0.5	*	0.4	-	-	
34		-	-	1.9	1.5	0.5	0.5	2.9	3.4	2.1	3.6	-	-	
35		-	-	18.0	13.3	2.8	2.6	17.7	18.5	7.2	9.0	-	-	
36		-	-	24.9	37.1	14.0	15.6	34.3	33.5	22.5	22.6	-	-	
37		-	-	43.7	33.5	50.9	51.6	32.3	31.8	46.2	44.6	-	-	
38		-	-	8.4	11.0	28.1	26.4	9.4	10.3	15.2	14.3	-	-	
39		-	-	2.6	3.4	3.4	3.1	2.2	1.8	6.1	5.1	-	-	
40 & Longer		-	-	0.4	0.2	0.1	0.1	0.6	0.3	0.7	0.5	-	-	
Average Staple		-	-	36.48	36.50	37.13	37.10	36.35	36.32	36.86	36.73	-	-	
Average Length		-	-	1.14	1.14	1.16	1.16	1.13	1.13	1.15	1.15	-	-	

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Oct 16, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	43.1	43.1	3.0	5.5	0.3	1.2	14.2	15.8	-	-
	3	3.9	3.9	3.2	4.9	*	0.1	13.4	14.5	-	-
	4	0.1	0.1	-	-	-	-	1.3	1.3	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	47.1	47.1	6.3	10.4	0.3	1.3	28.9	31.7	-
31	1 - 2	3.7	3.7	5.8	4.9	6.2	5.4	4.6	5.0	-	-
	3	19.3	19.3	35.0	32.6	6.7	5.6	21.2	21.8	-	-
	4	2.2	2.2	5.1	5.9	0.6	0.6	7.0	9.2	-	-
	5	*	*	0.1	0.1	*	*	0.8	1.0	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	25.3	25.3	46.0	43.5	13.5	11.6	33.6	37.0	-
41	1 - 2	-	-	0.3	0.3	11.0	9.4	0.7	0.5	-	-
	3	0.1	0.1	25.1	20.0	30.1	28.6	4.7	4.7	-	-
	4	0.1	0.1	19.0	23.3	9.7	9.1	3.1	5.1	-	-
	5	-	-	1.5	1.3	0.6	0.7	0.7	1.3	-	-
	6	-	-	0.1	0.1	*	*	0.2	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	0.1	46.0	45.0	51.4	47.8	9.4	11.8	-
51	1 - 2	-	-	-	-	0.1	0.1	*	*	-	-
	3	-	-	-	-	1.3	1.3	0.1	0.1	-	-
	4	-	-	0.2	0.1	1.2	1.0	0.3	0.4	-	-
	5	-	-	-	-	0.2	0.2	0.1	0.1	-	-
	6	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	0.2	0.1	2.9	2.7	0.5	0.7	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	16.7	16.7	-	-	0.1	0.1	6.8	4.7	-	-
	3	3.6	3.6	-	-	*	*	6.2	3.8	-	-
	4	*	*	-	-	-	-	1.2	0.8	-	-
	5	-	-	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	20.4	20.4	-	-	0.1	0.1	14.4	9.3	-
32	1 - 2	0.1	0.1	0.1	0.1	0.7	1.2	1.0	0.6	-	-
	3	4.0	4.0	0.1	0.1	1.6	1.8	3.5	2.4	-	-
	4	1.4	1.4	-	-	*	0.1	2.1	2.2	-	-
	5	*	*	-	-	*	*	0.6	0.7	-	-
	6	-	-	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	5.6	5.6	0.2	0.2	2.3	3.1	7.2	5.9	-
42	1 - 2	-	-	-	-	3.1	4.1	0.3	0.1	-	-
	3	0.2	0.2	0.6	0.4	18.7	20.4	1.5	0.7	-	-
	4	0.2	0.2	0.4	0.3	4.1	5.0	0.8	1.1	-	-
	5	-	-	0.2	0.1	0.2	0.3	0.5	0.7	-	-
	6	-	-	-	-	*	*	0.3	0.2	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.5	0.5	1.2	0.8	26.1	29.7	3.3	2.7	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Oct 16, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	0.2	0.2	*	*	-	-
	3	-	-	-	-	2.2	2.2	*	*	-	-
	4	-	-	-	-	1.0	1.2	*	0.1	-	-
	5	-	-	-	-	0.1	0.1	*	0.1	-	-
	6	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	3.4	3.7	0.1	0.2	-	-
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	*	-	*	-	-
13 & 23	1 - 2	0.3	0.3	-	-	-	-	0.3	0.1	-	-
	3	0.3	0.3	-	-	-	-	0.7	0.2	-	-
	4	*	*	-	-	-	-	0.2	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.6	0.6	-	-	-	-	1.1	0.3	-	-
33	1 - 2	*	*	-	-	*	*	0.1	*	-	-
	3	0.2	0.2	-	-	*	*	0.3	0.1	-	-
	4	0.1	0.1	-	-	-	-	0.4	0.1	-	-
	5	*	*	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.3	-	-	*	*	0.9	0.2	-	-
43	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	*	*	0.1	0.1	-	-	0.1	*	-	-
	4	-	-	-	-	-	-	0.1	0.1	-	-
	5	-	-	-	-	-	-	0.2	*	-	-
	6	*	*	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	0.1	0.1	-	-	0.5	0.2	-	-
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	0.1	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	*	*	-	-
31		-	-	-	-	-	-	*	*	-	-
32		*	*	-	-	*	*	0.6	0.1	-	-
33		0.4	0.4	0.2	0.1	0.2	0.2	1.4	0.3	-	-
34		5.2	5.2	0.8	0.5	4.5	5.5	3.3	0.7	-	-
35		17.8	17.8	6.5	4.4	15.2	17.0	6.4	3.0	-	-
36		15.4	15.4	24.7	22.9	34.5	35.0	18.1	13.7	-	-
37		24.5	24.5	57.9	64.4	36.1	34.4	44.7	47.3	-	-
38		11.2	11.2	9.2	7.3	8.9	7.6	21.1	26.1	-	-
39		9.1	9.1	0.7	0.5	0.5	0.4	4.1	8.1	-	-
40 & Longer		16.2	16.2	-	-	*	*	0.3	0.7	-	-
Average Staple		37.17	37.17	36.70	36.75	36.30	36.22	36.81	37.21	-	-
Average Length		1.16	1.16	1.14	1.15	1.13	1.13	1.15	1.16	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 16, 2025

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.2	0.1	*	*	-	-	-	-	-	*	0.6	0.5
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.2	0.1	0.5	0.3	-	-	-	-	0.1	0.1	0.2	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	*	*	-	-	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.3	0.5	1.1	6.3	-	-	-	-	0.1	0.1	0.4	0.5
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	-	-	-	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-	*	*
25	-	-	*	*	-	-	-	-	-	-	*	*
26	*	*	*	0.1	-	-	-	-	0.1	*	0.1	0.3
27	0.2	0.2	0.2	0.6	-	-	-	-	0.5	0.2	1.0	1.4
28	1.9	1.9	1.6	3.8	-	-	-	-	4.2	2.0	5.5	6.5
29	13.4	13.6	10.9	14.3	-	-	-	-	16.8	11.5	16.1	18.2
30	32.3	28.9	29.6	29.9	-	-	-	-	35.4	30.5	26.4	27.7
31	28.5	26.0	37.5	32.8	-	-	-	-	24.6	22.6	24.3	23.3
32	15.6	17.0	15.9	14.4	-	-	-	-	10.1	8.9	13.8	12.3
33	5.8	8.3	3.8	3.6	-	-	-	-	3.9	9.3	7.0	6.0
34	1.7	3.0	0.4	0.4	-	-	-	-	3.3	11.7	3.5	2.8
35	0.5	1.0	0.1	0.1	-	-	-	-	0.9	3.0	1.4	1.0
36	*	0.1	*	*	-	-	-	-	0.3	0.3	0.6	0.4
37	*	*	-	-	-	-	-	-	-	-	0.2	0.1
38	-	-	-	-	-	-	-	-	-	-	*	*
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	31.13	31.28	31.13	30.95	-	-	-	-	30.93	31.60	31.13	30.94
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	*	*
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	*
3.0	-	-	-	-	-	-	-	-	-	-	-	*
3.1	*	*	-	-	-	-	-	-	-	-	-	*
3.2	-	-	-	-	-	-	-	-	-	-	-	*
3.3	*	*	-	-	-	-	-	-	-	-	*	*
3.4	*	*	*	*	-	-	-	-	-	-	*	*
3.5	0.1	0.1	*	*	-	-	-	-	-	-	*	*
3.6	0.6	0.3	*	*	-	-	-	-	-	-	0.2	0.1
3.7	0.9	0.7	0.1	0.1	-	-	-	-	-	-	0.3	0.2
3.8	2.0	1.6	0.2	0.1	-	-	-	-	0.1	*	0.5	0.3
3.9	2.4	2.1	0.4	0.2	-	-	-	-	0.1	*	0.7	0.5
4.0	4.1	3.8	0.6	0.4	-	-	-	-	0.3	0.1	2.0	1.3
4.1	4.3	4.0	1.2	0.8	-	-	-	-	0.9	0.6	2.3	1.7
4.2	5.9	5.4	2.0	1.5	-	-	-	-	4.5	4.2	2.8	2.5
4.3	6.8	7.6	3.1	2.5	-	-	-	-	8.3	9.4	4.5	4.3
4.4	9.4	8.7	5.3	4.4	-	-	-	-	15.1	11.5	6.7	7.0
4.5	9.9	9.3	8.2	6.7	-	-	-	-	15.1	12.6	9.2	9.2
4.6	12.4	10.8	10.9	8.9	-	-	-	-	5.7	9.1	10.5	10.0
4.7	10.5	10.1	12.6	11.0	-	-	-	-	5.8	10.1	10.8	10.8
4.8	9.5	10.8	14.0	13.9	-	-	-	-	8.3	9.8	10.9	11.3
4.9	5.8	7.6	14.4	15.3	-	-	-	-	11.0	9.4	11.3	11.6
5.0	5.0	5.8	11.5	12.9	-	-	-	-	11.4	10.4	10.6	11.5
5.1	3.0	4.0	7.2	9.3	-	-	-	-	7.9	5.5	7.5	8.6
5.2	2.7	2.9	5.0	6.5	-	-	-	-	2.1	4.0	4.7	4.8
5.3	1.8	1.9	2.1	3.4	-	-	-	-	0.8	1.6	2.9	2.6
5.4	1.2	1.0	0.9	1.3	-	-	-	-	1.8	1.4	1.3	1.1
5.5 & Above	1.6	1.2	0.3	0.6	-	-	-	-	0.9	0.4	0.4	0.4
Average	4.57	4.59	4.77	4.82	-	-	-	-	4.69	4.69	4.72	4.74

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 16, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	-	-	-	-	*	*	-	-	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	*	*	-	-	*	0.1	0.2	0.1	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	0.8	0.4	-	-	*	0.1	1.0	0.8	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	-	*	*	*	*	*	0.1	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	*	-	-	-	-
25	-	-	*	*	-	-	*	*	-	-	-	-
26	-	-	*	*	*	*	*	0.2	*	0.5	-	-
27	-	-	1.3	0.7	0.2	0.2	1.3	2.4	0.5	1.3	-	-
28	-	-	11.7	7.5	1.0	0.9	7.1	7.1	4.3	5.2	-	-
29	-	-	30.6	24.6	4.2	4.2	18.0	17.5	12.7	14.1	-	-
30	-	-	27.4	28.4	24.0	24.6	26.2	26.4	27.4	26.9	-	-
31	-	-	17.1	20.2	48.8	47.6	25.0	24.2	22.6	23.1	-	-
32	-	-	6.0	12.7	18.0	17.9	13.9	13.4	15.2	14.4	-	-
33	-	-	3.6	3.0	3.2	3.8	5.3	5.6	8.4	7.1	-	-
34	-	-	1.3	1.7	0.4	0.7	2.8	2.6	6.2	5.2	-	-
35	-	-	0.7	1.1	0.1	0.1	0.3	0.4	2.4	2.0	-	-
36	-	-	0.2	0.1	*	*	*	0.1	0.2	0.1	-	-
37	-	-	*	*	*	*	-	*	-	-	-	-
38	-	-	*	*	-	-	-	*	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	30.38	30.71	31.35	31.36	30.91	30.86	31.37	31.19	-	-
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-	-	-	-	-
3.2	-	-	-	*	-	-	-	-	-	-	-	-
3.3	-	-	-	-	-	-	-	-	-	-	-	-
3.4	-	-	-	0.1	0.1	*	*	*	-	-	-	-
3.5	-	-	-	*	0.1	0.1	-	*	-	-	-	-
3.6	-	-	-	0.2	0.1	0.1	*	*	-	-	-	-
3.7	-	-	*	0.2	0.1	0.1	*	*	*	*	-	-
3.8	-	-	0.3	0.4	0.3	0.3	0.1	*	*	*	-	-
3.9	-	-	0.2	0.6	0.5	0.4	*	*	0.5	0.6	-	-
4.0	-	-	1.1	1.1	1.4	1.3	0.1	0.1	1.1	1.5	-	-
4.1	-	-	1.7	1.9	1.9	2.0	0.3	0.3	2.8	2.8	-	-
4.2	-	-	3.8	2.8	3.6	3.7	0.8	0.7	5.7	5.7	-	-
4.3	-	-	3.3	3.2	4.7	4.7	1.5	1.2	5.8	6.1	-	-
4.4	-	-	5.2	4.3	6.2	7.1	2.7	2.7	5.7	6.3	-	-
4.5	-	-	8.8	7.7	12.2	12.5	5.3	4.9	7.9	8.5	-	-
4.6	-	-	11.9	11.9	15.7	15.5	7.1	6.9	8.5	9.0	-	-
4.7	-	-	10.7	11.3	16.7	17.2	8.2	9.0	10.4	10.1	-	-
4.8	-	-	8.8	9.7	17.5	17.1	14.1	14.3	7.7	7.8	-	-
4.9	-	-	11.6	10.7	10.3	9.7	16.6	17.1	11.1	10.7	-	-
5.0	-	-	10.4	8.9	6.2	6.1	16.2	16.2	12.3	11.2	-	-
5.1	-	-	8.1	11.8	2.0	1.8	11.4	11.6	8.9	8.7	-	-
5.2	-	-	7.3	6.8	0.4	0.4	8.2	7.6	7.7	7.8	-	-
5.3	-	-	4.6	4.0	*	*	4.6	4.4	2.7	2.4	-	-
5.4	-	-	2.0	2.0	*	*	2.0	2.1	0.8	0.7	-	-
5.5 & Above	-	-	-	0.5	-	-	0.9	1.0	0.1	0.1	-	-
Average	-	-	4.77	4.78	4.64	4.63	4.89	4.89	4.74	4.73	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Oct 16, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	0.2	0.2	-	-	*	*	1.3	0.6	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.1	0.1	*	*	0.4	0.2	-	-
Grass - Level 2	-	-	-	-	-	-	*	*	-	-
Prep - Level 1	-	-	-	-	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	-	-	-	*	0.4	0.7	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	0.3	0.2	*	*	*	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	-	-	-	-	-	-	*	-	-
23	-	-	-	-	-	-	*	*	-	-
24	-	-	-	-	-	-	0.1	*	-	-
25	*	*	-	-	-	-	0.1	*	-	-
26	0.2	0.2	-	-	*	*	0.5	0.2	-	-
27	1.8	1.8	1.0	0.7	0.2	0.2	2.8	0.8	-	-
28	8.5	8.5	3.1	2.2	3.4	3.5	8.6	4.3	-	-
29	7.7	7.7	12.9	8.9	21.3	21.4	21.6	14.0	-	-
30	10.1	10.1	17.5	18.6	45.4	45.9	24.5	22.0	-	-
31	9.1	9.1	27.0	30.9	21.2	21.2	17.4	17.5	-	-
32	9.3	9.3	21.2	23.0	7.1	6.3	10.3	12.2	-	-
33	13.5	13.5	11.5	11.4	1.3	1.4	7.6	11.8	-	-
34	15.1	15.1	4.8	3.8	0.2	0.2	4.6	10.8	-	-
35	13.4	13.4	0.9	0.6	*	*	1.5	4.8	-	-
36	4.3	4.3	0.1	0.1	*	*	0.4	1.3	-	-
37	4.7	4.7	-	-	-	-	0.1	0.3	-	-
38	2.0	2.0	-	-	-	-	*	*	-	-
39	0.1	0.1	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	32.83	32.83	31.49	31.57	30.57	30.54	30.85	31.73	-	-
Mike										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	*	*	-	-
2.6	-	-	-	-	-	-	*	*	-	-
2.7	-	-	-	-	-	-	*	*	-	-
2.8	-	-	-	-	-	-	0.1	*	-	-
2.9	-	-	-	-	-	-	0.1	*	-	-
3.0	-	-	-	-	-	-	0.2	0.1	-	-
3.1	-	-	-	-	-	-	0.2	0.1	-	-
3.2	-	-	-	-	-	-	0.3	0.3	-	-
3.3	-	-	-	-	*	*	0.4	0.5	-	-
3.4	-	-	-	-	*	*	0.5	0.9	-	-
3.5	*	*	-	0.1	0.1	0.1	0.8	1.2	-	-
3.6	0.1	0.1	0.1	0.2	0.2	0.3	1.4	1.6	-	-
3.7	1.2	1.2	-	0.3	0.9	0.7	2.5	2.4	-	-
3.8	2.6	2.6	-	0.2	1.1	1.1	3.5	4.1	-	-
3.9	3.6	3.6	0.2	0.5	1.3	1.2	6.9	6.6	-	-
4.0	2.4	2.4	0.4	1.5	2.6	2.3	9.0	9.0	-	-
4.1	7.7	7.7	1.8	2.9	3.5	3.0	11.1	10.9	-	-
4.2	12.8	12.8	5.3	5.1	5.0	4.5	15.0	12.6	-	-
4.3	10.4	10.4	8.3	6.7	6.2	6.4	14.9	12.7	-	-
4.4	10.4	10.4	11.9	9.8	8.4	9.2	13.7	11.2	-	-
4.5	12.5	12.5	11.3	8.6	14.5	13.5	9.4	8.7	-	-
4.6	9.4	9.4	13.0	11.3	16.3	15.9	4.7	6.1	-	-
4.7	8.7	8.7	9.0	11.3	14.9	14.8	2.4	4.1	-	-
4.8	8.7	8.7	9.5	13.7	10.4	11.5	1.3	2.7	-	-
4.9	4.5	4.5	11.8	12.7	6.7	8.0	0.8	1.6	-	-
5.0	3.0	3.0	7.8	8.8	5.2	4.9	0.5	0.9	-	-
5.1	1.3	1.3	5.8	3.8	1.7	1.8	0.1	0.5	-	-
5.2	0.6	0.6	2.9	1.9	0.6	0.5	*	0.4	-	-
5.3	*	*	0.8	0.5	0.2	0.2	*	0.2	-	-
5.4	-	-	-	-	-	*	-	0.2	-	-
5.5 & Above	*	*	-	-	*	*	*	0.3	-	-
Average	4.44	4.44	4.65	4.64	4.56	4.57	4.21	4.25	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE												
For The Week Ending Oct 16, 2025												
Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	*	*
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	-	*
3.0 - 3.2	*	*	-	-	-	-	-	-	-	-	-	*
3.3 - 3.4	0.1	*	*	*	-	-	-	-	-	-	*	*
3.5 - 3.6	0.7	0.4	0.1	0.1	-	-	-	-	-	-	0.2	0.1
3.7 - 4.2	19.7	17.7	4.4	3.1	-	-	-	-	5.8	5.0	8.5	6.6
4.3 - 4.9	64.3	65.0	68.5	62.8	-	-	-	-	69.2	71.8	63.8	64.2
5.0 - 5.2	10.7	12.8	23.7	28.8	-	-	-	-	21.4	19.8	22.8	25.0
5.3 & Above	4.5	4.0	3.3	5.3	-	-	-	-	3.5	3.4	4.6	4.1
Average	4.57	4.59	4.77	4.82	-	-	-	-	4.69	4.69	4.72	4.74
Leaf												
1 - 2	8.0	13.3	1.7	3.3	-	-	-	-	21.7	43.8	17.2	20.5
3	55.1	55.6	36.5	39.0	-	-	-	-	61.3	42.4	60.8	60.0
4	32.5	27.2	47.7	45.6	-	-	-	-	16.5	13.2	20.5	18.3
5	4.1	3.6	12.8	11.0	-	-	-	-	0.4	0.7	1.4	1.2
6	0.3	0.3	1.3	1.0	-	-	-	-	-	-	*	*
7	-	-	*	*	-	-	-	-	-	-	*	*
8	-	-	-	-	-	-	-	-	-	-	*	*
Average	3.33	3.22	3.76	3.67	-	-	-	-	2.92	2.64	3.06	3.00
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	1.0	1.8	0.1	0.3	-	-	-	-	7.5	16.0	1.7	2.7
02	10.6	15.2	2.4	4.2	-	-	-	-	18.3	31.1	22.0	24.2
03	25.1	27.0	13.2	14.8	-	-	-	-	31.2	23.1	31.9	31.9
04	27.1	24.9	24.0	23.4	-	-	-	-	24.3	15.5	23.5	22.2
05	18.6	15.7	23.5	22.5	-	-	-	-	11.8	8.1	12.2	11.1
06	9.8	8.2	17.0	16.2	-	-	-	-	4.6	3.9	5.5	4.9
07	4.6	4.1	10.2	9.6	-	-	-	-	1.9	1.5	2.1	1.9
08	1.9	1.8	5.3	5.0	-	-	-	-	0.3	0.5	0.8	0.7
09	0.8	0.7	2.6	2.3	-	-	-	-	0.1	0.2	0.2	0.2
10	0.3	0.3	1.1	1.0	-	-	-	-	-	-	0.1	0.1
11	0.2	0.2	0.5	0.4	-	-	-	-	-	-	*	*
12	0.1	0.1	0.2	0.2	-	-	-	-	-	-	*	*
13	*	*	0.1	0.1	-	-	-	-	-	-	*	*
14	*	*	*	*	-	-	-	-	-	-	*	*
15	*	*	*	*	-	-	-	-	-	-	-	-
16	*	*	-	-	-	-	-	-	-	-	*	*
17	*	*	-	-	-	-	-	-	-	-	-	-
18 & Above	-	-	-	-	-	-	-	-	-	-	*	*
Average	0.42	0.40	0.52	0.50	-	-	-	-	0.34	0.29	0.35	0.34
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	*	*	*	*	-	-	-	-	-	-	-	*
77	*	*	*	*	-	-	-	-	-	-	0.1	0.1
78	0.1	0.1	0.1	0.1	-	-	-	-	0.2	0.1	0.6	1.0
79	1.1	0.9	0.4	0.8	-	-	-	-	3.4	1.6	3.9	6.2
80	8.2	7.3	3.6	5.3	-	-	-	-	12.2	6.8	19.8	21.8
81	38.6	35.6	19.6	20.6	-	-	-	-	35.1	37.1	37.8	37.1
82	35.1	38.4	42.2	39.6	-	-	-	-	39.3	47.3	25.2	22.8
83	15.6	16.3	28.9	27.6	-	-	-	-	9.4	6.9	9.6	8.4
84	1.2	1.3	4.9	5.7	-	-	-	-	0.4	0.3	2.8	2.3
85 & Above	0.1	0.1	0.2	0.2	-	-	-	-	-	-	0.3	0.2
Average	82.06	82.11	82.56	82.51	-	-	-	-	81.85	81.98	81.69	81.54
Tenderable 3/	79.7	76.6	64.3	55.2	-	-	-	-	73.7	76.0	67.3	66.8
SAMPLES CLASSED	26,305	43,929	94,757	178,623	-	-	-	-	1,495	3,228	47,949	80,373

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 16, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	*	-	-	-	-	-	-	-	-
3.3 - 3.4	-	-	-	0.1	0.1	*	*	*	-	-	-	-
3.5 - 3.6	-	-	-	0.2	0.2	0.2	*	*	-	-	-	-
3.7 - 4.2	-	-	7.1	6.9	7.8	7.8	1.3	1.1	10.2	10.6	-	-
4.3 - 4.9	-	-	60.5	58.7	83.3	83.7	55.4	56.1	57.2	58.5	-	-
5.0 - 5.2	-	-	25.8	27.6	8.6	8.3	35.8	35.3	28.9	27.6	-	-
5.3 & Above	-	-	6.6	6.5	*	*	7.5	7.4	3.7	3.3	-	-
Average	-	-	4.77	4.78	4.64	4.63	4.89	4.89	4.74	4.73	-	-
Leaf												
1 - 2	-	-	12.6	14.9	4.3	4.0	10.2	11.6	14.7	17.7	-	-
3	-	-	54.0	50.2	51.5	51.6	48.5	49.8	46.6	44.1	-	-
4	-	-	29.1	29.2	38.4	38.9	32.7	31.1	26.7	27.0	-	-
5	-	-	4.2	5.4	5.6	5.3	7.4	6.4	9.7	9.1	-	-
6	-	-	0.1	0.2	0.2	0.2	1.1	1.1	1.5	1.4	-	-
7	-	-	-	-	*	*	*	*	0.8	0.7	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	3.25	3.25	3.46	3.46	3.41	3.35	3.38	3.33	-	-
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	1.5	1.8	0.3	0.3	0.8	1.3	1.8	4.0	-	-
02	-	-	13.6	15.1	5.5	5.3	12.0	12.8	14.7	15.3	-	-
03	-	-	26.8	25.0	21.6	21.2	23.3	23.9	20.7	19.1	-	-
04	-	-	25.0	23.3	27.9	28.0	24.1	24.6	21.4	20.3	-	-
05	-	-	16.6	16.2	21.8	22.1	17.6	17.4	15.7	16.0	-	-
06	-	-	8.6	9.4	12.2	12.3	10.5	9.7	10.2	10.2	-	-
07	-	-	4.2	5.0	6.1	6.2	5.7	5.0	6.5	6.5	-	-
08	-	-	1.9	2.4	2.7	2.7	3.0	2.6	3.9	3.8	-	-
09	-	-	0.9	1.1	1.1	1.1	1.5	1.4	2.1	1.9	-	-
10	-	-	0.5	0.5	0.4	0.4	0.8	0.7	1.1	1.0	-	-
11	-	-	0.2	0.2	0.1	0.1	0.4	0.4	0.5	0.5	-	-
12	-	-	0.1	0.1	0.1	0.1	0.2	0.2	0.5	0.5	-	-
13	-	-	*	*	*	*	0.1	0.1	0.5	0.4	-	-
14	-	-	*	*	*	*	*	*	0.2	0.1	-	-
15	-	-	-	-	*	*	*	*	0.1	0.1	-	-
16	-	-	-	-	-	-	-	-	0.1	0.1	-	-
17	-	-	-	-	-	-	-	-	0.1	0.1	-	-
18 & Above	-	-	-	-	-	-	-	-	*	*	-	-
Average	-	-	0.40	0.41	0.45	0.45	0.43	0.42	0.45	0.44	-	-
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	-	-	*	*	-	-	-	-
77	-	-	-	-	*	*	*	*	-	-	-	-
78	-	-	0.2	0.1	0.1	*	0.2	0.2	0.3	0.4	-	-
79	-	-	1.5	1.7	0.2	0.2	1.6	1.6	1.5	2.1	-	-
80	-	-	14.8	9.8	2.3	2.1	11.1	10.8	7.4	8.5	-	-
81	-	-	39.4	39.1	13.4	13.0	32.1	30.9	22.6	23.9	-	-
82	-	-	33.0	37.3	46.8	49.3	34.6	35.6	31.0	30.9	-	-
83	-	-	10.6	11.4	34.7	33.0	16.4	17.1	29.6	27.6	-	-
84	-	-	0.5	0.7	2.4	2.2	3.9	3.7	6.6	5.9	-	-
85 & Above	-	-	0.1	*	0.1	0.1	0.1	0.1	0.9	0.8	-	-
Average	-	-	81.82	81.94	82.66	82.65	82.09	82.12	82.48	82.39	-	-
Tenderable 3/	-	-	64.7	64.6	75.7	72.0	51.7	51.4	63.6	65.8	-	-
SAMPLES CLASSED	-	-	17,599	63,274	29,956	33,071	74,166	146,272	6,756	8,142	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 16, 2025

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	*	*	-	-
2.7 - 2.9	-	-	-	-	-	-	0.3	0.1	-	-
3.0 - 3.2	-	-	-	-	-	-	0.6	0.4	-	-
3.3 - 3.4	-	-	-	-	*	*	0.9	1.4	-	-
3.5 - 3.6	0.1	0.1	0.1	0.3	0.3	0.4	2.3	2.7	-	-
3.7 - 4.2	30.3	30.3	7.7	10.6	14.4	12.8	48.1	45.8	-	-
4.3 - 4.9	64.7	64.7	74.9	74.1	77.4	79.4	47.2	47.1	-	-
5.0 - 5.2	4.9	4.9	16.5	14.5	7.5	7.2	0.6	1.8	-	-
5.3 & Above	*	*	0.8	0.5	0.3	0.2	*	0.7	-	-
Average	4.44	4.44	4.65	4.64	4.56	4.57	4.21	4.25	-	-
Leaf										
1 - 2	64.1	64.1	9.3	10.8	21.6	21.7	27.9	26.8	-	-
3	31.7	31.7	64.1	58.1	60.6	60.1	51.6	48.3	-	-
4	4.1	4.1	24.8	29.6	16.6	16.9	16.5	20.4	-	-
5	0.1	0.1	1.7	1.5	1.1	1.3	3.3	4.0	-	-
6	*	*	0.1	0.1	*	0.1	0.7	0.5	-	-
7	-	-	-	-	-	-	*	*	-	-
8	-	-	-	-	-	-	*	*	-	-
Average	2.09	2.09	3.19	3.22	2.96	2.97	2.94	3.00	-	-
HVI Trash 1/										
00	0.1	0.1	-	-	-	-	-	*	-	-
01	36.4	36.4	0.4	0.6	3.5	3.6	7.1	5.8	-	-
02	26.6	26.6	11.2	13.6	22.3	22.0	25.0	23.3	-	-
03	18.1	18.1	24.8	23.7	32.8	32.4	30.3	27.3	-	-
04	11.9	11.9	32.7	27.9	23.1	23.0	18.8	19.4	-	-
05	4.7	4.7	17.6	18.6	11.0	11.3	9.3	11.8	-	-
06	1.7	1.7	8.9	10.2	4.6	4.8	4.7	6.6	-	-
07	0.4	0.4	3.0	4.2	1.8	1.9	2.2	3.3	-	-
08	0.1	0.1	1.1	1.0	0.6	0.6	1.2	1.5	-	-
09	*	*	0.1	0.1	0.2	0.2	0.6	0.7	-	-
10	*	*	0.1	0.1	0.1	0.1	0.4	0.3	-	-
11	*	*	0.1	0.1	*	*	0.2	0.1	-	-
12	-	-	-	-	*	*	0.1	0.1	-	-
13	*	*	-	-	*	*	*	*	-	-
14	-	-	-	-	-	*	*	*	-	-
15	-	-	-	-	*	*	*	*	-	-
16	-	-	-	-	-	-	*	*	-	-
17	-	-	-	-	-	-	-	*	-	-
18 & Above	-	-	-	-	-	-	*	*	-	-
Average	0.23	0.23	0.40	0.40	0.34	0.34	0.34	0.36	-	-
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	*	*	-	-
75	-	-	-	-	-	-	*	*	-	-
76	-	-	-	-	-	-	0.1	*	-	-
77	*	*	-	-	*	*	0.4	0.1	-	-
78	0.3	0.3	0.9	0.6	0.1	0.1	1.8	0.6	-	-
79	2.6	2.6	3.8	2.5	0.4	0.3	5.7	2.5	-	-
80	14.9	14.9	14.2	9.5	6.8	6.9	19.9	9.9	-	-
81	25.8	25.8	26.3	19.4	39.9	40.7	35.3	28.1	-	-
82	22.5	22.5	36.9	41.7	40.9	41.5	27.2	33.8	-	-
83	20.9	20.9	14.3	23.4	11.6	10.1	8.1	19.2	-	-
84	9.8	9.8	3.0	2.5	0.4	0.4	1.3	5.3	-	-
85 & Above	3.0	3.0	0.5	0.3	*	*	0.1	0.5	-	-
Average	82.29	82.29	81.99	82.27	82.02	82.00	81.54	82.18	-	-
Tenderable 3/	92.2	92.2	81.3	84.1	64.9	61.8	86.9	88.0	-	-
SAMPLES CLASSED	8,115	8,115	1,151	1,766	34,316	45,613	125,714	1,033,087	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 16, 2025

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	48.1	48.1	-	-	-	-
	2	-	-	25.4	25.4	-	-	-	-
	3	-	-	0.1	0.1	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	73.6	73.6	-	-	-	-
02	1	-	-	10.6	10.5	-	-	-	-
	2	-	-	15.2	15.2	-	-	-	-
	3	-	-	0.6	0.6	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	26.4	26.3	-	-	-	-
03	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	0.1	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	0.1	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	26.1	26.1	-	-	-	-
46		-	-	46.7	46.6	-	-	-	-
48		-	-	18.0	18.2	-	-	-	-
50		-	-	9.2	9.2	-	-	-	-
52 & Longer		-	-	-	-	-	-	-	-
Average Staple		-	-	46.20	46.21	-	-	-	-
Average Length		-	-	1.35	1.35	-	-	-	-
EXTRANEIOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	0.9	0.8	-	-	-	-
Spindle Twist		-	-	-	0.1	-	-	-	-
Preparation		-	-	-	0.1	-	-	-	-
All Other		-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 16, 2025

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	-	-	-	-	-
3.3 - 3.4	-	-	7.5	7.5	-	-	-	-
3.5 - 3.6	-	-	28.8	28.7	-	-	-	-
3.7 - 4.2	-	-	63.7	63.8	-	-	-	-
4.3 - 4.9	-	-	*	*	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	3.76	3.76	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-
3.2	-	-	-	-	-	-	-	-
3.3	-	-	2.0	2.0	-	-	-	-
3.4	-	-	5.5	5.5	-	-	-	-
3.5	-	-	21.2	21.2	-	-	-	-
3.6	-	-	7.6	7.5	-	-	-	-
3.7	-	-	1.8	1.8	-	-	-	-
3.8	-	-	12.5	12.5	-	-	-	-
3.9	-	-	30.9	30.8	-	-	-	-
4.0	-	-	16.5	16.7	-	-	-	-
4.1	-	-	2.0	1.9	-	-	-	-
4.2	-	-	-	-	-	-	-	-
4.3	-	-	*	*	-	-	-	-
4.4	-	-	-	-	-	-	-	-
4.5	-	-	-	-	-	-	-	-
4.6	-	-	-	-	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	3.76	3.76	-	-	-	-
STRENGTH 1/ 36 & Below	-	-	19.5	19.4	-	-	-	-
37	-	-	40.8	40.7	-	-	-	-
38	-	-	12.0	12.0	-	-	-	-
39	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-
41	-	-	*	*	-	-	-	-
42	-	-	*	*	-	-	-	-
43	-	-	1.9	2.2	-	-	-	-
44	-	-	8.3	8.3	-	-	-	-
45	-	-	13.4	13.3	-	-	-	-
46	-	-	4.0	4.0	-	-	-	-
47	-	-	*	*	-	-	-	-
48 & Above	-	-	-	-	-	-	-	-
Average	-	-	39.49	39.50	-	-	-	-
UNIFORMITY								
83 & Below	-	-	2.4	2.4	-	-	-	-
84	-	-	58.3	58.4	-	-	-	-
85	-	-	16.2	16.1	-	-	-	-
86	-	-	21.7	21.7	-	-	-	-
87	-	-	1.4	1.4	-	-	-	-
88 & Above	-	-	-	-	-	-	-	-
Average	-	-	85.10	85.09	-	-	-	-
Samples Classed	-	-	2,819	2,826	-	-	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.