



Volume 67, No.12

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	14	93.1	69.7	23,210	14	91.3	65.9	32,560
Corpus Christi	31	89.0	70.4	99,759	42	88.7	72.3	1,102,640
Dumas	32	48.9	19.7	97,986	32	44.1	16.0	304,997
Florence	24	81.1	59.3	31,205	24	78.2	56.5	41,113
Lamesa	3	81.9	58.9	5,280	3	83.7	62.6	6,021
Lubbock	33	87.4	60.8	51,060	33	86.5	59.0	64,830
Macon	45	78.7	60.2	72,777	45	72.4	51.6	184,722
Memphis	61	79.6	55.1	247,098	61	75.9	53.4	453,458
Rayville	13	76.0	51.5	29,605	13	66.3	45.8	113,087
Visalia	7	95.2	79.8	9,386	7	90.6	66.3	22,149
United States	263	77.6	54.1	667,366	274	77.8	57.5	2,325,577
AMERICAN PIMA								
Visalia	6			9,471	6			12,297
United States	6			9,471	6			12,297
United States all cotton	267			676,837	278			2,337,874

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 23, 2025

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	54.4	50.4	11.1	15.3	0.7	1.6	0.9	2.5	51.9	51.0
	3	9.6	8.1	16.9	14.8	0.4	0.8	0.7	1.0	17.9	21.1
	4	0.4	0.3	2.0	1.4	*	*	*	*	4.1	3.6
	5	-	-	0.1	*	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	64.5 58.8	30.0 31.5	1.1 2.4	1.6 3.6	73.9 75.7				
31	1 - 2	3.6	3.5	4.6	5.1	2.7	3.5	11.9	10.7	-	-
	3	10.6	12.4	23.9	22.4	14.1	17.2	27.3	26.6	1.4	1.5
	4	2.5	2.3	8.7	9.3	7.0	7.2	3.5	3.9	3.5	3.2
	5	*	*	1.1	1.0	0.6	0.5	0.1	0.1	0.5	0.5
	6	*	*	0.1	*	*	*	-	-	0.1	*
	7	-	-	*	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	16.7 18.2	38.3 37.7	24.4 28.3	42.8 41.2	5.5 5.1				
41	1 - 2	-	-	0.4	0.5	0.9	0.9	3.1	2.7	-	-
	3	*	*	3.2	4.6	20.6	20.3	30.8	27.5	-	*
	4	*	*	2.2	4.8	32.1	28.4	15.8	16.7	-	-
	5	*	*	0.5	1.2	8.2	6.9	1.5	2.5	-	-
	6	*	*	0.2	0.1	0.6	0.5	0.1	0.1	-	-
	7	*	*	*	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1 0.1	6.5 11.3	62.3 57.1	51.4 49.6	- *				
51	1 - 2	-	-	-	*	*	*	*	*	-	-
	3	-	-	0.1	0.1	1.6	1.3	0.3	0.3	-	-
	4	-	-	0.2	0.4	3.9	3.0	0.7	1.1	-	-
	5	-	-	*	0.1	2.1	1.5	0.4	0.8	-	-
	6	-	-	*	*	0.5	0.4	0.2	0.3	-	-
	7	-	-	-	*	*	*	0.1	0.2	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	0.3 0.7	8.1 6.2	1.6 2.7	- -				
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	*	*	-	-	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- *	* *	- -	- -				
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- -	- -	* *	- -				
12 & 22	1 - 2	10.2	13.9	5.6	4.6	-	*	-	*	8.1	8.0
	3	4.3	4.0	6.2	3.9	-	*	*	*	6.6	6.0
	4	0.4	0.3	2.3	0.9	-	-	*	*	3.0	2.7
	5	*	*	0.1	*	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	14.9 18.2	14.2 9.5	- *	* 0.1	17.8 16.7				
32	1 - 2	0.1	0.1	1.4	0.7	*	*	0.1	0.1	-	-
	3	1.7	2.2	3.0	2.5	*	0.2	0.5	0.6	0.1	0.1
	4	1.0	1.0	2.3	2.2	0.2	0.2	0.2	0.2	0.6	0.5
	5	*	*	0.5	0.6	*	*	*	*	0.4	0.3
	6	-	-	*	*	*	*	-	-	0.1	0.1
	7	-	-	*	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	2.9 3.4	7.2 6.0	0.2 0.5	0.8 0.8	1.2 1.1				
42	1 - 2	*	*	0.1	0.1	*	*	*	0.1	-	-
	3	*	0.1	0.7	0.7	0.4	1.1	0.7	0.9	-	-
	4	*	0.1	0.9	0.9	1.1	2.2	0.7	0.7	*	*
	5	-	-	0.5	0.6	1.0	0.9	0.1	0.1	-	-
	6	-	-	0.1	0.1	0.2	0.1	-	*	-	-
	7	-	-	*	*	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1 0.2	2.3 2.5	2.7 4.3	1.6 1.8	* *				

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 23, 2025

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	*	*	-	*	-	-
	3	-	-	*	*	0.1	0.1	*	0.1	-	-
	4	-	-	*	0.1	0.2	0.3	*	*	-	-
	5	-	-	*	0.1	0.5	0.4	*	*	-	-
	6	-	-	*	*	0.3	0.2	-	-	-	-
	7	-	-	-	*	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	0.2	1.1	1.1	0.1	0.1	-	-
62	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	*	*	-	-	-	-
	4	-	-	*	*	*	*	-	-	-	-
	5	-	-	*	*	-	*	-	-	-	-
	6	-	-	-	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	-	-	-	-
13 & 23	1 - 2	0.2	0.4	0.3	0.1	-	-	-	-	0.4	0.4
	3	0.1	0.2	0.1	0.1	-	-	-	-	0.2	0.2
	4	*	*	*	*	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.6	0.5	0.3	-	-	-	-	0.6	0.6
33	1 - 2	0.1	0.1	*	*	-	-	-	-	*	*
	3	0.2	0.2	0.2	0.1	*	*	*	*	*	*
	4	0.1	0.1	0.1	0.1	-	-	*	*	-	-
	5	*	*	*	*	-	-	*	*	-	-
	6	*	*	*	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.3	0.4	0.2	*	*	0.1	*	0.1	0.1
43	1 - 2	-	-	*	*	-	-	*	*	-	-
	3	*	*	0.1	*	*	*	*	*	*	*
	4	*	*	0.1	0.1	-	*	*	*	-	-
	5	-	-	0.1	*	*	*	-	-	-	-
	6	-	*	*	*	*	*	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	0.3	0.2	*	*	0.1	*	*	*
53	1 - 2	-	-	-	*	*	*	-	-	-	-
	3	-	-	-	*	*	*	*	*	-	-
	4	-	-	*	*	*	*	*	*	-	-
	5	-	-	*	*	*	*	-	-	-	-
	6	-	-	*	*	*	*	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	0.2	0.2	*	*	-	-	-	-	0.8	0.7
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	*	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		*	*	-	-	-	-	-	-	-	-
31		1.4	1.1	-	-	*	*	-	-	*	*
32		1.8	2.7	*	*	*	*	-	-	3.1	2.7
33		3.8	3.9	0.1	0.1	0.3	0.3	0.1	0.2	8.4	8.0
34		8.9	8.0	0.7	0.5	2.2	2.2	1.3	1.7	14.4	13.3
35		15.5	16.1	4.5	2.9	10.3	12.1	7.1	7.4	7.6	7.7
36		15.5	15.0	19.9	13.9	31.6	32.8	24.3	23.9	10.4	11.9
37		18.5	19.3	45.6	47.4	42.4	40.6	49.7	49.3	29.0	30.8
38		13.5	12.4	21.6	26.3	10.9	10.3	13.2	13.1	17.6	17.3
39		8.2	8.1	7.0	8.3	1.9	1.5	3.8	3.9	8.8	7.8
40 & Longer		13.0	13.3	0.6	0.7	0.4	0.2	0.5	0.5	0.6	0.5
Average Staple		36.68	36.67	37.06	37.24	36.56	36.49	36.79	36.78	36.19	36.22
Average Length		1.15	1.14	1.16	1.16	1.14	1.14	1.15	1.15	1.13	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 23, 2025

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1 - 2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	52.0	49.5	1.6	4.0	0.3	1.1	3.0	4.4	54.2	49.6
	4	19.0	18.8	0.5	1.4	0.3	0.8	3.0	3.1	12.8	14.1
	5	1.4	1.2	*	*	*	*	0.2	0.2	0.1	0.4
	6	*	*	-	-	-	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	72.5 69.5	2.2 5.4	0.6 1.9	6.2 7.7	67.2 64.1				
31	1 - 2	0.2	0.2	7.5	10.0	2.0	2.3	9.7	7.6	13.0	6.1
	3	1.6	1.3	15.5	22.0	10.3	9.9	36.0	34.7	11.8	6.9
	4	1.4	1.1	1.9	2.5	2.6	2.6	11.8	12.4	0.4	0.9
	5	0.2	0.2	*	0.1	0.1	0.1	0.9	0.8	-	0.1
	6	*	*	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	3.4 2.8	24.9 34.6	15.0 14.9	58.3 55.5	25.2 14.0				
41	1 - 2	*	*	4.7	3.5	2.6	2.8	0.7	0.4	0.3	0.1
	3	*	*	36.9	30.1	30.5	29.1	14.1	9.8	0.5	0.2
	4	*	*	20.1	16.9	30.1	26.3	14.9	15.7	-	*
	5	*	*	1.7	1.5	5.9	5.0	3.6	3.7	-	*
	6	*	*	*	*	0.3	0.3	0.1	0.2	-	*
	7	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1 0.1	63.5 52.0	69.4 63.6	33.4 29.8	0.8 0.4				
51	1 - 2	-	-	*	*	0.1	0.1	*	*	-	-
	3	-	*	1.3	0.6	1.3	1.4	*	*	-	-
	4	-	-	1.8	0.9	2.5	2.4	0.1	0.2	-	-
	5	-	-	0.4	0.2	1.2	1.1	0.1	0.3	-	-
	6	-	-	*	*	0.2	0.1	-	*	-	-
	7	-	-	-	*	*	*	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- *	3.7 1.7	5.2 5.2	0.2 0.5	- -				
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	* *	* *	- -	- -				
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- -	- -	- -	- -				
12 & 22	1 - 2	12.0	12.6	0.1	0.2	*	*	*	0.1	3.5	12.3
	3	8.1	10.0	*	*	*	*	*	0.1	1.6	3.6
	4	1.0	1.4	-	*	*	*	0.1	0.1	*	0.6
	5	*	*	-	-	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	21.1 24.0	0.1 0.2	* *	0.1 0.3	5.1 16.5				
32	1 - 2	0.1	0.1	0.3	0.3	*	0.2	-	0.1	0.3	0.5
	3	0.4	0.4	0.6	0.9	0.3	0.6	0.4	0.6	1.0	1.5
	4	0.4	0.3	0.1	0.1	0.1	0.1	0.5	1.0	0.1	0.9
	5	0.1	0.1	*	*	*	*	0.3	0.7	-	0.3
	6	*	*	-	-	-	-	*	0.1	-	0.1
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	1.0 0.9	1.0 1.3	0.4 0.8	1.2 2.4	1.3 3.3				
42	1 - 2	*	*	0.2	0.2	0.3	0.7	-	*	*	*
	3	*	*	2.4	2.4	3.0	5.4	0.2	0.3	*	*
	4	*	*	1.3	1.5	2.7	3.7	0.3	1.8	*	*
	5	*	*	0.2	0.3	0.8	0.8	0.1	0.9	-	0.1
	6	*	*	*	*	0.1	0.1	*	0.5	-	*
	7	-	-	*	*	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	* *	4.1 4.4	6.9 10.6	0.5 3.5	0.1 0.2				

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 23, 2025

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	*	0.1	-	-	-	-
	3	-	-	0.2	0.1	0.7	1.0	*	*	-	-
	4	-	-	0.2	0.1	1.2	1.3	*	0.1	-	-
	5	-	*	0.1	*	0.5	0.5	*	0.1	-	-
	6	-	-	*	*	0.1	0.1	-	*	-	-
	7	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	0.5	0.3	2.5	2.9	*	0.2	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	-	-	-	-
13 & 23	1 - 2	0.3	0.4	-	-	-	-	-	-	0.1	0.9
	3	1.2	1.4	-	-	-	-	-	-	*	0.2
	4	0.2	0.2	-	-	-	-	-	-	-	0.1
	5	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.6	2.0	-	-	-	-	-	-	0.1	1.2
33	1 - 2	*	*	*	*	-	*	-	-	-	*
	3	0.1	0.1	*	*	*	*	-	*	0.1	0.1
	4	0.1	0.2	-	-	-	*	*	*	0.1	0.1
	5	*	0.1	-	-	-	-	*	*	-	*
	6	-	*	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.4	*	*	*	*	*	*	0.2	0.2
43	1 - 2	-	-	-	*	-	-	-	*	-	-
	3	*	*	*	*	*	*	-	*	*	*
	4	-	-	*	*	*	*	-	*	0.1	*
	5	-	*	*	*	*	*	-	*	-	*
	6	*	*	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	*	*	*	*	0.1	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	-	-	-
	4	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	*	*	*	-	*	-	-
	7	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	0.1	0.1	*	*	-	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		*	*	-	*	-	-	-	-	-	-
31		0.1	0.2	-	*	-	*	-	-	-	*
32		1.1	1.8	*	0.1	*	*	-	-	-	*
33		5.7	6.8	0.5	0.8	0.1	0.2	0.4	0.1	*	*
34		15.2	16.5	3.9	5.1	1.0	1.4	4.1	2.3	*	0.7
35		20.8	20.7	12.8	15.8	5.0	6.1	11.8	13.7	1.4	2.1
36		23.5	23.4	30.7	32.4	17.3	19.0	31.2	34.7	16.6	12.7
37		22.9	21.6	39.2	34.7	48.4	47.5	43.3	37.9	57.1	53.1
38		9.0	7.6	9.1	8.1	24.3	21.9	6.5	8.3	19.9	25.5
39		1.3	1.1	3.3	2.7	3.6	3.4	2.7	2.6	4.8	5.8
40 & Longer		0.3	0.2	0.5	0.4	0.2	0.3	*	0.1	0.2	0.2
Average Staple		35.73	35.59	36.47	36.32	37.02	36.93	36.43	36.44	37.11	37.19
Average Length		1.11	1.11	1.14	1.13	1.16	1.15	1.14	1.14	1.16	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 23, 2025

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	0.5	0.4	0.7	0.5	0.1	*	0.1	*	7.2	6.5
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.4	0.2	0.1	0.2	*	0.1	1.5	1.3
Grass - Level 2	-	-	-	*	-	-	-	-	-	-
Prep - Level 1	-	-	*	*	-	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	*	*	0.1	3.7	0.9	0.9	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	*	*	-	*	*	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	0.1	*	*	0.1	0.1	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	-	*	-	-	-	-	*	*
23	*	0.1	-	*	-	-	-	-	*	*
24	0.4	0.5	-	*	*	*	-	-	0.5	0.4
25	0.7	0.8	0.1	*	*	*	-	-	2.0	1.8
26	1.1	1.2	0.3	0.2	0.1	0.1	0.1	0.2	7.7	7.0
27	3.8	3.5	2.4	0.9	0.8	0.9	0.8	0.9	8.5	8.7
28	10.5	10.4	9.7	4.7	5.9	6.5	6.5	6.1	3.8	3.9
29	15.9	14.3	22.4	15.0	18.7	19.4	24.8	22.0	10.1	9.3
30	19.3	16.8	23.6	22.3	27.9	28.3	37.7	34.7	11.5	11.4
31	13.4	12.0	15.7	17.3	25.0	24.6	20.2	21.2	8.5	10.8
32	8.6	8.5	9.6	11.7	13.6	13.0	6.7	9.0	11.6	13.1
33	5.7	7.4	8.4	11.4	5.9	5.1	2.1	3.5	11.2	11.1
34	8.8	10.1	5.9	10.5	1.8	1.8	1.0	2.0	10.7	10.1
35	6.4	7.9	1.5	4.6	0.4	0.3	0.1	0.5	7.8	7.0
36	2.7	3.0	0.4	1.2	*	*	*	*	4.6	4.0
37	2.1	2.7	*	0.2	-	-	-	-	1.4	1.2
38	0.4	0.8	*	*	-	-	-	-	0.1	*
39	*	*	*	*	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	31.37	31.62	30.89	31.66	30.91	30.84	30.48	30.67	31.42	31.41
Mike										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	*	-	-	-	-	-	-
2.6	-	-	*	*	-	-	-	-	-	-
2.7	-	-	*	*	-	-	-	-	-	-
2.8	-	-	*	*	-	-	-	-	-	*
2.9	-	-	*	*	-	-	-	-	-	-
3.0	-	-	0.1	0.1	-	-	-	-	-	-
3.1	*	*	0.2	0.1	-	-	*	*	*	*
3.2	0.2	0.2	0.3	0.3	*	*	*	*	0.2	0.2
3.3	*	*	0.4	0.5	*	*	0.1	0.1	0.8	0.7
3.4	0.2	0.2	0.6	0.8	0.1	*	0.1	*	2.3	2.0
3.5	1.1	0.8	1.0	1.2	0.1	*	0.3	0.3	3.2	3.2
3.6	2.1	1.5	1.9	1.6	0.1	*	0.3	0.2	5.1	4.5
3.7	3.5	3.0	3.1	2.5	0.1	*	0.5	0.4	4.8	4.3
3.8	4.1	3.8	4.9	4.3	0.1	*	1.4	1.1	5.2	4.6
3.9	6.0	5.6	7.1	6.7	0.1	*	2.2	1.8	9.3	8.7
4.0	7.5	6.3	9.7	9.1	0.2	0.1	2.8	2.5	10.9	10.3
4.1	10.2	9.3	11.8	10.9	0.3	0.2	4.1	3.8	8.4	8.3
4.2	11.1	11.3	13.8	12.7	0.5	0.4	5.4	5.5	7.2	8.3
4.3	10.0	10.2	13.3	12.7	0.9	0.8	6.1	6.1	7.9	10.9
4.4	8.8	9.4	10.3	11.1	1.9	1.6	7.0	7.0	8.5	10.3
4.5	7.3	8.9	9.8	8.8	3.0	2.7	9.5	9.2	6.2	6.4
4.6	10.6	10.0	6.3	6.1	5.3	4.6	11.3	10.9	10.9	9.6
4.7	9.2	8.7	3.1	4.0	9.6	8.2	12.0	11.6	4.4	3.9
4.8	5.7	6.4	1.5	2.6	13.9	13.8	11.8	11.1	2.3	2.0
4.9	1.7	2.5	0.4	1.5	16.5	17.6	9.1	9.6	1.5	1.3
5.0	0.4	1.1	0.3	0.9	16.3	17.7	7.6	8.4	0.5	0.4
5.1	0.1	0.4	*	0.5	13.5	13.8	5.2	5.8	0.1	0.1
5.2	-	0.2	*	0.3	9.7	9.7	1.8	3.0	*	*
5.3	-	*	0.1	0.2	5.0	5.3	1.0	1.3	-	-
5.4	-	-	0.1	0.2	1.8	2.2	0.2	0.3	-	-
5.5 & Above	-	*	0.1	0.3	0.9	1.0	*	*	-	-
Average	4.29	4.32	4.20	4.24	4.92	4.94	4.60	4.63	4.15	4.17

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 23, 2025

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	4.9	5.2	0.6	0.5	*	*	0.2	0.1	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	0.1	0.1	*	*	*	*	2.4	1.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.3	0.5	0.1	*	0.7	6.4	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	*	*	*	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	0.1
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	-	-	*	*	-	-	-	-
23	*	*	*	*	-	-	-	-	-	-
24	0.1	0.1	*	*	*	*	-	-	-	*
25	0.1	0.2	*	*	*	*	-	*	-	*
26	0.6	1.0	0.1	0.1	*	*	0.1	0.2	*	*
27	2.4	3.3	0.9	1.0	0.2	0.2	1.6	2.9	0.2	0.3
28	5.9	6.3	5.5	5.2	2.1	2.1	8.6	7.8	3.5	5.3
29	12.4	12.2	17.1	15.9	13.3	12.7	24.4	21.1	17.9	19.3
30	17.0	17.8	27.4	26.9	35.3	34.2	33.7	27.5	30.6	28.3
31	19.0	19.2	22.3	24.1	32.4	33.3	13.3	17.7	31.5	23.0
32	17.0	15.8	13.8	14.3	12.5	13.2	10.3	14.4	6.8	6.4
33	11.8	10.8	6.7	7.1	3.3	3.4	5.1	5.7	3.7	8.4
34	7.9	7.9	4.2	3.7	0.8	0.7	2.5	2.0	1.1	6.0
35	3.9	3.5	1.4	1.3	0.1	0.1	0.3	0.7	1.4	1.5
36	1.2	1.3	0.3	0.3	*	*	*	0.1	1.4	0.6
37	0.5	0.5	*	0.1	*	*	*	*	1.5	0.6
38	0.1	0.1	*	*	-	*	-	*	0.2	0.1
39	*	*	-	-	-	-	-	-	0.1	*
40 & Above	-	-	-	-	-	-	-	-	0.1	*
Average	31.62	31.49	31.10	31.12	30.98	31.01	30.59	30.74	31.08	31.16
Mike										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	*	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	0.1	*
2.8	*	*	-	-	-	-	-	-	-	-
2.9	*	*	-	*	-	-	-	-	-	-
3.0	0.1	0.1	-	*	-	-	-	-	-	-
3.1	0.3	0.2	*	*	-	-	-	-	-	-
3.2	0.5	0.4	*	*	-	-	*	*	*	*
3.3	1.0	0.8	*	*	*	*	0.1	*	*	*
3.4	1.0	0.9	0.1	0.1	*	*	-	*	0.6	0.3
3.5	1.6	1.4	0.2	0.1	*	0.1	0.2	*	0.8	0.3
3.6	2.1	1.8	0.5	0.3	0.2	0.2	0.2	0.1	2.6	1.1
3.7	3.3	2.9	0.9	0.5	0.3	0.3	0.4	0.3	5.8	2.5
3.8	3.9	3.6	1.2	0.7	0.6	0.6	0.4	0.6	7.7	3.3
3.9	4.8	5.1	1.7	1.0	0.9	0.9	1.1	1.6	8.0	3.9
4.0	6.1	6.6	2.5	1.8	1.7	1.7	2.0	2.5	6.7	4.1
4.1	6.8	7.4	4.0	2.8	2.7	2.5	2.8	4.6	9.6	7.4
4.2	8.9	9.1	5.0	3.7	3.3	3.5	3.5	5.0	9.3	9.8
4.3	11.3	11.5	6.5	5.5	5.0	5.1	3.7	4.7	7.4	9.7
4.4	12.0	12.6	8.4	7.6	7.3	7.7	5.8	5.2	9.1	11.9
4.5	10.9	11.4	10.3	9.5	10.4	11.2	9.8	8.1	9.2	11.6
4.6	9.7	9.7	11.6	10.8	14.5	14.6	11.3	10.7	6.9	11.2
4.7	6.9	6.6	11.5	11.2	15.0	14.9	12.5	10.6	7.2	7.8
4.8	4.3	4.0	9.5	10.8	14.8	14.2	15.1	10.9	5.5	6.7
4.9	2.4	2.2	8.7	10.2	11.4	10.8	9.2	9.7	2.5	3.9
5.0	1.1	0.9	7.2	9.2	7.0	6.7	8.3	7.5	0.3	2.4
5.1	0.4	0.3	5.1	6.8	3.2	3.1	4.6	7.9	0.6	1.4
5.2	0.2	0.2	3.0	4.0	1.0	1.2	4.6	5.0	0.1	0.5
5.3	0.2	0.2	1.4	2.2	0.4	0.5	3.1	3.1	-	0.2
5.4	0.1	0.1	0.4	0.9	0.1	0.1	1.2	1.4	-	-
5.5 & Above	*	*	0.1	0.5	*	0.1	0.1	0.3	-	-
Average	4.29	4.29	4.60	4.68	4.64	4.64	4.70	4.69	4.24	4.39

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 23, 2025

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	*	*	-	-	-	-	-	-
2.7 - 2.9	-	-	*	0.1	-	-	-	-	-	*
3.0 - 3.2	0.2	0.2	0.5	0.5	*	*	*	*	0.2	0.2
3.3 - 3.4	0.3	0.2	0.9	1.4	0.1	*	0.1	0.1	3.1	2.7
3.5 - 3.6	3.2	2.3	2.8	2.8	0.2	0.1	0.6	0.5	8.3	7.7
3.7 - 4.2	42.5	39.4	50.5	46.1	1.2	0.8	16.5	15.1	45.9	44.4
4.3 - 4.9	53.3	56.2	44.6	46.8	51.1	49.4	66.8	65.5	41.9	44.4
5.0 - 5.2	0.5	1.7	0.4	1.7	39.5	41.2	14.6	17.2	0.6	0.5
5.3 & Above	-	*	0.2	0.7	7.8	8.5	1.3	1.7	-	-
Average	4.29	4.32	4.20	4.24	4.92	4.94	4.60	4.63	4.15	4.17
Leaf										
1 - 2	68.6	68.4	23.5	26.3	4.3	6.1	16.0	16.1	60.9	59.7
3	26.8	27.3	54.4	49.4	37.2	41.0	60.5	57.1	26.6	29.3
4	4.5	4.2	18.9	20.1	44.5	41.4	21.0	22.6	11.3	10.0
5	0.1	0.1	2.9	3.8	12.4	10.2	2.1	3.5	1.0	0.9
6	*	*	0.4	0.4	1.7	1.3	0.3	0.5	0.2	0.1
7	*	*	*	*	*	*	0.1	0.2	-	-
8	-	-	-	*	-	-	-	-	-	-
Average	2.02	2.02	3.01	3.00	3.70	3.59	3.10	3.15	2.28	2.30
HVI Trash 1/										
00	0.1	0.1	*	*	-	-	-	-	0.4	0.3
01	43.1	42.2	4.2	5.5	0.2	0.5	1.9	2.2	34.2	31.1
02	27.9	27.6	23.1	23.2	5.0	6.9	16.1	15.8	29.5	31.6
03	16.1	16.2	31.0	27.9	14.7	17.3	28.7	26.6	16.7	19.2
04	7.8	8.6	21.6	19.7	23.3	23.1	26.3	25.2	11.1	10.5
05	3.4	3.6	11.1	11.7	22.1	20.9	15.6	15.9	5.0	4.6
06	1.1	1.2	5.3	6.4	15.2	14.3	6.8	7.6	2.0	1.8
07	0.3	0.3	2.2	3.1	9.3	8.4	2.6	3.4	0.6	0.5
08	0.1	0.1	1.0	1.4	5.0	4.4	1.1	1.6	0.2	0.1
09	*	*	0.3	0.6	2.7	2.2	0.4	0.7	0.1	0.1
10	*	*	0.1	0.2	1.4	1.1	0.2	0.4	0.1	0.1
11	-	*	*	0.1	0.7	0.5	0.1	0.2	*	*
12	*	*	*	*	0.3	0.2	0.1	0.1	*	*
13	-	*	*	*	0.1	0.1	0.1	0.1	*	*
14	-	-	*	*	*	*	*	*	-	-
15	-	-	*	*	*	*	*	*	-	-
16	-	-	-	*	-	-	*	*	-	-
17	-	-	-	*	-	-	-	*	-	-
18 & Above	-	-	-	*	-	-	-	*	-	-
Average	0.21	0.21	0.35	0.35	0.51	0.48	0.38	0.39	0.23	0.23
UNIFORMITY 2/										
74 & Below	-	-	-	*	-	-	-	-	-	-
75	-	-	*	*	-	-	-	-	-	-
76	*	*	*	*	*	*	-	-	*	*
77	0.8	0.9	0.2	0.1	*	*	-	-	1.9	1.7
78	3.6	3.0	1.0	0.5	0.2	0.2	0.2	0.3	15.8	14.4
79	9.1	8.2	5.0	2.5	1.5	1.3	1.6	1.7	22.2	19.8
80	25.8	23.7	18.0	10.5	9.9	9.0	8.3	8.4	21.5	20.4
81	26.3	25.7	34.6	28.5	31.6	30.3	24.2	23.9	18.3	18.4
82	17.6	18.2	26.5	33.4	35.6	35.7	37.2	36.1	13.2	16.1
83	7.4	10.5	10.1	18.7	17.4	18.4	23.5	24.3	6.6	8.6
84	8.7	8.7	4.3	5.3	3.6	4.9	4.8	4.9	0.5	0.6
85 & Above	0.6	1.2	0.4	0.5	0.1	0.2	0.3	0.4	-	-
Average	81.48	81.62	81.75	82.17	82.13	82.21	82.32	82.33	80.53	80.71
Tenderable 3/	93.1	91.3	89.0	88.7	48.9	44.1	81.1	78.2	81.9	83.7
SAMPLES CLASSED										
Week	23,210		99,759		97,986		31,205		5,280	
Season	32,560		1,102,640		304,997		41,113		6,021	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 23, 2025

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	*	-	-	-	-	-	-
2.7 - 2.9	*	*	-	*	-	-	-	-	0.1	*
3.0 - 3.2	0.9	0.7	*	*	-	-	*	*	*	*
3.3 - 3.4	2.0	1.7	0.1	0.1	*	*	0.1	*	0.7	0.3
3.5 - 3.6	3.7	3.2	0.7	0.3	0.2	0.2	0.3	0.2	3.4	1.4
3.7 - 4.2	33.8	34.7	15.3	10.5	9.6	9.5	10.1	14.5	47.1	31.0
4.3 - 4.9	57.5	58.0	66.6	65.5	78.5	78.6	67.6	59.9	47.7	62.8
5.0 - 5.2	1.7	1.4	15.4	20.0	11.2	11.1	17.5	20.5	1.0	4.3
5.3 & Above	0.3	0.3	1.8	3.5	0.5	0.7	4.4	4.9	-	0.2
Average	4.29	4.29	4.60	4.68	4.64	4.64	4.70	4.69	4.24	4.39
Leaf										
1 - 2	64.6	62.8	14.5	18.2	5.3	7.3	13.5	12.6	71.4	69.5
3	30.4	32.1	57.5	57.6	46.4	48.2	53.7	48.6	27.8	26.7
4	4.5	4.6	25.4	22.0	39.3	36.4	27.7	31.4	0.8	3.1
5	0.4	0.5	2.5	2.1	8.4	7.4	4.9	6.5	-	0.6
6	*	0.1	0.1	0.1	0.6	0.6	0.2	0.8	-	0.1
7	-	-	*	*	*	*	-	-	-	-
8	-	*	-	*	-	-	-	-	-	-
Average	2.28	2.31	3.16	3.08	3.53	3.46	3.24	3.34	2.20	2.21
HVI Trash 1/										
00	*	*	-	-	*	*	-	-	-	*
01	27.9	26.0	1.8	2.6	0.4	0.9	2.1	1.6	24.7	29.2
02	42.5	42.8	18.0	21.3	6.6	8.4	14.3	13.2	50.1	45.9
03	18.1	19.2	29.8	30.3	19.7	21.1	27.1	23.9	20.2	17.6
04	7.1	7.5	24.7	23.0	25.6	25.6	24.9	23.7	4.0	4.6
05	2.6	2.7	14.4	12.7	21.0	19.9	16.0	17.0	0.8	1.6
06	1.1	1.1	6.6	5.9	13.2	12.0	8.5	10.1	0.1	0.6
07	0.4	0.5	2.9	2.6	7.2	6.5	4.1	5.3	0.1	0.3
08	0.2	0.2	1.1	1.0	3.5	3.1	1.8	2.7	*	0.1
09	0.1	0.1	0.5	0.4	1.6	1.4	0.8	1.3	-	0.1
10	*	0.1	0.2	0.2	0.7	0.6	0.2	0.7	-	*
11	*	*	0.1	0.1	0.3	0.3	0.1	0.4	-	*
12	*	*	*	*	0.1	0.1	*	0.2	-	*
13	*	*	*	*	0.1	0.1	*	*	-	-
14	*	*	*	*	*	*	*	*	-	-
15	-	-	*	*	*	*	-	-	-	-
16	-	-	*	*	-	-	-	-	-	-
17	-	-	*	*	-	-	-	-	-	-
18 & Above	-	*	*	*	-	-	-	-	-	-
Average	0.22	0.23	0.37	0.36	0.46	0.45	0.40	0.42	0.21	0.21
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	-	-	-	-
75	*	*	-	-	-	-	-	-	-	-
76	0.1	0.3	*	*	*	*	-	-	*	*
77	0.8	1.1	0.1	0.1	*	*	-	-	0.1	*
78	3.9	5.4	0.8	0.8	0.1	0.1	0.3	0.2	1.0	0.4
79	12.5	13.1	5.0	4.8	0.6	0.5	2.5	2.5	6.7	2.9
80	29.0	27.3	19.8	18.9	4.1	4.1	12.4	12.7	8.1	12.0
81	32.8	32.0	37.6	38.1	20.4	21.2	33.7	36.6	35.8	33.7
82	16.5	16.7	28.6	27.4	43.0	43.4	35.1	35.2	33.2	38.4
83	3.8	3.6	6.9	8.2	29.5	28.2	15.4	12.2	12.6	11.3
84	0.4	0.4	1.1	1.6	2.3	2.5	0.5	0.6	2.4	1.3
85 & Above	*	*	0.1	0.1	0.1	0.1	*	*	0.1	*
Average	81.00	80.94	81.58	81.63	82.49	82.47	81.93	81.88	81.86	81.90
Tenderable 3/	87.4	86.5	78.7	72.4	79.6	75.9	76.0	66.3	95.2	90.6
SAMPLES CLASSED										
Week	51,060		72,777		247,098		29,605		9,386	
Season		64,830		184,722		453,458		113,087		22,149

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 23, 2025

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	28.9	33.3		MIKE	-	-
	2	19.9	21.1		2.4 & Below	-	-
	3	0.1	0.1		2.5 - 2.6	-	-
	4	-	-		2.7 - 2.9	-	-
	5	-	-		3.0 - 3.2	*	*
	6	-	-		3.3 - 3.4	0.9	2.4
	7	-	-		3.5 - 3.6	11.4	15.3
Total -----		48.9	54.6		3.7 - 4.2	87.6	82.1
02	1	11.6	11.3		4.3 - 4.9	0.2	0.2
	2	33.5	29.3		5.0 - 5.2	-	-
	3	3.1	2.5		5.3 & Above	-	-
	4	*	*		Average	3.86	3.84
	5	-	-		ALL RANGE MIKE		
	6	-	-		2.4 & Below	-	-
	7	-	-		2.5	-	-
Total -----		48.2	43.1		2.6	-	-
03	1	*	*		2.7	-	-
	2	1.6	1.3		2.8	-	-
	3	1.2	1.0		2.9	-	-
	4	-	-		3.0	-	-
	5	-	-		3.1	-	-
	6	-	-		3.2	*	*
	7	-	-		3.3	0.1	0.5
Total -----		2.9	2.2		3.4	0.8	1.9
04	1	-	-		3.5	3.7	7.7
	2	-	-		3.6	7.6	7.6
	3	-	*		3.7	12.0	9.7
	4	-	-		3.8	19.4	17.8
	5	-	-		3.9	21.0	23.3
	6	-	-		4.0	25.0	23.1
	7	-	-		4.1	8.8	7.2
Total -----		-	*		4.2	1.3	1.0
05	1	-	-		4.3	0.1	0.1
	2	-	-		4.4	*	*
	3	-	-		4.5	*	*
	4	-	*		4.6	-	-
	5	-	-		4.7	-	-
	6	-	-		4.8	-	-
	7	-	-		4.9	-	-
Total -----		-	*		5.0	-	-
06	1	-	-		5.1	-	-
	2	-	-		5.2	-	-
	3	-	-		5.3 & Above	-	-
	4	-	-		Average	3.86	3.84
	5	-	-		STRENGTH 1/		
	6	-	-		36 & Below	2.8	6.6
	7	-	-		37	16.6	22.1
Total -----		-	-		38	9.3	9.9
07	1	-	-		39	2.7	2.1
	2	-	-		40	1.6	1.3
	3	-	-		41	4.7	3.7
	4	-	-		42	9.4	7.3
	5	-	-		43	15.0	12.0
	6	-	-		44	23.6	20.1
	7	-	-		45	12.0	12.3
Total -----		-	-		46	2.1	2.5
STAPLE					47	0.1	0.1
44 & Shorter		9.5	13.3		48 & Above	*	*
46		21.6	27.4		Average	41.99	41.42
48		50.2	42.8		UNIFORMITY		
50		18.6	16.5		83 & Below	1.1	1.4
52 & Longer		0.1	*		84	25.9	33.4
Average Staple		47.56	47.25		85	33.8	29.7
Average Length		1.38	1.37		86	36.8	33.3
EXTRANEEOUS MATTER					87	2.2	2.0
Bark		-	-		88 & Above	0.1	0.1
Grass		1.0	1.0		Average	85.57	85.46
Spindle Twist		-	*		Samples Classed		
Preparation		*	*		Week	9,471	
All Other		*	*		Season		12,297

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.