



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	18	88.1	75.6	39,023	18	82.0	65.9	82,952
AR	26	70.8	38.7	128,924	26	61.8	34.1	307,525
AZ*	-	-	-	-	-	-	-	-
CA	6	93.9	85.1	6,238	6	93.9	85.2	6,297
FL	3	75.5	49.3	4,441	3	75.7	52.7	7,669
GA	32	77.0	56.9	51,646	32	70.8	49.2	132,019
KS	-	-	-	-	-	-	-	-
LA	11	77.7	53.1	25,560	11	68.4	47.2	88,834
MO	14	78.2	56.3	57,497	14	75.9	53.8	90,563
MS	29	56.4	29.0	84,925	29	53.2	24.9	231,197
NC	16	87.2	66.2	25,374	16	82.0	61.2	33,516
NM	-	-	-	-	-	-	-	-
OK	6	96.2	75.4	17,099	6	94.9	71.5	25,214
SC	7	53.6	27.9	5,705	7	60.8	34.9	7,471
TN	17	77.7	59.6	53,923	17	70.4	54.8	99,535
TX	76	87.9	66.3	163,737	87	88.0	71.0	1,196,807
VA*	-	-	-	-	-	-	-	-
United States	263	77.6	54.1	667,366	274	77.8	57.5	2,325,577
AMERICAN PIMA								
AZ	-			-	-			-
CA	6			9,471	6			12,297
NM	-			-	-			-
TX	-			-	-			-
United States	6			9,471	6			12,297
United States all cotton	267			676,837	278			2,337,874

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 23, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	1.0	2.0	*	0.4	-	-	50.3	50.0	0.2	16.5	1.7	3.5
	3	0.5	1.1	*	0.2	-	-	16.1	16.0	0.5	3.3	0.4	1.2
	4	*	*	-	*	-	-	0.2	0.2	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	1.63.2	*0.6		-	-	66.666.3		0.719.8		2.24.7	
31	1 - 2	9.2	8.4	0.3	1.1	-	-	17.5	17.7	5.7	4.8	6.2	9.9
	3	33.3	30.5	4.4	8.3	-	-	14.5	14.7	16.0	16.6	13.7	21.8
	4	7.6	7.0	2.0	3.6	-	-	0.5	0.5	2.1	2.8	1.4	2.3
	5	0.3	0.2	0.1	0.1	-	-	-	-	-	-	*	*
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	50.446.2	6.913.1		-	-	32.632.9		23.924.3		21.434.0	
41	1 - 2	3.1	2.2	0.7	0.8	-	-	0.3	0.3	3.2	2.4	4.2	3.4
	3	21.8	21.2	26.1	24.4	-	-	0.2	0.2	32.7	26.0	39.3	32.0
	4	18.0	17.6	41.0	36.8	-	-	-	-	24.0	17.6	20.4	16.0
	5	2.1	2.4	10.8	9.2	-	-	-	-	2.5	1.7	1.6	1.2
	6	0.1	0.1	0.8	0.7	-	-	-	-	0.1	0.1	*	*
	7	*	*	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	45.043.6	79.472.0		-	-	0.50.5		62.547.8		65.552.7	
51	1 - 2	*	*	*	*	-	-	-	-	-	-	*	*
	3	0.2	0.2	1.0	1.1	-	-	-	-	0.7	0.6	1.6	0.7
	4	0.2	0.2	3.0	2.7	-	-	-	-	1.1	0.8	2.4	1.1
	5	0.1	0.1	2.2	1.6	-	-	-	-	0.3	0.2	0.5	0.2
	6	*	*	0.4	0.3	-	-	-	-	*	*	*	*
	7	-	-	*	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total		----	0.50.5	6.75.9		-	-	-	-	2.11.6		4.62.1	
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	*	*
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	**	-	-	-	-	-	-	**	
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	0.2	0.4	*	*	-	-	0.1	0.1	-	*	*	*
	3	*	0.1	*	*	-	-	*	*	-	-	*	*
	4	-	*	*	*	-	-	-	-	-	-	-	*
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.20.5	**		-	-	0.20.2		-*		0.10.1	
32	1 - 2	0.2	0.4	*	*	-	-	0.1	0.1	0.3	0.2	0.3	0.2
	3	0.5	1.2	0.1	0.2	-	-	0.1	0.1	1.9	1.1	0.6	0.8
	4	0.1	0.2	0.1	0.1	-	-	*	*	0.3	0.2	*	0.1
	5	*	*	*	*	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.81.9	0.10.3		-	-	0.20.2		2.51.5		1.01.1	
42	1 - 2	0.1	0.1	*	*	-	-	*	*	0.7	0.4	0.2	0.3
	3	0.8	1.8	1.4	2.0	-	-	-	-	5.2	3.1	2.8	2.8
	4	0.4	1.6	2.4	3.1	-	-	-	-	1.8	1.1	1.5	1.7
	5	0.1	0.4	1.1	1.1	-	-	-	-	0.2	0.1	0.2	0.2
	6	*	0.1	0.1	0.1	-	-	-	-	-	-	*	*
	7	*	*	*	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	1.44.0	5.16.3		-	-	**		7.84.7		4.65.0	

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 23, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	*	*	-	-	-	-	-	-	*	*
	3	*	*	0.2	0.3	-	-	-	-	0.2	0.2	0.2	0.1
	4	*	0.1	0.8	0.8	-	-	-	-	0.1	0.1	0.3	0.2
	5	*	*	0.6	0.5	-	-	-	-	*	*	0.1	0.1
	6	*	*	0.1	0.1	-	-	-	-	*	*	*	*
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	0.1	1.8	1.7	-	-	-	-	0.4	0.3	0.6	0.4
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	*	*	-	-	-	-	-	-	-	-	*	*
	3	*	*	-	*	-	-	-	-	-	-	*	*
	4	-	-	-	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	-	-	-	-	-	-	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	*	*	-	-	-	-	*	*	*	*
	4	*	*	*	*	-	-	-	-	-	-	*	*
	5	*	*	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	*	*	-	-
	4	-	-	*	*	-	-	-	-	-	-	*	*
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	*	*	*	-	-	-	-	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	-	-	-	-	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		-	-	-	*	-	-	-	-	-	-	-	*
32		*	*	*	*	-	-	-	-	-	-	*	0.1
33		0.2	0.3	*	0.2	-	-	*	*	-	*	0.6	1.0
34		2.8	3.1	0.3	0.4	-	-	*	*	*	0.1	4.3	5.9
35		11.1	12.0	3.2	3.8	-	-	2.0	2.0	6.4	9.0	14.0	17.7
36		22.7	23.9	15.9	20.1	-	-	24.7	24.5	26.9	31.6	33.0	34.5
37		43.8	42.3	54.7	53.1	-	-	49.7	49.3	58.0	53.5	35.3	30.7
38		16.0	15.5	22.5	19.2	-	-	16.1	16.9	7.7	5.2	8.7	6.9
39		3.0	2.6	3.1	2.9	-	-	7.0	6.9	1.0	0.6	3.4	2.8
40 & Longer		0.3	0.3	0.3	0.3	-	-	0.3	0.3	-	-	0.6	0.5
Average Staple		36.69	36.63	37.06	36.96	-	-	37.02	37.03	36.70	36.56	36.41	36.22
Average Length		1.14	1.14	1.16	1.15	-	-	1.15	1.16	1.14	1.14	1.13	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 23, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	3.4	5.4	*	*	1.4	3.6	0.8	2.6	-	-
	3	-	-	2.8	3.1	*	*	1.3	2.1	0.7	0.9	-	-
	4	-	-	*	0.1	-	-	*	*	*	*	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	6.2	8.6	*	*	2.7	5.8	1.6	3.6	-	-
31	1 - 2	-	-	10.7	8.8	0.3	0.6	4.2	4.9	13.4	11.9	-	-
	3	-	-	37.5	38.5	5.4	6.2	19.3	20.2	28.5	27.1	-	-
	4	-	-	11.5	12.5	1.4	1.3	8.2	7.2	3.9	4.1	-	-
	5	-	-	0.7	0.7	*	*	0.6	0.5	0.1	0.1	-	-
	6	-	-	*	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	60.5	60.6	7.1	8.1	32.3	32.8	45.9	43.2	-	-
41	1 - 2	-	-	0.8	0.4	1.2	1.3	1.0	1.2	3.1	2.7	-	-
	3	-	-	13.1	9.2	35.2	33.4	19.0	21.1	29.1	26.1	-	-
	4	-	-	14.1	15.0	33.6	30.6	26.6	21.0	14.7	15.6	-	-
	5	-	-	3.8	4.0	4.0	3.6	6.3	4.6	1.6	2.8	-	-
	6	-	-	0.1	0.1	0.1	0.1	0.4	0.4	0.1	0.2	-	-
	7	-	-	-	-	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	32.1	28.7	74.1	68.9	53.2	48.3	48.7	47.4	-	-
51	1 - 2	-	-	*	*	*	*	*	*	*	*	-	-
	3	-	-	*	*	1.9	1.9	1.8	1.6	0.2	0.2	-	-
	4	-	-	0.1	0.2	3.6	3.5	3.6	3.1	0.6	1.2	-	-
	5	-	-	*	0.3	0.7	0.8	1.7	1.5	0.4	0.9	-	-
	6	-	-	-	*	*	*	0.5	0.4	0.2	0.4	-	-
	7	-	-	-	-	-	-	*	*	0.1	0.2	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.2	0.6	6.3	6.2	7.7	6.6	1.5	3.0	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	*	*	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	*	*	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	*	*	-	-
12 & 22	1 - 2	-	-	*	0.2	-	-	-	*	-	*	-	-
	3	-	-	*	*	-	-	-	*	*	*	-	-
	4	-	-	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	0.2	-	-	-	0.1	*	0.1	-	-
32	1 - 2	-	-	-	0.1	*	*	*	0.1	0.1	0.1	-	-
	3	-	-	0.3	0.3	0.2	0.5	*	0.3	0.6	0.6	-	-
	4	-	-	0.3	0.1	0.1	0.1	0.2	0.2	0.2	0.2	-	-
	5	-	-	*	*	*	*	*	*	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.6	0.5	0.3	0.6	0.3	0.6	0.9	0.9	-	-
42	1 - 2	-	-	-	*	0.1	0.5	*	*	*	0.1	-	-
	3	-	-	0.2	0.1	3.0	5.0	0.4	1.4	0.5	0.9	-	-
	4	-	-	0.2	0.4	3.9	4.4	0.8	2.2	0.6	0.6	-	-
	5	-	-	*	0.1	0.9	0.8	1.0	0.8	0.1	0.1	-	-
	6	-	-	-	*	*	*	0.3	0.2	-	*	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.4	0.6	8.0	10.7	2.5	4.6	1.2	1.6	-	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 23, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	*	0.1	*	*	-	*	-	-
	3	-	-	*	*	1.3	1.8	0.1	0.1	*	0.1	-	-
	4	-	-	-	*	2.3	2.7	0.2	0.4	*	*	-	-
	5	-	-	*	*	0.5	0.8	0.6	0.5	*	*	-	-
	6	-	-	-	-	*	0.1	0.4	0.3	-	-	-	-
	7	-	-	-	-	*	*	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	4.2	5.4	1.2	1.3	*	0.1	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	-	-	-
	5	-	-	-	-	*	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	*	*	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	*	*	*	*	-	-
	4	-	-	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	*	*	0.1	0.1	-	-
43	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	*	*	*	*	-	-
	4	-	-	-	*	*	*	-	*	*	*	-	-
	5	-	-	-	*	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	*	*	*	*	*	*	-	-
53	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	*	-	-
	4	-	-	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	*	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	*	*	-	-	-	-
32		-	-	-	-	-	-	*	*	-	-	-	-
33		-	-	0.4	0.1	*	*	0.4	0.4	0.1	0.2	-	-
34		-	-	2.5	1.8	0.5	0.5	3.0	3.2	0.9	1.5	-	-
35		-	-	8.6	12.0	2.2	2.4	12.4	16.3	5.5	6.3	-	-
36		-	-	29.8	35.0	10.8	12.6	31.2	32.6	20.6	21.1	-	-
37		-	-	48.2	37.7	43.9	46.7	36.9	33.7	52.4	50.5	-	-
38		-	-	7.5	10.0	37.3	33.3	12.2	11.0	15.2	15.0	-	-
39		-	-	2.9	3.3	5.0	4.3	3.4	2.4	4.7	4.8	-	-
40 & Longer		-	-	0.1	0.1	0.2	0.2	0.5	0.4	0.6	0.6	-	-
Average Staple		-	-	36.57	36.52	37.31	37.24	36.54	36.40	36.92	36.87	-	-
Average Length		-	-	1.14	1.14	1.17	1.16	1.14	1.13	1.15	1.15	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Oct 23, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	54.5	50.8	1.0	2.1	0.1	0.6	26.7	17.3	-	-
	3	10.2	8.2	0.6	1.6	*	0.1	17.2	14.9	-	-
	4	0.4	0.3	-	-	-	-	1.8	1.4	-	-
	5	-	-	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	65.2	59.4	1.7	3.7	0.1	0.6	45.8	33.6	-	-
31	1 - 2	4.8	4.5	5.3	5.2	3.4	4.3	2.9	4.7	-	-
	3	14.4	16.0	22.1	24.6	9.5	7.7	15.3	20.9	-	-
	4	3.4	3.0	1.8	2.8	1.5	1.1	6.1	8.8	-	-
	5	0.1	*	-	*	*	*	0.8	0.9	-	-
	6	*	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	22.7	23.5	29.1	32.6	14.4	13.1	25.1	35.3	-	-
41	1 - 2	-	-	3.1	2.4	9.0	9.2	0.2	0.4	-	-
	3	*	*	37.8	33.6	42.2	36.0	2.0	4.3	-	-
	4	0.1	0.1	21.0	21.5	14.7	12.2	1.4	4.6	-	-
	5	*	*	1.0	1.1	0.9	0.8	0.3	1.2	-	-
	6	*	*	-	*	*	*	0.1	0.1	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	62.9	58.7	66.8	58.1	4.1	10.7	-	-
51	1 - 2	-	-	-	-	0.1	0.1	-	*	-	-
	3	-	-	0.8	0.6	1.6	1.5	*	0.1	-	-
	4	-	-	1.2	0.9	1.7	1.4	0.1	0.4	-	-
	5	-	-	0.2	0.2	0.3	0.2	*	0.1	-	-
	6	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	2.1	1.7	3.8	3.3	0.2	0.6	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	4.1	8.1	-	-	-	0.1	8.4	5.2	-	-
	3	2.7	3.0	-	-	-	*	6.9	4.2	-	-
	4	0.4	0.3	-	-	-	-	1.9	0.9	-	-
	5	*	*	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	7.3	11.5	-	-	-	0.1	17.2	10.4	-	-
32	1 - 2	0.2	0.2	*	*	0.1	0.6	0.9	0.6	-	-
	3	2.3	2.9	0.3	0.3	0.5	1.1	2.0	2.3	-	-
	4	1.3	1.4	0.1	0.1	0.1	0.1	1.6	2.1	-	-
	5	*	*	-	-	-	*	0.4	0.6	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	3.9	4.4	0.5	0.4	0.7	1.8	4.9	5.7	-	-
42	1 - 2	-	-	0.2	0.1	1.0	2.4	0.1	0.1	-	-
	3	0.1	0.1	1.7	1.4	6.9	13.1	0.5	0.7	-	-
	4	*	0.1	1.3	1.0	3.1	3.9	0.5	1.0	-	-
	5	-	-	0.1	0.1	0.4	0.3	0.3	0.6	-	-
	6	-	-	-	-	*	*	*	0.2	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.2	3.2	2.6	11.4	19.8	1.4	2.5	-	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Oct 23, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	0.1	0.1	-	*	-	-
	3	-	-	0.1	*	1.4	1.8	*	*	-	-
	4	-	-	*	*	1.2	1.2	*	0.1	-	-
	5	-	-	*	*	0.1	0.1	*	0.1	-	-
	6	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	0.1	2.8	3.2	*	0.2	-	-
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	*	*	*	*	-	-
	5	-	-	-	-	-	*	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	*	*	*	*	-	-
13 & 23	1 - 2	0.1	0.2	-	-	-	-	0.3	0.1	-	-
	3	0.1	0.2	-	-	-	-	0.5	0.2	-	-
	4	*	*	-	-	-	-	0.1	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.3	-	-	-	-	0.8	0.4	-	-
33	1 - 2	0.1	0.1	-	-	-	*	*	*	-	-
	3	0.3	0.2	-	-	-	*	0.1	0.1	-	-
	4	0.1	0.1	-	-	-	-	0.1	0.1	-	-
	5	*	*	-	-	-	-	*	*	-	-
	6	*	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	0.4	-	-	-	*	0.3	0.2	-	-
43	1 - 2	-	-	*	*	-	-	*	*	-	-
	3	-	*	0.2	0.2	*	*	0.1	*	-	-
	4	-	-	*	*	*	*	0.1	0.1	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	0.3	0.2	0.1	*	0.2	0.2	-	-
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	*	*	*	*	-	*	-	-
	4	-	-	*	*	*	*	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	*	*	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	0.2	0.2	-	-	-	-	0.1	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	*	*	-	-
31		-	-	-	-	-	-	0.2	*	-	-
32		*	*	-	-	-	*	0.7	0.2	-	-
33		0.9	0.7	0.3	0.2	0.2	0.2	2.6	0.6	-	-
34		4.2	4.5	3.1	2.5	2.3	3.8	6.6	1.5	-	-
35		9.2	12.0	14.8	12.3	9.0	12.7	11.0	4.1	-	-
36		15.5	15.5	41.0	36.7	31.4	33.1	20.6	14.6	-	-
37		23.2	23.6	37.8	44.1	46.1	40.7	36.3	45.8	-	-
38		18.2	16.0	3.0	4.0	9.9	8.8	16.5	24.8	-	-
39		11.1	10.5	0.1	0.2	1.0	0.7	5.0	7.7	-	-
40 & Longer		17.7	17.2	-	-	*	*	0.5	0.7	-	-
Average Staple		37.50	37.40	36.22	36.35	36.55	36.40	36.50	37.11	-	-
Average Length		1.17	1.17	1.13	1.13	1.14	1.13	1.14	1.16	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 23, 2025

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.1	0.1	*	*	-	-	-	-	0.5	0.3	0.8	0.6
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	0.1	*	0.2	-	-	3.7	3.6	0.1	0.1	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.3	0.1	3.7	-	-	-	-	0.4	0.3	0.4	0.4
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	-	-	-	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	*	*	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	*	*
24	-	-	-	-	-	-	-	-	-	-	*	*
25	*	*	*	*	-	-	-	-	-	-	*	*
26	*	*	*	0.1	-	-	*	*	-	*	0.1	0.2
27	0.3	0.2	0.2	0.4	-	-	0.3	0.3	0.3	0.3	1.2	1.3
28	2.8	2.3	2.7	3.4	-	-	3.4	3.4	2.6	2.3	6.7	6.5
29	20.2	16.7	11.4	13.1	-	-	23.1	22.9	10.6	11.0	19.2	18.5
30	34.6	31.6	33.2	31.3	-	-	31.9	32.5	23.7	26.6	27.8	27.8
31	23.6	24.9	33.1	33.0	-	-	30.0	29.7	15.5	18.5	21.1	22.4
32	11.6	14.5	14.7	14.5	-	-	3.8	3.8	16.1	13.0	12.7	12.5
33	4.1	6.4	4.2	3.8	-	-	0.2	0.2	13.0	11.4	6.1	6.0
34	1.9	2.5	0.4	0.4	-	-	0.2	0.2	15.2	13.8	3.4	3.0
35	0.5	0.8	*	0.1	-	-	2.1	2.0	3.0	3.0	1.4	1.1
36	0.2	0.1	*	*	-	-	2.1	2.1	-	0.1	0.3	0.4
37	*	*	-	-	-	-	2.3	2.3	-	-	*	0.1
38	-	-	-	-	-	-	0.3	0.3	-	-	*	*
39	-	-	-	-	-	-	0.1	0.1	-	-	-	-
40 & Above	-	-	-	-	-	-	0.2	0.2	-	-	-	-
Average	30.88	31.10	31.05	31.00	-	-	30.95	30.95	31.91	31.78	30.96	30.95
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	*
2.7	-	-	-	-	-	-	0.2	0.2	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	*
3.0	-	-	-	-	-	-	-	-	-	-	-	*
3.1	*	*	-	-	-	-	-	-	-	-	*	*
3.2	*	*	-	-	-	-	*	*	0.1	*	*	*
3.3	*	*	-	-	-	-	0.1	0.1	-	-	*	*
3.4	0.1	0.1	*	*	-	-	0.9	0.9	0.1	0.1	0.2	0.1
3.5	0.1	0.1	*	*	-	-	1.2	1.1	0.4	0.2	0.2	0.1
3.6	0.4	0.4	*	*	-	-	3.9	3.9	1.8	1.0	0.5	0.3
3.7	1.4	1.0	*	*	-	-	8.0	7.9	2.7	1.6	0.7	0.4
3.8	1.9	1.7	*	0.1	-	-	10.3	10.2	1.6	1.0	1.2	0.7
3.9	3.4	2.7	0.1	0.2	-	-	10.6	10.5	1.1	0.6	1.6	0.9
4.0	4.9	4.3	0.3	0.3	-	-	8.4	8.4	1.3	0.8	2.6	1.8
4.1	6.6	5.3	0.6	0.7	-	-	11.7	11.6	1.1	0.9	4.2	2.7
4.2	7.5	6.4	1.1	1.3	-	-	9.7	10.0	2.7	3.3	5.1	3.5
4.3	8.9	8.2	1.8	2.2	-	-	8.1	8.4	4.3	6.4	6.2	5.0
4.4	10.1	9.4	4.1	4.2	-	-	7.9	7.8	7.8	9.4	7.6	7.2
4.5	11.9	10.5	7.4	7.0	-	-	5.5	5.4	6.8	9.3	9.2	9.2
4.6	11.4	11.1	12.6	10.5	-	-	3.2	3.2	10.7	10.0	10.9	10.3
4.7	9.0	9.6	15.5	12.9	-	-	5.7	5.7	11.9	11.1	11.7	11.2
4.8	6.2	8.7	18.6	15.9	-	-	2.5	2.5	12.5	11.4	10.3	10.9
4.9	5.9	6.8	15.3	15.3	-	-	0.8	0.8	13.4	11.7	9.5	10.8
5.0	4.1	5.0	10.6	12.0	-	-	0.2	0.2	10.0	10.2	8.0	10.1
5.1	2.6	3.3	6.1	8.0	-	-	0.8	0.8	8.8	7.4	5.5	7.4
5.2	2.3	2.6	3.3	5.2	-	-	0.2	0.2	0.8	2.1	3.0	4.1
5.3	1.1	1.5	1.6	2.6	-	-	-	-	0.1	0.7	1.3	2.1
5.4	0.3	0.7	0.6	1.0	-	-	-	-	-	0.6	0.3	0.8
5.5 & Above	*	0.6	0.4	0.5	-	-	-	-	-	0.2	0.1	0.3
Average	4.48	4.54	4.78	4.80	-	-	4.13	4.13	4.64	4.66	4.61	4.69

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 23, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	*	*	*	*	*	*	*	*	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	*	*	*	*	0.1	0.1	*	0.1	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	0.2	0.4	*	*	0.1	0.1	1.1	1.1	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	*	*	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	0.1	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	*	*	-	-	-	-
25	-	-	-	*	-	-	*	*	-	-	-	-
26	-	-	0.1	*	*	*	0.1	0.2	0.1	0.2	-	-
27	-	-	1.4	0.9	*	0.1	0.9	1.9	0.8	0.9	-	-
28	-	-	7.6	7.6	0.6	0.7	5.9	6.7	6.6	6.3	-	-
29	-	-	26.4	25.1	6.5	5.6	18.6	17.9	22.8	20.7	-	-
30	-	-	33.7	29.9	32.3	29.5	28.2	27.1	37.5	35.0	-	-
31	-	-	12.5	18.0	40.7	43.2	25.2	24.6	21.0	21.5	-	-
32	-	-	10.7	12.1	15.0	16.1	12.9	13.2	7.4	9.1	-	-
33	-	-	4.9	3.5	4.1	4.0	5.5	5.6	2.4	3.5	-	-
34	-	-	2.2	1.8	0.7	0.7	2.2	2.5	1.2	2.2	-	-
35	-	-	0.2	0.9	*	0.1	0.4	0.4	0.1	0.5	-	-
36	-	-	*	0.1	*	*	*	0.1	*	*	-	-
37	-	-	-	*	-	*	*	*	-	-	-	-
38	-	-	-	*	-	-	-	*	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	30.57	30.67	31.24	31.28	30.90	30.88	30.54	30.70	-	-
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-	*	*	-	-
3.2	-	-	-	*	-	-	*	*	*	*	-	-
3.3	-	-	-	-	-	-	*	*	0.1	0.1	-	-
3.4	-	-	-	*	-	*	0.1	*	0.1	0.1	-	-
3.5	-	-	*	*	*	*	0.1	*	0.4	0.3	-	-
3.6	-	-	0.1	0.1	0.2	0.1	0.2	0.1	0.4	0.3	-	-
3.7	-	-	0.2	0.2	0.2	0.1	0.2	0.1	0.6	0.5	-	-
3.8	-	-	0.3	0.4	0.5	0.4	0.3	0.1	1.7	1.3	-	-
3.9	-	-	0.7	0.6	0.8	0.7	0.3	0.1	2.5	2.0	-	-
4.0	-	-	2.0	1.4	1.5	1.4	0.6	0.3	3.2	2.8	-	-
4.1	-	-	2.7	2.1	2.3	2.2	0.8	0.5	4.6	4.2	-	-
4.2	-	-	3.4	2.9	3.1	3.3	1.1	0.8	6.3	6.1	-	-
4.3	-	-	3.7	3.4	6.3	5.7	1.9	1.5	6.9	6.7	-	-
4.4	-	-	5.8	4.8	8.3	7.9	3.2	2.9	7.9	7.5	-	-
4.5	-	-	10.4	8.5	11.5	11.8	4.8	4.9	10.8	10.2	-	-
4.6	-	-	11.9	11.9	15.1	15.3	7.3	7.0	12.5	11.6	-	-
4.7	-	-	12.9	11.7	14.9	15.7	11.0	9.7	12.8	12.1	-	-
4.8	-	-	15.8	11.4	12.6	14.3	13.4	13.9	11.9	10.9	-	-
4.9	-	-	8.9	10.1	11.8	11.0	15.0	16.3	7.8	8.5	-	-
5.0	-	-	8.0	8.6	7.2	6.8	14.4	15.5	5.9	7.2	-	-
5.1	-	-	4.2	9.7	2.9	2.5	11.8	11.7	3.0	4.4	-	-
5.2	-	-	4.4	6.1	0.8	0.6	7.9	7.7	0.6	2.4	-	-
5.3	-	-	3.2	3.8	0.1	0.1	3.8	4.1	0.1	0.7	-	-
5.4	-	-	1.3	1.8	*	*	1.3	1.8	*	0.2	-	-
5.5 & Above	-	-	0.1	0.4	*	*	0.5	0.8	-	*	-	-
Average	-	-	4.70	4.76	4.63	4.63	4.85	4.88	4.54	4.59	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Oct 23, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	0.5	0.4	0.1	0.1	-	*	2.2	0.8	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.1	0.1	*	*	0.3	0.2	-	-
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	-	-	-	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.1	*	-	*	0.1	0.6	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	*	*	0.1	*	*	*	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	*	*	-	-
23	-	-	-	-	-	-	*	*	-	-
24	*	*	-	-	*	*	0.1	*	-	-
25	0.2	0.1	-	-	-	-	0.2	0.1	-	-
26	0.5	0.4	0.2	0.1	*	*	0.7	0.3	-	-
27	1.9	1.9	0.8	0.8	0.5	0.4	2.9	1.1	-	-
28	5.8	6.7	5.8	5.0	3.7	3.6	8.8	4.9	-	-
29	15.1	12.8	33.5	27.7	21.5	21.4	18.5	14.7	-	-
30	19.2	16.3	37.9	33.4	39.2	42.3	21.1	21.9	-	-
31	12.9	11.7	17.0	20.3	24.1	22.8	16.4	17.4	-	-
32	8.8	9.0	3.8	8.3	7.5	6.9	12.0	12.2	-	-
33	7.6	9.5	0.8	3.3	2.0	1.7	9.3	11.4	-	-
34	12.0	13.0	0.1	1.0	1.2	0.7	6.5	10.2	-	-
35	8.7	10.3	*	0.2	0.4	0.2	2.4	4.4	-	-
36	3.7	3.9	*	*	*	*	0.8	1.2	-	-
37	2.9	3.5	-	-	*	*	0.2	0.2	-	-
38	0.5	1.0	-	-	-	-	0.1	*	-	-
39	*	0.1	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	32.03	32.29	30.25	30.56	30.67	30.61	31.09	31.64	-	-
Mike										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	*	-	-
2.6	-	-	-	-	-	-	*	*	-	-
2.7	-	-	-	-	-	-	*	*	-	-
2.8	-	-	-	-	-	-	*	*	-	-
2.9	-	-	-	-	-	-	*	*	-	-
3.0	-	-	-	-	-	-	0.1	0.1	-	-
3.1	-	-	*	*	-	-	0.2	0.1	-	-
3.2	0.3	0.2	-	-	-	-	0.3	0.3	-	-
3.3	*	*	-	-	-	*	0.6	0.5	-	-
3.4	0.3	0.2	-	-	*	*	0.7	0.8	-	-
3.5	1.4	0.9	-	*	0.1	0.1	1.2	1.2	-	-
3.6	2.6	1.8	-	0.1	0.2	0.3	2.0	1.6	-	-
3.7	4.2	3.2	*	0.1	0.5	0.6	3.2	2.5	-	-
3.8	3.9	3.5	0.3	0.3	0.7	0.9	4.6	4.2	-	-
3.9	4.5	4.2	0.5	0.5	1.2	1.2	6.5	6.6	-	-
4.0	6.8	5.4	1.1	1.2	2.1	2.2	8.5	9.0	-	-
4.1	9.5	8.9	1.7	2.0	4.3	3.7	10.1	10.8	-	-
4.2	8.6	10.0	1.8	2.5	4.6	4.5	12.2	12.6	-	-
4.3	8.8	9.3	2.7	3.7	6.6	6.5	12.4	12.6	-	-
4.4	7.7	8.5	2.8	4.4	9.7	9.5	10.9	11.2	-	-
4.5	7.8	9.3	3.6	4.8	12.0	12.7	9.8	8.8	-	-
4.6	12.9	11.8	6.1	7.3	14.6	15.2	7.5	6.3	-	-
4.7	11.8	10.8	8.6	9.2	13.8	14.2	4.2	4.1	-	-
4.8	7.3	7.8	11.6	12.1	12.3	11.9	2.4	2.7	-	-
4.9	1.4	2.4	15.4	14.7	7.9	8.0	1.2	1.5	-	-
5.0	0.2	1.1	15.7	14.0	5.1	5.0	0.7	0.9	-	-
5.1	*	0.4	14.8	12.2	2.4	2.1	0.2	0.5	-	-
5.2	-	0.2	6.9	5.7	0.9	0.7	0.1	0.3	-	-
5.3	-	*	5.1	4.0	1.1	0.7	0.1	0.2	-	-
5.4	-	-	1.3	1.0	0.1	0.1	0.1	0.2	-	-
5.5 & Above	-	*	0.1	0.1	*	*	*	0.3	-	-
Average	4.31	4.35	4.86	4.81	4.58	4.58	4.23	4.24	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE												
For The Week Ending Oct 23, 2025												
Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	*
2.7 - 2.9	-	-	-	-	-	-	0.2	0.2	-	-	-	*
3.0 - 3.2	*	*	-	-	-	-	*	*	0.1	*	*	*
3.3 - 3.4	0.1	0.1	*	*	-	-	1.0	1.0	0.1	0.1	0.2	0.1
3.5 - 3.6	0.5	0.4	*	*	-	-	5.0	5.0	2.2	1.3	0.7	0.4
3.7 - 4.2	25.7	21.5	2.1	2.7	-	-	58.8	58.7	10.5	8.2	15.4	10.0
4.3 - 4.9	63.3	64.2	75.2	68.0	-	-	33.7	33.9	67.4	69.2	65.4	64.7
5.0 - 5.2	8.9	11.0	20.0	25.1	-	-	1.3	1.2	19.6	19.7	16.5	21.6
5.3 & Above	1.4	2.8	2.6	4.1	-	-	-	-	0.1	1.5	1.8	3.2
Average	4.48	4.54	4.78	4.80	-	-	4.13	4.13	4.64	4.66	4.61	4.69
Leaf												
1 - 2	13.8	13.5	1.1	2.4	-	-	68.4	68.2	10.2	24.3	12.7	17.4
3	57.1	56.3	33.3	36.6	-	-	30.9	31.0	57.3	51.0	58.8	59.5
4	26.2	26.8	49.4	47.2	-	-	0.7	0.7	29.4	22.6	26.0	21.3
5	2.6	3.2	14.9	12.6	-	-	-	-	3.0	2.0	2.5	1.7
6	0.1	0.2	1.4	1.2	-	-	-	-	0.2	0.1	0.1	*
7	*	*	*	*	-	-	-	-	-	-	-	*
8	-	-	-	-	-	-	-	-	-	-	-	*
Average	3.18	3.20	3.82	3.74	-	-	2.24	2.24	3.26	3.00	3.18	3.07
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	1.5	1.7	*	0.2	-	-	21.3	21.1	0.4	7.0	1.5	2.3
02	15.6	15.4	1.6	3.1	-	-	49.0	48.9	15.0	21.8	16.4	21.2
03	28.1	27.5	11.3	13.3	-	-	23.9	24.1	28.0	25.9	30.0	31.2
04	25.6	25.2	22.4	23.0	-	-	4.6	4.6	23.4	20.1	26.2	23.7
05	16.4	16.0	23.6	23.0	-	-	1.0	1.0	16.7	13.1	14.7	12.5
06	7.8	8.0	18.0	16.9	-	-	0.2	0.2	9.0	6.9	6.5	5.5
07	3.1	3.6	11.5	10.4	-	-	*	*	4.3	3.1	2.8	2.3
08	1.1	1.5	6.1	5.4	-	-	*	*	2.0	1.4	1.1	0.9
09	0.4	0.6	3.1	2.6	-	-	-	-	0.7	0.5	0.5	0.3
10	0.2	0.2	1.4	1.2	-	-	-	-	0.3	0.2	0.1	0.1
11	0.1	0.1	0.6	0.5	-	-	-	-	0.1	0.1	0.1	*
12	*	*	0.3	0.2	-	-	-	-	*	*	*	*
13	*	*	0.1	0.1	-	-	-	-	0.1	*	*	*
14	*	*	*	*	-	-	-	-	-	-	*	*
15	*	*	*	*	-	-	-	-	-	-	*	*
16	*	*	-	-	-	-	-	-	-	-	*	*
17	-	*	-	-	-	-	-	-	*	*	-	-
18 & Above	*	*	-	-	-	-	-	-	*	*	*	*
Average	0.39	0.39	0.54	0.52	-	-	0.22	0.22	0.40	0.36	0.38	0.36
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	*	*	*	-	-	*	*	*	*	*	*
77	*	*	*	*	-	-	0.1	0.1	-	-	0.1	0.1
78	0.2	0.1	0.1	0.1	-	-	1.6	1.5	0.3	0.2	1.0	1.0
79	1.3	1.1	0.5	0.7	-	-	10.0	9.9	2.7	2.2	6.4	6.3
80	10.6	8.9	4.2	4.8	-	-	9.8	9.7	9.1	8.1	22.3	22.0
81	32.8	34.3	20.2	20.4	-	-	36.6	36.3	26.5	31.0	35.8	36.6
82	36.9	37.7	38.8	39.3	-	-	21.4	21.2	54.5	51.5	25.6	23.9
83	16.8	16.5	32.5	29.7	-	-	16.8	17.2	6.9	6.9	7.2	7.9
84	1.3	1.3	3.5	4.8	-	-	3.6	3.9	*	0.1	1.4	1.9
85 & Above	0.1	0.1	0.1	0.2	-	-	0.1	0.1	-	-	0.1	0.1
Average	82.06	82.09	82.54	82.52	-	-	81.77	81.79	82.00	81.99	81.50	81.53
Tenderable 3/	88.1	82.0	70.8	61.8	-	-	93.9	93.9	75.5	75.7	77.0	70.8
SAMPLES CLASSED	39,023	82,952	128,924	307,525	-	-	6,238	6,297	4,441	7,669	51,646	132,019

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 23, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	*	-	-	*	*	*	*	-	-
3.3 - 3.4	-	-	-	*	-	*	0.1	*	0.2	0.1	-	-
3.5 - 3.6	-	-	0.1	0.2	0.2	0.2	0.3	0.1	0.8	0.6	-	-
3.7 - 4.2	-	-	9.2	7.6	8.4	8.1	3.3	1.9	18.9	16.9	-	-
4.3 - 4.9	-	-	69.4	61.8	80.5	81.7	56.6	56.3	70.5	67.6	-	-
5.0 - 5.2	-	-	16.6	24.4	10.8	9.9	34.1	34.9	9.5	13.9	-	-
5.3 & Above	-	-	4.7	6.0	0.1	0.1	5.6	6.8	0.2	0.9	-	-
Average	-	-	4.70	4.76	4.63	4.63	4.85	4.88	4.54	4.59	-	-
Leaf												
1 - 2	-	-	14.9	14.9	1.7	2.6	6.7	9.8	17.5	17.6	-	-
3	-	-	54.1	51.4	47.1	48.7	41.8	46.8	59.7	55.9	-	-
4	-	-	26.2	28.4	44.8	42.6	39.6	34.2	20.0	21.7	-	-
5	-	-	4.6	5.2	6.2	5.9	10.3	7.9	2.3	4.0	-	-
6	-	-	0.2	0.2	0.2	0.2	1.5	1.3	0.3	0.6	-	-
7	-	-	-	-	*	*	*	*	0.1	0.2	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	3.20	3.24	3.56	3.52	3.58	3.44	3.08	3.14	-	-
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	2.4	2.0	*	0.1	0.4	1.0	2.2	2.7	-	-
02	-	-	15.3	15.2	2.8	3.7	8.2	11.1	17.2	16.7	-	-
03	-	-	27.3	25.7	17.7	19.0	18.7	22.0	28.4	26.2	-	-
04	-	-	24.3	23.6	29.4	28.9	24.2	24.5	26.0	24.6	-	-
05	-	-	15.3	15.9	24.4	23.6	20.7	18.6	15.1	15.3	-	-
06	-	-	8.4	9.1	14.2	13.5	12.8	10.8	6.5	7.4	-	-
07	-	-	4.1	4.7	6.8	6.6	7.2	5.8	2.5	3.4	-	-
08	-	-	1.8	2.2	2.8	2.8	3.8	3.0	1.1	1.7	-	-
09	-	-	0.8	1.0	1.1	1.1	2.0	1.6	0.5	0.8	-	-
10	-	-	0.2	0.4	0.4	0.4	1.1	0.8	0.2	0.4	-	-
11	-	-	0.1	0.1	0.2	0.2	0.6	0.4	0.2	0.3	-	-
12	-	-	*	*	0.1	0.1	0.2	0.2	0.1	0.2	-	-
13	-	-	-	*	*	*	0.1	0.1	0.1	0.2	-	-
14	-	-	-	*	*	*	*	*	*	*	-	-
15	-	-	-	-	*	*	*	*	*	*	-	-
16	-	-	-	-	-	-	-	-	*	*	-	-
17	-	-	-	-	-	-	-	-	-	*	-	-
18 & Above	-	-	-	-	-	-	-	-	-	*	-	-
Average	-	-	0.39	0.40	0.47	0.46	0.47	0.44	0.38	0.39	-	-
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	*	*	*	*	-	-	-	-
77	-	-	-	-	*	*	*	*	-	-	-	-
78	-	-	0.2	0.1	0.1	0.1	0.3	0.2	0.2	0.3	-	-
79	-	-	2.4	1.9	0.3	0.3	1.7	1.6	1.6	1.7	-	-
80	-	-	11.6	10.3	2.0	2.0	10.8	10.8	7.4	7.6	-	-
81	-	-	31.3	36.8	13.7	13.5	33.2	31.7	23.4	23.5	-	-
82	-	-	36.5	37.1	45.1	46.6	36.6	35.9	38.0	36.3	-	-
83	-	-	17.4	13.1	35.9	34.9	14.7	16.2	24.0	24.9	-	-
84	-	-	0.5	0.7	2.7	2.5	2.6	3.3	5.2	5.4	-	-
85 & Above	-	-	*	*	0.1	0.1	0.2	0.1	0.3	0.4	-	-
Average	-	-	82.00	81.95	82.68	82.67	82.05	82.09	82.37	82.37	-	-
Tenderable 3/	-	-	77.7	68.4	78.2	75.9	56.4	53.2	87.2	82.0	-	-
SAMPLES CLASSED	-	-	25,560	88,834	57,497	90,563	84,925	231,197	25,374	33,516	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 23, 2025

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	*	*	-	-
2.7 - 2.9	-	-	-	-	-	-	*	0.1	-	-
3.0 - 3.2	0.3	0.2	*	*	-	-	0.6	0.5	-	-
3.3 - 3.4	0.3	0.2	-	-	*	*	1.3	1.4	-	-
3.5 - 3.6	4.0	2.8	-	0.1	0.3	0.3	3.2	2.8	-	-
3.7 - 4.2	37.5	35.2	5.3	6.6	13.4	13.1	45.2	45.7	-	-
4.3 - 4.9	57.7	59.9	50.8	56.3	76.8	78.0	48.4	47.3	-	-
5.0 - 5.2	0.2	1.7	37.4	32.0	8.3	7.8	1.0	1.7	-	-
5.3 & Above	-	*	6.5	5.1	1.2	0.7	0.2	0.6	-	-
Average	4.31	4.35	4.86	4.81	4.58	4.58	4.23	4.24	-	-
Leaf										
1 - 2	63.8	63.9	9.6	9.9	13.9	17.4	39.5	28.5	-	-
3	30.3	30.7	63.6	62.3	62.2	61.3	44.5	47.8	-	-
4	5.7	5.2	25.4	26.4	22.3	19.8	13.6	19.5	-	-
5	0.2	0.1	1.3	1.4	1.6	1.4	2.0	3.7	-	-
6	*	*	-	*	*	*	0.3	0.4	-	-
7	*	*	-	-	-	-	*	*	-	-
8	-	-	-	-	-	-	-	*	-	-
Average	2.06	2.07	3.18	3.19	3.11	3.05	2.72	2.97	-	-
HVI Trash 1/										
00	0.1	0.1	-	-	*	*	*	*	-	-
01	41.9	40.1	0.4	0.4	1.3	2.4	14.1	6.9	-	-
02	23.7	24.6	11.4	12.0	15.8	18.6	29.8	24.2	-	-
03	18.2	18.1	29.8	28.3	31.9	32.2	25.6	27.0	-	-
04	9.7	10.4	27.6	27.7	25.9	24.6	16.1	18.9	-	-
05	4.4	4.5	17.8	18.0	14.4	13.0	7.9	11.3	-	-
06	1.5	1.5	8.4	8.8	6.4	5.7	3.7	6.2	-	-
07	0.4	0.4	3.3	3.5	2.7	2.3	1.6	3.0	-	-
08	0.1	0.1	1.1	1.1	0.9	0.8	0.7	1.4	-	-
09	*	*	0.2	0.1	0.3	0.3	0.2	0.6	-	-
10	*	*	0.1	0.1	0.1	0.1	0.1	0.3	-	-
11	-	*	*	*	0.1	0.1	*	0.1	-	-
12	*	*	-	-	*	*	*	0.1	-	-
13	-	*	-	-	*	*	*	*	-	-
14	-	-	-	-	*	*	*	*	-	-
15	-	-	-	-	*	*	*	*	-	-
16	-	-	-	-	-	-	-	*	-	-
17	-	-	-	-	-	-	-	*	-	-
18 & Above	-	-	-	-	-	-	-	*	-	-
Average	0.22	0.22	0.40	0.40	0.37	0.36	0.30	0.35	-	-
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	*	*	-	-
75	-	-	-	-	-	-	*	*	-	-
76	*	*	-	-	*	*	0.1	*	-	-
77	0.2	0.1	-	-	*	*	0.5	0.2	-	-
78	1.0	0.8	0.4	0.4	*	*	2.7	0.9	-	-
79	4.3	3.8	1.6	1.8	0.6	0.5	8.6	3.3	-	-
80	19.9	18.3	12.7	11.9	5.3	6.1	22.4	11.6	-	-
81	28.6	27.7	27.6	25.7	28.3	34.0	33.2	28.8	-	-
82	23.4	23.1	34.1	35.9	47.3	44.7	21.9	32.2	-	-
83	9.9	13.4	20.5	21.1	17.5	14.1	7.6	17.6	-	-
84	11.8	11.2	3.0	2.9	0.8	0.6	2.8	5.0	-	-
85 & Above	0.8	1.5	0.1	0.2	0.1	*	0.2	0.5	-	-
Average	81.96	82.07	82.11	82.15	82.23	82.12	81.41	82.08	-	-
Tenderable 3/	96.2	94.9	53.6	60.8	77.7	70.4	87.9	88.0	-	-
SAMPLES CLASSED	17,099	25,214	5,705	7,471	53,923	99,535	163,737	1,196,807	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE							
For The Week Ending Oct 23, 2025							
Color Grade	Leaf	Arizona		California		New Mexico	
		Week	Season	Week	Season	Week	Season
01	1	-	-	28.9	33.3	-	-
	2	-	-	19.9	21.1	-	-
	3	-	-	0.1	0.1	-	-
	4	-	-	-	-	-	-
	5	-	-	-	-	-	-
	6	-	-	-	-	-	-
	7	-	-	-	-	-	-
Total -----		-	-	48.9	54.6	-	-
02	1	-	-	11.6	11.3	-	-
	2	-	-	33.5	29.3	-	-
	3	-	-	3.1	2.5	-	-
	4	-	-	*	*	-	-
	5	-	-	-	-	-	-
	6	-	-	-	-	-	-
	7	-	-	-	-	-	-
Total -----		-	-	48.2	43.1	-	-
03	1	-	-	*	*	-	-
	2	-	-	1.6	1.3	-	-
	3	-	-	1.2	1.0	-	-
	4	-	-	-	-	-	-
	5	-	-	-	-	-	-
	6	-	-	-	-	-	-
	7	-	-	-	-	-	-
Total -----		-	-	2.9	2.2	-	-
04	1	-	-	-	-	-	-
	2	-	-	-	-	-	-
	3	-	-	-	*	-	-
	4	-	-	-	-	-	-
	5	-	-	-	-	-	-
	6	-	-	-	-	-	-
	7	-	-	-	-	-	-
Total -----		-	-	-	*	-	-
05	1	-	-	-	-	-	-
	2	-	-	-	-	-	-
	3	-	-	-	-	-	-
	4	-	-	-	*	-	-
	5	-	-	-	-	-	-
	6	-	-	-	-	-	-
	7	-	-	-	-	-	-
Total -----		-	-	-	*	-	-
06	1	-	-	-	-	-	-
	2	-	-	-	-	-	-
	3	-	-	-	-	-	-
	4	-	-	-	-	-	-
	5	-	-	-	-	-	-
	6	-	-	-	-	-	-
	7	-	-	-	-	-	-
Total -----		-	-	-	-	-	-
07	1	-	-	-	-	-	-
	2	-	-	-	-	-	-
	3	-	-	-	-	-	-
	4	-	-	-	-	-	-
	5	-	-	-	-	-	-
	6	-	-	-	-	-	-
	7	-	-	-	-	-	-
Total -----		-	-	-	-	-	-
STAPLE							
44 & Shorter		-	-	9.5	13.3	-	-
46		-	-	21.6	27.4	-	-
48		-	-	50.2	42.8	-	-
50		-	-	18.6	16.5	-	-
52 & Longer		-	-	0.1	*	-	-
Average Staple		-	-	47.56	47.25	-	-
Average Length		-	-	1.38	1.37	-	-
EXTRANEIOUS MATTER							
Bark		-	-	-	-	-	-
Grass		-	-	1.0	1.0	-	-
Spindle Twist		-	-	-	*	-	-
Preparation		-	-	*	*	-	-
All Other		-	-	*	*	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE								
For The Week Ending Oct 23, 2025								
Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	*	*	-	-	-	-
3.3 - 3.4	-	-	0.9	2.4	-	-	-	-
3.5 - 3.6	-	-	11.4	15.3	-	-	-	-
3.7 - 4.2	-	-	87.6	82.1	-	-	-	-
4.3 - 4.9	-	-	0.2	0.2	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	3.86	3.84	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-
3.2	-	-	*	*	-	-	-	-
3.3	-	-	0.1	0.5	-	-	-	-
3.4	-	-	0.8	1.9	-	-	-	-
3.5	-	-	3.7	7.7	-	-	-	-
3.6	-	-	7.6	7.6	-	-	-	-
3.7	-	-	12.0	9.7	-	-	-	-
3.8	-	-	19.4	17.8	-	-	-	-
3.9	-	-	21.0	23.3	-	-	-	-
4.0	-	-	25.0	23.1	-	-	-	-
4.1	-	-	8.8	7.2	-	-	-	-
4.2	-	-	1.3	1.0	-	-	-	-
4.3	-	-	0.1	0.1	-	-	-	-
4.4	-	-	*	*	-	-	-	-
4.5	-	-	*	*	-	-	-	-
4.6	-	-	-	-	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	3.86	3.84	-	-	-	-
STRENGTH 1/								
36 & Below	-	-	2.8	6.6	-	-	-	-
37	-	-	16.6	22.1	-	-	-	-
38	-	-	9.3	9.9	-	-	-	-
39	-	-	2.7	2.1	-	-	-	-
40	-	-	1.6	1.3	-	-	-	-
41	-	-	4.7	3.7	-	-	-	-
42	-	-	9.4	7.3	-	-	-	-
43	-	-	15.0	12.0	-	-	-	-
44	-	-	23.6	20.1	-	-	-	-
45	-	-	12.0	12.3	-	-	-	-
46	-	-	2.1	2.5	-	-	-	-
47	-	-	0.1	0.1	-	-	-	-
48 & Above	-	-	*	*	-	-	-	-
Average	-	-	41.99	41.42	-	-	-	-
UNIFORMITY								
83 & Below	-	-	1.1	1.4	-	-	-	-
84	-	-	25.9	33.4	-	-	-	-
85	-	-	33.8	29.7	-	-	-	-
86	-	-	36.8	33.3	-	-	-	-
87	-	-	2.2	2.0	-	-	-	-
88 & Above	-	-	0.1	0.1	-	-	-	-
Average	-	-	85.57	85.46	-	-	-	-
Samples Classed	-	-	9,471	12,297	-	-	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.