Quality of Cotton Classed by State for the week ending - 10/30/2025

Agricultural Marketing Service
Cotton Market News

October 31, 2025

Volume 27, No.13

State	Week Gins	Week Tenderable (%)	Week Eligible (%)	Week Bales	Season Gins	Season Tenderable (%)	Season Eligible (%)	Season Bales
			UPLAND					
AL	19	90.5	78.0	45,514	19	85.0	70.2	128,466
AR	26	71.3	41.5	150,589	26	64.9	36.5	458,114
AZ*	-	-	-	-	-	-	-	-
CA	4	88.1	65.1	5,289	6	91.3	76.1	11,586
FL	3	87.9	62.8	7,218	3	81.6	57.6	14,887
GA	40	80.1	63.4	88,175	40	74.5	54.9	220,176
KS*	-	-	-	-	-	-	-	-
LA	13	69.4	42.8	26,457	13	68.6	46.1	115,291
MO	16	86.0	63.6	69,044	16	80.3	58.1	159,535
MS	30	61.9	34.9	98,243	30	55.8	27.9	329,440
NC	22	89.4	70.6	47,111	22	86.3	66.7	80,627
NM	-	-	-	-	-	-	-	-
OK	7	97.9	88.7	23,991	7	96.4	79.8	49,205
SC	8	78.1	60.0	10,441	8	70.9	49.5	17,912
TN	17	88.5	65.4	45,756	17	76.1	58.1	145,291
TX	91	86.6	66.1	234,191	105	87.7	70.2	1,430,979
VA	4	97.6	91.8	10,763	4	97.6	91.9	10,889
United States	**302**	**80.7**	**58.6**	**866,640**	**318**	**78.6**	**57.8**	**3,192,108**
			AMERICAN PIMA					
AZ	-		-		-			-
CA	7		25,773		7			38,070
NM	-		-		-			-
TX*	-		-		-			-
United States	8		26,208		8			38,505
United States all cotton	**309**		**892,848**		**323**			**3,230,613**

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

MP CN100

Source: USDA AMS Cotton and Tobacco Market News
Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov
https://www.ams.usda.gov/market-news/cotton
https://mymarketnews.ams.usda.govcottonmn@ams.usda.gov

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	2.3	2.1	*	0.2	-	-	22.2	37.3	0.1	8.6	0.6	2.4
	3	1.3	1.2	*	0.2	-	-	36.5	25.4	0.1	1.7	0.3	0.8
	4	*	*	-	*	-	-	2.6	1.3	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***3.7***	***3.3***	*******	***0.4***	***-***	***-***	***61.3***	***64.0***	***0.2***	***10.3***	***0.9***	***3.2***
31	1 - 2	12.2	9.7	0.4	0.9	-	-	12.3	15.2	7.5	6.1	7.6	9.0
	3	34.5	31.9	6.7	7.8	-	-	12.2	13.6	21.0	18.8	14.8	19.0
	4	8.9	7.7	2.5	3.2	-	-	4.6	2.4	2.6	2.7	1.4	1.9
	5	0.5	0.3	0.1	0.1	-	-	2.4	1.1	0.1	*	*	*
	6	*	*	*	*	-	-	0.1	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***56.1***	***49.7***	***9.7***	***12.0***	***-***	***-***	***31.5***	***32.3***	***31.2***	***27.6***	***23.8***	***29.9***
41	1 - 2	2.8	2.4	0.5	0.7	-	-	2.2	1.2	5.9	4.1	6.3	4.6
	3	18.2	20.2	28.1	25.6	-	-	2.1	1.1	37.4	31.6	42.2	36.1
	4	14.5	16.5	40.6	38.1	-	-	*	*	16.3	17.0	16.1	16.0
	5	2.7	2.5	9.1	9.2	-	-	0.2	0.1	1.8	1.7	1.2	1.2
	6	0.1	0.1	0.6	0.7	-	-	-	-	*	0.1	*	*
	7	*	*	*	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***38.3***	***41.7***	***78.9***	***74.3***	***-***	***-***	***4.5***	***2.3***	***61.5***	***54.4***	***65.8***	***57.9***
51	1 - 2	0.1	*	*	*	-	-	-	-	*	*	0.3	0.1
	3	0.3	0.2	1.3	1.2	-	-	-	-	0.1	0.4	2.4	1.4
	4	0.2	0.2	3.2	2.9	-	-	-	-	0.1	0.4	2.4	1.6
	5	0.1	0.1	1.9	1.7	-	-	-	-	0.1	0.1	0.5	0.4
	6	*	*	0.3	0.3	-	-	-	-	*	*	*	*
	7	-	-	*	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	**----**	***0.7***	***0.6***	***6.8***	***6.2***	***-***	***-***	***-***	***-***	***0.3***	***1.0***	***5.6***	***3.5***
61	1 - 2	-	-	*	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	*	*
	5	*	*	*	*	-	-	-	-	-	-	*	*
	6	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*******	*******	*******	*******	***-***	***-***	***-***	***-***	***-***	***-***	*******	*******
71	1 - 2	-	-	*	*	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***-***	***-***	*******	*******	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***
12 & 22	1 - 2	*	0.3	-	*	-	-	0.2	0.2	-	*	*	*
	3	*	0.1	-	*	-	-	1.1	0.5	-	-	*	*
	4	-	*	-	*	-	-	0.2	0.1	-	-	-	*
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*******	***0.3***	***-***	*******	***-***	***-***	***1.5***	***0.8***	***-***	*******	*******	*******
32	1 - 2	0.1	0.3	*	*	-	-	0.3	0.2	0.1	0.1	0.1	0.2
	3	0.4	0.9	*	0.1	-	-	0.5	0.3	1.3	1.2	0.5	0.7
	4	0.1	0.2	*	0.1	-	-	0.1	0.1	0.3	0.3	0.1	0.1
	5	*	*	*	*	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.5***	***1.4***	***0.1***	***0.2***	***-***	***-***	***1.0***	***0.5***	***1.7***	***1.6***	***0.7***	***0.9***
42	1 - 2	*	0.1	*	*	-	-	*	*	*	0.2	0.1	0.2
	3	0.4	1.3	0.8	1.6	-	-	0.1	*	2.9	3.0	1.5	2.3
	4	0.3	1.1	1.2	2.5	-	-	-	-	2.0	1.6	0.9	1.3
	5	*	0.3	0.7	1.0	-	-	-	-	0.1	0.1	0.1	0.2
	6	-	0.1	0.1	0.1	-	-	-	-	-	-	*	*
	7	-	*	*	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.7***	***2.8***	***2.7***	***5.1***	***-***	***-***	***0.1***	***0.1***	***5.1***	***4.9***	***2.6***	***4.0***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	*	*	-	-	-	-	-	-	*	*
	3	*	*	0.3	0.3	-	-	-	-	*	0.1	0.2	0.1
	4	*	*	0.7	0.8	-	-	-	-	-	*	0.3	0.2
	5	*	*	0.5	0.5	-	-	-	-	-	*	0.1	0.1
	6	-	*	0.1	0.1	-	-	-	-	*	*	*	*
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	***0.1***	***1.7***	***1.7***	**-**	**-**	**-**	**-**	*****	***0.2***	***0.6***	***0.5***
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	*	*
	5	-	-	*	*	-	-	-	-	-	-	*	*
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*****	*****	**-**	**-**	**-**	**-**	**-**	**-**	*****	*****
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
33	1 - 2	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	-	*	*
	4	*	*	-	*	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	*****	**-**	*****	**-**	**-**	*****	*****	**-**	**-**	*****	*****
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*
	3	*	*	-	*	-	-	-	-	-	*	*	*
	4	-	*	*	*	-	-	-	-	-	-	*	*
	5	-	*	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	*****	*****	*****	**-**	**-**	**-**	**-**	**-**	*****	*****	*****
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	*	-	-
	4	-	-	*	*	-	-	-	-	-	-	*	*
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	*	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	*****	*****	*****	**-**	**-**	**-**	**-**	**-**	*****	*****	*****
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		*	*	-	*	-	-	-	-	-	-	*	*
32		*	*	*	*	-	-	-	-	-	-	*	0.1
33		0.3	0.3	*	0.1	-	-	-	*	0.1	0.1	0.5	0.8
34		2.0	2.7	0.3	0.4	-	-	-	*	1.7	0.9	3.5	4.9
35		10.4	11.4	2.5	3.4	-	-	1.4	1.7	7.1	8.1	16.1	17.1
36		24.3	24.0	14.4	18.3	-	-	8.1	17.0	33.4	32.5	32.9	33.8
37		41.6	42.1	54.8	53.6	-	-	24.1	37.8	45.3	49.5	35.6	32.7
38		15.6	15.5	23.4	20.6	-	-	37.6	26.3	12.0	8.5	8.9	7.7
39		5.3	3.5	4.2	3.3	-	-	26.9	16.0	0.4	0.5	2.2	2.5
40 & Longer		0.5	0.4	0.3	0.3	-	-	1.9	1.1	*	*	0.2	0.4
Average Staple		***36.75***	***36.67***	***37.12***	***37.01***	**-**	**-**	***37.86***	***37.41***	***36.59***	***36.58***	***36.36***	***36.28***
Average Length		***1.15***	***1.14***	***1.16***	***1.16***	**-**	**-**	***1.18***	***1.17***	***1.14***	***1.14***	***1.13***	***1.13***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	5.1	5.3	*	*	1.6	3.0	0.6	1.4	-	-
	3	-	-	3.6	3.3	*	*	1.9	2.1	0.1	0.4	-	-
	4	-	-	*	0.1	-	-	*	*	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***8.7***	***8.6***	*******	*******	***3.5***	***5.1***	***0.7***	***1.9***	**-**	**-**
31	1 - 2	-	-	7.9	8.6	0.8	0.7	3.6	4.5	11.7	11.8	-	-
	3	-	-	38.5	38.5	7.7	6.8	23.5	21.2	26.7	26.8	-	-
	4	-	-	12.5	12.5	1.6	1.5	9.6	7.9	5.0	4.6	-	-
	5	-	-	0.8	0.7	*	*	0.6	0.5	0.2	0.1	-	-
	6	-	-	*	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***59.7***	***60.4***	***10.1***	***9.0***	***37.4***	***34.2***	***43.6***	***43.4***	**-**	**-**
41	1 - 2	-	-	0.3	0.4	2.2	1.7	1.0	1.1	5.7	4.5	-	-
	3	-	-	7.9	8.9	41.6	36.9	19.1	20.5	30.3	28.5	-	-
	4	-	-	14.2	14.8	31.5	31.0	24.9	22.2	15.6	15.6	-	-
	5	-	-	3.3	3.9	3.3	3.4	6.7	5.2	1.6	2.1	-	-
	6	-	-	0.1	0.1	0.1	0.1	0.5	0.4	*	0.1	-	-
	7	-	-	-	-	*	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***25.9***	***28.1***	***78.6***	***73.1***	***52.3***	***49.5***	***53.2***	***50.8***	**-**	**-**
51	1 - 2	-	-	-	*	*	*	*	*	0.2	0.1	-	-
	3	-	-	0.1	*	2.3	2.1	1.2	1.4	0.5	0.4	-	-
	4	-	-	1.6	0.5	3.5	3.5	2.6	3.0	0.2	0.6	-	-
	5	-	-	0.8	0.4	0.5	0.7	0.9	1.3	0.3	0.6	-	-
	6	-	-	*	*	*	*	0.1	0.3	0.1	0.2	-	-
	7	-	-	-	-	*	*	-	*	*	0.1	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***2.5***	***1.1***	***6.4***	***6.3***	***4.9***	***6.1***	***1.3***	***2.0***	**-**	**-**
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	*	-	-	-	-
	4	-	-	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*******	*******	*******	*******	*******	*******	**-**	**-**	**-**	**-**
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*******	**-**	**-**
12 & 22	1 - 2	-	-	*	0.1	-	-	*	*	*	*	-	-
	3	-	-	*	*	-	-	*	*	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*******	***0.2***	**-**	**-**	*******	*******	*******	*******	**-**	**-**
32	1 - 2	-	-	*	0.1	*	*	-	*	0.1	0.1	-	-
	3	-	-	0.7	0.4	*	0.3	0.1	0.2	0.2	0.4	-	-
	4	-	-	0.4	0.2	*	*	0.2	0.2	*	0.1	-	-
	5	-	-	*	*	*	*	*	*	-	*	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***1.2***	***0.7***	*******	***0.4***	***0.3***	***0.5***	***0.3***	***0.6***	**-**	**-**
42	1 - 2	-	-	-	*	0.1	0.4	*	*	0.1	0.1	-	-
	3	-	-	0.7	0.2	1.2	3.3	0.3	1.1	0.4	0.6	-	-
	4	-	-	1.0	0.5	1.6	3.2	0.6	1.7	0.2	0.4	-	-
	5	-	-	*	0.1	0.4	0.6	0.3	0.7	0.1	0.1	-	-
	6	-	-	-	*	0.1	*	0.1	0.1	*	*	-	-
	7	-	-	-	-	*	*	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***1.8***	***0.9***	***3.4***	***7.5***	***1.3***	***3.6***	***0.8***	***1.2***	**-**	**-**

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	*	0.1	-	*	-	*	-	-
	3	-	-	*	*	0.6	1.3	*	0.1	*	*	-	-
	4	-	-	*	*	0.6	1.8	0.2	0.3	*	*	-	-
	5	-	-	*	*	0.1	0.5	0.1	0.4	*	*	-	-
	6	-	-	-	-	*	*	*	0.2	*	*	-	-
	7	-	-	-	-	-	*	-	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.1***	*******	***1.4***	***3.7***	***0.4***	***1.0***	***0.1***	***0.1***	**-**	**-**
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	*	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	*******	*******	*******	*******	**-**	**-**	**-**	**-**
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
33	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-
	3	-	-	*	*	-	-	*	*	*	*	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*******	*******	**-**	**-**	*******	*******	*******	*******	**-**	**-**
43	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	-	*	*	*	-	-
	4	-	-	*	*	*	*	*	*	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*******	*******	*******	*******	*******	*******	*******	*******	**-**	**-**
53	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	*	-	-
	4	-	-	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	*******	*******	*******	*******	**-**	*******	**-**	**-**
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	*	-	-	-	-
32		-	-	-	-	-	-	*	*	-	-	-	-
33		-	-	*	0.1	*	*	0.2	0.4	0.1	0.1	-	-
34		-	-	0.2	1.4	0.5	0.5	2.3	3.0	1.2	1.3	-	-
35		-	-	8.6	11.2	2.8	2.6	11.3	14.8	6.4	6.4	-	-
36		-	-	23.3	32.3	10.3	11.6	27.4	31.1	21.0	21.0	-	-
37		-	-	41.1	38.5	52.2	49.1	36.7	34.6	53.7	52.4	-	-
38		-	-	18.2	11.9	30.8	32.2	16.4	12.6	15.2	15.1	-	-
39		-	-	8.0	4.4	3.2	3.8	5.1	3.2	2.3	3.3	-	-
40 & Longer		-	-	0.7	0.3	0.1	0.1	0.7	0.5	0.1	0.3	-	-
Average Staple		**-**	**-**	***36.95***	***36.62***	***37.20***	***37.22***	***36.71***	***36.49***	***36.82***	***36.84***	**-**	**-**
Average Length		**-**	**-**	***1.15***	***1.14***	***1.16***	***1.16***	***1.14***	***1.14***	***1.15***	***1.15***	**-**	**-**

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	53.4	52.1	0.1	0.9	0.5	0.5	41.2	21.2	0.6	0.6
	3	14.1	11.1	-	0.7	0.1	0.1	13.7	14.7	*	*
	4	0.2	0.3	-	-	*	*	0.9	1.3	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***67.7***	***63.4***	***0.1***	***1.6***	***0.6***	***0.6***	***55.9***	***37.2***	***0.6***	***0.6***
31	1 - 2	4.0	4.2	2.0	3.3	8.9	5.8	2.1	4.3	8.2	8.2
	3	19.8	17.8	8.3	15.1	16.4	10.4	10.3	19.2	31.6	31.5
	4	5.5	4.2	1.7	2.2	3.7	1.9	4.6	8.1	10.1	10.0
	5	0.2	0.1	*	*	0.1	*	0.6	0.9	0.3	0.3
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***29.5***	***26.4***	***12.0***	***20.6***	***29.1***	***18.1***	***17.6***	***32.4***	***50.2***	***50.0***
41	1 - 2	*	*	3.3	3.0	8.8	9.1	0.2	0.4	1.1	1.2
	3	0.1	*	39.8	37.2	39.9	37.2	2.1	4.0	22.9	23.2
	4	0.2	0.1	31.9	27.6	12.2	12.2	2.6	4.3	21.7	21.6
	5	*	*	3.4	2.5	1.0	0.8	0.5	1.1	2.8	2.8
	6	*	*	0.1	0.1	*	*	0.1	0.1	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***0.3***	***0.2***	***78.6***	***70.3***	***61.9***	***59.3***	***5.4***	***9.8***	***48.5***	***48.8***
51	1 - 2	-	-	0.1	0.1	0.1	0.1	*	*	-	-
	3	-	-	1.4	1.0	0.8	1.3	*	0.1	*	*
	4	-	-	2.3	1.7	1.4	1.4	0.4	0.4	*	*
	5	-	-	0.9	0.6	0.3	0.3	0.1	0.1	-	-
	6	-	-	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***-***	***-***	***4.7***	***3.4***	***2.5***	***3.0***	***0.6***	***0.6***	***0.1***	***0.1***
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	*	*	-	*	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***-***	***-***	***-***	***-***	*******	*******	***-***	*******	***-***	***-***
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***
12 & 22	1 - 2	0.7	4.5	-	-	-	*	7.6	5.6	-	-
	3	0.7	1.9	-	-	-	*	5.0	4.4	-	-
	4	0.1	0.2	-	-	-	-	1.0	0.9	-	-
	5	-	*	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***1.4***	***6.6***	***-***	***-***	***-***	*******	***13.7***	***10.9***	***-***	***-***
32	1 - 2	0.2	0.2	-	*	0.1	0.4	0.3	0.6	*	*
	3	0.6	1.8	*	0.1	0.6	0.9	2.0	2.3	*	*
	4	0.2	0.8	*	0.1	*	0.1	1.4	2.0	*	*
	5	-	*	-	-	*	*	0.3	0.6	*	*
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***1.0***	***2.7***	***0.1***	***0.2***	***0.7***	***1.4***	***4.1***	***5.5***	*******	*******
42	1 - 2	-	-	*	0.1	0.7	1.9	0.1	0.1	*	*
	3	*	0.1	1.1	1.2	2.9	9.9	0.5	0.6	0.1	0.1
	4	*	0.1	2.2	1.7	0.7	2.9	0.5	0.9	0.4	0.4
	5	-	-	0.5	0.3	0.1	0.2	0.2	0.6	0.1	0.1
	6	-	-	-	-	*	*	0.1	0.2	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	*******	***0.1***	***3.7***	***3.3***	***4.5***	***15.0***	***1.5***	***2.4***	***0.6***	***0.6***

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	*	0.1	*	*	-	-
	3	-	-	0.1	0.1	0.3	1.3	*	*	-	-
	4	-	-	0.4	0.3	0.3	0.9	*	0.1	-	-
	5	-	-	0.1	0.1	0.1	0.1	*	0.1	-	-
	6	*	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	*****	***0.7***	***0.4***	***0.7***	***2.4***	***0.1***	***0.2***	**-**	**-**
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	*	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	**-**	**-**	**-**	**-**	*****	*****	**-**	*****	**-**	**-**
13 & 23	1 - 2	*	0.1	-	-	-	-	0.1	0.1	-	-
	3	*	0.1	-	-	-	-	0.3	0.2	-	-
	4	-	*	-	-	-	-	0.1	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	***0.2***	**-**	**-**	**-**	**-**	***0.6***	***0.4***	**-**	**-**
33	1 - 2	*	*	-	-	-	*	*	*	-	-
	3	*	0.1	-	-	-	*	0.2	0.1	-	-
	4	*	*	-	-	-	-	0.1	0.1	-	-
	5	*	*	-	-	-	-	*	*	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	***0.2***	**-**	**-**	**-**	*****	***0.4***	***0.3***	**-**	**-**
43	1 - 2	-	-	-	*	*	*	*	*	-	-
	3	-	*	0.1	0.2	*	*	0.1	*	-	-
	4	-	-	*	*	-	*	0.1	0.1	-	-
	5	-	-	*	*	-	-	*	*	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	*****	***0.2***	***0.2***	*****	*****	***0.3***	***0.2***	**-**	**-**
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	*	*	-	*	*	*	-	-
	4	-	-	*	*	*	*	*	*	-	-
	5	-	-	*	*	*	*	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.1***	***0.1***	*****	*****	*****	*****	**-**	**-**
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	*	0.1	-	-	-	-	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		-	-	-	-	-	-	*	*	-	-
31		-	-	-	-	-	-	0.1	0.1	-	-
32		*	*	-	-	*	*	0.5	0.2	-	-
33		0.2	0.5	*	0.1	0.2	0.2	2.5	0.9	*	*
34		1.6	3.1	0.1	1.1	4.6	4.0	6.9	2.4	0.3	0.3
35		3.3	7.8	3.5	7.2	10.5	12.0	12.4	5.4	4.0	4.0
36		7.2	11.4	32.0	33.9	29.3	31.9	21.6	15.8	23.9	23.7
37		16.4	20.1	56.2	51.2	42.2	41.2	34.2	43.9	58.5	58.3
38		22.3	19.0	7.8	6.2	11.9	9.8	16.4	23.4	12.2	12.7
39		24.2	17.2	0.3	0.2	1.2	0.9	4.5	7.2	1.1	1.0
40 & Longer		24.8	20.9	*	*	0.1	*	0.9	0.7	-	-
Average Staple		***38.30***	***37.84***	***36.69***	***36.55***	***36.49***	***36.43***	***36.48***	***37.01***	***36.81***	***36.82***
Average Length		***1.20***	***1.18***	***1.14***	***1.14***	***1.14***	***1.14***	***1.14***	***1.16***	***1.15***	***1.15***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	*	0.1	*	*	-	-	-	-	0.4	0.4	0.5	0.6
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	0.1	-	-	0.9	2.4	0.1	0.1	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	0.2	0.3	2.6	-	-	-	-	0.1	0.2	0.4	0.4
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	-	*	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	*	-	-	-	-	-	-	-	-	-	-
23	-	-	*	*	-	-	-	-	-	-	-	*
24	*	*	*	*	-	-	-	-	-	-	*	*
25	*	*	*	*	-	-	-	-	-	-	*	*
26	*	*	*	*	-	-	0.1	0.1	*	*	0.1	0.2
27	0.3	0.2	0.2	0.4	-	-	*	0.2	-	0.1	1.0	1.2
28	3.0	2.6	1.9	2.9	-	-	0.6	2.1	1.0	1.7	5.2	6.0
29	18.7	17.4	9.7	12.0	-	-	2.4	13.6	8.1	9.6	14.8	17.0
30	29.8	31.0	37.6	33.4	-	-	8.1	21.4	21.4	24.1	26.8	27.4
31	26.6	25.5	35.3	33.7	-	-	12.7	22.0	32.6	25.3	23.7	23.0
32	12.0	13.6	11.9	13.6	-	-	2.1	3.0	21.1	17.0	15.2	13.6
33	5.6	6.1	2.7	3.5	-	-	1.2	0.6	8.4	10.0	7.4	6.6
34	2.8	2.6	0.5	0.4	-	-	8.1	3.8	5.8	9.9	3.5	3.2
35	1.1	0.9	*	*	-	-	37.1	18.0	1.4	2.2	1.4	1.2
36	0.1	0.1	*	*	-	-	23.5	11.9	*	0.1	0.5	0.4
37	*	*	-	-	-	-	3.6	2.9	*	*	0.2	0.1
38	-	-	-	-	-	-	0.3	0.3	-	-	*	*
39	-	-	-	-	-	-	*	0.1	-	-	*	*
40 & Above	-	-	-	-	-	-	0.1	0.1	-	-	-	-
Average	***31.04***	***31.08***	***31.00***	***31.00***	***-***	***-***	***34.50***	***32.57***	***31.64***	***31.71***	***31.18***	***31.04***
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	*
2.7	-	-	-	-	-	-	-	0.1	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	0.3	0.1	-	-	-	*
3.0	-	-	-	-	-	-	0.5	0.3	-	-	*	*
3.1	-	*	-	-	-	-	0.6	0.3	-	-	*	*
3.2	*	*	-	-	-	-	1.0	0.5	-	*	*	*
3.3	0.1	*	*	*	-	-	0.1	0.1	-	-	0.2	0.1
3.4	0.3	0.1	*	*	-	-	0.2	0.6	-	*	0.2	0.1
3.5	0.3	0.2	*	*	-	-	0.9	1.0	0.3	0.3	0.2	0.1
3.6	0.4	0.4	0.1	*	-	-	0.1	2.1	-	0.5	0.5	0.3
3.7	1.2	1.1	0.1	*	-	-	1.6	5.0	0.2	0.9	1.0	0.6
3.8	2.3	1.9	0.1	0.1	-	-	11.6	10.8	0.2	0.6	1.4	0.9
3.9	3.4	2.9	0.3	0.2	-	-	13.9	12.1	0.7	0.7	1.9	1.3
4.0	4.8	4.5	0.5	0.4	-	-	4.8	6.7	1.6	1.2	2.8	2.2
4.1	5.6	5.4	0.8	0.7	-	-	3.3	7.8	3.0	1.9	5.1	3.6
4.2	8.9	7.3	1.4	1.4	-	-	3.9	7.2	4.6	3.9	6.9	4.9
4.3	11.1	9.2	2.2	2.2	-	-	7.8	8.1	6.4	6.4	8.0	6.2
4.4	12.2	10.4	4.0	4.2	-	-	6.9	7.4	9.8	9.6	9.5	8.1
4.5	11.4	10.8	6.7	6.9	-	-	6.7	6.0	14.9	12.0	10.7	9.8
4.6	9.7	10.6	12.5	11.2	-	-	4.6	3.8	11.0	10.5	9.9	10.2
4.7	8.4	9.2	16.2	14.0	-	-	3.6	4.7	12.5	11.8	9.7	10.6
4.8	5.8	7.6	16.7	16.2	-	-	9.5	5.7	13.8	12.5	8.6	10.0
4.9	6.0	6.5	14.3	15.0	-	-	10.6	5.3	11.9	11.8	7.4	9.4
5.0	3.5	4.5	12.0	12.0	-	-	4.9	2.3	6.8	8.5	6.9	8.8
5.1	2.8	3.2	6.9	7.6	-	-	2.8	1.7	1.5	4.5	4.6	6.3
5.2	1.0	2.0	3.3	4.6	-	-	0.1	0.1	0.8	1.5	2.8	3.6
5.3	0.6	1.2	1.3	2.2	-	-	*	*	-	0.4	1.3	1.8
5.4	0.3	0.5	0.4	0.8	-	-	*	*	*	0.3	0.4	0.6
5.5 & Above	0.1	0.4	0.2	0.4	-	-	-	-	-	0.1	0.1	0.2
Average	***4.45***	***4.51***	***4.77***	***4.79***	***-***	***-***	***4.33***	***4.22***	***4.61***	***4.63***	***4.56***	***4.64***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	*	*	-	*	*	*	0.2	0.1	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	*	*	-	*	*	0.1	0.1	0.1	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	1.2	0.6	*	*	0.5	0.2	0.1	0.5	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	*	*	-	*	-	-	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	*	*	-	-	-	-	-	-
24	-	-	-	-	*	*	*	*	-	-	-	-
25	-	-	-	*	*	*	*	*	-	-	-	-
26	-	-	-	*	*	*	0.1	0.1	0.1	0.2	-	-
27	-	-	*	0.7	0.1	0.1	0.7	1.5	1.4	1.2	-	-
28	-	-	0.8	6.0	0.6	0.7	4.0	5.8	6.8	6.6	-	-
29	-	-	12.4	22.2	6.6	6.0	16.1	17.4	26.7	24.2	-	-
30	-	-	34.9	31.1	32.3	30.7	27.3	27.1	37.6	36.5	-	-
31	-	-	25.0	19.6	39.1	41.4	25.9	24.9	20.4	20.9	-	-
32	-	-	12.3	12.2	15.7	15.9	17.0	14.4	5.7	7.1	-	-
33	-	-	7.8	4.5	4.7	4.3	6.4	5.8	1.2	2.2	-	-
34	-	-	3.9	2.3	1.0	0.8	2.2	2.4	0.1	1.0	-	-
35	-	-	2.3	1.2	*	0.1	0.3	0.4	*	0.2	-	-
36	-	-	0.4	0.2	*	*	*	*	*	*	-	-
37	-	-	*	*	*	*	*	*	-	-	-	-
38	-	-	*	*	-	-	-	*	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	**-**	**-**	***31.34***	***30.82***	***31.25***	***31.27***	***31.08***	***30.94***	***30.36***	***30.50***	**-**	**-**
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	*	*	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	*	*	-	-	-	-	-	-	-	-
3.0	-	-	*	*	-	-	-	-	*	*	-	-
3.1	-	-	*	*	-	-	-	-	*	*	-	-
3.2	-	-	*	*	-	-	*	*	*	*	-	-
3.3	-	-	0.1	*	-	-	*	*	0.2	0.1	-	-
3.4	-	-	0.1	0.1	-	*	*	*	0.2	0.1	-	-
3.5	-	-	*	*	*	*	*	*	0.3	0.3	-	-
3.6	-	-	0.1	0.1	0.1	0.1	*	0.1	0.5	0.4	-	-
3.7	-	-	0.1	0.2	0.1	0.1	0.1	0.1	0.8	0.6	-	-
3.8	-	-	0.2	0.3	0.5	0.4	0.1	0.1	1.2	1.3	-	-
3.9	-	-	0.7	0.6	0.8	0.7	0.3	0.2	2.4	2.2	-	-
4.0	-	-	1.3	1.4	1.0	1.2	0.6	0.4	3.0	2.9	-	-
4.1	-	-	2.7	2.2	1.6	1.9	1.2	0.7	4.5	4.4	-	-
4.2	-	-	3.9	3.2	2.8	3.1	1.9	1.2	5.9	6.0	-	-
4.3	-	-	3.7	3.5	5.0	5.4	3.1	1.9	7.7	7.3	-	-
4.4	-	-	6.6	5.2	9.0	8.3	4.1	3.2	9.6	8.7	-	-
4.5	-	-	8.1	8.4	12.7	12.2	5.1	4.9	11.8	11.2	-	-
4.6	-	-	7.0	10.7	15.8	15.5	8.0	7.3	13.4	12.7	-	-
4.7	-	-	11.0	11.6	17.1	16.3	11.5	10.3	11.6	11.8	-	-
4.8	-	-	14.9	12.2	14.3	14.3	13.9	13.9	9.9	10.3	-	-
4.9	-	-	12.4	10.7	9.1	10.2	13.8	15.6	7.9	8.1	-	-
5.0	-	-	9.9	8.9	5.1	6.0	15.9	15.6	4.6	5.7	-	-
5.1	-	-	9.6	9.6	2.7	2.6	11.6	11.6	2.5	3.3	-	-
5.2	-	-	5.8	6.0	1.0	0.8	5.5	7.1	0.9	1.5	-	-
5.3	-	-	1.3	3.2	0.7	0.4	2.5	3.6	0.5	0.6	-	-
5.4	-	-	0.4	1.5	0.3	0.2	0.8	1.5	0.3	0.3	-	-
5.5 & Above	-	-	-	0.3	0.2	0.1	0.1	0.6	0.1	0.1	-	-
Average	**-**	**-**	***4.73***	***4.75***	***4.64***	***4.64***	***4.82***	***4.86***	***4.53***	***4.56***	**-**	**-**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	0.4	0.4	0.6	0.4	-	*	2.2	1.0	0.5	0.5
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	*	*	*	*	0.2	0.2	*	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	-	*	*	-	-	*	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.7	0.4	-	*	0.1	0.5	0.6	0.6
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	0.1	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	-	-	-	-	-	*	*	-	-
23	-	-	-	-	-	-	*	*	-	-
24	-	*	-	-	-	*	*	*	-	-
25	*	0.1	-	-	*	*	0.1	0.1	-	-
26	0.1	0.3	*	0.1	*	*	0.9	0.4	0.5	0.5
27	0.5	1.2	0.5	0.6	0.3	0.3	2.8	1.4	3.4	3.4
28	1.5	4.1	8.2	6.8	4.0	3.7	7.5	5.3	15.3	15.4
29	7.3	10.1	29.6	28.8	22.8	21.9	16.3	14.9	35.9	35.7
30	14.7	15.5	30.9	31.9	40.6	41.7	19.0	21.4	30.4	30.7
31	16.5	14.0	19.4	19.8	24.1	23.2	17.5	17.4	10.5	10.3
32	12.7	10.8	8.1	8.2	5.2	6.4	13.9	12.4	2.7	2.7
33	16.5	12.9	2.7	3.0	1.9	1.7	10.9	11.3	1.0	1.0
34	15.7	14.3	0.5	0.7	1.0	0.8	7.0	9.7	0.3	0.2
35	9.9	10.1	*	0.1	0.1	0.2	2.8	4.2	*	*
36	4.2	4.0	-	*	*	*	0.8	1.2	-	-
37	0.3	1.9	-	-	*	*	0.3	0.3	-	-
38	0.1	0.6	-	-	-	-	0.1	0.1	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	*	*	-	-	-	-	-	-	-	-
Average	***32.65***	***32.47***	***30.44***	***30.49***	***30.59***	***30.60***	***31.29***	***31.58***	***29.87***	***29.86***
Mike										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	*	*	-	-
2.6	-	-	-	-	-	-	*	*	-	-
2.7	-	-	-	-	-	-	*	*	-	-
2.8	-	-	-	-	-	-	*	*	-	-
2.9	*	*	-	-	-	-	*	*	-	-
3.0	*	*	*	*	-	-	0.1	0.1	-	-
3.1	0.1	0.1	-	*	-	-	0.3	0.2	-	-
3.2	-	0.1	*	*	-	-	0.6	0.3	-	-
3.3	*	*	-	-	*	*	0.8	0.6	*	*
3.4	0.9	0.6	*	*	0.1	*	1.2	0.9	*	*
3.5	1.6	1.2	*	*	0.3	0.1	1.5	1.2	0.3	0.3
3.6	3.1	2.5	0.1	0.1	0.2	0.3	2.0	1.7	0.9	0.8
3.7	4.9	4.0	0.6	0.4	1.2	0.8	2.8	2.6	5.6	5.6
3.8	8.0	5.7	1.1	0.8	1.2	1.0	3.9	4.2	4.1	4.1
3.9	12.3	8.1	0.9	0.7	1.5	1.3	5.8	6.5	8.0	8.3
4.0	10.5	7.9	1.4	1.3	2.5	2.3	7.7	8.8	6.0	6.1
4.1	9.9	9.4	3.2	2.7	3.5	3.7	9.2	10.5	6.0	6.0
4.2	8.0	9.0	4.9	3.9	5.2	4.8	10.3	12.2	7.6	7.5
4.3	7.9	8.6	6.4	5.3	7.0	6.7	11.3	12.4	13.6	13.4
4.4	7.0	7.8	12.0	8.8	8.1	9.0	11.5	11.2	15.6	15.4
4.5	7.7	8.5	11.6	8.8	10.7	12.1	9.6	9.0	11.9	11.9
4.6	9.3	10.6	11.5	9.8	12.9	14.5	7.9	6.5	9.7	9.8
4.7	5.5	8.2	10.3	9.9	15.4	14.6	5.7	4.4	5.7	5.9
4.8	2.0	5.0	10.3	11.1	13.8	12.5	3.2	2.8	2.8	2.7
4.9	1.0	1.7	9.1	11.4	9.5	8.4	1.7	1.6	1.4	1.4
5.0	0.3	0.7	7.1	10.0	3.9	4.7	1.2	0.9	0.5	0.5
5.1	*	0.2	4.8	7.9	1.6	1.9	0.8	0.5	0.1	0.1
5.2	-	0.1	2.0	3.6	0.9	0.8	0.4	0.3	-	-
5.3	-	*	1.0	2.3	0.2	0.5	0.2	0.2	*	*
5.4	-	-	1.3	1.2	0.1	0.1	0.1	0.2	-	-
5.5 & Above	-	*	0.1	0.1	*	*	0.1	0.3	-	-
Average	***4.17***	***4.26***	***4.62***	***4.70***	***4.56***	***4.57***	***4.26***	***4.25***	***4.29***	***4.28***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	ALABAMA Week	ALABAMA Season	ARKANSAS Week	ARKANSAS Season	ARIZONA Week	ARIZONA Season	CALIFORNIA Week	CALIFORNIA Season	FLORIDA Week	FLORIDA Season	GEORGIA Week	GEORGIA Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	*
2.7 - 2.9	-	-	-	-	-	-	0.3	0.2	-	-	-	*
3.0 - 3.2	*	*	-	-	-	-	2.2	1.0	-	*	*	*
3.3 - 3.4	0.4	0.2	*	*	-	-	0.3	0.7	-	*	0.4	0.2
3.5 - 3.6	0.7	0.5	0.1	0.1	-	-	0.9	3.2	0.3	0.8	0.7	0.5
3.7 - 4.2	26.0	23.1	3.1	2.8	-	-	39.0	49.7	10.3	9.2	19.0	13.6
4.3 - 4.9	64.6	64.4	72.7	69.5	-	-	49.6	41.0	80.3	74.6	63.8	64.3
5.0 - 5.2	7.3	9.7	22.2	24.1	-	-	7.7	4.2	9.1	14.5	14.3	18.7
5.3 & Above	1.0	2.2	1.9	3.4	-	-	*	*	*	0.8	1.9	2.7
Average	***4.45***	***4.51***	***4.77***	***4.79***	***-***	***-***	***4.33***	***4.22***	***4.61***	***4.63***	***4.56***	***4.64***
Leaf												
1 - 2	17.5	14.9	1.0	1.9	-	-	37.2	54.1	13.7	19.2	15.1	16.5
3	55.1	55.9	37.2	36.8	-	-	52.5	40.8	62.8	56.8	61.8	60.4
4	24.0	25.8	48.3	47.5	-	-	7.6	3.9	21.4	22.0	21.1	21.2
5	3.3	3.2	12.3	12.5	-	-	2.6	1.2	2.0	2.0	2.0	1.8
6	0.2	0.2	1.1	1.1	-	-	0.1	*	0.1	0.1	0.1	0.1
7	*	*	0.1	*	-	-	-	-	-	-	*	*
8	-	-	-	-	-	-	-	-	-	-	-	*
Average	***3.13***	***3.17***	***3.76***	***3.74***	***-***	***-***	***2.74***	***2.47***	***3.12***	***3.06***	***3.10***	***3.08***
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	2.7	2.0	*	0.1	-	-	8.1	15.2	0.7	3.9	1.4	1.9
02	19.3	16.8	1.9	2.7	-	-	37.4	43.7	18.1	20.0	20.4	20.8
03	28.0	27.7	13.6	13.4	-	-	32.9	28.1	32.6	29.2	34.2	32.4
04	23.6	24.6	24.9	23.6	-	-	12.5	8.2	24.8	22.3	23.5	23.7
05	13.6	15.2	24.0	23.3	-	-	4.6	2.6	12.7	12.9	11.7	12.2
06	7.0	7.7	16.6	16.8	-	-	2.2	1.1	6.1	6.5	5.1	5.3
07	3.4	3.6	9.7	10.2	-	-	1.3	0.6	2.8	2.9	2.1	2.2
08	1.4	1.4	4.8	5.2	-	-	0.7	0.3	1.2	1.3	0.9	0.9
09	0.6	0.6	2.4	2.6	-	-	0.2	0.1	0.5	0.5	0.4	0.3
10	0.2	0.2	1.1	1.2	-	-	*	*	0.3	0.3	0.1	0.1
11	0.1	0.1	0.5	0.5	-	-	-	-	0.1	0.1	*	*
12	0.1	0.1	0.2	0.2	-	-	-	-	0.1	*	*	*
13	*	*	0.1	0.1	-	-	-	-	*	*	*	*
14	*	*	*	*	-	-	-	-	*	*	*	*
15	*	*	*	*	-	-	-	-	*	*	*	*
16	*	*	-	-	-	-	-	-	-	-	*	*
17	*	*	-	-	-	-	-	-	*	*	-	-
18 & Above	-	*	-	-	-	-	-	-	-	*	-	*
Average	***0.37***	***0.39***	***0.51***	***0.52***	***-***	***-***	***0.28***	***0.25***	***0.37***	***0.36***	***0.36***	***0.36***
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	*	*
76	*	*	*	*	-	-	-	*	-	*	*	*
77	0.1	*	*	*	-	-	-	*	-	-	0.1	0.1
78	0.3	0.2	0.1	0.1	-	-	-	0.8	-	0.1	0.8	0.9
79	2.0	1.4	0.5	0.6	-	-	0.5	5.6	0.5	1.4	5.3	5.9
80	12.1	10.0	4.2	4.6	-	-	8.6	9.2	6.7	7.4	23.2	22.5
81	32.1	33.5	21.0	20.6	-	-	19.2	28.5	31.0	31.0	38.0	37.2
82	38.0	37.8	45.8	41.4	-	-	56.6	37.4	45.9	48.8	24.2	24.0
83	13.2	15.3	25.4	28.3	-	-	11.9	14.8	15.5	11.1	6.9	7.5
84	2.0	1.6	2.8	4.1	-	-	3.2	3.5	0.3	0.2	1.5	1.7
85 & Above	0.2	0.1	0.1	0.2	-	-	0.1	0.1	*	*	0.1	0.1
Average	***81.99***	***82.05***	***82.45***	***82.50***	***-***	***-***	***82.22***	***81.99***	***82.13***	***82.06***	***81.51***	***81.52***
Tenderable 3/	**90.5**	**85.0**	**71.3**	**64.9**	**-**	**-**	**88.1**	**91.3**	**87.9**	**81.6**	**80.1**	**74.5**
SAMPLES CLASSED	**45,514**	**128,466**	**150,589**	**458,114**	**-**	**-**	**5,289**	**11,586**	**7,218**	**14,887**	**88,175**	**220,176**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	0.1	*	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	*	*	-	-	*	*	0.1	*	-	-
3.3 - 3.4	-	-	0.2	0.1	-	*	*	*	0.4	0.3	-	-
3.5 - 3.6	-	-	0.1	0.1	0.1	0.1	*	0.1	0.8	0.7	-	-
3.7 - 4.2	-	-	8.9	7.9	6.8	7.6	4.1	2.6	17.8	17.4	-	-
4.3 - 4.9	-	-	63.7	62.2	83.0	82.2	59.4	57.2	72.0	70.2	-	-
5.0 - 5.2	-	-	25.3	24.6	8.9	9.5	33.0	34.3	8.1	10.5	-	-
5.3 & Above	-	-	1.8	5.0	1.2	0.6	3.3	5.7	0.9	0.9	-	-
Average	**-**	**-**	***4.73***	***4.75***	***4.64***	***4.64***	***4.82***	***4.86***	***4.53***	***4.56***	**-**	**-**
Leaf												
1 - 2	-	-	13.3	14.6	3.2	2.8	6.3	8.8	18.3	18.0	-	-
3	-	-	51.6	51.4	53.4	50.7	46.1	46.6	58.2	57.3	-	-
4	-	-	29.9	28.7	38.8	41.0	38.2	35.4	21.1	21.4	-	-
5	-	-	5.0	5.1	4.3	5.2	8.7	8.1	2.2	2.9	-	-
6	-	-	0.2	0.2	0.2	0.2	0.7	1.1	0.2	0.3	-	-
7	-	-	-	-	*	*	*	*	*	0.1	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.27***	***3.24***	***3.45***	***3.49***	***3.51***	***3.46***	***3.07***	***3.10***	**-**	**-**
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	1.4	1.8	0.1	0.1	0.4	0.8	1.8	2.1	-	-
02	-	-	16.1	15.4	5.2	4.4	8.2	10.2	20.9	19.2	-	-
03	-	-	25.0	25.5	22.9	20.7	20.9	21.7	29.6	28.2	-	-
04	-	-	23.3	23.5	30.7	29.7	26.2	25.0	23.7	24.1	-	-
05	-	-	16.2	16.0	22.4	23.1	20.5	19.2	13.2	14.1	-	-
06	-	-	9.5	9.2	11.1	12.4	11.7	11.1	6.4	6.8	-	-
07	-	-	4.9	4.8	4.6	5.7	6.3	6.0	2.7	3.0	-	-
08	-	-	2.1	2.2	1.7	2.3	3.1	3.1	1.1	1.4	-	-
09	-	-	0.9	1.0	0.8	0.9	1.5	1.6	0.4	0.6	-	-
10	-	-	0.4	0.4	0.3	0.4	0.7	0.8	0.1	0.3	-	-
11	-	-	0.2	0.1	0.1	0.1	0.3	0.4	0.1	0.1	-	-
12	-	-	*	*	0.1	0.1	0.1	0.2	*	0.1	-	-
13	-	-	*	*	*	*	*	0.1	*	0.1	-	-
14	-	-	*	*	*	*	*	*	*	*	-	-
15	-	-	-	-	*	*	*	*	*	*	-	-
16	-	-	-	-	-	-	-	-	-	*	-	-
17	-	-	-	-	-	-	-	-	-	*	-	-
18 & Above	-	-	-	-	-	-	-	-	-	*	-	-
Average	**-**	**-**	***0.41***	***0.40***	***0.44***	***0.45***	***0.45***	***0.44***	***0.37***	***0.38***	**-**	**-**
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	*	*	*	*	-	-	-	-
77	-	-	-	-	0.1	*	0.1	*	-	-	-	-
78	-	-	*	0.1	0.1	0.1	0.3	0.2	0.3	0.3	-	-
79	-	-	0.5	1.6	0.4	0.3	1.3	1.5	2.6	2.3	-	-
80	-	-	3.1	8.6	2.6	2.3	8.4	10.1	10.2	9.1	-	-
81	-	-	28.0	34.8	16.3	14.7	31.4	31.6	24.0	23.8	-	-
82	-	-	44.1	38.7	52.6	49.2	38.0	36.5	40.8	38.9	-	-
83	-	-	18.1	14.3	26.3	31.1	17.1	16.5	20.7	22.4	-	-
84	-	-	5.9	1.9	1.5	2.1	3.4	3.3	1.3	3.0	-	-
85 & Above	-	-	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	-	-
Average	**-**	**-**	***82.40***	***82.06***	***82.51***	***82.60***	***82.16***	***82.11***	***82.15***	***82.24***	**-**	**-**
Tenderable 3/	**-**	**-**	**69.4**	**68.6**	**86.0**	**80.3**	**61.9**	**55.8**	**89.4**	**86.3**	**-**	**-**
SAMPLES CLASSED	**-**	**-**	**26,457**	**115,291**	**69,044**	**159,535**	**98,243**	**329,440**	**47,111**	**80,627**	**-**	**-**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	*	*	-	-
2.7 - 2.9	*	*	-	-	-	-	*	0.1	-	-
3.0 - 3.2	0.1	0.2	*	*	-	-	1.1	0.6	-	-
3.3 - 3.4	0.9	0.6	*	*	0.1	0.1	2.0	1.5	0.1	0.1
3.5 - 3.6	4.7	3.7	0.1	0.1	0.5	0.4	3.5	2.9	1.2	1.1
3.7 - 4.2	53.5	44.1	12.1	9.8	15.2	13.8	39.7	44.7	37.4	37.6
4.3 - 4.9	40.5	50.4	71.3	65.0	77.4	77.8	50.9	47.8	60.8	60.6
5.0 - 5.2	0.3	1.0	14.0	21.5	6.4	7.3	2.4	1.8	0.6	0.6
5.3 & Above	-	*	2.5	3.5	0.3	0.6	0.4	0.6	*	*
Average	***4.17***	***4.26***	***4.62***	***4.70***	***4.56***	***4.57***	***4.26***	***4.25***	***4.29***	***4.28***
Leaf										
1 - 2	58.2	61.1	5.5	7.3	19.1	18.0	51.7	32.3	9.9	9.9
3	35.3	33.0	50.9	55.6	61.0	61.2	34.1	45.6	54.7	54.8
4	6.3	5.7	38.6	33.5	18.4	19.4	11.9	18.3	32.2	32.1
5	0.2	0.2	5.0	3.5	1.5	1.5	2.0	3.4	3.2	3.1
6	*	*	0.1	0.1	*	*	0.3	0.4	-	-
7	*	*	-	-	-	-	*	*	-	-
8	-	-	-	-	-	-	-	*	-	-
Average	***2.30***	***2.18***	***3.43***	***3.33***	***3.01***	***3.04***	***2.52***	***2.89***	***3.28***	***3.28***
HVI Trash 1/										
00	*	0.1	-	-	-	*	0.1	*	-	-
01	27.0	33.7	0.2	0.3	3.0	2.6	23.6	9.7	1.0	1.0
02	33.5	29.0	6.9	9.0	19.3	18.8	31.9	25.4	10.8	10.8
03	20.4	19.2	22.7	25.0	32.5	32.3	19.6	25.8	23.5	23.5
04	12.1	11.2	28.0	27.9	23.8	24.3	12.1	17.8	26.3	26.4
05	4.9	4.7	21.8	20.2	12.4	12.8	6.6	10.5	18.9	19.0
06	1.5	1.5	11.6	10.5	5.5	5.6	3.3	5.7	11.1	11.0
07	0.4	0.4	5.4	4.6	2.1	2.3	1.6	2.8	5.0	5.0
08	0.1	0.1	2.1	1.7	0.8	0.8	0.7	1.3	2.2	2.2
09	*	*	0.9	0.6	0.3	0.3	0.3	0.5	0.9	0.9
10	-	*	0.3	0.2	0.1	0.1	0.1	0.2	0.2	0.2
11	*	*	*	*	0.1	0.1	*	0.1	0.1	0.1
12	*	*	*	*	*	*	*	0.1	-	-
13	-	*	-	-	*	*	*	*	-	-
14	-	-	-	-	*	*	*	*	-	-
15	-	-	-	-	*	*	*	*	-	-
16	-	-	-	-	-	-	*	*	-	-
17	-	-	-	-	-	-	-	*	-	-
18 & Above	-	-	-	-	-	-	-	*	-	-
Average	***0.24***	***0.23***	***0.44***	***0.42***	***0.36***	***0.36***	***0.27***	***0.34***	***0.42***	***0.42***
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	*	*	-	-
75	-	-	-	-	-	-	*	*	-	-
76	*	*	-	-	*	*	0.1	*	-	-
77	*	0.1	-	-	0.1	*	0.5	0.2	-	-
78	0.2	0.5	0.1	0.2	0.2	0.1	2.4	1.1	0.2	0.2
79	1.7	2.8	0.4	1.0	1.2	0.7	9.4	4.3	2.2	2.2
80	8.8	13.7	11.3	11.6	12.7	8.2	22.5	13.4	12.1	12.0
81	30.1	28.9	37.6	32.6	36.0	34.6	33.2	29.5	38.8	38.8
82	30.1	26.5	40.2	38.4	39.2	42.9	23.8	30.8	32.6	32.3
83	17.4	15.4	10.1	14.7	10.2	12.9	7.0	15.9	13.1	13.5
84	10.8	11.0	0.4	1.4	0.5	0.6	1.0	4.3	0.9	0.9
85 & Above	0.9	1.2	*	0.1	0.1	*	0.1	0.4	0.1	0.1
Average	***82.33***	***82.20***	***81.96***	***82.04***	***81.91***	***82.06***	***81.35***	***81.96***	***81.89***	***81.90***
Tenderable 3/	**97.9**	**96.4**	**78.1**	**70.9**	**88.5**	**76.1**	**86.6**	**87.7**	**97.6**	**97.6**
SAMPLES CLASSED	**23,991**	**49,205**	**10,441**	**17,912**	**45,756**	**145,291**	**234,191**	**1,430,979**	**10,763**	**10,889**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
01	1	-	-	10.6	18.0	-	-	-	-
	2	-	-	12.3	15.2	-	-	-	-
	3	-	-	0.1	0.1	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***23.1***	***33.2***	**-**	**-**	**-**	**-**
02	1	-	-	9.1	9.8	-	-	-	-
	2	-	-	45.7	40.4	-	-	-	-
	3	-	-	7.2	5.7	-	-	-	-
	4	-	-	0.1	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***62.1***	***56.0***	**-**	**-**	**-**	**-**
03	1	-	-	0.1	0.1	-	-	-	-
	2	-	-	6.3	4.7	-	-	-	-
	3	-	-	6.9	5.0	-	-	-	-
	4	-	-	1.0	0.7	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***14.3***	***10.4***	**-**	**-**	**-**	**-**
04	1	-	-	*	*	-	-	-	-
	2	-	-	0.1	0.1	-	-	-	-
	3	-	-	0.3	0.2	-	-	-	-
	4	-	-	0.1	0.1	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***0.5***	***0.4***	**-**	**-**	**-**	**-**
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	*******	*******	**-**	**-**	**-**	**-**
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
STAPLE									
44 & Shorter		-	-	2.3	5.9	-	-	-	-
46		-	-	6.7	13.4	-	-	-	-
48		-	-	55.0	51.1	-	-	-	-
50		-	-	35.7	29.5	-	-	-	-
52 & Longer		-	-	0.3	0.2	-	-	-	-
Average Staple		**-**	**-**	***48.50***	***48.10***	**-**	**-**	**-**	**-**
Average Length		**-**	**-**	***1.41***	***1.40***	**-**	**-**	**-**	**-**
EXTRANEOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	0.1	0.4	-	-	-	-
Spindle Twist		-	-	*	*	-	-	-	-
Preparation		-	-	*	*	-	-	-	-
All Other		-	-	*	*	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 30, 2025

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	0.2	0.1	-	-	-	-
3.3 - 3.4	-	-	1.0	1.4	-	-	-	-
3.5 - 3.6	-	-	9.6	11.4	-	-	-	-
3.7 - 4.2	-	-	87.5	85.7	-	-	-	-
4.3 - 4.9	-	-	1.8	1.2	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.88***	***3.86***	**-**	**-**	**-**	**-**
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	*	*	-	-	-	-
3.2	-	-	0.2	0.1	-	-	-	-
3.3	-	-	0.5	0.5	-	-	-	-
3.4	-	-	0.5	0.9	-	-	-	-
3.5	-	-	2.2	4.0	-	-	-	-
3.6	-	-	7.4	7.5	-	-	-	-
3.7	-	-	12.3	11.4	-	-	-	-
3.8	-	-	18.2	18.0	-	-	-	-
3.9	-	-	26.0	25.1	-	-	-	-
4.0	-	-	19.4	20.6	-	-	-	-
4.1	-	-	7.7	7.5	-	-	-	-
4.2	-	-	3.9	3.0	-	-	-	-
4.3	-	-	0.6	0.5	-	-	-	-
4.4	-	-	0.6	0.4	-	-	-	-
4.5	-	-	0.5	0.3	-	-	-	-
4.6	-	-	0.1	*	-	-	-	-
4.7	-	-	*	*	-	-	-	-
4.8	-	-	*	*	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.88***	***3.86***	**-**	**-**	**-**	**-**
STRENGTH 1/								
36 & Below	-	-	2.5	3.8	-	-	-	-
37	-	-	3.8	9.7	-	-	-	-
38	-	-	2.5	4.9	-	-	-	-
39	-	-	0.6	1.1	-	-	-	-
40	-	-	2.7	2.2	-	-	-	-
41	-	-	8.1	6.6	-	-	-	-
42	-	-	13.6	11.6	-	-	-	-
43	-	-	24.7	20.6	-	-	-	-
44	-	-	20.9	20.6	-	-	-	-
45	-	-	11.6	11.8	-	-	-	-
46	-	-	7.7	6.1	-	-	-	-
47	-	-	1.1	0.8	-	-	-	-
48 & Above	-	-	0.2	0.1	-	-	-	-
Average	**-**	**-**	***43.25***	***42.66***	**-**	**-**	**-**	**-**
UNIFORMITY								
83 & Below	-	-	0.8	1.0	-	-	-	-
84	-	-	8.1	16.2	-	-	-	-
85	-	-	29.5	29.6	-	-	-	-
86	-	-	54.8	47.8	-	-	-	-
87	-	-	6.2	4.9	-	-	-	-
88 & Above	-	-	0.7	0.5	-	-	-	-
Average	**-**	**-**	***86.03***	***85.85***	**-**	**-**	**-**	**-**
Samples Classed	**-**	**-**	**25,773**	**38,070**	**-**	**-**	**-**	**-**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.