



\*\*\*\*Due to the Government Shutdown, Warehouse Cotton Loan Quantities (Pg. 1) and Farm Prices (Pg. 23) are not available\*\*\*\*

Spot cotton quotations were 174 points lower than the previous month, according to the USDA, Agricultural Marketing Service's Cotton and Tobacco Program. The average spot quotation in the seven designated markets for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength of 27.0-28.9 grams per tex, and uniformity of 81.0-81.9 units was 60.60 cents per pound in October 2025. This compares with 62.34 from the previous month. The average basis for the base quality at the end of October was 382 points off the ICE December 2025 No. 2 futures contract. Spot transactions reported in the designated markets for October totaled 40,438 running bales.

| Spot Market                    | Bales Reported |             | Spot Quotations Average |         | CCC-loan Average |
|--------------------------------|----------------|-------------|-------------------------|---------|------------------|
|                                | Current Month  | Market Year | 41-4-34                 | 31-3-36 |                  |
| Southeast                      | 4,894          | 8,953       | 62.82                   | 68.57   | 54.15            |
| North Delta                    | 0              | 3,690       | 62.09                   | 66.84   | 52.96            |
| South Delta                    | 0              | 29          | 62.09                   | 66.34   | 53.33            |
| East Texas - South Texas       | 22,596         | 40,074      | 58.45                   | 65.45   | 55.42            |
| West Texas - Kansas - Oklahoma | 12,948         | 23,320      | 59.43                   | 64.68   | 55.37            |
| Desert Southwest               | 0              | 0           | 59.55                   | 65.55   | 56.16            |
| San Joaquin Valley             | 0              | 0           | 59.80                   | 72.20   | 56.74            |
| Total US Upland                | 40,438         | 76,066      | 60.60                   | 67.09   | 54.88            |
| American Pima                  |                |             | 2-2-46                  | 1-1-48  |                  |
| American Pima                  | 0              | 0           | 151.00                  | 153.25  | 94.58            |

Source: USDA, AMS

Warehouse Cotton Loan Quantities - Data in Bales

| Crop<br>Year | Month<br>Disbursed | Month<br>Matures | Form A     |        | Form G     |        | Form A & G Combined |        |         | Outstanding |
|--------------|--------------------|------------------|------------|--------|------------|--------|---------------------|--------|---------|-------------|
|              |                    |                  | Loans Made | Repaid | Loans Made | Repaid | Loans Made          | Repaid | Forfeit |             |

Source: USDA, FSA - Warehouse Cotton Maturity (PSL-43R)

Table 1. Upland cotton: Spot quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 27.0-28.9 grams per tex and uniformity 81, in mixed lots, net weight, compressed, FOB car/truck, in cents per pound.

October-2025

| Date    | Southeast       | North Delta | South Delta | ETX - STX | WTX - KS - OK | Desert SW | SJ Valley | U.S. Average |       |        |
|---------|-----------------|-------------|-------------|-----------|---------------|-----------|-----------|--------------|-------|--------|
|         | Cents per pound |             |             |           |               |           |           | Price        | Basis |        |
| 1       | 64.09           | 63.59       | 63.59       | 59.59     | 60.34         | 60.59     | 60.84     | 61.80        | -378  | Dec-25 |
| 2       | 63.59           | 63.09       | 63.09       | 58.84     | 59.84         | 60.09     | 60.34     | 61.27        | -382  | Dec-25 |
| 3       | 63.80           | 62.80       | 62.80       | 59.05     | 60.05         | 60.30     | 60.55     | 61.34        | -396  | Dec-25 |
| 6       | 63.64           | 62.64       | 62.64       | 58.89     | 59.89         | 60.14     | 60.39     | 61.18        | -396  | Dec-25 |
| 7       | 62.96           | 61.96       | 61.96       | 58.21     | 59.21         | 59.46     | 59.71     | 60.50        | -396  | Dec-25 |
| 8       | 63.16           | 62.41       | 62.41       | 58.66     | 59.66         | 59.91     | 60.16     | 60.91        | -400  | Dec-25 |
| 9       | 62.72           | 61.97       | 61.97       | 58.22     | 59.22         | 59.47     | 59.72     | 60.47        | -400  | Dec-25 |
| 10      | 62.09           | 61.34       | 61.34       | 57.59     | 58.59         | 58.84     | 59.09     | 59.84        | -400  | Dec-25 |
| 13      | 61.84           | 61.09       | 61.09       | 57.34     | 58.34         | 58.59     | 58.84     | 59.59        | -400  | Dec-25 |
| 14      | 61.76           | 61.01       | 61.01       | 57.26     | 58.26         | 58.51     | 58.76     | 59.51        | -400  | Dec-25 |
| 15      | 62.01           | 61.26       | 61.26       | 57.51     | 58.51         | 58.76     | 59.01     | 59.76        | -400  | Dec-25 |
| 16      | 61.98           | 61.23       | 61.23       | 57.48     | 58.48         | 58.73     | 58.98     | 59.73        | -400  | Dec-25 |
| 17      | 62.53           | 61.78       | 61.78       | 58.03     | 59.03         | 59.28     | 59.53     | 60.28        | -400  | Dec-25 |
| 20      | 62.41           | 61.66       | 61.66       | 57.91     | 58.91         | 59.16     | 59.41     | 60.16        | -400  | Dec-25 |
| 21      | 62.67           | 61.92       | 61.92       | 58.17     | 59.17         | 59.42     | 59.67     | 60.42        | -400  | Dec-25 |
| 22      | 61.99           | 61.24       | 61.24       | 57.49     | 58.49         | 58.74     | 58.99     | 59.74        | -400  | Dec-25 |
| 23      | 62.32           | 61.57       | 61.57       | 58.07     | 58.82         | 59.07     | 59.32     | 60.11        | -396  | Dec-25 |
| 24      | 62.45           | 61.70       | 61.70       | 58.20     | 59.20         | 59.20     | 59.45     | 60.27        | -392  | Dec-25 |
| 27      | 62.81           | 62.06       | 62.06       | 58.56     | 59.56         | 59.56     | 59.81     | 60.63        | -392  | Dec-25 |
| 28      | 63.30           | 62.55       | 62.55       | 59.05     | 60.05         | 60.05     | 60.30     | 61.12        | -392  | Dec-25 |
| 29      | 64.01           | 63.51       | 63.51       | 60.51     | 61.51         | 61.01     | 61.26     | 62.19        | -382  | Dec-25 |
| 30      | 63.12           | 62.62       | 62.62       | 59.62     | 60.62         | 60.12     | 60.37     | 61.30        | -382  | Dec-25 |
| 31      | 63.54           | 63.04       | 63.04       | 60.04     | 61.04         | 60.54     | 60.79     | 61.72        | -382  | Dec-25 |
| Average | 62.82           | 62.09       | 62.09       | 58.45     | 59.43         | 59.55     | 59.80     | 60.60        |       |        |
| High    | 64.09           | 63.59       | 63.59       | 60.51     | 61.51         | 61.01     | 61.26     | 62.19        |       |        |
| Low     | 61.76           | 61.01       | 61.01       | 57.26     | 58.26         | 58.51     | 58.76     | 59.51        |       |        |

Table 2. United States spot cotton differences, monthly average.

October-2025

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -488   | -290  | -121  | 213   | 488  | 727  | 818  | 874  |
|         | 3     | -563   | -315  | -138  | 174   | 434  | 695  | 771  | 821  |
|         | 4     | -625   | -345  | -246  | 68    | 232  | 355  | 396  | 406  |
|         | 5     | -650   | -470  | -358  | -132  | 11   | 83   | 132  | 132  |
|         | 6     | -763   | -555  | -488  | -364  | -257 | -212 | -183 | -183 |
|         | 7     | -838   | -650  | -604  | -471  | -382 | -334 | -311 | -311 |
| 31      | 1 & 2 | -650   | -335  | -183  | 152   | 441  | 677  | 741  | 784  |
|         | 3     | -688   | -345  | -192  | 127   | 402  | 649  | 709  | 752  |
|         | 4     | -738   | -380  | -288  | 57    | 204  | 306  | 358  | 372  |
|         | 5     | -763   | -530  | -404  | -171  | -39  | 22   | 73   | 73   |
|         | 6     | -850   | -600  | -517  | -389  | -298 | -260 | -234 | -234 |
|         | 7     | -938   | -695  | -633  | -486  | -411 | -371 | -349 | -349 |
| 41      | 1 & 2 | -750   | -410  | -317  | 54    | 186  | 338  | 366  | 405  |
|         | 3     | -788   | -420  | -321  | 32    | 148  | 286  | 321  | 360  |
|         | 4     | -825   | -450  | -392  | 60.60 | 91   | 200  | 235  | 260  |
|         | 5     | -925   | -630  | -542  | -329  | -209 | -146 | -126 | -115 |
|         | 6     | -1013  | -720  | -663  | -521  | -436 | -391 | -384 | -384 |
|         | 7     | -1113  | -825  | -796  | -654  | -575 | -542 | -537 | -537 |
| 51      | 1 & 2 | -875   | -645  | -529  | -339  | -196 | -159 | -154 | -154 |
|         | 3     | -913   | -690  | -538  | -364  | -214 | -174 | -172 | -169 |
|         | 4     | -950   | -710  | -567  | -421  | -300 | -264 | -252 | -249 |
|         | 5     | -963   | -795  | -733  | -579  | -464 | -425 | -411 | -407 |
|         | 6     | -1063  | -880  | -842  | -704  | -643 | -607 | -596 | -596 |
|         | 7     | -1163  | -965  | -967  | -829  | -771 | -736 | -729 | -729 |
| 61      | 1-5   | -1000  | -825  | -750  | -535  | -490 | -440 | -440 | -440 |
|         | 6     | -1163  | -940  | -895  | -710  | -670 | -620 | -620 | -620 |
|         | 7     | -1263  | -1070 | -1015 | -820  | -760 | -715 | -715 | -715 |
| 12 & 22 | 1 & 2 | -638   | -340  | -217  | 75    | 243  | 374  | 441  | 469  |
|         | 3     | -675   | -355  | -233  | 46    | 193  | 331  | 391  | 416  |
|         | 4     | -738   | -375  | -325  | -18   | 119  | 241  | 284  | 287  |
|         | 5     | -825   | -605  | -517  | -271  | -116 | -46  | -4   | -4   |
|         | 6     | -938   | -715  | -658  | -496  | -393 | -336 | -293 | -293 |
|         | 7     | -1063  | -800  | -775  | -629  | -550 | -496 | -461 | -461 |
| 32      | 1 & 2 | -838   | -485  | -358  | -93   | 43   | 105  | 135  | 153  |
|         | 3     | -888   | -505  | -375  | -118  | 18   | 80   | 106  | 124  |
|         | 4     | -938   | -555  | -433  | -221  | -61  | -20  | -4   | -1   |
|         | 5     | -1063  | -765  | -633  | -443  | -329 | -286 | -271 | -271 |
|         | 6     | -1188  | -845  | -796  | -614  | -511 | -482 | -468 | -468 |
|         | 7     | -1300  | -945  | -900  | -736  | -657 | -636 | -621 | -621 |
| 42      | 1-3   | -925   | -630  | -521  | -318  | -164 | -121 | -107 | -104 |
|         | 4     | -1000  | -675  | -554  | -368  | -232 | -186 | -175 | -164 |
|         | 5     | -1150  | -840  | -708  | -518  | -382 | -346 | -339 | -329 |
|         | 6     | -1363  | -930  | -833  | -671  | -600 | -582 | -568 | -564 |
|         | 7     | -1438  | -1005 | -958  | -807  | -732 | -718 | -707 | -707 |
| 52      | 1-4   | -1188  | -845  | -750  | -614  | -546 | -518 | -504 | -500 |
|         | 5     | -1250  | -925  | -854  | -689  | -629 | -618 | -600 | -596 |
|         | 6     | -1475  | -1060 | -1000 | -843  | -789 | -771 | -757 | -757 |
|         | 7     | -1563  | -1160 | -1129 | -979  | -936 | -907 | -896 | -896 |
| 62      | 1-5   | -1300  | -1045 | -970  | -765  | -740 | -715 | -695 | -695 |
|         | 6     | -1513  | -1215 | -1140 | -930  | -900 | -870 | -845 | -845 |

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1113  | -925  | -850  | -463  | -400  | -325  | -250  | -250  |
|         | 3     | -1175  | -963  | -888  | -488  | -425  | -350  | -275  | -275  |
|         | 4     | -1225  | -1050 | -950  | -525  | -463  | -400  | -325  | -325  |
|         | 5     | -1338  | -1138 | -1063 | -650  | -588  | -513  | -438  | -438  |
|         | 6     | -1475  | -1238 | -1150 | -763  | -675  | -600  | -525  | -525  |
|         | 7     | -1563  | -1338 | -1250 | -850  | -788  | -713  | -638  | -638  |
| 33      | 1 & 2 | -1238  | -940  | -800  | -569  | -532  | -500  | -479  | -479  |
|         | 3     | -1238  | -940  | -800  | -572  | -536  | -504  | -479  | -479  |
|         | 4     | -1325  | -990  | -863  | -636  | -589  | -557  | -532  | -461  |
|         | 5     | -1463  | -1045 | -967  | -786  | -736  | -707  | -682  | -682  |
|         | 6     | -1550  | -1135 | -1063 | -904  | -875  | -850  | -825  | -825  |
|         | 7     | -1638  | -1265 | -1167 | -1033 | -1000 | -975  | -950  | -950  |
| 43      | 1-3   | -1300  | -980  | -833  | -644  | -607  | -571  | -546  | -546  |
|         | 4     | -1375  | -1025 | -883  | -697  | -646  | -607  | -582  | -582  |
|         | 5     | -1488  | -1075 | -979  | -837  | -786  | -754  | -729  | -729  |
|         | 6     | -1600  | -1165 | -1075 | -940  | -914  | -889  | -864  | -864  |
|         | 7     | -1688  | -1290 | -1183 | -1065 | -1039 | -1014 | -989  | -989  |
| 53      | 1-4   | -1450  | -1125 | -1021 | -818  | -783  | -754  | -725  | -725  |
|         | 5     | -1538  | -1200 | -1117 | -909  | -879  | -846  | -817  | -817  |
|         | 6     | -1675  | -1325 | -1213 | -1018 | -975  | -942  | -913  | -913  |
|         | 7     | -1750  | -1390 | -1350 | -1147 | -1117 | -1083 | -1054 | -1054 |
| 63      | 1-5   | -1663  | -1300 | -1220 | -996  | -965  | -940  | -905  | -905  |
|         | 6     | -1763  | -1395 | -1305 | -1085 | -1050 | -1025 | -990  | -990  |
| 34      | 1 & 2 | -1388  | -1200 | -1113 | -688  | -675  | -613  | -550  | -550  |
|         | 3     | -1388  | -1200 | -1113 | -688  | -675  | -613  | -550  | -550  |
|         | 4     | -1513  | -1325 | -1213 | -788  | -775  | -713  | -650  | -650  |
|         | 5     | -1600  | -1413 | -1325 | -913  | -900  | -838  | -775  | -775  |
|         | 6     | -1775  | -1588 | -1500 | -1113 | -1088 | -1025 | -963  | -963  |
| 44      | 1-3   | -1500  | -1313 | -1225 | -788  | -775  | -713  | -663  | -663  |
|         | 4     | -1575  | -1413 | -1275 | -838  | -825  | -763  | -713  | -713  |
|         | 5     | -1650  | -1475 | -1363 | -938  | -925  | -863  | -813  | -813  |
|         | 6     | -1825  | -1638 | -1550 | -1150 | -1125 | -1063 | -1013 | -1013 |
| 54      | 1-4   | -1600  | -1438 | -1350 | -888  | -888  | -825  | -788  | -788  |
|         | 5     | -1688  | -1513 | -1400 | -1000 | -988  | -925  | -888  | -888  |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 24 & Below | -1675 | Range            | Diff. | 77.9 & Below     | -89   | Prep              | -185      | -714      |
| 25-26      | -1333 |                  |       | 78.0 - 78.9      | -77   | Bark              | -439      | -742      |
| 27-29      | -1032 | 22.0 - 23.9      | -618  | 79.0 - 79.9      | -58   | Grass             | -550      | -827      |
| 30-32      | -682  | 24.0 - 24.9      | -526  | 80.0 - 80.9      | 0     | Seed Coat         | -428      | -773      |
| 33-34      | -482  | 25.0 - 25.9      | -462  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 35-36 | 0     | 26.0 - 26.9      | -287  | 82.0 - 82.9      | 7     | All Other         | -428      | -773      |
| 37-42      | 14    | Base 27.0 - 28.9 | 0     | 83.0 - 83.9      | 27    |                   |           |           |
| Base 43-49 | 0     | 29.0 - 29.9      | 2     | 84.0 - 84.9      | 34    |                   |           |           |
| 50-52      | -332  | 30.0 - 30.9      | 30    | 85.0 - 85.9      | 41    |                   |           |           |
| 53 & Above | -433  | 31.0 - 32.9      | 52    | 86.0 & Above     | 48    |                   |           |           |
|            |       | 33.0 & Above     | 78    |                  |       |                   |           |           |

| Color   | Leaf  | Staple |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|
|         |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    |
| 11 & 21 | 1 & 2 | -225   | -50   | 175   | 500   | 625   | 675   | 700   |
|         | 3     | -225   | -50   | 175   | 475   | 600   | 650   | 675   |
|         | 4     | -225   | -125  | 100   | 425   | 500   | 525   | 525   |
|         | 5     | -475   | -325  | -225  | 25    | 100   | 100   | 100   |
|         | 6     | -600   | -450  | -400  | -225  | -175  | -175  | -175  |
|         | 7     | -725   | -575  | -550  | -350  | -300  | -300  | -300  |
| 31      | 1 & 2 | -225   | -100  | 100   | 475   | 600   | 625   | 650   |
|         | 3     | -225   | -100  | 100   | 475   | 575   | 600   | 625   |
|         | 4     | -225   | -125  | 100   | 425   | 475   | 500   | 500   |
|         | 5     | -475   | -325  | -225  | 25    | 75    | 75    | 75    |
|         | 6     | -600   | -450  | -400  | -275  | -225  | -225  | -225  |
|         | 7     | -725   | -575  | -550  | -400  | -350  | -350  | -350  |
| 41      | 1 & 2 | -275   | -150  | 75    | 400   | 450   | 450   | 475   |
|         | 3     | -275   | -150  | 75    | 375   | 425   | 425   | 450   |
|         | 4     | -275   | -200  | 62.82 | 225   | 400   | 400   | 425   |
|         | 5     | -550   | -450  | -300  | -175  | -100  | -100  | -100  |
|         | 6     | -675   | -550  | -525  | -450  | -400  | -400  | -400  |
|         | 7     | -775   | -675  | -650  | -600  | -550  | -550  | -550  |
| 51      | 1 & 2 | -475   | -350  | -175  | -125  | -75   | -75   | -75   |
|         | 3     | -550   | -375  | -250  | -175  | -100  | -100  | -100  |
|         | 4     | -575   | -375  | -300  | -250  | -200  | -200  | -200  |
|         | 5     | -775   | -650  | -525  | -475  | -425  | -425  | -425  |
|         | 6     | -850   | -675  | -625  | -625  | -575  | -575  | -575  |
|         | 7     | -925   | -800  | -775  | -775  | -725  | -725  | -725  |
| 61      | 1-5   | -775   | -700  | -625  | -600  | -575  | -575  | -575  |
|         | 6     | -950   | -875  | -825  | -800  | -775  | -775  | -775  |
|         | 7     | -1075  | -950  | -900  | -875  | -850  | -850  | -850  |
| 12 & 22 | 1 & 2 | -275   | -100  | 50    | 200   | 275   | 275   | 300   |
|         | 3     | -275   | -100  | 50    | 175   | 250   | 250   | 275   |
|         | 4     | -275   | -125  | 0     | 150   | 225   | 225   | 250   |
|         | 5     | -525   | -425  | -300  | -100  | -50   | -50   | -50   |
|         | 6     | -650   | -525  | -525  | -450  | -400  | -400  | -400  |
|         | 7     | -750   | -650  | -650  | -600  | -550  | -550  | -550  |
| 32      | 1 & 2 | -325   | -175  | -25   | 0     | 75    | 75    | 75    |
|         | 3     | -350   | -200  | -50   | 0     | 50    | 50    | 50    |
|         | 4     | -450   | -200  | -150  | -100  | -25   | -25   | -25   |
|         | 5     | -625   | -450  | -400  | -375  | -325  | -325  | -325  |
|         | 6     | -700   | -550  | -550  | -525  | -475  | -475  | -475  |
|         | 7     | -800   | -675  | -675  | -650  | -600  | -600  | -600  |
| 42      | 1-3   | -550   | -350  | -200  | -175  | -125  | -125  | -125  |
|         | 4     | -575   | -375  | -275  | -275  | -225  | -225  | -225  |
|         | 5     | -775   | -650  | -425  | -375  | -350  | -350  | -350  |
|         | 6     | -825   | -675  | -625  | -625  | -600  | -600  | -600  |
|         | 7     | -925   | -800  | -775  | -750  | -725  | -725  | -725  |
| 52      | 1-4   | -825   | -700  | -575  | -500  | -500  | -500  | -500  |
|         | 5     | -850   | -850  | -675  | -650  | -650  | -650  | -650  |
|         | 6     | -925   | -900  | -850  | -825  | -825  | -825  | -825  |
|         | 7     | -1075  | -1000 | -950  | -925  | -925  | -925  | -925  |
| 62      | 1-5   | -950   | -875  | -825  | -825  | -825  | -825  | -825  |
|         | 6     | -1125  | -1050 | -1000 | -1000 | -1000 | -1000 | -1000 |

| Color | Leaf  | Staple |       |       |       |       |       |       |
|-------|-------|--------|-------|-------|-------|-------|-------|-------|
|       |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    |
| 33    | 1 & 2 | -900   | -850  | -800  | -750  | -725  | -725  | -725  |
|       | 3     | -900   | -850  | -800  | -750  | -725  | -725  | -725  |
|       | 4     | -925   | -900  | -850  | -775  | -750  | -750  | -750  |
|       | 5     | -950   | -900  | -850  | -825  | -825  | -825  | -825  |
|       | 6     | -1000  | -925  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1125  | -1000 | -950  | -925  | -925  | -925  | -925  |
| 43    | 1-3   | -900   | -850  | -800  | -750  | -725  | -725  | -725  |
|       | 4     | -925   | -900  | -850  | -775  | -750  | -750  | -750  |
|       | 5     | -950   | -900  | -850  | -825  | -825  | -825  | -825  |
|       | 6     | -1000  | -925  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1125  | -1000 | -950  | -925  | -925  | -925  | -925  |
| 53    | 1-4   | -1000  | -900  | -850  | -800  | -800  | -800  | -800  |
|       | 5     | -1125  | -1075 | -975  | -975  | -975  | -975  | -975  |
|       | 6     | -1150  | -1100 | -1000 | -1000 | -1000 | -1000 | -1000 |
|       | 7     | -1250  | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |
| 63    | 1-5   | -1125  | -1075 | -975  | -975  | -975  | -975  | -975  |
|       | 6     | -1250  | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 25-26      | -1075 | Range            | Diff. | 77.9 & Below     | -125  | Prep              | -200      | -800      |
| 27-29      | -675  |                  |       | 78.0 - 78.9      | -110  | Bark              | -550      | -800      |
| 30-32      | -525  | 22.0 - 23.9      | -675  | 79.0 - 79.9      | -100  | Grass             | -550      | -800      |
| 33-34      | -400  | 24.0 - 24.9      | -625  | 80.0 - 80.9      | 0     | Seed Coat         | -550      | -550      |
| Base 35-36 | 0     | 25.0 - 25.9      | -600  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| 37-42      | 0     | 26.0 - 26.9      | -300  | 82.0 - 82.9      | 0     | All Other         | -550      | -550      |
| Base 43-49 | 0     | Base 27.0 - 28.9 | 0     | 83.0 - 83.9      | 20    |                   |           |           |
| 50-52      | -200  | 29.0 - 29.9      | 0     | 84.0 - 84.9      | 30    |                   |           |           |
| 53 & Above | -375  | 30.0 - 30.9      | 25    | 85.0 - 85.9      | 40    |                   |           |           |
|            |       | 31.0 - 32.9      | 50    | 86.0 & Above     | 50    |                   |           |           |
|            |       | 33.0 & Above     | 50    |                  |       |                   |           |           |

| Color   | Leaf  | Staple |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|------|------|------|------|
|         |       | 32     | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -225   | -75   | 175   | 250  | 500  | 600  | 600  |
|         | 3     | -225   | -75   | 150   | 200  | 475  | 550  | 550  |
|         | 4     | -275   | -200  | 75    | 100  | 225  | 250  | 250  |
|         | 5     | -450   | -325  | -175  | -100 | -100 | -75  | -75  |
|         | 6     | -500   | -475  | -450  | -400 | -400 | -400 | -400 |
|         | 7     | -600   | -575  | -550  | -500 | -500 | -500 | -500 |
| 31      | 1 & 2 | -225   | -100  | 125   | 225  | 500  | 525  | 525  |
|         | 3     | -225   | -100  | 125   | 200  | 475  | 500  | 500  |
|         | 4     | -275   | -250  | 75    | 100  | 175  | 225  | 225  |
|         | 5     | -450   | -325  | -225  | -150 | -125 | -100 | -100 |
|         | 6     | -500   | -475  | -450  | -400 | -400 | -400 | -400 |
|         | 7     | -600   | -575  | -550  | -500 | -500 | -500 | -500 |
| 41      | 1 & 2 | -350   | -250  | 50    | 100  | 350  | 350  | 375  |
|         | 3     | -350   | -250  | 25    | 50   | 325  | 350  | 375  |
|         | 4     | -375   | -275  | 62.09 | 0    | 175  | 200  | 200  |
|         | 5     | -625   | -500  | -325  | -225 | -175 | -175 | -175 |
|         | 6     | -675   | -600  | -500  | -425 | -425 | -425 | -425 |
|         | 7     | -800   | -775  | -650  | -550 | -550 | -550 | -550 |
| 51      | 1 & 2 | -675   | -475  | -350  | -250 | -250 | -250 | -250 |
|         | 3     | -725   | -475  | -375  | -275 | -275 | -275 | -275 |
|         | 4     | -750   | -500  | -400  | -350 | -350 | -350 | -350 |
|         | 5     | -825   | -725  | -650  | -575 | -550 | -550 | -550 |
|         | 6     | -950   | -925  | -775  | -700 | -700 | -700 | -700 |
|         | 7     | -1000  | -975  | -825  | -775 | -775 | -775 | -775 |
| 61      | 1-5   | -850   | -750  | -650  | -575 | -575 | -575 | -575 |
|         | 6     | -950   | -950  | -775  | -750 | -750 | -750 | -750 |
|         | 7     | -1025  | -1000 | -875  | -850 | -850 | -850 | -850 |
| 12 & 22 | 1 & 2 | -275   | -125  | 50    | 100  | 250  | 275  | 275  |
|         | 3     | -275   | -125  | 25    | 50   | 200  | 250  | 250  |
|         | 4     | -300   | -250  | 0     | 0    | 175  | 200  | 200  |
|         | 5     | -600   | -475  | -300  | -200 | -175 | -150 | -150 |
|         | 6     | -725   | -650  | -525  | -425 | -400 | -400 | -400 |
|         | 7     | -775   | -750  | -625  | -550 | -525 | -525 | -525 |
| 32      | 1 & 2 | -400   | -250  | -100  | 0    | 50   | 50   | 50   |
|         | 3     | -400   | -250  | -100  | -25  | 25   | 25   | 25   |
|         | 4     | -425   | -275  | -200  | -100 | -75  | -75  | -75  |
|         | 5     | -700   | -525  | -350  | -325 | -300 | -300 | -300 |
|         | 6     | -800   | -750  | -575  | -525 | -500 | -500 | -500 |
|         | 7     | -900   | -850  | -675  | -625 | -625 | -625 | -625 |
| 42      | 1-3   | -550   | -425  | -325  | -225 | -200 | -200 | -200 |
|         | 4     | -575   | -450  | -350  | -300 | -250 | -250 | -250 |
|         | 5     | -725   | -575  | -425  | -375 | -325 | -325 | -325 |
|         | 6     | -850   | -750  | -600  | -575 | -525 | -525 | -525 |
|         | 7     | -900   | -850  | -700  | -650 | -650 | -650 | -650 |
| 52      | 1-4   | -750   | -575  | -525  | -500 | -500 | -500 | -500 |
|         | 5     | -825   | -725  | -650  | -600 | -600 | -600 | -600 |
|         | 6     | -975   | -875  | -800  | -775 | -775 | -775 | -775 |
|         | 7     | -1000  | -975  | -900  | -875 | -875 | -875 | -875 |
| 62      | 1-5   | -1025  | -925  | -850  | -825 | -825 | -825 | -825 |
|         | 6     | -1175  | -1075 | -950  | -925 | -925 | -925 | -925 |

| Color | Leaf  | Staple |       |       |       |       |       |       |
|-------|-------|--------|-------|-------|-------|-------|-------|-------|
|       |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    |
| 33    | 1 & 2 | -900   | -675  | -500  | -475  | -475  | -475  | -475  |
|       | 3     | -900   | -675  | -500  | -475  | -475  | -475  | -475  |
|       | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  |
|       | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |
|       | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 43    | 1-3   | -900   | -675  | -500  | -475  | -475  | -475  | -475  |
|       | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  |
|       | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |
|       | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 53    | 1-4   | -1000  | -900  | -825  | -800  | -800  | -800  | -800  |
|       | 5     | -1075  | -1000 | -925  | -900  | -900  | -900  | -900  |
|       | 6     | -1250  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
|       | 7     | -1275  | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 63    | 1-5   | -1225  | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |
|       | 6     | -1275  | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 25-26      | -1000 | Range            | Diff. | 77.9 & Below     | -90   | Prep              | -200      | -800      |
| 27-29      | -650  | 22.0 - 23.9      | -800  | 78.0 - 78.9      | -80   | Bark              | -375      | -785      |
| 30-32      | -525  | 24.0 - 24.9      | -700  | 79.0 - 79.9      | -70   | Grass             | -375      | -785      |
| 33-34      | -425  | 25.0 - 25.9      | -650  | 80.0 - 80.9      | 0     | Seed Coat         | -375      | -785      |
| Base 35-36 | 0     | 26.0 - 26.9      | -300  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| 37-42      | 25    | Base 27.0 - 28.9 | 0     | 82.0 - 82.9      | 0     | All Other         | -375      | -785      |
| Base 43-49 | 0     | 29.0 - 29.9      | 0     | 83.0 - 83.9      | 30    |                   |           |           |
| 50-52      | -225  | 30.0 - 30.9      | 25    | 84.0 - 84.9      | 40    |                   |           |           |
| 53 & Above | -375  | 31.0 - 32.9      | 50    | 85.0 - 85.9      | 50    |                   |           |           |
|            |       | 33.0 & Above     | 50    | 86.0 & Above     | 60    |                   |           |           |

| Color   | Leaf  | Staple |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|------|------|------|------|
|         |       | 32     | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -225   | -75   | 175   | 300  | 450  | 550  | 550  |
|         | 3     | -225   | -75   | 150   | 250  | 425  | 500  | 500  |
|         | 4     | -275   | -200  | 75    | 150  | 275  | 300  | 300  |
|         | 5     | -450   | -325  | -175  | -100 | -100 | -75  | -75  |
|         | 6     | -500   | -475  | -450  | -400 | -400 | -400 | -400 |
|         | 7     | -600   | -575  | -550  | -500 | -500 | -500 | -500 |
| 31      | 1 & 2 | -225   | -100  | 125   | 275  | 425  | 450  | 450  |
|         | 3     | -225   | -100  | 125   | 250  | 425  | 450  | 450  |
|         | 4     | -275   | -250  | 75    | 150  | 250  | 275  | 275  |
|         | 5     | -550   | -425  | -225  | -150 | -125 | -100 | -100 |
|         | 6     | -600   | -575  | -450  | -400 | -400 | -400 | -400 |
|         | 7     | -700   | -675  | -550  | -500 | -500 | -500 | -500 |
| 41      | 1 & 2 | -350   | -250  | 50    | 150  | 300  | 300  | 325  |
|         | 3     | -350   | -250  | 25    | 100  | 275  | 300  | 325  |
|         | 4     | -375   | -275  | 62.09 | 50   | 225  | 250  | 250  |
|         | 5     | -625   | -500  | -325  | -200 | -150 | -150 | -150 |
|         | 6     | -675   | -600  | -500  | -425 | -425 | -425 | -425 |
|         | 7     | -800   | -775  | -650  | -550 | -550 | -550 | -550 |
| 51      | 1 & 2 | -675   | -475  | -350  | -250 | -250 | -250 | -250 |
|         | 3     | -725   | -475  | -375  | -275 | -275 | -275 | -275 |
|         | 4     | -750   | -500  | -400  | -350 | -350 | -350 | -350 |
|         | 5     | -825   | -725  | -650  | -575 | -550 | -550 | -550 |
|         | 6     | -925   | -825  | -775  | -700 | -700 | -700 | -700 |
|         | 7     | -1100  | -1075 | -925  | -800 | -800 | -800 | -800 |
| 61      | 1-5   | -850   | -750  | -650  | -575 | -575 | -575 | -575 |
|         | 6     | -925   | -850  | -775  | -750 | -750 | -750 | -750 |
|         | 7     | -1125  | -1100 | -975  | -850 | -850 | -850 | -850 |
| 12 & 22 | 1 & 2 | -275   | -125  | 50    | 100  | 275  | 300  | 300  |
|         | 3     | -275   | -125  | 25    | 50   | 225  | 275  | 275  |
|         | 4     | -300   | -250  | 0     | 0    | 175  | 200  | 200  |
|         | 5     | -600   | -475  | -300  | -200 | -175 | -150 | -150 |
|         | 6     | -725   | -650  | -525  | -425 | -400 | -400 | -400 |
|         | 7     | -775   | -750  | -625  | -550 | -525 | -525 | -525 |
| 32      | 1 & 2 | -400   | -250  | -100  | 0    | 50   | 50   | 50   |
|         | 3     | -400   | -250  | -100  | -25  | 25   | 25   | 25   |
|         | 4     | -425   | -275  | -200  | -100 | -75  | -75  | -75  |
|         | 5     | -700   | -525  | -350  | -325 | -300 | -300 | -300 |
|         | 6     | -800   | -750  | -575  | -525 | -500 | -500 | -500 |
|         | 7     | -900   | -850  | -675  | -625 | -625 | -625 | -625 |
| 42      | 1-3   | -550   | -425  | -325  | -225 | -200 | -200 | -200 |
|         | 4     | -575   | -450  | -350  | -300 | -250 | -250 | -250 |
|         | 5     | -725   | -575  | -425  | -375 | -325 | -325 | -325 |
|         | 6     | -850   | -750  | -600  | -525 | -500 | -500 | -500 |
|         | 7     | -900   | -850  | -700  | -650 | -650 | -650 | -650 |
| 52      | 1-4   | -750   | -575  | -525  | -500 | -500 | -500 | -500 |
|         | 5     | -875   | -725  | -650  | -600 | -600 | -600 | -600 |
|         | 6     | -925   | -875  | -800  | -775 | -775 | -775 | -775 |
|         | 7     | -1025  | -975  | -900  | -875 | -875 | -875 | -875 |
| 62      | 1-5   | -1025  | -925  | -850  | -825 | -825 | -825 | -825 |
|         | 6     | -1175  | -1075 | -950  | -925 | -925 | -925 | -925 |

| Color | Leaf  | Staple |       |       |       |       |       |       |
|-------|-------|--------|-------|-------|-------|-------|-------|-------|
|       |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    |
| 33    | 1 & 2 | -900   | -675  | -475  | -450  | -450  | -450  | -450  |
|       | 3     | -900   | -675  | -475  | -450  | -450  | -450  | -450  |
|       | 4     | -925   | -700  | -525  | -500  | -500  | -500  | 0     |
|       | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |
|       | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 43    | 1-3   | -900   | -675  | -475  | -450  | -450  | -450  | -450  |
|       | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  |
|       | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |
|       | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 53    | 1-4   | -1000  | -900  | -825  | -800  | -800  | -800  | -800  |
|       | 5     | -1075  | -1000 | -925  | -900  | -900  | -900  | -900  |
|       | 6     | -1250  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
|       | 7     | -1275  | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 63    | 1-5   | -1225  | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |
|       | 6     | -1275  | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 25-26      | -1100 | Range            | Diff. | 77.9 & Below     | -90   | Prep              | -200      | -800      |
| 27-29      | -750  |                  |       | 78.0 - 78.9      | -80   | Bark              | -375      | -785      |
| 30-32      | -525  | 22.0 - 23.9      | -800  | 79.0 - 79.9      | -70   | Grass             | -375      | -785      |
| 33-34      | -425  | 24.0 - 24.9      | -700  | 80.0 - 80.9      | 0     | Seed Coat         | -375      | -785      |
| Base 35-36 | 0     | 25.0 - 25.9      | -650  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| 37-42      | 25    | 26.0 - 26.9      | -300  | 82.0 - 82.9      | 0     | All Other         | -375      | -785      |
| Base 43-49 | 0     | Base 27.0 - 28.9 | 0     | 83.0 - 83.9      | 30    |                   |           |           |
| 50-52      | -225  | 29.0 - 29.9      | 0     | 84.0 - 84.9      | 40    |                   |           |           |
| 53 & Above | -375  | 30.0 - 30.9      | 25    | 85.0 - 85.9      | 50    |                   |           |           |
|            |       | 31.0 - 32.9      | 50    | 86.0 & Above     | 60    |                   |           |           |
|            |       | 33.0 & Above     | 50    |                  |       |                   |           |           |

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -500   | -450  | -275  | 175   | 500  | 825  | 875  | 925  |
|         | 3     | -550   | -500  | -300  | 125   | 475  | 800  | 850  | 900  |
|         | 4     | -625   | -500  | -300  | 25    | 150  | 375  | 400  | 450  |
|         | 5     | -650   | -525  | -450  | -100  | 25   | 150  | 275  | 275  |
|         | 6     | -750   | -600  | -575  | -300  | -275 | -150 | -50  | -50  |
|         | 7     | -825   | -700  | -675  | -375  | -350 | -225 | -150 | -150 |
| 31      | 1 & 2 | -575   | -500  | -300  | 100   | 450  | 725  | 775  | 825  |
|         | 3     | -600   | -525  | -325  | 75    | 425  | 700  | 775  | 825  |
|         | 4     | -675   | -575  | -325  | 0     | 150  | 325  | 375  | 425  |
|         | 5     | -700   | -575  | -475  | -100  | 0    | 75   | 200  | 200  |
|         | 6     | -775   | -625  | -600  | -300  | -275 | -175 | -125 | -125 |
|         | 7     | -850   | -725  | -700  | -375  | -350 | -250 | -225 | -225 |
| 41      | 1 & 2 | -675   | -500  | -325  | 50    | 175  | 450  | 550  | 625  |
|         | 3     | -725   | -525  | -325  | 25    | 175  | 310  | 410  | 485  |
|         | 4     | -750   | -600  | -450  | 58.45 | 110  | 185  | 260  | 335  |
|         | 5     | -900   | -675  | -600  | -225  | -90  | 35   | 85   | 110  |
|         | 6     | -975   | -775  | -725  | -375  | -350 | -250 | -250 | -250 |
|         | 7     | -1075  | -875  | -825  | -475  | -425 | -350 | -350 | -350 |
| 51      | 1 & 2 | -850   | -700  | -575  | -150  | -100 | 50   | 75   | 75   |
|         | 3     | -875   | -750  | -600  | -175  | -100 | 50   | 50   | 75   |
|         | 4     | -925   | -775  | -625  | -250  | -175 | -50  | -50  | -25  |
|         | 5     | -950   | -825  | -750  | -325  | -250 | -225 | -200 | -175 |
|         | 6     | -1050  | -850  | -825  | -425  | -400 | -300 | -300 | -300 |
|         | 7     | -1150  | -875  | -850  | -500  | -475 | -350 | -350 | -350 |
| 61      | 1-5   | -1025  | -875  | -800  | -375  | -350 | -225 | -225 | -225 |
|         | 6     | -1175  | -975  | -925  | -550  | -500 | -375 | -375 | -375 |
|         | 7     | -1275  | -1075 | -1025 | -650  | -600 | -475 | -475 | -475 |
| 12 & 22 | 1 & 2 | -650   | -450  | -275  | 50    | 325  | 450  | 525  | 525  |
|         | 3     | -700   | -500  | -325  | 50    | 275  | 425  | 475  | 475  |
|         | 4     | -725   | -500  | -325  | -25   | 110  | 325  | 375  | 375  |
|         | 5     | -800   | -675  | -600  | -225  | -115 | 150  | 275  | 275  |
|         | 6     | -950   | -750  | -725  | -375  | -350 | -200 | -75  | -75  |
|         | 7     | -1075  | -875  | -825  | -475  | -425 | -300 | -225 | -225 |
| 32      | 1 & 2 | -825   | -725  | -550  | -150  | 25   | 100  | 225  | 225  |
|         | 3     | -850   | -725  | -575  | -175  | -50  | 50   | 175  | 200  |
|         | 4     | -900   | -750  | -625  | -200  | -75  | -50  | 0    | 25   |
|         | 5     | -1000  | -875  | -825  | -375  | -300 | -125 | -50  | -50  |
|         | 6     | -1150  | -950  | -925  | -550  | -500 | -425 | -375 | -375 |
|         | 7     | -1300  | -1075 | -1050 | -650  | -600 | -525 | -475 | -475 |
| 42      | 1-3   | -900   | -800  | -700  | -225  | -50  | -25  | 25   | 50   |
|         | 4     | -975   | -850  | -750  | -275  | -75  | -75  | -50  | 0    |
|         | 5     | -1125  | -975  | -875  | -475  | -375 | -325 | -300 | -250 |
|         | 6     | -1300  | -1025 | -950  | -600  | -550 | -550 | -475 | -475 |
|         | 7     | -1425  | -1150 | -1075 | -725  | -650 | -600 | -550 | -550 |
| 52      | 1-4   | -1175  | -975  | -875  | -525  | -500 | -400 | -350 | -325 |
|         | 5     | -1225  | -1050 | -925  | -550  | -550 | -525 | -450 | -425 |
|         | 6     | -1425  | -1225 | -1125 | -725  | -700 | -625 | -575 | -575 |
|         | 7     | -1525  | -1350 | -1250 | -850  | -825 | -700 | -650 | -650 |
| 62      | 1-5   | -1275  | -1125 | -1100 | -650  | -625 | -550 | -500 | -500 |
|         | 6     | -1475  | -1300 | -1275 | -850  | -825 | -725 | -675 | -675 |

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1200  | -1050 | -975  | -525  | -450  | -325  | -225  | -225  |
|         | 3     | -1225  | -1075 | -1000 | -550  | -475  | -350  | -250  | -250  |
|         | 4     | -1275  | -1150 | -1025 | -575  | -500  | -400  | -300  | -300  |
|         | 5     | -1400  | -1250 | -1150 | -700  | -625  | -525  | -425  | -425  |
|         | 6     | -1525  | -1325 | -1200 | -800  | -725  | -625  | -525  | -525  |
|         | 7     | -1625  | -1425 | -1325 | -925  | -850  | -750  | -650  | -650  |
| 33      | 1 & 2 | -1275  | -1100 | -1000 | -530  | -475  | -375  | -275  | -275  |
|         | 3     | -1275  | -1100 | -1000 | -555  | -500  | -400  | -275  | -275  |
|         | 4     | -1350  | -1175 | -1050 | -605  | -550  | -450  | -325  | -325  |
|         | 5     | -1500  | -1275 | -1175 | -730  | -675  | -575  | -450  | -450  |
|         | 6     | -1575  | -1350 | -1250 | -855  | -800  | -700  | -575  | -575  |
|         | 7     | -1675  | -1475 | -1350 | -980  | -925  | -825  | -700  | -700  |
| 43      | 1-3   | -1325  | -1175 | -1050 | -605  | -550  | -450  | -325  | -325  |
|         | 4     | -1400  | -1250 | -1100 | -630  | -575  | -475  | -350  | -350  |
|         | 5     | -1525  | -1350 | -1200 | -760  | -700  | -600  | -475  | -475  |
|         | 6     | -1625  | -1425 | -1300 | -880  | -850  | -750  | -625  | -625  |
|         | 7     | -1725  | -1525 | -1400 | -980  | -950  | -850  | -725  | -725  |
| 53      | 1-4   | -1450  | -1350 | -1225 | -755  | -750  | -700  | -575  | -575  |
|         | 5     | -1550  | -1425 | -1325 | -830  | -825  | -775  | -650  | -650  |
|         | 6     | -1650  | -1525 | -1425 | -1005 | -950  | -900  | -775  | -775  |
|         | 7     | -1750  | -1625 | -1550 | -1105 | -1050 | -975  | -850  | -850  |
| 63      | 1-5   | -1650  | -1500 | -1375 | -955  | -875  | -800  | -675  | -675  |
|         | 6     | -1750  | -1625 | -1475 | -1075 | -1000 | -925  | -800  | -800  |
| 34      | 1 & 2 | -1400  | -1275 | -1200 | -750  | -725  | -650  | -575  | -575  |
|         | 3     | -1400  | -1275 | -1200 | -750  | -725  | -650  | -575  | -575  |
|         | 4     | -1525  | -1400 | -1300 | -850  | -825  | -750  | -675  | -675  |
|         | 5     | -1625  | -1500 | -1425 | -975  | -950  | -875  | -800  | -800  |
|         | 6     | -1800  | -1675 | -1600 | -1150 | -1125 | -1050 | -975  | -975  |
| 44      | 1-3   | -1500  | -1375 | -1300 | -850  | -825  | -750  | -675  | -675  |
|         | 4     | -1575  | -1475 | -1350 | -900  | -875  | -800  | -725  | -725  |
|         | 5     | -1650  | -1550 | -1450 | -1000 | -975  | -900  | -825  | -825  |
|         | 6     | -1825  | -1700 | -1625 | -1175 | -1150 | -1075 | -1000 | -1000 |
| 54      | 1-4   | -1600  | -1500 | -1425 | -925  | -925  | -850  | -800  | -800  |
|         | 5     | -1700  | -1600 | -1500 | -1025 | -1000 | -925  | -875  | -875  |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 24 & Below | -1850 | Range            | Diff. | 77.9 & Below     | -90   | Prep              | -300      | -500      |
| 25-26      | -1850 | 19.0 - 21.9      | -485  | 78.0 - 78.9      | -75   | Bark              | -475      | -550      |
| 27-29      | -1300 | 22.0 - 23.9      | -460  | 79.0 - 79.9      | -10   | Grass             | -950      | -1000     |
| 30-32      | -825  | 24.0 - 24.9      | -435  | 80.0 - 80.9      | 0     | Seed Coat         | -375      | -785      |
| 33-34      | -625  | 25.0 - 25.9      | -385  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 35-36 | 0     | 26.0 - 26.9      | -360  | 82.0 - 82.9      | 0     | All Other         | -375      | -785      |
| 37-42      | 0     | Base 27.0 - 28.9 | 0     | 83.0 - 83.9      | 0     |                   |           |           |
| Base 43-49 | 0     | 29.0 - 29.9      | 10    | 84.0 - 84.9      | 0     |                   |           |           |
| 50-52      | -375  | 30.0 - 30.9      | 40    | 85.0 - 85.9      | 0     |                   |           |           |
| 53 & Above | -450  | 31.0 - 32.9      | 45    | 86.0 & Above     | 0     |                   |           |           |
|            |       | 33.0 & Above     | 50    |                  |       |                   |           |           |

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -475   | -325  | -125  | 225   | 350  | 550  | 700  | 750  |
|         | 3     | -575   | -400  | -200  | 125   | 250  | 525  | 655  | 705  |
|         | 4     | -625   | -450  | -325  | 100   | 200  | 350  | 375  | 375  |
|         | 5     | -650   | -450  | -325  | 75    | 175  | 325  | 350  | 350  |
|         | 6     | -775   | -575  | -475  | -175  | -150 | -100 | -100 | -100 |
|         | 7     | -850   | -625  | -550  | -250  | -225 | -175 | -175 | -175 |
| 31      | 1 & 2 | -725   | -500  | -300  | 175   | 300  | 525  | 675  | 700  |
|         | 3     | -775   | -525  | -325  | 100   | 250  | 525  | 650  | 675  |
|         | 4     | -800   | -550  | -400  | 100   | 150  | 275  | 350  | 350  |
|         | 5     | -825   | -600  | -450  | 0     | 100  | 225  | 250  | 250  |
|         | 6     | -925   | -675  | -500  | -225  | -225 | -200 | -200 | -200 |
|         | 7     | -1025  | -725  | -575  | -275  | -275 | -250 | -250 | -250 |
| 41      | 1 & 2 | -825   | -575  | -325  | 50    | 100  | 225  | 300  | 325  |
|         | 3     | -850   | -600  | -350  | 25    | 75   | 200  | 275  | 300  |
|         | 4     | -900   | -625  | -500  | 59.43 | 50   | 50   | 125  | 150  |
|         | 5     | -950   | -675  | -525  | -175  | -150 | -100 | -75  | -25  |
|         | 6     | -1050  | -800  | -675  | -425  | -425 | -300 | -300 | -300 |
|         | 7     | -1150  | -875  | -750  | -475  | -475 | -400 | -400 | -400 |
| 51      | 1 & 2 | -900   | -700  | -575  | -125  | -75  | -75  | -75  | -75  |
|         | 3     | -950   | -700  | -575  | -125  | -75  | -75  | -75  | -75  |
|         | 4     | -975   | -700  | -650  | -225  | -200 | -200 | -175 | -175 |
|         | 5     | -975   | -725  | -700  | -325  | -325 | -250 | -225 | -225 |
|         | 6     | -1075  | -825  | -800  | -525  | -500 | -400 | -375 | -375 |
|         | 7     | -1175  | -925  | -900  | -625  | -600 | -525 | -500 | -500 |
| 61      | 1-5   | -975   | -775  | -750  | -375  | -350 | -250 | -250 | -250 |
|         | 6     | -1150  | -900  | -875  | -625  | -550 | -450 | -450 | -450 |
|         | 7     | -1250  | -1050 | -1000 | -700  | -625 | -550 | -550 | -550 |
| 12 & 22 | 1 & 2 | -625   | -425  | -175  | 175   | 225  | 275  | 400  | 400  |
|         | 3     | -650   | -450  | -225  | 100   | 150  | 225  | 300  | 300  |
|         | 4     | -750   | -500  | -400  | 0     | 100  | 200  | 250  | 250  |
|         | 5     | -850   | -625  | -500  | -75   | 0    | 75   | 75   | 75   |
|         | 6     | -925   | -725  | -625  | -350  | -350 | -250 | -200 | -200 |
|         | 7     | -1050  | -825  | -725  | -425  | -425 | -325 | -275 | -275 |
| 32      | 1 & 2 | -850   | -575  | -325  | -50   | 25   | 25   | 50   | 75   |
|         | 3     | -925   | -650  | -375  | -125  | 25   | 25   | 25   | 25   |
|         | 4     | -975   | -725  | -575  | -150  | 25   | 25   | 25   | 25   |
|         | 5     | -1125  | -925  | -775  | -400  | -250 | -225 | -200 | -200 |
|         | 6     | -1225  | -975  | -900  | -550  | -450 | -425 | -375 | -375 |
|         | 7     | -1300  | -1050 | -925  | -625  | -525 | -500 | -450 | -450 |
| 42      | 1-3   | -950   | -700  | -525  | -175  | -125 | -50  | 0    | 0    |
|         | 4     | -1025  | -800  | -575  | -225  | -150 | -75  | -25  | 0    |
|         | 5     | -1175  | -1000 | -775  | -425  | -275 | -275 | -250 | -225 |
|         | 6     | -1425  | -1100 | -900  | -575  | -475 | -450 | -425 | -400 |
|         | 7     | -1450  | -1150 | -1000 | -675  | -550 | -525 | -500 | -500 |
| 52      | 1-4   | -1200  | -925  | -850  | -525  | -450 | -400 | -350 | -350 |
|         | 5     | -1275  | -1025 | -925  | -550  | -475 | -425 | -375 | -375 |
|         | 6     | -1525  | -1250 | -1150 | -725  | -625 | -575 | -525 | -525 |
|         | 7     | -1600  | -1350 | -1250 | -800  | -725 | -675 | -650 | -650 |
| 62      | 1-5   | -1325  | -1100 | -1025 | -650  | -600 | -550 | -500 | -500 |
|         | 6     | -1550  | -1300 | -1225 | -900  | -825 | -775 | -700 | -700 |

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1025  | -800  | -725  | -400  | -350  | -325  | -275  | -275  |
|         | 3     | -1125  | -850  | -775  | -425  | -375  | -350  | -300  | -300  |
|         | 4     | -1175  | -950  | -875  | -475  | -425  | -400  | -350  | -350  |
|         | 5     | -1275  | -1025 | -975  | -600  | -550  | -500  | -450  | -450  |
|         | 6     | -1425  | -1150 | -1100 | -725  | -625  | -575  | -525  | -525  |
|         | 7     | -1500  | -1250 | -1175 | -775  | -725  | -675  | -625  | -625  |
| 33      | 1 & 2 | -1200  | -900  | -800  | -450  | -425  | -400  | -350  | -350  |
|         | 3     | -1200  | -900  | -800  | -450  | -425  | -400  | -350  | -350  |
|         | 4     | -1300  | -1000 | -925  | -525  | -500  | -450  | -400  | -400  |
|         | 5     | -1425  | -1100 | -1025 | -675  | -625  | -550  | -500  | -500  |
|         | 6     | -1525  | -1225 | -1200 | -775  | -725  | -650  | -600  | -600  |
|         | 7     | -1600  | -1325 | -1250 | -900  | -825  | -750  | -700  | -700  |
| 43      | 1-3   | -1275  | -1025 | -950  | -525  | -500  | -450  | -400  | -400  |
|         | 4     | -1350  | -1100 | -1000 | -600  | -550  | -450  | -400  | -400  |
|         | 5     | -1450  | -1175 | -1075 | -725  | -675  | -575  | -525  | -525  |
|         | 6     | -1575  | -1300 | -1225 | -850  | -800  | -725  | -675  | -675  |
|         | 7     | -1650  | -1400 | -1300 | -925  | -875  | -800  | -750  | -750  |
| 53      | 1-4   | -1450  | -1275 | -1150 | -700  | -675  | -550  | -500  | -500  |
|         | 5     | -1525  | -1300 | -1200 | -800  | -750  | -600  | -550  | -550  |
|         | 6     | -1700  | -1450 | -1350 | -950  | -875  | -725  | -675  | -675  |
|         | 7     | -1750  | -1525 | -1450 | -1075 | -1000 | -875  | -825  | -825  |
| 63      | 1-5   | -1675  | -1425 | -1300 | -850  | -825  | -775  | -725  | -725  |
|         | 6     | -1775  | -1550 | -1400 | -1050 | -1000 | -950  | -900  | -900  |
| 34      | 1 & 2 | -1375  | -1125 | -1025 | -625  | -625  | -575  | -525  | -525  |
|         | 3     | -1375  | -1125 | -1025 | -625  | -625  | -575  | -525  | -525  |
|         | 4     | -1500  | -1250 | -1125 | -725  | -725  | -675  | -625  | -625  |
|         | 5     | -1575  | -1325 | -1225 | -850  | -850  | -800  | -750  | -750  |
|         | 6     | -1750  | -1500 | -1400 | -1075 | -1050 | -1000 | -950  | -950  |
| 44      | 1-3   | -1500  | -1250 | -1150 | -725  | -725  | -675  | -650  | -650  |
|         | 4     | -1575  | -1350 | -1200 | -775  | -775  | -725  | -700  | -700  |
|         | 5     | -1650  | -1400 | -1275 | -875  | -875  | -825  | -800  | -800  |
|         | 6     | -1825  | -1575 | -1475 | -1125 | -1100 | -1050 | -1025 | -1025 |
| 54      | 1-4   | -1600  | -1375 | -1275 | -850  | -850  | -800  | -775  | -775  |
|         | 5     | -1675  | -1425 | -1300 | -975  | -975  | -925  | -900  | -900  |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 24 & Below | -1825 | Range            | Diff. | 77.9 & Below     | -70   | Prep              | -300      | -500      |
| 25-26      | -1825 | 19.0 - 21.9      | -525  | 78.0 - 78.9      | -55   | Bark              | -350      | -550      |
| 27-29      | -1200 | 22.0 - 23.9      | -450  | 79.0 - 79.9      | -40   | Grass             | -650      | -700      |
| 30-32      | -675  | 24.0 - 24.9      | -400  | 80.0 - 80.9      | 0     | Seed Coat         | -375      | -785      |
| 33-34      | -500  | 25.0 - 25.9      | -275  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 35-36 | 0     | 26.0 - 26.9      | -250  | 82.0 - 82.9      | 0     | All Other         | -375      | -785      |
| 37-42      | 0     | Base 27.0 - 28.9 | 0     | 83.0 - 83.9      | 0     |                   |           |           |
| Base 43-49 | 0     | 29.0 - 29.9      | 10    | 84.0 - 84.9      | 0     |                   |           |           |
| 50-52      | -475  | 30.0 - 30.9      | 10    | 85.0 - 85.9      | 0     |                   |           |           |
| 53 & Above | -500  | 31.0 - 32.9      | 15    | 86.0 & Above     | 0     |                   |           |           |
|            |       | 33.0 & Above     | 25    |                  |       |                   |           |           |

| Color   | Leaf  | Staple |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|
|         |       | 33     | 34    | 35    | 36    | 37    | 38    |
| 11 & 21 | 1 & 2 | -125   | 150   | 475   | 750   | 785   | 825   |
|         | 3     | -125   | 125   | 400   | 700   | 725   | 750   |
|         | 4     | -325   | 25    | 250   | 360   | 420   | 445   |
|         | 5     | -400   | -200  | -25   | 75    | 160   | 160   |
|         | 6     | -475   | -375  | -150  | -110  | -55   | -55   |
|         | 7     | -675   | -400  | -225  | -165  | -125  | -125  |
| 31      | 1 & 2 | -200   | 125   | 425   | 675   | 725   | 750   |
|         | 3     | -200   | 100   | 325   | 600   | 625   | 650   |
|         | 4     | -375   | 0     | 150   | 310   | 370   | 420   |
|         | 5     | -425   | -225  | -100  | -25   | 70    | 70    |
|         | 6     | -500   | -400  | -185  | -145  | -65   | -65   |
|         | 7     | -700   | -425  | -275  | -220  | -140  | -140  |
| 41      | 1 & 2 | -600   | 0     | 25    | 160   | 170   | 270   |
|         | 3     | -600   | 0     | 10    | 135   | 145   | 245   |
|         | 4     | -650   | 59.55 | 0     | 85    | 120   | 170   |
|         | 5     | -675   | -525  | -425  | -340  | -280  | -280  |
|         | 6     | -825   | -700  | -525  | -490  | -440  | -440  |
|         | 7     | -975   | -850  | -700  | -670  | -635  | -635  |
| 51      | 1 & 2 | -725   | -550  | -350  | -340  | -330  | -330  |
|         | 3     | -725   | -550  | -350  | -340  | -330  | -330  |
|         | 4     | -750   | -625  | -475  | -425  | -365  | -365  |
|         | 5     | -850   | -800  | -675  | -650  | -600  | -600  |
|         | 6     | -1000  | -900  | -775  | -775  | -725  | -725  |
|         | 7     | -1200  | -1100 | -975  | -975  | -950  | -950  |
| 12 & 22 | 1 & 2 | -500   | 25    | 175   | 260   | 345   | 345   |
|         | 3     | -500   | 25    | 150   | 210   | 295   | 295   |
|         | 4     | -600   | -25   | 150   | 210   | 295   | 295   |
|         | 5     | -625   | -450  | -150  | -150  | -75   | -75   |
|         | 6     | -775   | -650  | -350  | -350  | -275  | -275  |
|         | 7     | -950   | -825  | -600  | -600  | -525  | -525  |
| 32      | 1 & 2 | -600   | -225  | 0     | 110   | 120   | 120   |
|         | 3     | -600   | -225  | 0     | 110   | 120   | 120   |
|         | 4     | -650   | -450  | -100  | 10    | 20    | 20    |
|         | 5     | -700   | -700  | -450  | -450  | -450  | -450  |
|         | 6     | -900   | -825  | -575  | -575  | -575  | -575  |
|         | 7     | -1050  | -1000 | -825  | -825  | -825  | -825  |
| 42      | 1-3   | -700   | -525  | -250  | -175  | -175  | -175  |
|         | 4     | -725   | -600  | -350  | -275  | -275  | -275  |
|         | 5     | -800   | -775  | -550  | -525  | -525  | -525  |
|         | 6     | -975   | -900  | -675  | -675  | -675  | -675  |
|         | 7     | -1175  | -1075 | -925  | -925  | -925  | -925  |
| 52      | 1-4   | -925   | -800  | -600  | -550  | -550  | -550  |
|         | 5     | -975   | -875  | -700  | -700  | -700  | -700  |
|         | 6     | -1075  | -975  | -800  | -800  | -800  | -800  |
|         | 7     | -1325  | -1225 | -1100 | -1075 | -1075 | -1075 |

| Color | Leaf  | Staple |       |       |       |       |       |
|-------|-------|--------|-------|-------|-------|-------|-------|
|       |       | 33     | 34    | 35    | 36    | 37    | 38    |
| 33    | 1 & 2 | -800   | -725  | -650  | -575  | -575  | -575  |
|       | 3     | -800   | -725  | -650  | -575  | -575  | -575  |
|       | 4     | -900   | -825  | -700  | -650  | -650  | -650  |
|       | 5     | -1000  | -900  | -725  | -700  | -700  | -700  |
|       | 6     | -1100  | -1000 | -975  | -975  | -975  | -975  |
|       | 7     | -1200  | -1125 | -1100 | -1100 | -1100 | -1100 |
| 43    | 1-3   | -800   | -725  | -650  | -575  | -575  | -575  |
|       | 4     | -900   | -825  | -700  | -650  | -650  | -650  |
|       | 5     | -1000  | -900  | -725  | -700  | -700  | -700  |
|       | 6     | -1100  | -1000 | -975  | -975  | -975  | -975  |
|       | 7     | -1200  | -1125 | -1100 | -1100 | -1100 | -1100 |
| 53    | 1-4   | -1050  | -950  | -875  | -875  | -875  | -875  |
|       | 5     | -1100  | -1000 | -925  | -925  | -925  | -925  |
|       | 6     | -1200  | -1100 | -1025 | -1025 | -1025 | -1025 |
|       | 7     | -1450  | -1350 | -1350 | -1350 | -1350 | -1350 |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 24 & Below | -1350 | Range            | Diff. | 77.9 & Below     | -100  | Prep              | -50       | -800      |
| 25-26      | -1150 | 22.0 - 23.9      | -525  | 78.0 - 78.9      | -90   | Bark              | -600      | -800      |
| 27-29      | -1050 | 24.0 - 24.9      | -300  | 79.0 - 79.9      | -80   | Grass             | -600      | -800      |
| 30-32      | -700  | 25.0 - 25.9      | -275  | 80.0 - 80.9      | 0     | Seed Coat         | -600      | -800      |
| 33-34      | -500  | 26.0 - 26.9      | -200  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 35-36 | 0     | Base 27.0 - 28.9 | 0     | 82.0 - 82.9      | 0     | All Other         | -600      | -800      |
| 37-42      | 25    | 29.0 - 29.9      | 0     | 83.0 - 83.9      | 30    |                   |           |           |
| Base 43-49 | 0     | 30.0 - 30.9      | 10    | 84.0 - 84.9      | 40    |                   |           |           |
| 50-52      | -325  | 31.0 - 32.9      | 35    | 85.0 - 85.9      | 50    |                   |           |           |
| 53 & Above | -525  | 33.0 & Above     | 75    | 86.0 & Above     | 60    |                   |           |           |

| Color   | Leaf  | Staple |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|
|         |       | 34     | 35    | 36    | 37    | 38    |
| 11 & 21 | 1 & 2 | 415    | 1040  | 1390  | 1540  | 1765  |
|         | 3     | 365    | 990   | 1340  | 1465  | 1665  |
|         | 4     | 75     | 350   | 400   | 500   | 500   |
|         | 5     | -125   | 75    | 130   | 190   | 190   |
|         | 6     | -400   | -200  | -150  | -100  | -100  |
|         | 7     | -625   | -525  | -475  | -425  | -425  |
| 31      | 1 & 2 | 315    | 940   | 1290  | 1415  | 1590  |
|         | 3     | 265    | 890   | 1240  | 1365  | 1540  |
|         | 4     | 50     | 300   | 330   | 410   | 410   |
|         | 5     | -200   | 0     | 55    | 115   | 115   |
|         | 6     | -500   | -325  | -275  | -225  | -225  |
|         | 7     | -675   | -575  | -525  | -475  | -475  |
| 41      | 1 & 2 | 100    | 350   | 430   | 440   | 440   |
|         | 3     | 50     | 250   | 330   | 340   | 340   |
|         | 4     | 59.80  | 200   | 280   | 290   | 290   |
|         | 5     | -425   | -200  | -195  | -185  | -185  |
|         | 6     | -625   | -450  | -450  | -450  | -450  |
|         | 7     | -825   | -725  | -725  | -725  | -725  |
| 51      | 1 & 2 | -675   | -225  | -175  | -175  | -175  |
|         | 3     | -700   | -250  | -200  | -200  | -200  |
|         | 4     | -750   | -300  | -275  | -275  | -275  |
|         | 5     | -775   | -375  | -325  | -325  | -325  |
|         | 6     | -900   | -800  | -800  | -800  | -800  |
|         | 7     | -1050  | -1000 | -1000 | -1000 | -1000 |
| 12 & 22 | 1 & 2 | 125    | 575   | 830   | 965   | 1140  |
|         | 3     | 50     | 500   | 780   | 890   | 1040  |
|         | 4     | -75    | 325   | 375   | 440   | 440   |
|         | 5     | -250   | -50   | 0     | 50    | 50    |
|         | 6     | -525   | -400  | -350  | -300  | -300  |
|         | 7     | -775   | -700  | -650  | -600  | -600  |
| 32      | 1 & 2 | 0      | 250   | 325   | 375   | 475   |
|         | 3     | -50    | 200   | 275   | 325   | 425   |
|         | 4     | -200   | 25    | 50    | 100   | 100   |
|         | 5     | -525   | -275  | -275  | -275  | -275  |
|         | 6     | -675   | -475  | -475  | -475  | -475  |
|         | 7     | -850   | -750  | -750  | -750  | -750  |
| 42      | 1-3   | -450   | -100  | -75   | -75   | -75   |
|         | 4     | -500   | -175  | -150  | -150  | -150  |
|         | 5     | -675   | -350  | -300  | -300  | -300  |
|         | 6     | -800   | -775  | -775  | -775  | -775  |
|         | 7     | -1000  | -950  | -950  | -950  | -950  |
| 52      | 1-4   | -825   | -775  | -775  | -775  | -775  |
|         | 5     | -875   | -825  | -825  | -825  | -825  |
|         | 6     | -1025  | -1025 | -1025 | -1025 | -1025 |
|         | 7     | -1225  | -1225 | -1225 | -1225 | -1225 |

| Color | Leaf  | Staple |       |       |       |       |
|-------|-------|--------|-------|-------|-------|-------|
|       |       | 34     | 35    | 36    | 37    | 38    |
| 33    | 1 & 2 | -500   | -500  | -500  | -500  | -500  |
|       | 3     | -500   | -500  | -500  | -500  | -500  |
|       | 4     | -600   | -600  | -600  | -600  | -600  |
|       | 5     | -800   | -800  | -800  | -800  | -800  |
|       | 6     | -1075  | -1075 | -1075 | -1075 | -1075 |
|       | 7     | -1225  | -1225 | -1225 | -1225 | -1225 |
| 43    | 1-3   | -875   | -875  | -875  | -875  | -875  |
|       | 4     | -925   | -925  | -925  | -925  | -925  |
|       | 5     | -1075  | -1075 | -1075 | -1075 | -1075 |
|       | 6     | -1225  | -1225 | -1225 | -1225 | -1225 |
|       | 7     | -1425  | -1425 | -1425 | -1425 | -1425 |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 27-29      | -1600 | Range            | Diff. | 77.9 & Below     | -60   | Prep              | -50       | -800      |
| 30-32      | -1000 |                  |       | 78.0 - 78.9      | -50   | Bark              | -350      | -925      |
| 33-34      | -500  | 25.0 - 25.9      | -400  | 79.0 - 79.9      | -40   | Grass             | -350      | -925      |
| Base 35-36 | 0     | 26.0 - 26.9      | -300  | 80.0 - 80.9      | 0     | Seed Coat         | -350      | -925      |
| 37-42      | 25    | Base 27.0 - 28.9 | 0     | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 43-49 | 0     | 29.0 - 29.9      | 0     | 82.0 - 82.9      | 50    | All Other         | -350      | -925      |
| 50-52      | -500  | 30.0 - 30.9      | 75    | 83.0 - 83.9      | 80    |                   |           |           |
|            |       | 31.0 - 32.9      | 125   | 84.0 - 84.9      | 90    |                   |           |           |
|            |       | 33.0 & Above     | 250   | 85.0 - 85.9      | 100   |                   |           |           |
|            |       |                  |       | 86.0 & Above     | 110   |                   |           |           |

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

| Color | Leaf | Staple |        |        |        |                   |       |
|-------|------|--------|--------|--------|--------|-------------------|-------|
|       |      | 44     | 46     | 48     | 50     |                   |       |
| 1     | 1    | 145.75 | 151.50 | 153.25 | 153.25 |                   |       |
|       | 2    | 145.50 | 151.25 | 153.00 | 153.00 |                   |       |
|       | 3    | 138.75 | 146.50 | 147.50 | 147.50 |                   |       |
|       | 4    |        |        |        |        |                   |       |
|       | 5    |        |        |        |        |                   |       |
|       | 6    |        |        |        |        | Mike              |       |
| 2     | 1    | 145.50 | 151.25 | 153.00 | 153.00 | Range             | Diff. |
|       | 2    | 145.25 | 151.00 | 152.75 | 152.75 | 26 & below        | -2000 |
|       | 3    | 138.50 | 146.25 | 147.25 | 147.25 | 27-29             | -1500 |
|       | 4    | 128.50 | 136.75 | 137.75 | 137.75 | 30-32             | -1000 |
|       | 5    |        |        |        |        | 33-34             | -500  |
|       | 6    |        |        |        |        | 35 & Above        | 0     |
| 3     | 1    | 137.25 | 145.00 | 146.00 | 146.00 | Strength          |       |
|       | 2    | 134.75 | 142.50 | 143.50 | 143.50 | (Grams per Tex)   |       |
|       | 3    | 132.50 | 140.25 | 141.25 | 141.25 | Range             | Diff. |
|       | 4    | 123.50 | 131.25 | 132.25 | 132.25 | 34.9 & below      | -1650 |
|       | 5    | 107.50 | 114.75 | 115.75 | 115.75 | 35.0 – 35.9       | -1400 |
|       | 6    |        |        |        |        | 36.0 – 36.9       | -1150 |
| 4     | 1    | 118.50 | 126.25 | 128.00 | 128.00 | 37.0 – 37.9       | -800  |
|       | 2    | 118.25 | 126.00 | 127.25 | 127.25 | 38.0 – 38.9       | 0     |
|       | 3    | 117.00 | 124.75 | 125.75 | 125.75 | 39.0 – 39.9       | 0     |
|       | 4    | 112.00 | 119.75 | 120.75 | 120.75 | 40.0 & Above      | 0     |
|       | 5    | 100.75 | 108.50 | 109.50 | 109.50 | Extraneous Matter |       |
|       | 6    |        |        |        |        | Type - Level      | Diff. |
| 5     | 1    |        |        |        |        | Prep - Level 1    | -810  |
|       | 2    | 95.25  | 105.25 | 105.25 | 105.25 | Prep - Level 2    | -1095 |
|       | 3    | 95.25  | 104.75 | 105.00 | 105.00 | Other - Level 1   | -715  |
|       | 4    | 95.25  | 99.25  | 99.25  | 99.25  | Other - Level 2   | -1035 |
|       | 5    | 95.00  | 99.00  | 99.00  | 99.00  | Plastic - Level 1 | -4000 |
|       | 6    |        |        |        |        | Plastic - Level 2 | -4000 |
| 6     | 1    |        |        |        |        |                   |       |
|       | 2    | 87.50  | 90.50  | 90.50  | 90.50  |                   |       |
|       | 3    | 87.50  | 90.50  | 90.50  | 90.50  |                   |       |
|       | 4    | 87.50  | 90.50  | 90.50  | 90.50  |                   |       |
|       | 5    | 87.25  | 90.25  | 90.25  | 90.25  |                   |       |
|       | 6    | 86.75  | 89.75  | 89.75  | 89.75  |                   |       |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 11. United States spot cotton differences, season averages

August 2025 - October 2025

| Color   | Leaf  | Staple |       |       |      |      |      |      |      |
|---------|-------|--------|-------|-------|------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34   | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -488   | -290  | -121  | 213  | 488  | 727  | 818  | 874  |
|         | 3     | -563   | -315  | -138  | 174  | 434  | 695  | 771  | 821  |
|         | 4     | -625   | -345  | -246  | 68   | 232  | 355  | 396  | 406  |
|         | 5     | -650   | -470  | -358  | -132 | 11   | 83   | 132  | 132  |
|         | 6     | -763   | -555  | -488  | -364 | -257 | -212 | -183 | -183 |
|         | 7     | -838   | -650  | -604  | -471 | -382 | -334 | -311 | -311 |
| 31      | 1 & 2 | -650   | -335  | -183  | 152  | 441  | 677  | 741  | 784  |
|         | 3     | -688   | -345  | -192  | 127  | 402  | 649  | 709  | 752  |
|         | 4     | -738   | -380  | -288  | 57   | 204  | 306  | 358  | 372  |
|         | 5     | -763   | -530  | -404  | -171 | -39  | 22   | 73   | 73   |
|         | 6     | -850   | -600  | -517  | -389 | -298 | -260 | -234 | -234 |
|         | 7     | -938   | -695  | -633  | -486 | -411 | -371 | -349 | -349 |
| 41      | 1 & 2 | -750   | -410  | -317  | 54   | 186  | 338  | 366  | 405  |
|         | 3     | -788   | -420  | -321  | 32   | 148  | 286  | 321  | 360  |
|         | 4     | -825   | -450  | -392  | 60.6 | 91   | 200  | 235  | 260  |
|         | 5     | -925   | -630  | -542  | -329 | -209 | -146 | -126 | -115 |
|         | 6     | -1013  | -720  | -663  | -521 | -436 | -391 | -384 | -384 |
|         | 7     | -1113  | -825  | -796  | -654 | -575 | -542 | -537 | -537 |
| 51      | 1 & 2 | -875   | -645  | -529  | -339 | -196 | -159 | -154 | -154 |
|         | 3     | -913   | -690  | -538  | -364 | -214 | -174 | -172 | -169 |
|         | 4     | -950   | -710  | -567  | -421 | -300 | -264 | -252 | -249 |
|         | 5     | -963   | -795  | -733  | -579 | -464 | -425 | -411 | -407 |
|         | 6     | -1063  | -880  | -842  | -704 | -643 | -607 | -596 | -596 |
|         | 7     | -1163  | -965  | -967  | -829 | -771 | -736 | -729 | -729 |
| 61      | 1-5   | -1000  | -825  | -750  | -535 | -490 | -440 | -440 | -440 |
|         | 6     | -1163  | -940  | -895  | -710 | -670 | -620 | -620 | -620 |
|         | 7     | -1263  | -1070 | -1015 | -820 | -760 | -715 | -715 | -715 |
| 12 & 22 | 1 & 2 | -638   | -340  | -217  | 75   | 243  | 374  | 441  | 469  |
|         | 3     | -675   | -355  | -233  | 46   | 193  | 331  | 391  | 416  |
|         | 4     | -738   | -375  | -325  | -18  | 119  | 241  | 284  | 287  |
|         | 5     | -825   | -605  | -517  | -271 | -116 | -46  | -4   | -4   |
|         | 6     | -938   | -715  | -658  | -496 | -393 | -336 | -293 | -293 |
|         | 7     | -1063  | -800  | -775  | -629 | -550 | -496 | -461 | -461 |
| 32      | 1 & 2 | -838   | -485  | -358  | -93  | 43   | 105  | 135  | 153  |
|         | 3     | -888   | -505  | -375  | -118 | 18   | 80   | 106  | 124  |
|         | 4     | -938   | -555  | -433  | -221 | -61  | -20  | -4   | -1   |
|         | 5     | -1063  | -765  | -633  | -443 | -329 | -286 | -271 | -271 |
|         | 6     | -1188  | -845  | -796  | -614 | -511 | -482 | -468 | -468 |
|         | 7     | -1300  | -945  | -900  | -736 | -657 | -636 | -621 | -621 |
| 42      | 1-3   | -925   | -630  | -521  | -318 | -164 | -121 | -107 | -104 |
|         | 4     | -1000  | -675  | -554  | -368 | -232 | -186 | -175 | -164 |
|         | 5     | -1150  | -840  | -708  | -518 | -382 | -346 | -339 | -329 |
|         | 6     | -1363  | -930  | -833  | -671 | -600 | -582 | -568 | -564 |
|         | 7     | -1438  | -1005 | -958  | -807 | -732 | -718 | -707 | -707 |
| 52      | 1-4   | -1188  | -845  | -750  | -614 | -546 | -518 | -504 | -500 |
|         | 5     | -1250  | -925  | -854  | -689 | -629 | -618 | -600 | -596 |
|         | 6     | -1475  | -1060 | -1000 | -843 | -789 | -771 | -757 | -757 |
|         | 7     | -1563  | -1160 | -1129 | -979 | -936 | -907 | -896 | -896 |
| 62      | 1-5   | -1300  | -1045 | -970  | -765 | -740 | -715 | -695 | -695 |
|         | 6     | -1513  | -1215 | -1140 | -930 | -900 | -870 | -845 | -845 |

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1113  | -925  | -850  | -463  | -400  | -325  | -250  | -250  |
|         | 3     | -1175  | -963  | -888  | -488  | -425  | -350  | -275  | -275  |
|         | 4     | -1225  | -1050 | -950  | -525  | -463  | -400  | -325  | -325  |
|         | 5     | -1338  | -1138 | -1063 | -650  | -588  | -513  | -438  | -438  |
|         | 6     | -1475  | -1238 | -1150 | -763  | -675  | -600  | -525  | -525  |
|         | 7     | -1563  | -1338 | -1250 | -850  | -788  | -713  | -638  | -638  |
| 33      | 1 & 2 | -1238  | -940  | -800  | -569  | -532  | -500  | -479  | -479  |
|         | 3     | -1238  | -940  | -800  | -572  | -536  | -504  | -479  | -479  |
|         | 4     | -1325  | -990  | -863  | -636  | -589  | -557  | -532  | -461  |
|         | 5     | -1463  | -1045 | -967  | -786  | -736  | -707  | -682  | -682  |
|         | 6     | -1550  | -1135 | -1063 | -904  | -875  | -850  | -825  | -825  |
|         | 7     | -1638  | -1265 | -1167 | -1033 | -1000 | -975  | -950  | -950  |
| 43      | 1-3   | -1300  | -980  | -833  | -644  | -607  | -571  | -546  | -546  |
|         | 4     | -1375  | -1025 | -883  | -697  | -646  | -607  | -582  | -582  |
|         | 5     | -1488  | -1075 | -979  | -837  | -786  | -754  | -729  | -729  |
|         | 6     | -1600  | -1165 | -1075 | -940  | -914  | -889  | -864  | -864  |
|         | 7     | -1688  | -1290 | -1183 | -1065 | -1039 | -1014 | -989  | -989  |
| 53      | 1-4   | -1450  | -1125 | -1021 | -818  | -783  | -754  | -725  | -725  |
|         | 5     | -1538  | -1200 | -1117 | -909  | -879  | -846  | -817  | -817  |
|         | 6     | -1675  | -1325 | -1213 | -1018 | -975  | -942  | -913  | -913  |
|         | 7     | -1750  | -1390 | -1350 | -1147 | -1117 | -1083 | -1054 | -1054 |
| 63      | 1-5   | -1663  | -1300 | -1220 | -996  | -965  | -940  | -905  | -905  |
|         | 6     | -1763  | -1395 | -1305 | -1085 | -1050 | -1025 | -990  | -990  |
| 34      | 1 & 2 | -1388  | -1200 | -1113 | -688  | -675  | -613  | -550  | -550  |
|         | 3     | -1388  | -1200 | -1113 | -688  | -675  | -613  | -550  | -550  |
|         | 4     | -1513  | -1325 | -1213 | -788  | -775  | -713  | -650  | -650  |
|         | 5     | -1600  | -1413 | -1325 | -913  | -900  | -838  | -775  | -775  |
|         | 6     | -1775  | -1588 | -1500 | -1113 | -1088 | -1025 | -963  | -963  |
| 44      | 1-3   | -1500  | -1313 | -1225 | -788  | -775  | -713  | -663  | -663  |
|         | 4     | -1575  | -1413 | -1275 | -838  | -825  | -763  | -713  | -713  |
|         | 5     | -1650  | -1475 | -1363 | -938  | -925  | -863  | -813  | -813  |
|         | 6     | -1825  | -1638 | -1550 | -1150 | -1125 | -1063 | -1013 | -1013 |
| 54      | 1-4   | -1600  | -1438 | -1350 | -888  | -888  | -825  | -788  | -788  |
|         | 5     | -1688  | -1513 | -1400 | -1000 | -988  | -925  | -888  | -888  |

| Mike       |       | Strength         |      | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |      | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 24 & Below | -1675 | Range            |      | 77.9 & Below     | -89   | Prep              | -185      | -714      |
| 25-26      | -1333 | 19.0 - 21.9      | -505 | 78.0 - 78.9      | -77   | Bark              | -439      | -742      |
| 27-29      | -1032 | 22.0 - 23.9      | -618 | 79.0 - 79.9      | -58   | Grass             | -550      | -827      |
| 30-32      | -682  | 23.0 - 23.9      | -375 | 80.0 - 80.9      | 0     | Seed Coat         | -428      | -773      |
| 33-34      | -482  | 24.0 - 24.9      | -523 | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 35-36 | 0     | 25.0 - 25.9      | -462 | 82.0 - 82.9      | 7     | All Other         | -428      | -773      |
| 37-42      | 14    | 26.0 - 26.9      | -287 | 83.0 - 83.9      | 27    |                   |           |           |
| Base 43-49 | 0     | Base 27.0 - 28.9 | 0    | 84.0 - 84.9      | 34    |                   |           |           |
| 50-52      | -332  | 29.0 - 29.9      | 2    | 85.0 - 85.9      | 41    |                   |           |           |
| 53 & Above | -433  | 30.0 - 30.9      | 30   | 86.0 & Above     | 48    |                   |           |           |
|            |       | 31.0 - 32.9      | 52   |                  |       |                   |           |           |
|            |       | 33.0 & Above     | 78   |                  |       |                   |           |           |

Table 12. Spot transactions reported, in running bales, in the designated spot markets.

August 2025 - October 2025

|        | Upland    |             |             |                        |            |                     |           |        | Pima             |
|--------|-----------|-------------|-------------|------------------------|------------|---------------------|-----------|--------|------------------|
| Month  | Southeast | North Delta | South Delta | East Texas<br>Oklahoma | West Texas | Desert<br>Southwest | SJ Valley | Total  | American<br>Pima |
| Aug-25 | 4,059     | 2,667       | 22          | 1,421                  | 5,946      | -                   | -         | 14,115 | -                |
| Sep-25 | -         | 1,023       | 7           | 16,057                 | 4,426      | -                   | -         | 21,513 | -                |
| Oct-25 | 4,894     | -           | -           | 22,596                 | 12,948     | -                   | -         | 40,438 | -                |
| Nov-25 | -         | -           | -           | -                      | -          | -                   | -         | 0      | -                |
| Dec-25 | -         | -           | -           | -                      | -          | -                   | -         | 0      | -                |
| Jan-26 | -         | -           | -           | -                      | -          | -                   | -         | 0      | -                |
| Feb-26 | -         | -           | -           | -                      | -          | -                   | -         | 0      | -                |
| Mar-26 | -         | -           | -           | -                      | -          | -                   | -         | 0      | -                |
| Apr-26 | -         | -           | -           | -                      | -          | -                   | -         | 0      | -                |
| May-26 | -         | -           | -           | -                      | -          | -                   | -         | 0      | -                |
| Jun-26 | -         | -           | -           | -                      | -          | -                   | -         | 0      | -                |
| Jul-26 | -         | -           | -           | -                      | -          | -                   | -         | 0      | -                |
| ALL    | 8,953     | 3,690       | 29          | 40,074                 | 23,320     | -                   | -         | 76,066 | -                |

Table 13. Farm prices, average quotations in designated spot markets  
in cents per pound, net weight, United States, marketing years -

| Year<br>beginning<br>August 1                                                                                                       | AUG    | SEP    | OCT    | NOV    | DEC    | JAN    | FEB    | MAR    | APR    | MAY    | JUN    | JUL    | AVERAGE |
|-------------------------------------------------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets    |        |        |        |        |        |        |        |        |        |        |        |        |         |
| 2015                                                                                                                                | 61.85  | 59.70  | 60.83  | 60.99  | 62.32  | 60.69  | 58.06  | 55.96  | 59.65  | 60.36  | 62.78  | 69.25  | 61.04   |
| 2016                                                                                                                                | 68.57  | 67.65  | 68.04  | 69.42  | 69.69  | 71.81  | 73.02  | 74.33  | 74.13  | 75.75  | 69.85  | 66.24  | 70.71   |
| 2017                                                                                                                                | 67.71  | 69.12  | 66.67  | 68.09  | 73.13  | 77.58  | 75.24  | 79.57  | 79.34  | 82.40  | 85.54  | 83.95  | 75.70   |
| 2018                                                                                                                                | 80.75  | 76.72  | 73.90  | 73.72  | 72.66  | 68.72  | 67.17  | 69.78  | 72.27  | 64.05  | 61.19  | 58.08  | 69.92   |
| 2019                                                                                                                                | 54.17  | 57.01  | 60.63  | 60.89  | 62.39  | 65.60  | 62.38  | 52.35  | 48.73  | 52.40  | 56.00  | 58.46  | 57.58   |
| 2020                                                                                                                                | 58.60  | 59.46  | 63.87  | 66.30  | 70.37  | 76.69  | 82.79  | 80.56  | 79.89  | 80.86  | 81.88  | 85.03  | 73.86   |
| 2021                                                                                                                                | 89.70  | 91.67  | 105.50 | 112.87 | 105.14 | 115.90 | 120.09 | 123.02 | 134.25 | 140.06 | 127.09 | 104.26 | 114.13  |
| 2022                                                                                                                                | 116.41 | 100.51 | 81.99  | 82.99  | 82.35  | 83.24  | 82.07  | 78.57  | 79.16  | 79.22  | 77.27  | 78.86  | 85.22   |
| 2023                                                                                                                                | 81.08  | 82.03  | 79.99  | 74.22  | 76.22  | 78.80  | 88.11  | 88.00  | 76.30  | 69.94  | 64.93  | 61.16  | 76.73   |
| 2024                                                                                                                                | 61.48  | 65.11  | 65.83  | 65.16  | 64.96  | 63.39  | 63.32  | 62.35  | 63.26  | 63.32  | 63.75  | 64.03  | 63.83   |
| 2025                                                                                                                                | 63.03  | 62.34  | 60.60  |        |        |        |        |        |        |        |        |        | 61.99   |
| Color 31, leaf 3, staple 36, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets 2/ |        |        |        |        |        |        |        |        |        |        |        |        |         |
| 2015 <sup>2</sup>                                                                                                                   | 63.12  | 60.97  | 62.10  | 62.29  | 63.66  | 62.06  | 59.44  | 57.32  | 60.99  | 61.70  | 64.03  | 70.45  | 62.34   |
| 2016 <sup>2</sup>                                                                                                                   | 69.77  | 68.85  | 69.24  | 70.68  | 70.86  | 72.06  | 73.98  | 75.17  | 74.99  | 76.63  | 70.73  | 67.12  | 71.67   |
| 2017 <sup>2</sup>                                                                                                                   | 68.59  | 70.00  | 67.55  | 68.97  | 74.08  | 78.53  | 76.19  | 80.52  | 80.28  | 83.33  | 86.62  | 85.09  | 76.65   |
| 2018 <sup>2</sup>                                                                                                                   | 81.89  | 77.86  | 75.04  | 74.86  | 73.80  | 69.86  | 68.30  | 70.89  | 73.35  | 65.26  | 62.40  | 59.29  | 71.07   |
| 2019 <sup>2</sup>                                                                                                                   | 55.38  | 58.22  | 61.84  | 62.08  | 63.50  | 66.71  | 63.49  | 53.46  | 49.77  | 53.44  | 57.04  | 59.47  | 58.70   |
| 2020 <sup>2</sup>                                                                                                                   | 59.60  | 60.46  | 64.88  | 67.34  | 71.44  | 77.76  | 83.90  | 81.67  | 81.00  | 81.97  | 82.99  | 86.13  | 74.93   |
| 2021 <sup>2</sup>                                                                                                                   | 90.81  | 92.81  | 106.68 | 113.98 | 106.17 | 116.90 | 121.08 | 124.01 | 135.24 | 141.05 | 128.08 | 105.25 | 115.17  |
| 2022 <sup>2</sup>                                                                                                                   | 117.40 | 101.50 | 82.01  | 83.99  | 83.34  | 84.23  | 83.06  | 79.56  | 80.15  | 80.21  | 78.26  | 79.83  | 86.13   |
| 2023 <sup>2</sup>                                                                                                                   | 81.99  | 82.94  | 80.90  | 75.13  | 77.30  | 79.88  | 89.20  | 89.09  | 77.45  | 71.10  | 66.09  | 62.32  | 77.78   |
| 2024 <sup>2</sup>                                                                                                                   | 62.66  | 66.29  | 67.10  | 66.50  | 66.28  | 64.61  | 64.58  | 63.62  | 64.53  | 64.59  | 65.02  | 65.30  | 65.09   |
| 2025                                                                                                                                | 69.54  | 68.86  | 67.09  |        |        |        |        |        |        |        |        |        | 68.50   |

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Crop years 2011-2024 are based on staple 34

Table 14. United States spot cotton differences, WEIGHTED monthly average.

August 2025 - October 2025

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -483   | -272  | -101  | 185   | 384  | 585  | 676  | 701  |
|         | 3     | -567   | -294  | -121  | 149   | 333  | 561  | 638  | 661  |
|         | 4     | -625   | -323  | -219  | 81    | 232  | 356  | 385  | 391  |
|         | 5     | -650   | -466  | -340  | -128  | 11   | 82   | 113  | 113  |
|         | 6     | -767   | -558  | -479  | -358  | -274 | -235 | -222 | -222 |
|         | 7     | -841   | -654  | -583  | -464  | -374 | -333 | -324 | -324 |
| 31      | 1 & 2 | -676   | -316  | -169  | 126   | 350  | 560  | 613  | 633  |
|         | 3     | -718   | -325  | -176  | 106   | 327  | 540  | 593  | 611  |
|         | 4     | -759   | -353  | -257  | 77    | 218  | 311  | 357  | 363  |
|         | 5     | -785   | -514  | -380  | -163  | -26  | 34   | 64   | 64   |
|         | 6     | -876   | -593  | -497  | -370  | -306 | -274 | -268 | -268 |
|         | 7     | -968   | -689  | -601  | -470  | -401 | -369 | -364 | -364 |
| 41      | 1 & 2 | -776   | -393  | -252  | 56    | 200  | 355  | 381  | 412  |
|         | 3     | -809   | -401  | -258  | 38    | 169  | 316  | 352  | 384  |
|         | 4     | -851   | -425  | -329  | 61.27 | 95   | 219  | 252  | 274  |
|         | 5     | -934   | -618  | -506  | -278  | -183 | -115 | -103 | -89  |
|         | 6     | -1025  | -713  | -621  | -484  | -427 | -372 | -371 | -371 |
|         | 7     | -1126  | -818  | -751  | -599  | -540 | -500 | -499 | -499 |
| 51      | 1 & 2 | -884   | -623  | -477  | -235  | -162 | -131 | -128 | -128 |
|         | 3     | -926   | -668  | -488  | -267  | -185 | -146 | -146 | -143 |
|         | 4     | -959   | -689  | -515  | -322  | -273 | -244 | -237 | -235 |
|         | 5     | -967   | -788  | -704  | -511  | -458 | -416 | -406 | -403 |
|         | 6     | -1067  | -878  | -806  | -643  | -603 | -556 | -550 | -550 |
|         | 7     | -1166  | -956  | -908  | -749  | -713 | -670 | -663 | -663 |
| 61      | 6     | -1159  | -940  | -884  | -732  | -693 | -651 | -651 | -651 |
|         | 7     | -1258  | -1061 | -982  | -829  | -780 | -742 | -742 | -742 |
| 12 & 22 | 1 & 2 | -633   | -327  | -154  | 77    | 184  | 289  | 334  | 342  |
|         | 3     | -667   | -338  | -170  | 51    | 137  | 249  | 290  | 297  |
|         | 4     | -742   | -359  | -262  | -4    | 82   | 212  | 240  | 248  |
|         | 5     | -833   | -591  | -484  | -246  | -115 | -48  | -25  | -25  |
|         | 6     | -933   | -704  | -618  | -474  | -406 | -345 | -319 | -319 |
|         | 7     | -1058  | -789  | -728  | -578  | -527 | -467 | -446 | -446 |
| 32      | 1 & 2 | -841   | -451  | -284  | -75   | 9    | 60   | 79   | 84   |
|         | 3     | -901   | -476  | -305  | -101  | -7   | 37   | 50   | 53   |
|         | 4     | -951   | -534  | -364  | -180  | -70  | -33  | -28  | -25  |
|         | 5     | -1085  | -746  | -594  | -388  | -324 | -276 | -263 | -263 |
|         | 6     | -1200  | -825  | -746  | -565  | -506 | -470 | -454 | -454 |
|         | 7     | -1300  | -923  | -841  | -670  | -613 | -584 | -568 | -568 |
| 42      | 4     | -1008  | -655  | -494  | -300  | -238 | -185 | -171 | -161 |
|         | 5     | -1158  | -829  | -679  | -439  | -358 | -325 | -318 | -306 |
|         | 6     | -1384  | -918  | -788  | -608  | -563 | -535 | -522 | -516 |
|         | 7     | -1442  | -992  | -899  | -728  | -665 | -647 | -636 | -636 |
| 52      | 5     | -1259  | -907  | -833  | -630  | -586 | -572 | -554 | -551 |
|         | 6     | -1492  | -1044 | -974  | -795  | -750 | -731 | -716 | -716 |
|         | 7     | -1576  | -1142 | -1082 | -896  | -859 | -834 | -824 | -824 |
| 62      | 6     | -1526  | -1202 | -1123 | -943  | -915 | -893 | -870 | -870 |

Table 14. United States spot cotton differences, WEIGHTED monthly average. (Continued)

August 2025 - October 2025

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1082  | -882  | -806  | -440  | -383  | -325  | -258  | -258  |
|         | 3     | -1158  | -923  | -849  | -466  | -408  | -350  | -284  | -284  |
|         | 4     | -1207  | -1015 | -924  | -508  | -449  | -400  | -334  | -334  |
|         | 5     | -1316  | -1098 | -1032 | -633  | -574  | -508  | -442  | -442  |
|         | 6     | -1458  | -1208 | -1133 | -749  | -658  | -591  | -525  | -525  |
|         | 7     | -1541  | -1307 | -1224 | -824  | -766  | -700  | -633  | -633  |
| 33      | 1 & 2 | -1224  | -922  | -792  | -585  | -547  | -522  | -500  | -500  |
|         | 3     | -1224  | -922  | -792  | -588  | -550  | -524  | -500  | -500  |
|         | 4     | -1317  | -969  | -849  | -636  | -591  | -562  | -537  | -489  |
|         | 5     | -1450  | -1019 | -941  | -772  | -735  | -708  | -684  | -684  |
|         | 6     | -1541  | -1108 | -1033 | -854  | -820  | -793  | -769  | -769  |
|         | 7     | -1625  | -1235 | -1133 | -974  | -936  | -909  | -885  | -885  |
| 43      | 4     | -1366  | -1000 | -872  | -656  | -606  | -565  | -541  | -541  |
|         | 5     | -1475  | -1044 | -954  | -787  | -750  | -716  | -693  | -693  |
|         | 6     | -1592  | -1132 | -1043 | -874  | -842  | -815  | -791  | -791  |
|         | 7     | -1674  | -1258 | -1149 | -980  | -949  | -922  | -899  | -899  |
| 53      | 5     | -1533  | -1179 | -1104 | -901  | -879  | -841  | -817  | -817  |
|         | 6     | -1684  | -1295 | -1191 | -998  | -965  | -927  | -903  | -903  |
|         | 7     | -1750  | -1360 | -1307 | -1106 | -1074 | -1039 | -1015 | -1015 |
| 63      | 6     | -1766  | -1365 | -1284 | -1086 | -1058 | -1038 | -1014 | -1014 |
| 34      | 1 & 2 | -1383  | -1174 | -1082 | -666  | -658  | -599  | -542  | -542  |
|         | 3     | -1383  | -1174 | -1082 | -666  | -658  | -599  | -542  | -542  |
|         | 4     | -1508  | -1299 | -1182 | -766  | -757  | -700  | -641  | -641  |
|         | 5     | -1592  | -1382 | -1290 | -890  | -882  | -825  | -766  | -766  |
|         | 6     | -1767  | -1557 | -1465 | -1099 | -1074 | -1017 | -958  | -958  |
| 44      | 4     | -1575  | -1391 | -1249 | -816  | -808  | -749  | -708  | -708  |
|         | 5     | -1650  | -1449 | -1332 | -916  | -907  | -850  | -808  | -808  |
|         | 6     | -1825  | -1616 | -1524 | -1142 | -1116 | -1058 | -1017 | -1017 |
| 54      | 5     | -1683  | -1482 | -1366 | -992  | -984  | -925  | -892  | -892  |

| Mike       |       | Strength         |      | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |      | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 24 & Below | -1800 | RangeDiff.       |      | 77.9 & Below     | -96   | Prep              | -228      | -702      |
| 25-26      | -1787 | 19.0 - 21.9      | -511 | 78.0 - 78.9      | -82   | Bark              | -436      | -714      |
| 27-29      | -867  | 22.0 - 23.9      | -643 | 79.0 - 79.9      | -66   | Grass             | -552      | -794      |
| 30-32      | -594  | 24.0 - 24.9      | -572 | 80.0 - 80.9      | 0     | Seed Coat         | -431      | -716      |
| 33-34      | -457  | 25.0 - 25.9      | -515 | Base 81.0 - 81.9 | 0     | Plastic           | -3999     | -3999     |
| Base 35-36 | 0     | 26.0 - 26.9      | -293 | 82.0 - 82.9      | 0     | All Other         | -431      | -716      |
| 37-42      | 9     | Base 27.0 - 28.9 | 0    | 83.0 - 83.9      | 17    |                   |           |           |
| Base 43-49 | 0     | 29.0 - 29.9      | 3    | 84.0 - 84.9      | 24    |                   |           |           |
| 50-52      | -291  | 30.0 - 30.9      | 23   | 85.0 - 85.9      | 31    |                   |           |           |
| 53 & Above | -413  | 31.0 - 32.9      | 41   | 86.0 & Above     | 37    |                   |           |           |
|            |       | 33.0 & Above     | 45   |                  |       |                   |           |           |