



Volume 67, No.14

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	21	91.2	72.0	50,220	21	92.5	73.1	125,471
Corpus Christi	27	85.5	72.8	56,360	42	88.4	72.1	1,256,532
Dumas	33	58.7	28.2	104,960	33	49.4	20.9	525,161
Florence	38	88.4	75.2	119,092	38	86.7	71.0	228,517
Lamesa	15	84.7	58.6	23,788	15	86.3	58.5	42,883
Lubbock	47	83.1	63.7	135,866	47	85.0	62.8	303,605
Macon	62	86.0	70.5	151,797	63	79.5	61.5	455,922
Memphis	64	85.6	62.3	309,697	64	80.7	57.4	1,030,887
Rayville	13	71.8	44.8	28,472	15	67.8	45.4	172,667
Visalia	9	80.3	67.7	9,690	10	87.1	62.7	40,388
United States	329	82.6	62.2	989,942	348	79.5	58.8	4,182,033
AMERICAN PIMA								
Visalia	11			25,978	11			64,483
United States	11			25,978	11			64,483
United States all cotton	338			1,015,920	356			4,246,516

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 06, 2025

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	65.1	58.6	15.9	14.9	1.2	1.4	0.2	0.7	70.2	66.7
	3	8.2	9.1	12.6	14.6	1.8	1.1	0.2	0.3	6.1	7.7
	4	0.3	0.3	1.0	1.4	*	*	*	*	0.1	0.6
	5	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	73.6	68.0	29.6	30.9	3.1	2.5	0.4	1.0	76.3
31	1 - 2	2.3	3.2	6.6	5.0	2.4	3.0	8.2	9.1	0.2	0.1
	3	6.1	9.8	22.1	22.4	23.9	18.8	27.3	26.4	0.5	0.5
	4	1.2	2.2	8.5	9.3	10.4	8.2	6.3	5.6	0.1	0.5
	5	0.1	0.1	0.8	1.0	0.7	0.5	0.3	0.2	-	0.1
	6	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	---	9.6	15.3	38.0	37.7	37.5	30.5	42.1	41.3	0.7
41	1 - 2	*	*	0.8	0.5	0.4	0.8	3.3	3.6	*	*
	3	0.2	0.1	6.7	4.7	17.6	19.8	27.6	28.5	-	*
	4	0.2	0.1	5.2	4.9	28.4	29.3	20.5	19.4	-	-
	5	*	*	1.5	1.2	7.5	7.2	3.0	2.6	-	-
	6	-	*	0.1	0.1	0.4	0.5	0.2	0.1	-	-
	7	-	*	-	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.5	0.3	14.2	11.5	54.3	57.5	54.6	54.2	*
51	1 - 2	-	-	*	*	*	*	*	0.1	-	-
	3	-	-	0.1	0.1	0.5	1.0	0.6	0.5	-	-
	4	-	-	0.4	0.5	1.7	2.6	0.7	0.7	-	-
	5	-	-	0.1	0.1	0.8	1.2	0.2	0.4	-	-
	6	*	*	*	*	0.1	0.3	*	0.1	-	-
	7	-	-	-	*	-	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	0.6	0.7	3.1	5.1	1.7	1.8	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	-	-	-
	4	-	-	-	*	0.1	*	-	-	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	*	0.1	*	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	*	-
12 & 22	1 - 2	10.2	9.8	1.6	4.5	-	*	-	*	14.5	15.1
	3	2.6	3.0	2.2	3.9	*	*	-	*	3.8	5.0
	4	0.2	0.2	0.8	0.9	-	-	-	*	0.3	0.7
	5	*	*	*	*	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	13.0	12.9	4.6	9.4	*	*	-	*	18.7
32	1 - 2	0.3	0.3	0.9	0.7	*	*	*	*	0.7	0.4
	3	0.5	1.2	2.7	2.6	0.1	0.2	0.1	0.2	1.2	0.8
	4	0.4	0.5	2.1	2.2	0.1	0.2	0.2	0.1	0.2	0.2
	5	0.2	0.1	0.3	0.6	*	*	*	*	*	0.1
	6	*	*	*	*	-	*	-	-	-	*
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	1.3	2.1	6.1	6.2	0.2	0.4	0.3	0.4	2.1
42	1 - 2	*	*	0.2	0.1	-	*	*	*	*	*
	3	*	*	1.6	0.8	0.3	0.7	0.4	0.5	-	*
	4	*	*	2.2	1.0	0.7	1.6	0.4	0.5	-	*
	5	*	*	0.7	0.6	0.3	0.6	0.1	0.1	-	-
	6	*	*	*	0.1	*	0.1	*	*	-	-
	7	*	*	*	*	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	*	0.1	4.8	2.6	1.3	3.0	0.8	1.1	*

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 06, 2025

Quality Designation	Leaf	ABILENE Week Season		CORPUS CHRISTI Week Season		DUMAS Week Season		FLORENCE Week Season		LAMESA Week Season	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	-	*	-	*	-	-
	3	-	-	0.1	*	*	0.1	*	*	-	-
	4	-	-	0.4	0.1	0.1	0.3	*	*	-	-
	5	-	-	0.2	0.1	0.1	0.3	*	*	-	-
	6	-	*	*	*	0.1	0.2	*	*	-	-
	7	*	*	-	*	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	0.7	0.2	0.3	0.8	0.1	0.1	-	-
62	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	*	*	-	-	-	-
	4	-	-	-	*	0.1	*	-	-	-	-
	5	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	*	-	-	-	-	-	-
Total	----	*	*	*	*	0.1	*	-	-	-	-
13 & 23	1 - 2	0.6	0.4	*	0.1	-	-	-	-	0.6	0.6
	3	0.4	0.3	*	0.1	-	-	-	-	0.4	0.3
	4	*	*	*	*	-	-	-	-	*	*
	5	-	-	-	*	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.0	0.7	0.1	0.3	-	-	-	-	1.1	0.9
33	1 - 2	0.1	0.1	*	*	-	*	-	*	0.4	0.2
	3	0.2	0.2	0.4	0.1	-	*	*	*	0.4	0.2
	4	0.2	0.1	0.1	0.1	-	-	*	*	0.2	0.1
	5	0.1	*	*	*	-	-	*	*	0.1	*
	6	*	*	*	*	-	-	-	-	*	*
	7	*	*	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.6	0.4	0.6	0.3	-	*	*	*	1.0	0.6
43	1 - 2	-	*	*	*	-	-	-	*	-	-
	3	*	*	0.2	0.1	-	*	*	*	-	*
	4	*	*	0.4	0.1	*	*	*	*	-	-
	5	0.1	*	0.2	0.1	*	*	*	*	-	-
	6	*	*	*	*	*	*	*	*	-	-
	7	*	*	*	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.1	0.8	0.2	*	*	*	*	-	*
53	1 - 2	-	-	-	*	-	*	-	-	-	-
	3	-	-	*	*	-	*	-	*	-	-
	4	-	-	0.1	*	*	*	-	*	-	-
	5	-	-	*	*	*	*	-	*	-	-
	6	-	-	*	*	*	*	*	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	*	*	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	-	-	-	-
24 - 54	1 - 8	0.1	0.2	*	*	-	-	-	-	0.1	0.2
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	*	*	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		*	*	-	-	-	-	-	-	*	*
31		0.1	0.5	-	-	-	*	-	-	0.1	0.1
32		1.0	1.4	*	*	*	*	-	-	1.4	1.5
33		2.7	2.7	0.4	0.1	0.1	0.2	*	0.1	5.8	7.6
34		6.7	6.3	1.4	0.6	0.9	1.7	0.6	0.9	18.6	19.2
35		14.8	13.8	8.3	3.2	6.0	10.0	6.2	6.2	23.6	19.5
36		19.2	16.7	30.2	15.1	22.1	28.8	23.6	23.5	20.0	18.4
37		20.7	19.7	39.8	46.8	46.6	42.4	53.9	53.4	20.5	21.3
38		12.8	14.1	15.3	25.7	19.3	13.8	13.8	13.6	8.4	9.5
39		14.4	13.2	4.3	7.9	4.2	2.6	1.7	2.1	1.5	2.8
40 & Longer		7.7	11.6	0.3	0.7	0.9	0.4	0.2	0.2	*	0.1
Average Staple		36.80	36.94	36.72	37.20	36.93	36.65	36.80	36.80	35.57	35.62
Average Length		1.15	1.15	1.15	1.16	1.15	1.14	1.15	1.15	1.11	1.11

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 06, 2025

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1 - 2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	65.9	61.8	1.6	2.5	0.7	0.8	3.8	4.4	21.2	36.9
	4	16.1	16.8	0.4	0.9	0.7	0.6	1.8	3.0	19.1	17.5
	5	1.0	1.0	*	*	*	*	0.2	0.2	2.2	1.1
	6	*	*	-	-	-	*	-	*	*	*
	7	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	83.0 79.6	2.0 3.3	1.4 1.4	5.8 7.6	42.5 55.4				
31	1 - 2	1.3	0.8	10.5	10.1	4.1	2.9	10.1	8.0	6.0	6.4
	3	3.0	2.1	19.2	19.9	17.0	12.7	36.6	35.3	13.3	8.6
	4	1.8	1.3	1.7	2.1	4.1	3.2	14.2	12.7	12.2	4.1
	5	0.4	0.3	*	*	0.2	0.1	0.9	0.9	3.3	1.2
	6	0.1	*	-	-	*	*	*	*	0.6	0.2
	7	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	6.6 4.5	31.5 32.2	25.4 19.0	61.8 56.9	35.4 20.4				
41	1 - 2	*	*	7.2	5.4	1.7	2.4	0.6	0.5	3.3	1.1
	3	*	*	38.0	34.9	30.2	30.2	13.2	10.3	3.7	1.3
	4	*	*	13.8	15.5	28.2	27.7	13.2	15.0	1.2	0.3
	5	*	*	1.2	1.4	6.1	5.5	3.3	3.5	1.0	0.3
	6	*	*	*	*	0.6	0.4	0.2	0.2	0.4	0.1
	7	*	*	*	*	*	*	-	-	-	-
	8	-	-	*	*	-	-	-	-	-	-
	Total	----	0.1 0.1	60.3 57.1	66.9 66.2	30.5 29.5	9.6 3.1				
51	1 - 2	-	-	0.2	0.1	*	*	-	*	-	-
	3	-	*	1.8	1.4	0.6	1.2	*	*	*	*
	4	*	*	1.6	1.4	1.5	2.3	*	0.4	0.1	*
	5	-	-	0.3	0.3	1.0	1.1	*	0.3	0.7	0.2
	6	-	-	*	*	0.2	0.2	-	*	0.2	*
	7	-	-	-	*	*	*	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	* *	4.0 3.2	3.4 4.8	* 0.8	1.0 0.2				
61	1 - 2	-	-	-	-	-	*	-	-	-	-
	3	-	-	*	*	-	*	-	-	-	-
	4	-	-	*	*	*	*	-	*	-	-
	5	-	-	*	*	*	*	-	-	-	-
	6	-	-	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	* *	* *	- *	- -				
71	1 - 2	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- -	- *	- -	- -				
12 & 22	1 - 2	4.7	7.6	0.1	0.1	*	*	-	0.1	0.9	10.5
	3	3.3	5.4	*	*	*	*	0.2	0.1	1.0	4.0
	4	0.4	0.7	-	*	*	*	0.3	0.1	0.3	0.5
	5	*	*	-	-	-	*	*	*	*	*
	6	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	8.4 13.7	0.1 0.1	* *	0.6 0.4	2.1 15.0				
32	1 - 2	0.2	0.1	0.1	0.2	*	0.1	*	0.1	0.7	0.5
	3	0.6	0.5	0.2	0.6	0.1	0.3	0.2	0.6	0.8	1.3
	4	0.4	0.3	*	0.1	*	0.1	0.4	0.9	3.7	1.4
	5	0.1	0.1	-	*	*	*	0.4	0.5	2.4	0.7
	6	*	*	-	-	-	-	0.1	0.1	0.2	0.1
	7	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	1.2 1.0	0.3 0.8	0.2 0.5	1.1 2.1	7.8 4.1				
42	1 - 2	*	*	*	0.1	*	0.4	-	*	-	*
	3	*	*	0.8	1.6	1.1	3.0	*	0.3	0.1	*
	4	*	*	0.5	1.0	0.9	2.2	0.1	1.3	0.4	0.1
	5	*	*	0.1	0.2	0.3	0.6	0.1	0.6	0.7	0.2
	6	*	*	*	*	*	0.1	*	0.3	0.2	0.1
	7	-	-	-	*	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	* *	1.5 2.9	2.3 6.2	0.2 2.6	1.5 0.5				

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 06, 2025

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	*	*	-	-	-	-
	3	-	-	*	0.1	0.1	0.6	-	*	-	-
	4	-	-	0.1	0.1	0.2	0.8	-	0.1	-	-
	5	-	*	0.1	0.1	0.1	0.3	-	0.1	-	-
	6	-	-	*	*	*	0.1	-	*	*	*
	7	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	0.2	0.3	0.5	1.8	-	0.2	*	*
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	*	*	-	-	-	-
	5	-	-	-	*	*	*	-	-	-	-
	6	-	-	*	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	-	-	-	-
13 & 23	1 - 2	0.1	0.2	-	-	-	-	-	-	-	0.7
	3	0.2	0.5	-	-	-	-	-	-	-	0.2
	4	0.1	0.1	-	-	-	-	-	-	-	0.1
	5	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	0.8	-	-	-	-	-	-	-	0.9
33	1 - 2	*	*	*	*	-	*	-	-	-	*
	3	0.1	0.1	*	*	*	*	-	*	-	0.1
	4	0.1	0.1	*	*	*	*	-	*	-	0.1
	5	*	*	-	-	-	-	*	*	*	*
	6	*	*	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.3	*	*	*	*	*	*	*	0.2
43	1 - 2	-	*	*	*	-	*	-	*	-	-
	3	*	*	*	*	*	*	*	*	-	*
	4	*	*	*	*	*	*	-	*	*	*
	5	*	*	*	*	*	*	*	*	*	*
	6	*	*	-	-	-	-	-	*	-	*
	7	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	0.1	0.1	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	-	-	-	-
	4	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	*	*	*	-	*	-	-
	7	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	*	0.1	*	*	-	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	-	-	-	-	-
31		0.1	0.1	*	*	*	*	-	-	-	*
32		0.5	0.9	*	*	*	*	-	*	-	*
33		2.3	3.6	0.3	0.6	*	0.1	*	0.2	-	*
34		8.2	10.6	3.1	3.9	0.5	1.2	0.5	1.7	0.4	0.5
35		17.6	18.4	14.5	15.1	3.5	5.1	8.7	12.3	1.5	2.0
36		24.0	23.6	31.6	31.9	16.1	17.5	23.3	31.1	5.7	13.1
37		29.2	27.4	37.5	36.3	46.8	47.9	49.0	39.9	43.6	46.4
38		12.4	10.9	10.4	9.4	26.9	23.7	14.7	10.9	33.8	27.3
39		4.6	3.6	2.3	2.6	5.2	4.1	3.2	3.5	14.8	10.2
40 & Longer		1.1	0.9	0.2	0.3	0.9	0.5	0.5	0.3	0.3	0.4
Average Staple		36.29	36.10	36.44	36.39	37.15	37.01	36.80	36.57	37.54	37.30
Average Length		1.13	1.13	1.14	1.13	1.16	1.16	1.15	1.14	1.17	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 06, 2025

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	2.6	1.4	0.5	0.5	0.1	*	0.8	0.5	2.5	3.1
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	*	0.8	0.3	*	0.1	0.1	0.1	0.2	0.4
Grass - Level 2	-	-	*	*	-	-	-	-	-	-
Prep - Level 1	-	-	*	*	-	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	*	*	0.9	2.5	0.8	0.6	0.3	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	0.1	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	0.1	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	-	*	-	*	-	-	-	-	0.1	0.1
23	*	*	-	*	-	-	-	-	0.3	0.2
24	0.1	0.2	-	*	-	*	-	-	0.2	0.2
25	0.3	0.4	*	*	*	*	-	-	0.1	0.4
26	1.3	1.2	0.3	0.2	*	0.1	0.2	0.2	1.5	3.1
27	4.7	4.1	3.4	1.1	0.1	0.7	1.5	1.4	4.6	6.6
28	11.3	10.2	12.1	5.3	1.7	4.8	7.6	7.5	10.4	9.0
29	17.3	14.6	17.8	15.5	12.4	17.3	24.8	25.4	17.2	15.7
30	17.1	15.8	19.9	22.2	28.4	28.7	34.8	35.0	20.0	18.6
31	14.5	13.8	16.8	17.2	28.5	25.9	20.1	19.9	21.3	18.9
32	11.4	10.9	13.4	11.8	18.3	14.7	8.1	7.5	14.3	14.3
33	10.1	10.3	9.3	11.2	7.5	5.7	2.4	2.3	5.3	6.4
34	8.0	9.5	4.9	9.9	2.7	2.0	0.5	0.7	3.8	4.0
35	2.3	5.4	1.6	4.2	0.5	0.3	0.1	0.1	0.6	1.5
36	1.6	2.4	0.3	1.1	*	*	*	*	0.2	0.7
37	0.2	0.9	0.1	0.2	-	-	-	-	0.1	0.2
38	*	0.3	0.1	*	-	-	-	-	*	*
39	*	*	*	*	-	-	-	-	-	-
40 & Above	-	*	-	-	-	-	-	-	-	-
Average	31.06	31.45	30.93	31.59	31.30	30.98	30.45	30.45	30.69	30.71
Mike										
2.4 & Below	*	*	-	-	-	-	-	-	-	-
2.5	*	*	*	*	-	-	-	-	-	-
2.6	0.1	*	*	*	-	-	-	-	-	-
2.7	0.1	*	*	*	-	-	-	-	*	*
2.8	0.1	*	*	*	-	-	-	-	*	*
2.9	*	*	0.1	*	-	-	-	-	0.4	0.2
3.0	*	*	0.1	0.1	-	-	-	*	1.4	0.8
3.1	0.1	0.1	0.3	0.1	-	-	*	*	2.0	1.1
3.2	0.5	0.4	0.8	0.3	*	*	*	*	1.1	0.7
3.3	0.4	0.3	0.9	0.6	*	*	*	0.1	1.3	1.2
3.4	0.7	0.6	1.5	0.9	*	*	0.1	0.1	1.5	2.0
3.5	1.3	1.1	1.9	1.2	*	*	0.2	0.3	1.9	2.4
3.6	1.9	2.0	1.9	1.7	*	*	0.5	0.4	3.0	3.1
3.7	3.9	3.6	2.2	2.6	*	*	1.0	1.0	3.6	3.5
3.8	5.2	5.1	4.2	4.3	0.1	0.1	1.7	1.6	3.3	3.5
3.9	6.4	7.2	7.5	6.7	0.1	0.1	2.8	2.7	4.3	5.2
4.0	9.1	8.6	10.3	9.2	0.2	0.2	4.0	3.5	5.1	6.9
4.1	11.5	10.4	10.9	11.0	0.3	0.3	5.5	4.9	7.8	8.2
4.2	12.8	11.2	12.4	12.7	0.9	0.6	8.6	7.2	9.2	10.1
4.3	11.0	10.4	10.7	12.6	1.7	1.2	10.9	9.3	8.6	9.6
4.4	10.4	10.0	10.6	11.2	2.9	2.1	11.7	10.6	9.2	10.5
4.5	8.4	8.8	9.0	8.7	4.3	3.3	11.4	11.1	11.8	9.8
4.6	6.0	8.1	6.6	6.0	7.7	5.7	10.5	11.2	10.0	8.7
4.7	4.3	5.8	4.4	3.9	10.7	9.2	9.6	10.2	6.7	6.0
4.8	2.6	3.3	2.6	2.5	14.8	14.0	7.3	8.4	4.0	3.6
4.9	1.9	1.7	0.6	1.4	16.9	16.9	5.3	6.6	1.6	1.3
5.0	0.9	0.7	0.4	0.8	15.9	17.6	4.1	4.9	0.7	0.5
5.1	0.4	0.3	0.2	0.5	12.5	13.4	2.2	2.9	0.2	0.1
5.2	0.1	0.1	*	0.3	7.1	8.5	1.5	1.6	0.7	0.4
5.3	-	*	-	0.2	2.6	4.3	0.7	0.7	0.6	0.4
5.4	-	-	-	0.1	0.8	1.7	0.3	0.4	0.1	*
5.5 & Above	-	*	-	0.3	0.2	0.7	0.1	0.1	-	-
Average	4.21	4.24	4.19	4.23	4.86	4.91	4.48	4.51	4.22	4.20

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 06, 2025

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	7.1	5.6	0.4	0.4	*	*	0.7	0.2	0.1	*
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	0.1	0.1	-	*	-	0.1	0.3	0.8
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	-	-	-	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.2	0.3	0.4	0.1	0.3	4.6	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	*	-	*	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	-	-	-	*	-	-	-	-
23	*	*	-	*	*	*	-	-	-	-
24	0.1	0.1	*	*	*	*	-	-	-	*
25	0.2	0.2	*	*	*	*	-	*	-	*
26	0.6	0.7	*	0.1	*	*	*	0.2	-	*
27	1.8	2.1	0.6	0.8	0.1	0.2	1.5	2.2	*	0.2
28	4.9	5.3	3.7	4.5	1.1	1.7	3.9	6.4	0.5	3.1
29	11.8	12.1	13.8	14.7	9.2	11.5	17.7	19.0	4.7	12.1
30	17.8	17.4	26.8	26.7	31.0	33.7	34.5	29.5	7.8	19.8
31	18.4	18.9	27.2	25.4	35.7	34.2	18.8	18.9	14.5	21.5
32	16.9	16.6	16.1	15.2	15.9	13.6	11.5	13.4	15.7	10.1
33	12.2	12.0	7.5	7.4	5.2	3.9	7.8	6.6	6.3	6.6
34	8.2	8.3	2.9	3.5	1.4	0.9	2.9	2.6	7.6	6.3
35	4.3	4.0	0.9	1.2	0.2	0.1	1.2	1.1	21.1	10.8
36	1.9	1.6	0.3	0.3	0.1	*	0.2	0.1	15.6	7.1
37	0.7	0.5	0.1	0.1	*	*	*	*	6.0	2.3
38	0.2	0.2	*	*	*	*	*	*	0.1	0.1
39	*	*	-	*	-	-	-	-	0.1	*
40 & Above	-	-	-	-	-	-	-	-	0.1	0.1
Average	31.75	31.68	31.23	31.19	31.24	31.07	30.99	30.88	33.78	32.27
Mike										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	*	*	-	-	-	-	-	-	-	-
2.6	*	*	-	*	-	-	-	-	-	-
2.7	*	*	*	*	-	-	-	*	-	*
2.8	*	*	*	*	-	-	*	*	-	-
2.9	0.1	0.1	*	*	-	-	*	*	-	*
3.0	0.2	0.2	*	*	-	-	*	*	-	0.1
3.1	0.4	0.3	*	*	-	-	-	*	0.5	0.2
3.2	0.7	0.6	*	*	-	-	*	*	0.2	0.2
3.3	1.3	1.1	0.1	0.1	*	*	*	*	0.2	0.1
3.4	2.0	1.5	0.2	0.1	*	*	0.1	0.1	0.6	0.3
3.5	2.9	2.2	0.3	0.2	0.1	0.1	0.1	0.1	1.4	0.6
3.6	3.5	2.7	0.5	0.4	0.1	0.2	0.2	0.2	1.5	1.0
3.7	4.0	3.2	0.9	0.7	0.3	0.3	0.2	0.3	2.6	2.2
3.8	4.7	4.0	1.4	1.1	0.6	0.6	0.3	0.5	5.8	4.7
3.9	5.5	5.3	2.0	1.6	1.0	1.0	0.4	1.3	7.8	5.8
4.0	6.0	6.0	3.1	2.5	1.5	1.6	1.9	2.3	7.0	4.9
4.1	7.0	6.7	5.4	4.2	2.4	2.4	3.1	4.1	6.1	6.4
4.2	7.6	7.8	7.2	5.7	3.7	3.6	3.6	4.6	6.8	7.8
4.3	8.6	9.5	9.0	7.4	5.6	5.2	5.5	4.7	6.2	8.2
4.4	8.9	10.1	10.5	9.1	8.6	7.9	7.6	5.8	8.5	10.1
4.5	9.1	10.1	11.1	10.4	11.2	10.9	7.9	8.2	7.5	9.6
4.6	8.4	9.3	11.2	10.8	14.0	14.2	6.6	9.5	6.0	9.0
4.7	6.7	7.4	10.5	10.6	15.6	15.5	9.2	10.5	11.2	8.8
4.8	4.8	4.8	8.4	9.4	13.7	14.2	13.3	11.8	5.8	7.4
4.9	2.9	2.9	6.4	8.3	10.4	10.7	13.7	10.7	3.6	5.3
5.0	1.7	1.7	4.9	7.0	6.4	6.6	14.2	9.0	2.5	2.9
5.1	1.1	1.1	3.3	4.9	3.1	3.2	7.3	8.0	2.1	2.0
5.2	0.9	0.7	2.3	3.0	1.1	1.2	2.8	4.8	3.0	1.3
5.3	0.5	0.4	1.0	1.5	0.4	0.5	1.1	2.5	1.2	0.4
5.4	0.3	0.2	0.3	0.6	0.1	0.1	0.3	1.0	1.0	0.3
5.5 & Above	0.1	0.1	*	0.2	*	0.1	0.7	0.3	0.8	0.2
Average	4.25	4.29	4.53	4.60	4.63	4.64	4.71	4.69	4.38	4.40

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 06, 2025

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	*	*	-	-	-	-	-	-	-	-
2.5 - 2.6	0.1	*	*	*	-	-	-	-	-	-
2.7 - 2.9	0.2	0.1	0.2	0.1	-	-	-	-	0.4	0.3
3.0 - 3.2	0.7	0.5	1.2	0.5	*	*	*	*	4.5	2.6
3.3 - 3.4	1.1	0.9	2.4	1.5	*	*	0.1	0.2	2.8	3.2
3.5 - 3.6	3.2	3.1	3.7	2.9	*	0.1	0.7	0.7	5.0	5.5
3.7 - 4.2	48.9	46.2	47.4	46.4	1.8	1.4	23.6	21.0	33.2	37.5
4.3 - 4.9	44.5	48.1	44.6	46.4	59.0	52.4	66.7	67.5	51.8	49.5
5.0 - 5.2	1.4	1.1	0.5	1.6	35.5	39.5	7.8	9.5	1.5	1.0
5.3 & Above	-	*	-	0.6	3.7	6.6	1.1	1.1	0.7	0.4
Average	4.21	4.24	4.19	4.23	4.86	4.91	4.48	4.51	4.22	4.20
Leaf										
1 - 2	78.5	72.4	26.1	25.8	4.1	5.3	11.8	13.5	86.6	83.2
3	18.2	23.8	48.7	49.5	44.2	41.7	56.2	56.5	12.4	14.6
4	2.6	3.5	21.1	20.5	41.6	42.1	28.2	26.4	0.9	2.1
5	0.5	0.3	3.8	3.8	9.4	9.9	3.6	3.3	0.1	0.2
6	0.1	*	0.2	0.4	0.7	1.0	0.2	0.2	*	*
7	*	*	*	*	*	*	*	*	-	-
8	*	*	-	*	-	-	-	-	-	-
Average	1.92	2.03	3.01	3.01	3.58	3.60	3.24	3.20	1.70	1.80
HVI Trash 1/										
00	0.1	0.1	*	*	-	-	-	-	1.6	1.2
01	48.0	41.6	6.0	5.4	0.2	0.4	0.9	1.3	58.0	53.4
02	32.4	32.8	24.8	23.0	5.2	6.2	13.6	15.1	29.1	30.7
03	11.8	14.5	28.2	27.9	18.9	17.4	28.5	27.9	8.2	9.6
04	4.2	6.7	20.1	20.0	25.7	24.3	25.9	25.4	2.1	3.2
05	1.7	2.7	11.6	11.8	21.7	21.5	16.3	15.9	0.6	1.2
06	0.8	1.0	5.8	6.4	13.9	14.2	8.3	8.1	0.3	0.4
07	0.5	0.4	2.4	3.1	7.7	8.1	3.9	3.7	0.1	0.1
08	0.2	0.1	0.8	1.4	3.7	4.1	1.6	1.6	*	*
09	0.1	0.1	0.2	0.6	1.8	2.1	0.7	0.6	*	*
10	0.1	*	0.1	0.2	0.8	1.0	0.2	0.2	*	*
11	0.1	*	*	0.1	0.3	0.4	0.1	0.1	*	*
12	*	*	*	*	0.1	0.2	*	*	-	*
13	*	*	*	*	*	0.1	*	*	-	*
14	*	*	*	*	*	*	*	*	-	-
15	*	*	-	*	*	*	*	*	-	-
16	*	*	-	*	-	-	*	*	-	-
17	*	*	-	*	-	-	*	*	-	-
18 & Above	*	*	*	*	-	-	*	*	-	-
Average	0.19	0.20	0.34	0.36	0.47	0.48	0.40	0.39	0.16	0.17
UNIFORMITY 2/										
74 & Below	*	*	-	*	-	-	-	-	-	-
75	0.1	*	*	*	-	-	-	-	0.1	0.1
76	0.2	0.1	*	*	*	*	-	-	0.4	0.4
77	0.4	0.4	0.3	0.1	0.1	*	-	-	1.9	2.2
78	2.8	2.3	1.3	0.5	0.2	0.2	0.6	0.4	10.4	11.7
79	12.5	9.4	7.8	3.0	1.0	1.1	2.8	2.4	22.6	26.3
80	29.9	25.5	26.3	11.9	6.4	7.9	12.0	11.0	31.9	28.6
81	27.0	27.9	40.7	29.7	26.9	29.5	30.2	28.6	25.2	21.4
82	16.3	18.8	18.9	32.3	42.1	37.7	35.9	37.0	6.1	6.9
83	7.9	9.5	4.1	17.2	19.3	18.8	16.5	18.3	1.5	2.3
84	2.8	5.5	0.5	4.8	3.9	4.5	1.8	2.1	*	0.1
85 & Above	0.1	0.5	0.1	0.5	0.1	0.1	0.1	0.1	-	-
Average	81.20	81.48	81.27	82.09	82.28	82.23	82.00	82.08	80.36	80.29
Tenderable 3/	91.2	92.5	85.5	88.4	58.7	49.4	88.4	86.7	84.7	86.3
SAMPLES CLASSED										
Week	50,220		56,360		104,960		119,092		23,788	
Season		125,471		1,256,532		525,161		228,517		42,883

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 06, 2025

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	*	*	-	*	-	-	-	-	-	-
2.7 - 2.9	0.1	0.1	*	*	-	-	*	*	-	0.1
3.0 - 3.2	1.3	1.1	*	*	-	-	*	*	0.7	0.5
3.3 - 3.4	3.4	2.6	0.2	0.2	*	*	0.1	0.1	0.8	0.4
3.5 - 3.6	6.4	4.8	0.8	0.6	0.2	0.2	0.2	0.2	2.9	1.6
3.7 - 4.2	34.9	33.1	20.0	15.8	9.6	9.4	9.5	13.0	36.1	31.9
4.3 - 4.9	49.3	54.2	67.1	66.1	79.1	78.6	63.7	61.1	48.9	58.5
5.0 - 5.2	3.7	3.5	10.5	15.0	10.5	11.0	24.3	21.8	7.6	6.2
5.3 & Above	0.8	0.8	1.3	2.3	0.5	0.7	2.1	3.9	3.0	0.9
Average	4.25	4.29	4.53	4.60	4.63	4.64	4.71	4.69	4.38	4.40
Leaf										
1 - 2	72.2	70.5	19.7	18.5	6.5	6.6	14.5	13.1	32.0	56.1
3	23.3	25.4	60.6	59.3	49.8	48.7	52.0	49.7	38.1	33.1
4	3.8	3.6	17.9	20.2	35.0	36.3	28.4	30.6	20.1	7.7
5	0.6	0.5	1.7	1.9	7.7	7.6	4.6	6.0	8.1	2.6
6	0.1	0.1	0.1	0.1	0.9	0.7	0.4	0.7	1.6	0.5
7	*	*	*	*	0.1	*	-	-	-	-
8	-	*	*	*	-	-	-	-	-	-
Average	2.12	2.16	3.01	3.05	3.47	3.47	3.24	3.31	3.06	2.49
HVI Trash 1/										
00	*	*	-	-	-	*	-	-	-	*
01	36.2	33.5	2.3	2.3	0.6	0.7	2.2	1.7	9.8	21.8
02	39.5	41.3	25.2	22.8	8.1	8.0	16.0	14.2	30.2	41.4
03	14.5	15.6	34.4	32.5	22.1	21.5	26.1	24.5	22.4	20.7
04	5.4	5.7	21.4	22.4	26.4	26.0	24.9	23.8	13.3	7.6
05	2.4	2.2	9.7	11.3	19.5	19.9	16.0	16.6	8.0	3.4
06	1.0	0.9	4.1	5.0	11.3	11.8	8.2	9.7	6.0	2.1
07	0.5	0.4	1.7	2.2	6.0	6.3	3.7	5.0	4.1	1.3
08	0.2	0.2	0.7	0.9	3.1	3.1	1.6	2.4	3.0	0.9
09	0.1	0.1	0.3	0.3	1.5	1.5	0.8	1.2	1.8	0.5
10	0.1	*	0.1	0.1	0.7	0.7	0.3	0.5	0.8	0.2
11	*	*	*	0.1	0.3	0.3	0.2	0.3	0.3	0.1
12	*	*	*	*	0.2	0.1	*	0.1	0.1	*
13	*	*	*	*	0.1	0.1	*	*	*	*
14	*	*	*	*	*	*	-	*	*	*
15	*	*	*	*	*	*	-	-	-	-
16	*	*	*	*	-	-	-	-	-	-
17	-	-	*	*	-	-	-	-	-	-
18 & Above	-	*	*	*	-	-	-	-	-	-
Average	0.21	0.21	0.34	0.35	0.45	0.45	0.39	0.41	0.35	0.25
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	-	-	-	-
75	*	*	-	*	-	-	-	-	-	-
76	0.1	0.1	*	*	*	*	-	-	-	*
77	0.7	0.7	*	0.1	*	*	-	-	*	*
78	3.1	3.3	0.4	0.6	0.1	0.1	*	0.2	*	0.2
79	10.4	10.6	3.8	4.4	0.5	0.6	0.3	1.9	1.9	2.1
80	25.2	24.8	20.2	19.9	3.7	4.4	6.1	10.4	7.5	9.6
81	34.4	33.3	37.5	37.9	20.5	21.3	28.3	33.6	20.0	28.9
82	20.9	21.2	28.1	27.4	45.4	44.9	43.5	38.0	40.5	42.9
83	4.5	5.2	8.6	8.1	27.0	26.3	19.9	14.2	24.6	13.7
84	0.6	0.6	1.2	1.4	2.6	2.3	1.9	1.6	5.4	2.4
85 & Above	0.1	0.1	0.1	0.1	0.2	0.2	*	0.1	0.1	0.1
Average	81.19	81.19	81.65	81.62	82.48	82.44	82.27	82.02	82.38	82.07
Tenderable 3/	83.1	85.0	86.0	79.5	85.6	80.7	71.8	67.8	80.3	87.1
SAMPLES CLASSED										
Week	135,866		151,797		309,697		28,472		9,690	
Season		303,605		455,922		1,030,887		172,667		40,388

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 06, 2025

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	2.7	11.7		MIKE	-	-
	2	3.1	10.5		2.4 & Below	-	-
	3	0.1	0.1		2.5 - 2.6	-	-
	4	-	-		2.7 - 2.9	-	-
	5	-	-		3.0 - 3.2	0.4	0.2
	6	-	-		3.3 - 3.4	2.1	1.7
	7	-	-		3.5 - 3.6	7.4	9.8
Total -----		5.9	22.3		3.7 - 4.2	89.0	87.1
02	1	2.7	6.9		4.3 - 4.9	1.1	1.2
	2	36.3	38.6		5.0 - 5.2	-	-
	3	11.2	8.0		5.3 & Above	-	-
	4	0.2	0.1		Average	3.88	3.87
	5	-	*		ALL RANGE MIKE		
	6	-	-		2.4 & Below	-	-
	7	-	-		2.5	-	-
Total -----		50.4	53.7		2.6	-	-
03	1	0.2	0.1		2.7	-	-
	2	14.0	8.4		2.8	-	-
	3	22.5	12.0		2.9	-	-
	4	3.2	1.7		3.0	*	*
	5	*	*		3.1	-	*
	6	-	-		3.2	0.4	0.2
	7	-	-		3.3	0.9	0.7
Total -----		39.9	22.3		3.4	1.2	1.0
04	1	-	*		3.5	1.7	3.1
	2	0.2	0.1		3.6	5.7	6.7
	3	1.8	0.8		3.7	10.9	11.3
	4	1.4	0.6		3.8	17.1	17.7
	5	0.2	0.1		3.9	22.8	24.3
	6	0.1	*		4.0	23.8	21.8
	7	-	-		4.1	11.1	8.9
Total -----		3.7	1.7		4.2	3.3	3.1
05	1	-	-		4.3	0.9	0.6
	2	-	-		4.4	0.2	0.3
	3	-	-		4.5	*	0.2
	4	-	*		4.6	*	*
	5	*	*		4.7	-	*
	6	*	*		4.8	*	*
	7	-	-		4.9	*	*
Total -----		*	*		5.0	-	-
06	1	-	-		5.1	-	-
	2	-	-		5.2	-	-
	3	-	-		5.3 & Above	-	-
	4	-	-		Average	3.88	3.87
	5	-	-		STRENGTH 1/		
	6	-	-		36 & Below	0.5	2.4
	7	-	-		37	3.9	7.3
Total -----		-	-		38	3.1	4.4
07	1	-	-		39	0.7	1.2
	2	-	-		40	3.0	2.5
	3	-	-		41	8.9	7.5
	4	-	-		42	15.4	13.0
	5	-	-		43	20.3	20.3
	6	-	-		44	23.8	21.8
	7	-	-		45	14.7	12.9
Total -----		-	-		46	4.5	5.4
STAPLE					47	0.8	0.8
	44 & Shorter	0.3	4.0		48 & Above	0.3	0.2
	46	8.7	11.7		Average	43.29	42.89
	48	57.5	53.3		UNIFORMITY		
	50	32.3	30.4		83 & Below	0.4	0.7
Average Staple		48.51	48.24		84	8.9	13.3
Average Length		1.41	1.40		85	38.5	33.5
EXTRANEEOUS MATTER					86	47.0	47.2
	Bark	-	-		87	4.9	4.9
	Grass	0.3	0.3		88 & Above	0.3	0.4
	Spindle Twist	-	*		Average	85.93	85.88
	Preparation	-	*		Samples Classed		
		*	*		Week	25,978	
					Season		64,483

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.