



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	20	90.7	77.1	43,641	20	86.5	71.9	172,107
AR	26	74.3	45.3	157,914	26	67.3	38.8	616,028
AZ	3	94.7	81.5	2,593	3	88.7	55.7	21,705
CA	5	73.8	62.1	6,760	6	84.8	70.9	18,346
FL	4	92.9	78.2	7,978	4	85.5	64.8	22,865
GA	47	84.9	68.7	119,178	48	78.2	59.8	339,354
KS*	-	-	-	-	-	-	-	-
LA	11	72.5	44.3	25,502	13	69.3	45.8	140,793
MO	16	88.8	69.2	77,514	16	83.0	61.7	237,049
MS	30	70.2	41.8	103,366	30	59.2	31.2	432,805
NC	25	87.9	73.8	84,793	25	87.1	70.3	165,417
NM*	-	-	-	-	-	-	-	-
OK	8	95.1	84.9	23,187	8	96.0	81.5	72,392
SC	9	80.5	60.4	15,035	9	75.3	54.5	32,947
TN	17	87.9	69.0	59,066	17	79.5	61.3	204,356
TX	102	84.3	64.8	241,364	117	87.2	69.4	1,672,331
VA	4	96.6	92.6	19,264	4	97.0	92.3	30,153
United States	329	82.6	62.2	989,942	348	79.5	58.8	4,182,033
AMERICAN PIMA								
AZ*	-			-	-			-
CA	7			24,534	7			62,604
NM*	-			-	-			-
TX	2			720	2			1,155
United States	11			25,978	11			64,483
United States all cotton	338			1,015,920	356			4,246,516

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 06, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	4.7	2.8	0.1	0.2	22.6	41.9	18.2	30.3	0.2	5.7	0.5	1.7
	3	1.6	1.3	0.1	0.2	28.1	13.8	16.6	22.1	*	1.1	0.1	0.6
	4	*	*	*	*	2.4	0.6	2.2	1.6	-	*	*	*
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	6.2	4.1	0.2	0.4	53.0	56.4	37.0	54.0	0.2	6.8	0.6	2.3
31	1 - 2	14.3	10.9	1.2	1.0	3.2	1.5	7.3	12.3	5.7	6.0	9.4	9.1
	3	35.5	32.9	11.6	8.8	14.4	4.6	13.6	13.6	15.5	17.6	17.6	18.5
	4	7.2	7.6	3.1	3.2	3.4	1.2	16.2	7.5	2.6	2.7	1.4	1.8
	5	0.3	0.3	0.1	0.1	0.3	0.1	4.6	2.4	0.1	*	*	*
	6	*	*	*	*	-	*	0.8	0.3	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	57.3	51.6	16.0	13.0	21.3	7.5	42.5	36.1	23.8	26.3	28.4	29.4
41	1 - 2	2.4	2.4	0.7	0.7	1.3	0.2	4.3	2.3	5.7	4.6	8.0	5.8
	3	17.4	19.5	29.3	26.6	5.9	0.9	3.0	1.8	47.6	37.2	40.5	37.6
	4	12.2	15.4	36.7	37.7	3.5	0.5	0.4	0.2	15.2	16.3	14.3	15.4
	5	2.1	2.4	8.8	9.1	0.5	0.1	1.2	0.5	0.9	1.4	1.3	1.2
	6	0.1	0.1	0.9	0.7	*	*	0.6	0.2	*	*	*	*
	7	-	*	0.1	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*
Total	----	34.2	39.8	76.5	74.8	11.2	1.6	9.5	5.0	69.4	59.6	64.1	60.1
51	1 - 2	0.2	0.1	*	*	-	-	-	-	0.2	0.1	0.1	0.1
	3	0.5	0.3	0.6	1.1	*	*	-	-	2.3	1.0	2.0	1.6
	4	0.2	0.2	1.8	2.6	0.5	0.1	-	-	2.2	1.1	1.9	1.7
	5	0.1	0.1	1.6	1.7	2.5	0.3	-	-	0.1	0.1	0.4	0.4
	6	*	*	0.4	0.3	0.7	0.1	-	-	*	*	*	*
	7	*	*	0.1	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	1.0	0.7	4.6	5.8	3.7	0.4	-	-	4.8	2.3	4.4	3.8
61	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	*	*
	4	-	-	*	*	-	-	-	-	*	*	-	*
	5	-	*	*	*	-	-	-	-	-	-	*	*
	6	-	-	*	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	-	-	-	-	*	*	*	*
71	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
12 & 22	1 - 2	0.4	0.3	-	*	2.4	19.3	0.1	0.1	-	*	*	*
	3	*	0.1	-	*	3.0	7.1	0.2	0.4	*	*	*	*
	4	-	*	-	*	0.9	0.8	*	0.1	-	-	-	*
	5	-	-	-	*	*	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	0.4	-	*	6.3	27.2	0.4	0.6	*	*	*	*
32	1 - 2	0.1	0.2	*	*	-	0.5	*	0.1	0.2	0.1	*	0.1
	3	0.2	0.7	*	0.1	1.3	2.1	0.6	0.4	0.1	0.8	0.2	0.5
	4	*	0.1	*	0.1	1.7	1.2	4.6	1.7	-	0.2	*	0.1
	5	-	*	*	*	0.8	0.4	3.2	1.2	-	-	-	*
	6	-	-	-	-	0.1	0.1	0.3	0.1	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	1.1	0.1	0.2	3.9	4.4	8.6	3.5	0.3	1.1	0.3	0.7
42	1 - 2	*	0.1	*	*	-	*	-	*	0.3	0.2	*	0.1
	3	0.2	1.0	0.8	1.4	0.3	0.1	-	*	1.0	2.3	1.0	1.8
	4	0.2	0.9	0.9	2.1	-	*	0.6	0.2	0.3	1.1	0.6	1.1
	5	*	0.2	0.3	0.8	*	0.1	1.1	0.4	*	0.1	0.1	0.1
	6	-	*	0.1	0.1	0.2	0.1	0.3	0.1	-	-	*	*
	7	-	*	*	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	2.2	2.1	4.4	0.5	0.3	1.9	0.7	1.5	3.7	1.7	3.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 06, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	*	*	-	-	-	-	-	-	-	*
	3	*	*	0.1	0.3	-	-	-	-	-	0.1	*	0.1
	4	*	*	0.2	0.7	-	-	-	-	0.1	*	0.1	0.2
	5	*	*	0.1	0.4	-	-	-	-	*	*	0.1	0.1
	6	-	*	*	0.1	*	*	-	-	-	*	*	*
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	0.1	0.5	1.4	*	*	-	-	0.1	0.1	0.3	0.4
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	-	-	-	-	*	*
13 & 23	1 - 2	-	-	-	-	-	1.3	-	-	-	-	-	-
	3	-	-	-	-	-	0.3	-	-	-	-	-	-
	4	-	-	-	-	-	0.2	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	1.8	-	-	-	-	-	-
33	1 - 2	-	*	-	-	-	*	-	-	-	-	*	*
	3	*	*	-	*	-	0.2	-	-	-	-	*	*
	4	-	*	-	*	-	0.1	-	-	-	-	*	*
	5	-	-	-	-	-	*	*	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	-	0.4	*	*	-	-	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	*	-	*	-	*	-	-	-	*	0.1	*
	4	-	*	*	*	-	0.1	*	*	-	-	0.1	*
	5	-	*	-	*	-	*	*	*	-	-	*	*
	6	-	-	*	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	-	0.1	*	*	-	*	0.1	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	*	-	-
	4	-	-	*	*	-	-	-	-	-	-	*	*
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	*	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	-	-	-	-	-	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54 25 - 35 81 - 85	1 - 8	-	-	-	-	-	*	-	-	-	-	*	*
	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		*	*	-	*	-	*	-	-	-	-	*	*
32		*	*	*	*	-	*	-	-	-	-	*	*
33		0.1	0.3	*	0.1	-	*	-	*	-	0.1	0.4	0.7
34		1.2	2.3	0.1	0.3	-	0.7	*	*	0.3	0.7	3.8	4.5
35		8.1	10.5	2.0	3.0	0.1	2.2	0.8	1.4	11.8	9.4	16.1	16.7
36		26.1	24.5	10.3	16.2	4.4	13.3	3.4	12.0	34.0	33.0	32.8	33.5
37		46.1	43.1	52.0	53.2	48.2	52.5	44.0	40.1	32.1	43.4	35.1	33.5
38		14.0	15.1	29.9	23.0	37.4	26.1	34.1	29.2	16.1	11.1	9.6	8.4
39		3.5	3.5	5.3	3.8	9.9	5.1	17.4	16.5	5.4	2.2	2.1	2.4
40 & Longer		0.9	0.5	0.4	0.3	0.1	0.1	0.4	0.8	0.3	0.1	0.2	0.3
Average Staple		36.78	36.70	37.27	37.08	37.53	37.17	37.65	37.50	36.69	36.62	36.36	36.31
Average Length		1.15	1.15	1.16	1.16	1.17	1.16	1.18	1.17	1.14	1.14	1.13	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE													
For The Week Ending Nov 06, 2025													
Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	4.3	5.1	*	*	2.7	2.9	0.2	0.8	-	-
	3	-	-	1.7	3.0	*	*	3.4	2.4	0.2	0.3	-	-
	4	-	-	*	0.1	-	-	0.1	*	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	6.0	8.2	*	*	6.1	5.3	0.4	1.1	-	-
31	1 - 2	-	-	10.9	9.0	1.3	0.9	3.6	4.3	8.0	9.9	-	-
	3	-	-	38.9	38.6	12.4	8.7	28.4	22.9	26.5	26.6	-	-
	4	-	-	15.3	13.0	2.6	1.8	11.6	8.8	6.9	5.8	-	-
	5	-	-	1.0	0.8	0.1	*	0.8	0.6	0.3	0.2	-	-
	6	-	-	*	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	66.1	61.4	16.4	11.4	44.3	36.6	41.7	42.5	-	-
41	1 - 2	-	-	0.3	0.4	1.3	1.6	0.5	1.0	3.4	3.9	-	-
	3	-	-	10.0	9.1	38.5	37.4	14.1	19.0	28.6	28.6	-	-
	4	-	-	13.5	14.6	32.0	31.3	22.4	22.3	20.2	18.0	-	-
	5	-	-	3.6	3.8	4.7	3.9	7.3	5.7	2.7	2.4	-	-
	6	-	-	0.2	0.2	0.4	0.2	0.5	0.4	0.2	0.2	-	-
	7	-	-	-	-	*	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	27.6	28.0	76.9	74.4	44.7	48.3	55.2	53.1	-	-
51	1 - 2	-	-	-	*	*	*	*	*	*	0.1	-	-
	3	-	-	*	*	0.8	1.6	0.4	1.2	0.4	0.4	-	-
	4	-	-	*	0.5	1.5	2.9	1.6	2.6	0.6	0.6	-	-
	5	-	-	*	0.3	0.4	0.6	0.8	1.2	0.2	0.4	-	-
	6	-	-	-	*	0.1	0.1	0.1	0.3	*	0.1	-	-
	7	-	-	-	-	*	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	0.9	2.9	5.2	2.9	5.3	1.1	1.5	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	-	-	-
	4	-	-	-	*	-	*	0.1	*	-	-	-	-
	5	-	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	*	*	0.1	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	-	-	-	0.1	-	-	-	*	-	*	-	-
	3	-	-	*	*	-	-	*	*	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	0.1	-	-	*	*	-	*	-	-
32	1 - 2	-	-	-	0.1	*	*	*	*	*	0.1	-	-
	3	-	-	0.1	0.3	0.1	0.2	0.1	0.2	0.2	0.3	-	-
	4	-	-	0.1	0.2	*	*	0.1	0.2	0.2	0.2	-	-
	5	-	-	*	*	-	*	*	*	*	*	-	-
	6	-	-	*	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.2	0.6	0.1	0.3	0.2	0.4	0.4	0.5	-	-
42	1 - 2	-	-	-	*	*	0.2	*	*	*	0.1	-	-
	3	-	-	*	0.2	1.0	2.6	0.3	0.9	0.4	0.5	-	-
	4	-	-	0.1	0.4	1.2	2.5	0.6	1.5	0.4	0.4	-	-
	5	-	-	*	0.1	0.4	0.6	0.2	0.5	0.1	0.1	-	-
	6	-	-	-	*	0.1	*	*	0.1	*	*	-	-
	7	-	-	-	-	*	*	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	0.8	2.7	6.0	1.1	3.0	1.0	1.1	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 06, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	*	0.1	-	*	-	*	-	-
	3	-	-	-	*	0.2	0.9	*	0.1	*	*	-	-
	4	-	-	-	*	0.4	1.3	0.1	0.3	*	*	-	-
	5	-	-	-	*	0.2	0.4	0.1	0.3	*	*	-	-
	6	-	-	-	-	0.1	0.1	0.1	0.2	*	*	-	-
	7	-	-	-	-	*	*	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	0.9	2.8	0.3	0.9	0.1	0.1	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	-	-	-
	4	-	-	-	-	*	*	0.1	*	-	-	-	-
	5	-	-	-	-	-	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	0.1	*	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	*	-	*	-	-
	3	-	-	-	*	-	-	*	*	-	*	-	-
	4	-	-	-	-	-	-	*	*	*	*	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	*	*	*	*	-	-
43	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	*	*	*	-	-
	4	-	-	-	*	*	*	*	*	*	*	-	-
	5	-	-	-	*	*	*	*	*	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	*	*	*	*	-	-
53	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	*	*	-	*	-	*	-	-
	4	-	-	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	*	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	-	-	-	-
24 - 54 25 - 35 81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	*	-	-	-	-
32		-	-	-	-	*	*	*	*	-	-	-	-
33		-	-	*	0.1	*	*	0.1	0.3	*	0.1	-	-
34		-	-	0.5	1.3	0.1	0.4	1.2	2.5	0.7	1.0	-	-
35		-	-	7.1	10.4	1.1	2.1	7.9	13.1	6.6	6.5	-	-
36		-	-	19.9	30.0	9.7	11.0	24.9	29.6	23.7	22.4	-	-
37		-	-	53.1	41.1	48.5	48.9	39.1	35.7	52.4	52.4	-	-
38		-	-	15.4	12.5	35.4	33.3	18.5	14.0	14.5	14.8	-	-
39		-	-	3.5	4.2	4.7	4.1	6.1	3.9	1.9	2.6	-	-
40 & Longer		-	-	0.6	0.3	0.5	0.3	2.3	0.9	0.2	0.3	-	-
Average Staple		-	-	36.88	36.67	37.34	37.26	36.93	36.60	36.80	36.82	-	-
Average Length		-	-	1.15	1.14	1.17	1.16	1.15	1.14	1.15	1.15	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Nov 06, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	69.3	57.6	0.2	0.6	0.4	0.5	54.4	26.0	0.2	0.3
	3	10.6	10.9	0.1	0.4	0.2	0.1	13.2	14.5	0.1	0.1
	4	0.1	0.2	-	-	*	*	0.9	1.2	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>80.0</i>	<i>68.7</i>	<i>0.3</i>	<i>1.0</i>	<i>0.5</i>	<i>0.6</i>	<i>68.5</i>	<i>41.7</i>	<i>0.3</i>	<i>0.4</i>
31	1 - 2	4.3	4.2	3.5	3.4	11.3	7.4	2.3	4.0	12.8	11.1
	3	9.0	15.0	12.4	13.8	21.1	13.5	7.0	17.4	42.8	38.7
	4	0.9	3.2	2.2	2.2	4.0	2.5	3.1	7.4	6.9	8.0
	5	*	0.1	*	*	0.2	0.1	0.4	0.8	0.2	0.2
	6	-	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>14.2</i>	<i>22.5</i>	<i>18.1</i>	<i>19.4</i>	<i>36.6</i>	<i>23.5</i>	<i>12.9</i>	<i>29.6</i>	<i>62.7</i>	<i>58.1</i>
41	1 - 2	0.1	*	4.5	3.7	5.4	8.0	0.2	0.4	1.5	1.4
	3	0.4	0.2	37.8	37.5	34.8	36.5	1.6	3.6	15.4	18.2
	4	0.5	0.2	28.0	27.8	14.9	13.0	1.2	3.8	16.1	18.1
	5	*	*	3.9	3.1	1.8	1.1	0.3	1.0	3.3	3.1
	6	-	*	0.1	0.1	0.2	0.1	*	0.1	0.1	*
	7	-	*	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>1.0</i>	<i>0.5</i>	<i>74.3</i>	<i>72.1</i>	<i>57.1</i>	<i>58.7</i>	<i>3.4</i>	<i>8.9</i>	<i>36.3</i>	<i>40.8</i>
51	1 - 2	-	-	0.2	0.1	*	0.1	*	*	-	-
	3	-	-	2.7	1.8	0.7	1.1	*	0.1	*	*
	4	-	-	2.3	2.0	0.9	1.2	0.1	0.3	0.4	0.3
	5	-	-	0.7	0.6	0.2	0.3	*	0.1	0.2	0.1
	6	*	*	0.1	0.1	*	*	*	*	*	*
	7	-	-	-	-	*	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>*</i>	<i>*</i>	<i>5.9</i>	<i>4.6</i>	<i>2.0</i>	<i>2.7</i>	<i>0.1</i>	<i>0.5</i>	<i>0.6</i>	<i>0.4</i>
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>*</i>	<i>*</i>	<i>-</i>	<i>*</i>	<i>-</i>	<i>-</i>
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>
12 & 22	1 - 2	1.2	3.4	-	-	-	*	6.4	5.7	-	-
	3	0.8	1.5	-	-	-	*	3.2	4.2	-	-
	4	0.2	0.2	-	-	*	*	0.5	0.9	-	-
	5	*	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>2.2</i>	<i>5.2</i>	<i>-</i>	<i>-</i>	<i>*</i>	<i>*</i>	<i>10.1</i>	<i>10.8</i>	<i>-</i>	<i>-</i>
32	1 - 2	0.1	0.1	-	*	0.1	0.3	0.4	0.5	-	*
	3	0.4	1.3	*	0.1	0.3	0.8	1.1	2.1	*	*
	4	0.4	0.6	*	*	0.1	0.1	0.8	1.8	*	*
	5	0.2	0.1	*	*	*	*	0.2	0.5	-	*
	6	*	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>1.1</i>	<i>2.2</i>	<i>0.1</i>	<i>0.1</i>	<i>0.5</i>	<i>1.2</i>	<i>2.5</i>	<i>5.0</i>	<i>*</i>	<i>*</i>
42	1 - 2	*	*	-	*	0.2	1.4	*	0.1	-	*
	3	*	*	0.3	0.8	2.0	7.6	0.4	0.6	*	*
	4	*	*	0.7	1.3	0.7	2.3	0.5	0.9	-	0.1
	5	*	*	0.1	0.2	0.1	0.2	0.2	0.5	-	*
	6	*	*	*	*	*	*	*	0.1	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>0.1</i>	<i>0.1</i>	<i>1.2</i>	<i>2.3</i>	<i>2.9</i>	<i>11.5</i>	<i>1.1</i>	<i>2.2</i>	<i>*</i>	<i>0.2</i>

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Nov 06, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	*	0.1	*	*	-	-
	3	-	-	*	*	0.1	1.0	*	*	-	-
	4	-	-	0.1	0.2	0.2	0.7	0.1	0.1	-	-
	5	-	-	*	0.1	0.1	0.1	*	0.1	*	*
	6	-	*	*	*	-	*	*	*	-	-
	7	*	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	0.1	0.3	0.3	1.8	0.2	0.2	*	*
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	*	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	*	-	-
Total	----	*	*	-	-	-	*	*	*	-	-
13 & 23	1 - 2	0.1	0.1	-	-	-	-	0.2	0.1	-	-
	3	0.1	0.1	-	-	-	-	0.2	0.2	-	-
	4	*	*	-	-	-	-	0.1	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.2	-	-	-	-	0.5	0.4	-	-
33	1 - 2	0.1	*	-	-	-	*	0.1	*	-	-
	3	0.3	0.2	*	*	-	*	0.2	0.1	-	-
	4	0.2	0.1	*	*	*	*	0.1	0.1	*	*
	5	0.2	0.1	*	*	-	-	*	*	-	-
	6	*	*	-	-	-	-	*	*	-	-
	7	*	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.8	0.4	*	*	*	*	0.4	0.3	*	*
43	1 - 2	-	-	-	*	-	*	*	*	-	-
	3	*	*	-	0.1	*	*	*	*	-	-
	4	0.1	*	*	*	*	*	0.1	0.1	-	-
	5	0.1	*	*	*	*	*	*	*	-	-
	6	0.1	*	-	-	-	-	*	*	*	*
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.1	*	0.1	*	*	0.2	0.2	*	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	*	*	*	-	-
	4	-	-	-	*	*	*	*	*	-	-
	5	-	-	-	*	-	*	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	*	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	0.3	0.1	-	-	-	-	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		-	-	-	-	-	-	*	*	-	-
31		-	-	-	-	-	-	0.1	0.1	-	-
32		*	*	-	-	-	*	0.7	0.3	-	-
33		0.8	0.6	-	0.1	0.1	0.2	2.4	1.1	-	*
34		1.7	2.6	0.4	0.8	1.4	3.3	8.0	3.2	0.4	0.3
35		6.4	7.3	6.9	7.0	6.8	10.5	16.7	7.1	3.6	3.7
36		13.6	12.1	32.2	33.1	33.2	32.3	25.2	17.1	16.8	19.3
37		20.9	20.4	47.0	49.2	44.7	42.2	29.8	41.9	66.1	63.3
38		14.8	17.7	12.4	9.1	11.4	10.3	12.3	21.8	11.4	11.9
39		25.7	19.9	1.1	0.6	2.2	1.3	4.1	6.7	1.6	1.4
40 & Longer		16.1	19.4	0.1	*	0.1	0.1	0.8	0.7	0.1	0.1
Average Staple		37.81	37.83	36.68	36.61	36.65	36.49	36.27	36.90	36.90	36.87
Average Length		1.18	1.18	1.14	1.14	1.14	1.14	1.13	1.15	1.15	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 06, 2025

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.1	0.1	0.1	*	0.5	0.1	-	-	0.2	0.3	0.4	0.5
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	0.1	-	*	0.4	1.6	*	0.1	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.2	0.3	2.0	-	-	-	-	0.1	0.2	0.2	0.4
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	0.1	-	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	-	-	-	-	-
23	-	-	*	*	-	-	-	-	-	-	-	*
24	*	*	*	*	-	*	-	-	-	-	*	*
25	*	*	*	*	-	*	-	-	-	-	*	*
26	*	*	*	*	-	*	-	*	*	*	0.1	0.1
27	0.1	0.2	0.1	0.3	-	0.2	*	0.1	0.1	0.1	0.7	1.0
28	1.7	2.3	0.8	2.3	*	4.5	0.3	1.4	0.5	1.3	4.4	5.5
29	11.1	15.8	8.1	11.0	1.2	13.2	3.8	10.0	12.4	10.5	15.1	16.4
30	26.7	29.9	31.9	33.0	13.0	23.4	4.5	15.2	27.0	25.1	27.6	27.5
31	29.1	26.4	37.2	34.6	34.1	25.8	7.4	16.6	32.9	28.0	26.1	24.1
32	19.8	15.2	15.9	14.2	32.7	14.1	9.9	5.6	18.3	17.4	14.5	13.9
33	8.1	6.6	4.2	3.7	9.8	10.4	5.3	2.3	6.6	8.8	7.0	6.7
34	2.5	2.6	1.5	0.7	7.7	7.2	7.9	5.3	1.8	7.1	2.9	3.1
35	0.5	0.8	0.3	0.1	1.5	1.2	29.6	22.3	0.4	1.6	1.1	1.2
36	0.2	0.1	0.1	*	*	*	22.3	15.7	0.1	0.1	0.4	0.4
37	*	*	*	*	-	*	8.6	5.0	-	*	0.1	0.1
38	*	*	-	-	-	-	0.2	0.2	-	-	*	*
39	-	-	-	-	-	-	0.1	0.1	-	-	-	*
40 & Above	-	-	-	-	-	-	0.1	0.1	-	-	-	-
Average	31.36	31.15	31.25	31.06	32.08	31.41	34.62	33.33	31.29	31.57	31.15	31.08
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	*
2.7	-	-	-	-	-	-	-	0.1	-	-	*	*
2.8	-	-	-	-	-	-	-	-	-	-	*	*
2.9	*	*	-	-	-	-	-	0.1	-	-	*	*
3.0	*	*	-	-	-	-	-	0.2	-	-	*	*
3.1	*	*	-	-	-	-	0.8	0.5	-	-	*	*
3.2	*	*	*	*	-	-	0.2	0.4	-	*	*	*
3.3	0.1	0.1	-	*	-	-	0.3	0.1	-	-	0.1	0.1
3.4	0.2	0.2	*	*	-	-	0.9	0.7	-	*	0.1	0.1
3.5	0.5	0.3	*	*	-	-	2.1	1.4	0.1	0.2	0.2	0.2
3.6	0.8	0.5	*	*	-	*	2.1	2.1	0.1	0.4	0.5	0.4
3.7	1.4	1.2	*	*	2.4	0.5	2.9	4.2	0.6	0.8	0.8	0.7
3.8	2.1	2.0	0.1	0.1	2.4	0.7	5.7	8.9	0.8	0.7	1.4	1.1
3.9	3.1	3.0	0.2	0.2	4.2	1.5	7.6	10.4	1.5	1.0	2.2	1.6
4.0	3.8	4.3	0.3	0.4	4.5	2.9	8.0	7.2	1.0	1.1	3.4	2.6
4.1	5.7	5.4	0.6	0.7	8.3	6.1	4.9	6.7	4.5	2.8	5.4	4.3
4.2	8.8	7.7	1.2	1.3	12.4	9.0	4.5	6.2	7.0	5.0	6.7	5.5
4.3	11.8	9.9	3.0	2.4	9.6	9.3	5.3	7.1	7.0	6.6	8.2	6.9
4.4	11.1	10.6	5.2	4.4	15.9	13.0	6.1	6.9	15.6	11.7	9.9	8.8
4.5	12.0	11.1	8.4	7.3	14.7	13.1	5.2	5.7	18.9	14.4	10.2	9.9
4.6	9.6	10.3	12.2	11.4	12.0	13.5	4.1	3.9	12.5	11.2	11.4	10.6
4.7	8.6	9.0	16.0	14.5	8.4	9.9	12.8	7.7	10.2	11.3	11.0	10.7
4.8	7.0	7.5	15.8	16.1	3.7	8.6	6.9	6.2	10.8	11.9	8.6	9.5
4.9	5.2	6.2	14.6	14.9	1.0	5.5	4.8	5.1	4.1	9.1	7.0	8.6
5.0	3.7	4.3	11.4	11.8	0.6	3.2	3.4	2.7	2.8	6.5	5.3	7.6
5.1	2.6	3.0	6.3	7.3	-	1.9	3.0	2.2	1.5	3.5	3.5	5.3
5.2	1.2	1.8	3.0	4.2	-	1.0	4.3	1.7	0.9	1.3	2.5	3.2
5.3	0.5	1.0	1.3	2.0	-	0.2	1.7	0.6	0.1	0.3	1.1	1.6
5.4	0.1	0.4	0.2	0.7	-	0.2	1.4	0.5	-	0.2	0.3	0.5
5.5 & Above	*	0.3	*	0.3	-	-	1.2	0.4	-	0.1	*	0.2
Average	4.45	4.50	4.76	4.78	4.36	4.50	4.41	4.29	4.52	4.59	4.54	4.61

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 06, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	*	*	*	*	*	*	0.7	0.4	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	-	*	-	*	*	*	0.1	0.1	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	0.2	0.5	0.9	0.3	1.0	0.4	0.3	0.4	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	*	*	-	*	-	-	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	*	*	-	-	-	-	-	-
24	-	-	-	-	*	*	*	*	-	-	-	-
25	-	-	-	*	*	*	*	*	-	-	-	-
26	-	-	-	*	*	*	0.1	0.1	0.1	0.1	-	-
27	-	-	0.1	0.6	*	0.1	0.5	1.3	1.1	1.1	-	-
28	-	-	1.3	5.2	0.3	0.6	2.5	5.0	6.2	6.4	-	-
29	-	-	17.5	21.3	4.7	5.6	12.9	16.3	22.0	23.1	-	-
30	-	-	37.5	32.2	26.2	29.2	26.5	27.0	35.3	35.9	-	-
31	-	-	20.1	19.7	40.9	41.3	28.2	25.7	22.1	21.5	-	-
32	-	-	12.0	12.1	19.2	17.0	18.3	15.3	9.6	8.4	-	-
33	-	-	8.0	5.2	7.0	5.2	7.7	6.3	2.8	2.5	-	-
34	-	-	2.3	2.3	1.4	1.0	2.8	2.5	0.5	0.8	-	-
35	-	-	1.0	1.2	0.1	0.1	0.5	0.4	0.1	0.2	-	-
36	-	-	0.2	0.2	*	*	*	*	*	*	-	-
37	-	-	*	*	*	*	*	*	-	-	-	-
38	-	-	-	*	*	*	-	*	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	31.08	30.87	31.46	31.33	31.28	31.02	30.59	30.55	-	-
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	*	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	*	-	-	-	-	-	-	-	-
3.0	-	-	-	*	-	-	-	-	-	*	-	-
3.1	-	-	-	*	-	-	-	-	*	*	-	-
3.2	-	-	*	*	-	-	*	*	*	*	-	-
3.3	-	-	*	*	*	*	*	*	*	0.1	-	-
3.4	-	-	0.1	0.1	0.1	*	*	*	0.1	0.1	-	-
3.5	-	-	0.1	*	0.1	*	0.1	*	0.3	0.3	-	-
3.6	-	-	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.4	-	-
3.7	-	-	0.1	0.2	0.1	0.1	0.1	0.1	1.0	0.8	-	-
3.8	-	-	0.1	0.3	0.4	0.4	0.4	0.2	1.6	1.5	-	-
3.9	-	-	0.1	0.6	0.8	0.8	0.6	0.3	2.7	2.4	-	-
4.0	-	-	1.4	1.4	1.6	1.4	1.2	0.6	3.8	3.4	-	-
4.1	-	-	2.8	2.3	2.8	2.2	1.9	1.0	5.3	4.8	-	-
4.2	-	-	3.7	3.3	3.8	3.4	2.6	1.5	8.6	7.3	-	-
4.3	-	-	5.8	3.9	6.7	5.8	3.5	2.3	11.3	9.4	-	-
4.4	-	-	7.6	5.6	10.4	9.0	4.9	3.6	11.6	10.2	-	-
4.5	-	-	7.7	8.3	13.3	12.6	6.1	5.2	10.7	10.9	-	-
4.6	-	-	6.0	9.9	16.7	15.9	9.2	7.8	9.8	11.2	-	-
4.7	-	-	9.4	11.2	15.9	16.2	12.4	10.8	9.6	10.7	-	-
4.8	-	-	13.7	12.5	12.3	13.6	14.6	14.1	7.7	9.0	-	-
4.9	-	-	14.4	11.4	8.2	9.5	14.6	15.4	5.9	7.0	-	-
5.0	-	-	14.6	10.0	3.7	5.3	11.9	14.8	4.5	5.1	-	-
5.1	-	-	7.4	9.2	1.8	2.3	9.0	11.0	2.6	3.0	-	-
5.2	-	-	2.6	5.4	0.7	0.8	4.6	6.5	1.5	1.5	-	-
5.3	-	-	1.3	2.9	0.3	0.3	1.5	3.1	0.6	0.6	-	-
5.4	-	-	0.3	1.3	0.3	0.2	0.6	1.3	0.3	0.3	-	-
5.5 & Above	-	-	0.8	0.4	*	0.1	0.2	0.5	0.1	0.1	-	-
Average	-	-	4.73	4.75	4.59	4.62	4.76	4.84	4.49	4.52	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Nov 06, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	1.3	0.7	2.1	1.2	-	*	4.7	1.5	0.4	0.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	0.2	0.1	-	*	0.2	0.2	-	*
Grass - Level 2	-	-	-	-	-	-	*	*	-	-
Prep - Level 1	-	-	-	*	-	-	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.9	0.6	*	*	*	0.4	2.7	1.9
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	-	-	-	-	-	*	*	-	-
23	*	*	-	-	-	-	*	*	-	-
24	0.1	*	-	-	-	*	0.1	*	-	-
25	0.2	0.1	-	-	*	*	0.2	0.1	-	-
26	0.4	0.3	*	0.1	*	*	0.8	0.4	0.7	0.6
27	1.9	1.4	0.7	0.7	0.1	0.3	3.0	1.6	3.7	3.6
28	6.2	4.8	6.1	6.5	2.5	3.4	8.3	5.7	14.7	14.9
29	13.1	11.1	27.9	28.4	15.9	20.1	14.8	14.9	34.5	34.9
30	15.9	15.6	39.0	35.1	37.2	40.4	18.6	21.0	29.2	29.8
31	14.0	14.0	18.6	19.3	27.2	24.3	17.7	17.4	12.4	11.7
32	14.1	11.9	5.6	7.0	11.2	7.8	14.9	12.8	3.5	3.2
33	14.6	13.5	1.6	2.4	4.9	2.6	10.1	11.2	0.9	0.9
34	12.6	13.8	0.3	0.5	1.1	0.9	6.6	9.2	0.4	0.3
35	3.6	8.0	*	0.1	*	0.1	3.0	4.0	0.1	0.1
36	3.0	3.7	-	*	*	*	1.2	1.2	*	*
37	0.3	1.4	-	-	*	*	0.4	0.3	-	-
38	*	0.4	-	-	-	-	0.1	0.1	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	-	*	-	-	-	-	-	-	-	-
Average	31.86	32.27	30.38	30.44	30.92	30.70	31.30	31.54	29.92	29.90
Mike										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5	-	-	-	-	-	-	*	*	-	-
2.6	-	-	-	-	-	-	*	*	-	-
2.7	-	-	-	-	-	-	*	*	-	-
2.8	-	-	-	-	-	-	*	*	-	-
2.9	-	*	-	-	-	-	0.1	0.1	-	-
3.0	*	*	-	*	-	-	0.3	0.1	-	-
3.1	0.1	0.1	-	*	-	-	0.5	0.2	-	-
3.2	0.3	0.2	-	*	-	-	0.8	0.4	*	*
3.3	0.2	0.1	*	*	*	*	1.2	0.7	*	*
3.4	0.5	0.5	*	*	*	*	1.7	1.0	0.1	*
3.5	0.6	1.1	0.2	0.1	0.1	0.1	2.5	1.4	0.3	0.3
3.6	1.2	2.1	0.3	0.2	0.2	0.2	3.0	1.9	0.8	0.8
3.7	4.2	4.1	0.3	0.3	0.7	0.7	3.5	2.7	1.5	3.0
3.8	6.6	6.0	0.6	0.7	1.1	1.0	4.4	4.2	3.1	3.4
3.9	6.7	7.7	1.1	0.9	1.3	1.3	6.0	6.4	4.9	6.2
4.0	9.0	8.2	1.6	1.4	1.8	2.2	7.3	8.5	6.7	6.5
4.1	10.5	9.7	3.1	2.9	3.4	3.6	8.5	10.2	8.3	7.4
4.2	12.6	10.1	5.4	4.6	6.0	5.1	9.4	11.8	10.7	9.6
4.3	10.0	9.1	7.0	6.1	6.7	6.7	9.3	12.0	12.3	12.7
4.4	8.8	8.1	8.2	8.5	10.9	9.6	9.6	11.0	15.3	15.4
4.5	8.7	8.6	11.0	9.8	12.6	12.2	9.2	9.0	14.8	13.8
4.6	7.1	9.4	11.9	10.7	13.5	14.2	7.8	6.7	12.8	11.7
4.7	5.7	7.4	14.0	11.8	13.1	14.2	5.7	4.6	5.8	5.9
4.8	3.8	4.6	12.2	11.6	11.9	12.3	3.9	2.9	1.9	2.2
4.9	2.3	1.9	8.0	9.9	7.3	8.1	2.1	1.7	0.6	0.9
5.0	0.7	0.7	6.5	8.4	5.1	4.8	1.2	1.0	0.2	0.3
5.1	0.3	0.2	2.7	5.5	3.0	2.2	0.8	0.6	-	*
5.2	*	0.1	3.1	3.3	1.1	0.8	0.6	0.4	-	-
5.3	-	*	1.9	2.1	0.1	0.4	0.3	0.2	-	*
5.4	-	-	0.8	1.0	*	*	0.2	0.2	-	-
5.5 & Above	-	*	0.1	0.1	*	*	*	0.2	-	-
Average	4.24	4.25	4.63	4.67	4.57	4.57	4.23	4.24	4.32	4.31

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE												
For The Week Ending Nov 06, 2025												
Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	*
2.7 - 2.9	*	*	-	-	-	-	-	0.1	-	-	*	*
3.0 - 3.2	0.1	*	*	*	-	-	1.0	1.0	-	*	*	*
3.3 - 3.4	0.4	0.2	*	*	-	-	1.1	0.8	-	*	0.2	0.2
3.5 - 3.6	1.4	0.7	*	*	-	*	4.2	3.5	0.1	0.6	0.7	0.6
3.7 - 4.2	24.8	23.5	2.3	2.7	34.1	20.7	33.6	43.8	15.4	11.4	19.9	15.8
4.3 - 4.9	65.3	64.6	75.4	71.0	65.3	72.9	45.1	42.5	79.2	76.2	66.3	65.0
5.0 - 5.2	7.5	9.1	20.6	23.2	0.6	6.0	10.7	6.6	5.2	11.3	11.3	16.1
5.3 & Above	0.6	1.8	1.6	3.0	-	0.3	4.2	1.6	0.1	0.5	1.5	2.2
Average	4.45	4.50	4.76	4.78	4.36	4.50	4.41	4.29	4.52	4.59	4.54	4.61
Leaf												
1 - 2	22.1	16.7	2.0	1.9	29.5	64.7	29.8	45.1	12.1	16.7	18.1	17.1
3	55.5	55.8	42.5	38.3	53.1	29.2	34.0	38.3	66.5	60.2	61.5	60.8
4	19.8	24.3	42.9	46.4	12.4	4.7	24.1	11.3	20.3	21.4	18.5	20.3
5	2.6	3.0	11.0	12.1	4.1	1.1	10.1	4.5	1.1	1.7	1.9	1.8
6	0.1	0.2	1.4	1.2	1.0	0.2	2.0	0.8	*	0.1	0.1	0.1
7	*	*	0.1	0.1	-	-	-	-	-	-	*	*
8	-	-	-	-	-	-	-	-	-	-	*	*
Average	3.02	3.14	3.68	3.73	2.92	2.29	3.18	2.73	3.10	3.07	3.04	3.07
HVI Trash 1/												
00	-	-	-	-	-	*	-	-	-	-	-	-
01	3.5	2.4	*	0.1	7.6	28.9	8.3	12.6	0.7	2.8	1.7	1.8
02	23.8	18.6	3.3	2.8	37.1	44.7	27.3	37.6	15.3	18.4	24.5	22.1
03	30.4	28.4	16.6	14.2	28.8	16.8	20.8	25.4	34.6	31.1	35.1	33.3
04	21.6	23.9	26.2	24.3	14.9	5.7	13.3	10.1	28.4	24.4	21.5	22.9
05	11.4	14.2	22.4	23.1	5.2	2.0	9.5	5.2	12.9	12.9	9.9	11.4
06	5.3	7.1	14.4	16.2	2.8	0.9	7.5	3.5	5.2	6.0	4.3	5.0
07	2.4	3.3	8.3	9.7	1.7	0.5	5.2	2.3	1.9	2.6	1.8	2.1
08	1.0	1.3	4.5	5.0	1.0	0.2	3.9	1.6	0.6	1.0	0.7	0.8
09	0.3	0.5	2.3	2.5	0.6	0.2	2.4	0.9	0.2	0.4	0.3	0.3
10	0.1	0.2	1.1	1.1	0.2	0.1	1.1	0.4	0.2	0.2	0.1	0.1
11	0.1	0.1	0.5	0.5	*	*	0.4	0.2	*	0.1	0.1	*
12	*	*	0.2	0.2	-	*	0.2	0.1	-	*	*	*
13	*	*	0.1	0.1	-	-	*	*	*	*	*	*
14	*	*	*	*	-	-	*	*	-	*	*	*
15	*	*	*	*	-	-	-	-	-	*	*	*
16	-	*	-	-	-	-	-	-	*	*	*	*
17	*	*	-	-	-	-	-	-	*	*	*	*
18 & Above	*	*	-	-	-	-	-	-	-	*	*	*
Average	0.35	0.38	0.50	0.51	0.30	0.21	0.38	0.30	0.37	0.37	0.34	0.35
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	*
76	-	*	*	*	-	-	-	*	-	*	*	*
77	*	*	*	*	*	*	-	*	*	*	0.1	0.1
78	0.1	0.2	0.1	0.1	-	*	*	0.5	*	0.1	0.6	0.8
79	1.6	1.5	0.4	0.5	1.5	0.2	2.1	4.3	0.6	1.1	4.4	5.3
80	12.4	10.6	2.9	4.2	3.1	9.9	8.3	8.9	9.5	8.1	21.8	22.2
81	33.6	33.5	17.7	19.9	30.3	33.3	13.7	23.0	47.2	36.6	35.5	36.6
82	35.5	37.2	44.2	42.1	58.2	48.8	35.4	36.6	32.0	42.9	27.7	25.3
83	14.8	15.2	30.5	28.9	6.8	7.5	32.6	21.3	10.3	10.8	8.6	7.9
84	1.8	1.6	4.1	4.1	*	0.3	7.7	5.1	0.3	0.2	1.3	1.6
85 & Above	0.2	0.1	0.2	0.2	*	*	0.2	0.1	0.1	*	0.1	0.1
Average	82.00	82.04	82.60	82.52	82.10	81.97	82.55	82.19	81.88	82.00	81.62	81.56
Tenderable 3/	90.7	86.5	74.3	67.3	94.7	88.7	73.8	84.8	92.9	85.5	84.9	78.2
SAMPLES CLASSED	43,641	172,107	157,914	616,028	2,593	21,705	6,760	18,346	7,978	22,865	119,178	339,354

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 06, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	*	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	*	*	-	-	*	*	*	*	-	-
3.3 - 3.4	-	-	0.1	0.1	0.1	*	*	*	0.2	0.2	-	-
3.5 - 3.6	-	-	0.2	0.1	0.2	0.2	0.2	0.1	0.7	0.7	-	-
3.7 - 4.2	-	-	8.2	8.0	9.6	8.2	6.8	3.6	23.0	20.3	-	-
4.3 - 4.9	-	-	64.6	62.7	83.3	82.6	65.3	59.1	66.4	68.2	-	-
5.0 - 5.2	-	-	24.6	24.6	6.2	8.4	25.5	32.2	8.7	9.6	-	-
5.3 & Above	-	-	2.4	4.5	0.7	0.6	2.2	4.9	1.0	0.9	-	-
Average	-	-	4.73	4.75	4.59	4.62	4.76	4.84	4.49	4.52	-	-
Leaf												
1 - 2	-	-	15.5	14.7	2.7	2.8	6.7	8.3	11.8	14.8	-	-
3	-	-	50.8	51.3	52.9	51.5	46.7	46.6	56.3	56.8	-	-
4	-	-	28.9	28.7	37.8	40.0	36.7	35.7	28.3	24.9	-	-
5	-	-	4.6	5.0	5.9	5.4	9.2	8.4	3.3	3.1	-	-
6	-	-	0.3	0.2	0.6	0.3	0.7	1.0	0.3	0.3	-	-
7	-	-	-	-	0.1	*	*	*	*	0.1	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	3.23	3.24	3.49	3.49	3.50	3.47	3.24	3.17	-	-
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	2.5	2.0	0.1	0.1	0.4	0.7	1.0	1.5	-	-
02	-	-	16.4	15.6	4.5	4.4	8.6	9.8	13.6	16.3	-	-
03	-	-	25.0	25.4	22.6	21.3	21.7	21.7	28.5	28.3	-	-
04	-	-	24.6	23.7	29.6	29.7	24.6	24.9	26.5	25.3	-	-
05	-	-	16.4	16.1	21.6	22.6	19.2	19.2	16.3	15.2	-	-
06	-	-	8.5	9.1	11.6	12.2	12.2	11.4	8.1	7.5	-	-
07	-	-	3.8	4.6	5.3	5.6	7.0	6.2	3.6	3.3	-	-
08	-	-	1.6	2.1	2.4	2.3	3.5	3.2	1.4	1.4	-	-
09	-	-	0.8	0.9	1.2	1.0	1.7	1.6	0.6	0.6	-	-
10	-	-	0.3	0.4	0.6	0.4	0.7	0.8	0.2	0.2	-	-
11	-	-	0.1	0.1	0.3	0.2	0.3	0.4	0.1	0.1	-	-
12	-	-	*	*	0.1	0.1	0.1	0.2	*	0.1	-	-
13	-	-	*	*	0.1	*	*	0.1	*	*	-	-
14	-	-	-	*	*	*	*	*	*	*	-	-
15	-	-	-	-	*	*	*	*	*	*	-	-
16	-	-	-	-	-	-	-	-	*	*	-	-
17	-	-	-	-	-	-	-	-	*	*	-	-
18 & Above	-	-	-	-	-	-	-	-	*	*	-	-
Average	-	-	0.39	0.40	0.45	0.45	0.45	0.45	0.40	0.39	-	-
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	*	*	*	*	-	-	-	-
77	-	-	-	-	*	*	0.1	*	-	-	-	-
78	-	-	*	0.1	0.1	0.1	0.3	0.2	0.7	0.5	-	-
79	-	-	0.1	1.3	0.3	0.3	1.1	1.4	3.2	2.7	-	-
80	-	-	2.7	7.6	1.9	2.2	7.7	9.5	11.3	10.2	-	-
81	-	-	28.1	33.6	14.1	14.5	29.0	31.0	28.4	26.2	-	-
82	-	-	45.1	39.9	51.5	50.0	41.7	37.8	36.5	37.7	-	-
83	-	-	21.8	15.6	29.4	30.6	17.5	16.7	17.9	20.1	-	-
84	-	-	2.0	1.9	2.4	2.2	2.6	3.2	1.9	2.4	-	-
85 & Above	-	-	0.1	0.1	0.3	0.2	0.1	0.1	0.1	0.2	-	-
Average	-	-	82.36	82.11	82.61	82.60	82.18	82.13	82.04	82.14	-	-
Tenderable 3/	-	-	72.5	69.3	88.8	83.0	70.2	59.2	87.9	87.1	-	-
SAMPLES CLASSED	-	-	25,502	140,793	77,514	237,049	103,366	432,805	84,793	165,417	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Nov 06, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5 - 2.6	-	-	-	-	-	-	*	*	-	-
2.7 - 2.9	-	*	-	-	-	-	0.2	0.1	-	-
3.0 - 3.2	0.4	0.2	-	*	-	-	1.5	0.7	*	*
3.3 - 3.4	0.7	0.6	*	*	*	*	2.9	1.7	0.1	0.1
3.5 - 3.6	1.8	3.1	0.5	0.3	0.4	0.4	5.4	3.3	1.1	1.1
3.7 - 4.2	49.6	45.9	12.0	10.8	14.3	13.9	39.1	43.9	35.2	36.0
4.3 - 4.9	46.4	49.2	72.4	68.4	76.1	77.3	47.7	47.8	63.5	62.5
5.0 - 5.2	1.0	1.0	12.3	17.3	9.2	7.9	2.6	1.9	0.2	0.3
5.3 & Above	-	*	2.8	3.2	0.1	0.5	0.5	0.6	-	*
Average	4.24	4.25	4.63	4.67	4.57	4.57	4.23	4.24	4.32	4.31
Leaf										
1 - 2	75.1	65.6	8.5	7.9	17.3	17.8	64.2	36.9	14.6	12.9
3	21.6	29.3	53.3	54.6	59.3	60.6	27.0	42.9	58.3	57.1
4	2.4	4.7	33.3	33.4	20.8	19.8	7.4	16.7	23.4	26.5
5	0.6	0.3	4.7	4.0	2.5	1.7	1.3	3.1	3.6	3.4
6	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.4	0.1	0.1
7	0.1	*	-	-	*	*	*	*	*	*
8	*	*	-	-	-	-	-	*	-	-
Average	1.95	2.11	3.35	3.34	3.08	3.05	2.26	2.80	3.16	3.21
HVI Trash 1/										
00	0.2	0.1	-	-	-	*	0.2	*	-	-
01	45.1	37.4	0.3	0.3	2.4	2.5	33.1	13.0	0.7	0.8
02	32.5	30.1	10.6	9.7	17.8	18.5	34.3	26.7	16.1	14.2
03	14.6	17.8	26.1	25.5	29.5	31.5	16.4	24.5	30.2	27.8
04	4.3	9.0	26.4	27.2	25.1	24.6	8.2	16.4	22.9	24.2
05	1.4	3.6	18.5	19.4	14.1	13.2	4.3	9.6	14.5	16.1
06	0.7	1.3	9.7	10.1	6.2	5.8	2.1	5.2	8.2	9.2
07	0.4	0.4	4.7	4.6	2.7	2.4	0.9	2.5	4.4	4.6
08	0.3	0.1	2.3	2.0	1.2	0.9	0.3	1.1	1.9	2.0
09	0.1	0.1	0.9	0.7	0.5	0.3	0.1	0.5	0.8	0.9
10	0.1	*	0.3	0.3	0.2	0.1	0.1	0.2	0.3	0.3
11	0.1	*	0.2	0.1	0.1	0.1	*	0.1	0.1	0.1
12	0.1	*	*	*	*	*	*	*	*	*
13	*	*	*	*	*	*	*	*	*	*
14	*	*	*	*	*	*	*	*	-	-
15	*	*	-	-	*	*	*	*	-	-
16	*	*	-	-	-	-	*	*	*	*
17	*	*	-	-	-	-	-	*	-	-
18 & Above	*	*	-	-	-	-	*	*	-	-
Average	0.19	0.22	0.42	0.42	0.37	0.36	0.23	0.32	0.39	0.40
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	*	*	-	-
75	-	-	-	-	-	-	*	*	-	-
76	*	*	-	-	*	*	0.1	0.1	-	-
77	0.2	0.1	-	-	*	*	0.7	0.3	-	-
78	1.1	0.7	0.2	0.2	0.1	0.1	3.5	1.5	0.3	0.2
79	6.1	3.9	2.3	1.6	0.6	0.7	11.9	5.4	1.6	1.8
80	20.3	15.8	14.1	12.7	6.3	7.6	27.7	15.5	13.7	13.1
81	28.6	28.8	29.4	31.2	33.6	34.3	34.0	30.1	38.9	38.9
82	22.6	25.3	40.6	39.4	40.8	42.3	17.6	28.9	29.8	30.7
83	14.7	15.2	12.0	13.5	17.7	14.3	3.8	14.1	14.2	13.9
84	6.0	9.4	1.3	1.4	0.8	0.6	0.5	3.8	1.5	1.3
85 & Above	0.3	0.9	0.1	0.1	0.1	0.1	0.1	0.4	0.1	0.1
Average	81.79	82.07	81.94	81.99	82.16	82.08	81.06	81.83	81.89	81.89
Tenderable 3/	95.1	96.0	80.5	75.3	87.9	79.5	84.3	87.2	96.6	97.0
SAMPLES CLASSED	23,187	72,392	15,035	32,947	59,066	204,356	241,364	1,672,331	19,264	30,153

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE									
For The Week Ending Nov 06, 2025									
Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	2.0	11.7	-	-	14.2	10.6
	2	-	-	2.5	10.2	-	-	18.3	24.5
	3	-	-	*	0.1	-	-	0.8	2.5
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	4.5	22.0	-	-	33.3	37.7
02	1	-	-	1.6	6.6	-	-	16.9	11.0
	2	-	-	36.1	38.7	-	-	40.1	32.4
	3	-	-	11.5	8.0	-	-	7.8	15.1
	4	-	-	0.2	0.1	-	-	0.4	1.3
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	49.4	53.4	-	-	65.3	59.7
03	1	-	-	0.1	0.1	-	-	-	-
	2	-	-	14.8	8.6	-	-	0.6	0.3
	3	-	-	23.9	12.4	-	-	0.7	1.0
	4	-	-	3.3	1.7	-	-	0.1	1.0
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	42.1	22.8	-	-	1.4	2.3
04	1	-	-	-	*	-	-	-	-
	2	-	-	0.2	0.1	-	-	-	0.1
	3	-	-	1.9	0.9	-	-	-	-
	4	-	-	1.5	0.6	-	-	-	0.2
	5	-	-	0.3	0.1	-	-	-	-
	6	-	-	0.1	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	3.9	1.8	-	-	-	0.3
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	0.1	3.6	-	-	10.3	28.7
46		-	-	5.7	10.4	-	-	89.6	71.1
48		-	-	59.2	54.2	-	-	0.1	0.3
50		-	-	33.8	31.2	-	-	-	-
52 & Longer		-	-	1.3	0.6	-	-	-	-
Average Staple		-	-	48.61	48.30	-	-	45.80	45.43
Average Length		-	-	1.41	1.41	-	-	1.34	1.33
EXTRANEIOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	0.1	0.3	-	-	4.6	2.9
Spindle Twist		-	-	-	*	-	-	-	-
Preparation		-	-	-	*	-	-	-	-
All Other		-	-	*	*	-	-	-	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE								
For The Week Ending Nov 06, 2025								
Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	0.4	0.2	-	-	-	-
3.3 - 3.4	-	-	1.5	1.5	-	-	26.4	16.5
3.5 - 3.6	-	-	5.8	9.2	-	-	37.9	26.6
3.7 - 4.2	-	-	91.2	87.9	-	-	35.7	57.0
4.3 - 4.9	-	-	1.2	1.2	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	3.90	3.88	-	-	3.60	3.68
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	*	*	-	-	-	-
3.1	-	-	-	*	-	-	-	-
3.2	-	-	0.4	0.2	-	-	-	-
3.3	-	-	0.9	0.7	-	-	3.2	2.0
3.4	-	-	0.6	0.8	-	-	23.2	14.5
3.5	-	-	0.7	2.7	-	-	26.3	18.7
3.6	-	-	5.0	6.5	-	-	11.7	7.9
3.7	-	-	10.3	11.0	-	-	8.5	14.1
3.8	-	-	17.6	17.9	-	-	10.0	13.8
3.9	-	-	23.4	24.5	-	-	11.7	22.8
4.0	-	-	24.6	22.2	-	-	5.4	6.1
4.1	-	-	11.8	9.2	-	-	0.1	0.2
4.2	-	-	3.5	3.2	-	-	-	-
4.3	-	-	0.9	0.7	-	-	-	-
4.4	-	-	0.2	0.3	-	-	-	-
4.5	-	-	*	0.2	-	-	-	-
4.6	-	-	*	*	-	-	-	-
4.7	-	-	-	*	-	-	-	-
4.8	-	-	*	*	-	-	-	-
4.9	-	-	*	*	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	3.90	3.88	-	-	3.60	3.68
STRENGTH 1/								
36 & Below	-	-	0.3	2.4	-	-	-	-
37	-	-	3.4	7.2	-	-	16.0	11.3
38	-	-	1.2	3.5	-	-	66.9	58.6
39	-	-	0.2	0.8	-	-	16.9	28.7
40	-	-	2.8	2.5	-	-	0.1	1.4
41	-	-	9.0	7.6	-	-	-	-
42	-	-	15.6	13.2	-	-	-	-
43	-	-	21.1	20.8	-	-	-	-
44	-	-	24.9	22.3	-	-	-	-
45	-	-	15.5	13.3	-	-	-	-
46	-	-	4.8	5.6	-	-	-	-
47	-	-	0.9	0.8	-	-	-	-
48 & Above	-	-	0.3	0.2	-	-	-	-
Average	-	-	43.48	42.98	-	-	38.46	38.67
UNIFORMITY								
83 & Below	-	-	0.4	0.7	-	-	-	-
84	-	-	8.7	13.3	-	-	2.6	7.3
85	-	-	36.2	32.2	-	-	88.1	86.8
86	-	-	49.1	48.3	-	-	9.2	5.8
87	-	-	5.2	5.0	-	-	0.1	0.2
88 & Above	-	-	0.4	0.4	-	-	-	-
Average	-	-	85.96	85.89	-	-	85.43	85.38
Samples Classed	-	-	24,534	62,604	-	-	720	1,155

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.