



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	21	92.2	80.1	60,330	21	88.0	74.0	232,437
AR	25	78.2	48.7	153,880	26	69.5	40.8	769,908
AZ	6	93.1	60.9	5,228	6	89.6	56.7	26,933
CA	3	82.2	74.8	4,983	6	84.3	71.7	23,329
FL	4	86.9	67.5	10,625	4	86.0	65.6	33,490
GA	51	89.6	74.6	147,998	51	81.6	64.3	487,350
KS*	-	-	-	-	-	-	-	-
LA	10	74.5	47.7	26,012	14	70.1	46.1	166,803
MO	16	86.1	59.6	91,943	16	83.9	61.1	328,992
MS	30	72.6	45.1	98,428	30	61.7	33.8	531,233
NC	25	90.4	77.9	74,330	25	88.1	72.7	239,747
NM	-	-	-	-	-	-	-	-
OK	9	94.0	82.7	27,055	9	95.4	81.8	99,447
SC	10	84.9	67.4	20,122	10	78.9	59.4	53,069
TN	17	86.0	64.4	57,764	17	81.0	62.0	262,120
TX	116	86.2	65.3	372,852	133	87.1	68.7	2,045,163
VA	4	97.1	93.8	22,001	4	97.0	92.9	52,154
United States	348	85.0	64.2	1,175,717	374	80.7	60.0	5,357,726
AMERICAN PIMA								
AZ*	-			-	-			-
CA	8			26,955	8			89,559
NM*	-			-	-			-
TX	2			1,329	2			2,484
United States	12			29,611	12			94,094
United States all cotton	359			1,205,328	383			5,451,820

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 13, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	2.6	2.7	0.1	0.2	37.3	41.0	18.8	27.8	*	3.9	0.5	1.3
	3	1.6	1.4	0.1	0.2	9.1	12.9	14.7	20.5	-	0.8	0.1	0.4
	4	*	*	*	*	2.6	1.0	0.2	1.3	-	*	*	*
	5	-	-	-	-	*	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	4.2	4.1	0.2	0.3	49.0	54.9	33.7	49.7	*	4.6	0.6	1.8
31	1 - 2	10.4	10.7	1.6	1.1	10.7	3.3	4.3	10.6	4.7	5.6	8.3	8.9
	3	34.9	33.4	13.4	9.7	6.9	5.0	14.0	13.7	13.8	16.4	18.4	18.4
	4	9.1	8.0	3.9	3.3	3.4	1.7	5.4	7.0	3.6	3.0	2.3	1.9
	5	0.8	0.4	0.1	0.1	1.3	0.4	1.4	2.2	*	*	0.1	*
	6	*	*	*	*	0.4	0.1	0.2	0.3	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	55.2	52.6	19.0	14.2	22.8	10.4	25.3	33.8	22.1	25.0	29.0	29.3
41	1 - 2	1.8	2.3	0.6	0.7	4.3	1.0	*	1.8	2.6	4.0	7.6	6.4
	3	18.8	19.3	26.7	26.6	8.1	2.3	5.5	2.6	35.6	36.7	38.3	37.8
	4	15.0	15.3	35.9	37.4	0.8	0.5	7.1	1.7	29.9	20.7	16.3	15.7
	5	3.2	2.6	7.8	8.8	-	*	14.5	3.5	4.6	2.4	2.1	1.5
	6	0.4	0.2	0.6	0.7	*	*	4.5	1.1	0.1	0.1	0.1	*
	7	*	*	0.1	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	39.1	39.6	71.8	74.2	13.2	3.9	31.6	10.7	72.8	63.8	64.4	61.4
51	1 - 2	-	0.1	*	*	0.3	0.1	-	-	*	*	0.2	0.1
	3	0.2	0.3	1.4	1.1	4.2	0.8	0.2	0.1	0.7	0.9	2.3	1.8
	4	0.3	0.2	2.6	2.6	0.3	0.1	0.4	0.1	2.4	1.5	1.9	1.7
	5	0.1	0.1	1.3	1.6	-	0.2	0.1	*	1.1	0.4	0.4	0.4
	6	*	*	0.5	0.4	-	0.1	*	*	0.1	*	*	*
	7	*	*	0.2	0.1	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	0.7	0.7	6.1	5.8	4.8	1.3	0.8	0.2	4.3	2.9	4.8	4.1
61	1 - 2	-	-	-	*	-	-	-	-	-	-	*	*
	3	-	-	*	*	-	-	-	-	-	-	*	*
	4	*	*	*	*	-	-	-	-	-	*	*	*
	5	-	*	*	*	-	-	-	-	*	*	*	*
	6	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	*	*	*	*
71	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	0.2	-	*	5.1	16.5	0.1	0.1	-	*	-	*
	3	-	0.1	-	*	2.1	6.1	0.1	0.4	-	*	-	*
	4	-	*	-	*	0.1	0.6	*	0.1	-	-	-	*
	5	-	-	-	*	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.3	-	*	7.2	23.4	0.3	0.6	-	*	-	*
32	1 - 2	*	0.2	*	*	0.8	0.6	0.1	0.1	-	0.1	*	0.1
	3	0.1	0.6	0.2	0.1	0.3	1.8	0.1	0.3	*	0.6	0.1	0.4
	4	0.1	0.1	0.1	0.1	0.3	1.0	0.4	1.5	-	0.1	0.1	0.1
	5	*	*	*	*	0.2	0.4	1.1	1.2	-	-	*	*
	6	*	*	*	*	0.1	0.1	0.4	0.2	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.9	0.3	0.2	1.6	3.8	2.1	3.2	*	0.8	0.2	0.5
42	1 - 2	*	*	*	*	0.1	*	-	*	0.1	0.2	*	0.1
	3	0.1	0.8	0.4	1.2	0.6	0.2	0.6	0.2	0.5	1.7	0.3	1.4
	4	0.2	0.7	1.1	1.9	0.4	0.1	1.0	0.4	0.1	0.8	0.4	0.9
	5	0.1	0.2	0.4	0.7	*	0.1	2.8	0.9	-	0.1	0.1	0.1
	6	*	*	0.1	0.1	-	*	1.6	0.4	-	-	*	*
	7	*	*	*	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	1.8	2.0	3.9	1.1	0.4	6.0	1.9	0.6	2.7	0.8	2.5

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 13, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	-	-	-	-	-	*	*
	3	*	*	0.1	0.2	*	*	*	*	*	*	*	0.1
	4	*	*	0.3	0.6	*	*	0.1	*	0.1	0.1	*	0.1
	5	*	*	0.2	0.4	-	-	-	-	*	*	*	0.1
	6	*	*	*	0.1	-	*	-	-	-	*	*	*
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	0.6	1.2	0.1	*	0.1	*	0.1	0.1	0.3
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	*
	5	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	*	*	-	-	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	1.0	-	-	-	-	-	-
	3	-	-	-	-	0.1	0.3	-	-	-	-	-	-
	4	-	-	-	-	-	0.1	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	0.1	1.4	-	-	-	-	-
33	1 - 2	-	*	-	-	-	*	*	*	-	-	*	*
	3	*	*	-	*	*	0.1	*	*	-	-	*	*
	4	*	*	-	*	-	0.1	-	-	-	-	*	*
	5	-	-	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	-	*	0.3	0.1	*	-	-	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*
	3	*	*	*	*	-	*	-	-	-	*	*	*
	4	*	*	*	*	-	*	*	*	-	-	*	*
	5	*	*	*	*	-	*	*	*	-	-	*	*
	6	-	-	-	*	-	*	*	*	-	-	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	0.1	*	0.1	0.1	*	-	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	*	-	-
	4	-	-	*	*	-	-	-	-	-	-	*	*
	5	*	*	*	*	-	-	-	-	-	-	-	-
	6	-	*	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	*	*	-	-	-	-	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	*	-	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	*	*
31		-	*	-	*	-	*	-	-	-	-	*	*
32		*	*	*	*	-	*	-	-	-	-	*	*
33		0.2	0.3	*	0.1	*	*	-	*	0.3	0.1	0.4	0.6
34		2.7	2.4	0.1	0.3	0.6	0.6	-	*	2.8	1.4	4.0	4.4
35		10.5	10.5	1.7	2.8	3.2	2.4	0.1	1.1	12.5	10.4	14.7	16.1
36		23.0	24.2	9.5	14.9	16.4	13.9	7.4	11.0	40.0	35.2	32.1	33.1
37		42.1	42.8	54.6	53.5	34.6	49.1	25.0	36.8	31.8	39.7	35.3	34.1
38		16.5	15.5	28.8	24.1	33.2	27.5	33.9	30.2	9.4	10.6	10.1	8.9
39		3.8	3.6	4.9	4.1	11.5	6.3	32.3	19.9	3.0	2.5	2.7	2.5
40 & Longer		1.2	0.7	0.4	0.3	0.5	0.2	1.3	0.9	0.2	0.1	0.4	0.3
Average Staple		36.75	36.71	37.27	37.12	37.33	37.20	37.96	37.60	36.42	36.55	36.41	36.34
Average Length		1.15	1.15	1.17	1.16	1.17	1.16	1.19	1.17	1.14	1.14	1.14	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE													
For The Week Ending Nov 13, 2025													
Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	3.8	4.9	*	*	0.8	2.5	0.5	0.7	-	-
	3	-	-	1.6	2.8	*	*	1.4	2.2	0.3	0.3	-	-
	4	-	-	*	0.1	-	-	0.1	*	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	5.5	7.7	*	*	2.3	4.8	0.7	1.0	-	-
31	1 - 2	-	-	12.7	9.6	1.9	1.2	2.6	4.0	5.1	8.4	-	-
	3	-	-	34.9	38.0	8.9	8.7	20.1	22.4	22.7	25.4	-	-
	4	-	-	13.4	13.1	1.9	1.8	11.3	9.3	5.9	5.8	-	-
	5	-	-	1.2	0.8	*	*	0.7	0.6	0.3	0.3	-	-
	6	-	-	*	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	62.2	61.6	12.7	11.8	34.8	36.3	34.1	39.9	-	-
41	1 - 2	-	-	0.7	0.4	3.3	2.0	0.7	0.9	2.8	3.6	-	-
	3	-	-	11.0	9.4	39.8	38.1	15.6	18.3	30.4	29.1	-	-
	4	-	-	14.0	14.5	29.9	30.9	29.1	23.5	23.9	19.8	-	-
	5	-	-	5.0	4.0	3.7	3.8	8.7	6.3	3.6	2.8	-	-
	6	-	-	0.7	0.2	0.2	0.2	0.7	0.5	0.2	0.2	-	-
	7	-	-	-	-	*	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	31.4	28.5	76.8	75.0	54.9	49.5	60.9	55.5	-	-
51	1 - 2	-	-	-	*	*	*	*	*	*	*	-	-
	3	-	-	*	*	2.0	1.8	0.9	1.2	0.6	0.5	-	-
	4	-	-	*	0.4	4.0	3.2	3.9	2.9	1.3	0.8	-	-
	5	-	-	*	0.3	1.1	0.7	1.7	1.3	0.8	0.5	-	-
	6	-	-	*	*	0.1	0.1	0.1	0.2	0.2	0.1	-	-
	7	-	-	-	-	*	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	0.8	7.3	5.8	6.6	5.6	3.0	2.0	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	*	*	*	-	-	-	-
	4	-	-	-	*	*	*	0.1	*	*	*	-	-
	5	-	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	0.1	*	*	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	-	-	-	0.1	-	-	-	*	*	*	-	-
	3	-	-	-	*	-	-	*	*	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	0.1	-	-	*	*	*	*	-	-
32	1 - 2	-	-	0.1	0.1	*	*	-	*	*	*	-	-
	3	-	-	0.2	0.3	*	0.2	0.1	0.2	0.1	0.2	-	-
	4	-	-	0.1	0.2	*	*	0.1	0.1	0.1	0.1	-	-
	5	-	-	*	*	-	*	*	*	*	*	-	-
	6	-	-	-	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.4	0.6	*	0.2	0.2	0.4	0.3	0.4	-	-
42	1 - 2	-	-	-	*	0.1	0.2	*	*	*	*	-	-
	3	-	-	0.1	0.2	1.0	2.1	0.1	0.7	0.4	0.5	-	-
	4	-	-	0.2	0.4	0.9	2.1	0.4	1.3	0.4	0.4	-	-
	5	-	-	0.1	0.1	0.3	0.5	0.1	0.5	0.1	0.1	-	-
	6	-	-	*	*	*	*	*	0.1	*	*	-	-
	7	-	-	-	-	*	*	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.4	0.7	2.3	4.9	0.6	2.6	0.9	1.0	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 13, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	*	*	-	*	-	*	-	-
	3	-	-	*	*	0.3	0.7	0.1	0.1	*	*	-	-
	4	-	-	*	*	0.3	1.0	0.2	0.3	*	*	-	-
	5	-	-	*	*	0.1	0.3	*	0.3	*	*	-	-
	6	-	-	*	*	*	0.1	*	0.2	*	*	-	-
	7	-	-	-	-	*	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	0.8	2.2	0.4	0.8	0.1	0.1	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	-	-
	5	-	-	-	-	*	*	*	*	*	*	-	-
	6	-	-	-	-	*	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	*	*	*	*	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-
	3	-	-	*	*	-	-	*	*	*	*	-	-
	4	-	-	-	-	-	-	-	*	*	*	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	*	*	*	*	-	-
43	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	*	*	*	*	-	-
	4	-	-	-	*	*	*	*	*	*	*	-	-
	5	-	-	-	*	*	*	*	*	*	*	-	-
	6	-	-	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	*	*	0.1	*	-	-
53	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	*	*	-	*	*	*	-	-
	4	-	-	-	-	*	*	-	*	*	*	-	-
	5	-	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	*	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	*	*	-	-	-	-
32		-	-	-	-	*	*	*	*	-	-	-	-
33		-	-	*	0.1	*	*	0.2	0.3	0.1	0.1	-	-
34		-	-	1.0	1.2	0.1	0.3	1.9	2.4	0.9	1.0	-	-
35		-	-	10.9	10.5	1.5	1.9	9.7	12.5	6.1	6.4	-	-
36		-	-	21.2	28.7	9.5	10.6	24.6	28.7	21.9	22.2	-	-
37		-	-	37.2	40.5	50.9	49.4	38.6	36.2	51.2	52.0	-	-
38		-	-	24.0	14.3	32.9	33.2	16.4	14.4	16.3	15.3	-	-
39		-	-	5.5	4.4	4.6	4.2	6.4	4.3	3.1	2.7	-	-
40 & Longer		-	-	0.2	0.3	0.5	0.3	2.2	1.1	0.4	0.3	-	-
Average Staple		-	-	36.90	36.70	37.30	37.27	36.85	36.65	36.86	36.83	-	-
Average Length		-	-	1.15	1.14	1.17	1.17	1.15	1.14	1.15	1.15	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Nov 13, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	64.7	59.5	-	0.4	0.4	0.5	52.4	30.8	0.1	0.2
	3	8.8	10.4	-	0.3	0.3	0.1	11.8	14.0	0.1	0.1
	4	0.3	0.2	-	-	*	*	0.8	1.2	*	*
	5	*	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	73.8	70.1	-	0.6	0.6	0.6	65.0	46.0	0.2	0.3
31	1 - 2	6.7	4.9	0.6	2.3	7.3	7.3	2.8	3.8	8.0	9.8
	3	9.2	13.4	6.3	11.0	14.7	13.8	8.1	15.7	33.3	36.4
	4	2.1	2.9	2.5	2.3	3.2	2.7	3.3	6.6	7.2	7.7
	5	0.3	0.1	0.1	0.1	0.2	0.1	0.4	0.7	0.2	0.2
	6	*	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	18.4	21.4	9.6	15.7	25.3	23.9	14.7	26.9	48.6	54.1
41	1 - 2	0.2	0.1	2.3	3.2	7.5	7.9	0.3	0.4	2.1	1.7
	3	0.4	0.2	38.2	37.7	36.6	36.5	1.4	3.2	27.6	22.2
	4	0.6	0.3	34.2	30.2	15.8	13.6	1.3	3.4	19.0	18.5
	5	0.2	0.1	4.8	3.7	1.3	1.2	0.3	0.8	1.8	2.5
	6	*	*	0.2	0.1	*	0.1	*	0.1	0.1	0.1
	7	-	*	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	1.4	0.7	79.6	74.9	61.3	59.2	3.4	7.9	50.6	44.9
51	1 - 2	-	-	0.1	0.1	0.3	0.1	*	*	-	-
	3	-	-	2.3	2.0	4.3	1.8	*	0.1	0.1	*
	4	-	-	4.4	2.9	4.3	1.9	*	0.3	0.1	0.2
	5	-	-	1.5	1.0	1.2	0.5	*	0.1	*	0.1
	6	-	*	0.2	0.1	0.1	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	8.4	6.0	10.1	4.4	0.1	0.5	0.2	0.3
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	-	-	-
	4	-	-	*	*	*	*	-	*	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	1.3	2.9	-	-	*	*	6.9	5.9	-	-
	3	1.2	1.4	-	-	*	*	3.0	4.0	-	-
	4	0.1	0.2	-	-	-	*	0.5	0.8	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	2.6	4.5	-	-	*	*	10.4	10.7	-	-
32	1 - 2	0.2	0.1	-	*	0.1	0.3	0.4	0.5	-	*
	3	1.1	1.3	0.1	0.1	0.2	0.6	1.8	2.1	*	*
	4	0.6	0.6	0.1	0.1	*	0.1	1.3	1.7	0.1	*
	5	0.1	0.1	-	*	-	*	0.2	0.5	*	*
	6	*	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	2.0	2.2	0.2	0.2	0.3	1.0	3.7	4.8	0.1	0.1
42	1 - 2	-	*	-	*	0.1	1.1	*	0.1	-	*
	3	0.1	0.1	0.4	0.7	1.0	6.1	0.5	0.6	*	*
	4	0.1	0.1	1.4	1.3	0.6	1.9	0.5	0.8	0.1	0.1
	5	0.1	*	0.2	0.2	*	0.2	0.2	0.5	0.1	*
	6	0.1	*	*	*	*	*	0.1	0.1	*	*
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	0.2	2.0	2.2	1.7	9.3	1.2	2.0	0.1	0.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Nov 13, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	*	0.1	*	*	-	-
	3	-	-	*	*	0.3	0.8	*	*	-	-
	4	-	-	0.1	0.1	0.3	0.6	*	0.1	-	-
	5	-	-	*	0.1	*	0.1	*	0.1	-	*
	6	-	*	*	*	*	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	0.2	0.2	0.6	1.6	0.1	0.2	-	*
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	*	*	*	*	-	-
	4	-	-	-	-	*	*	-	*	-	-
	5	-	-	-	-	*	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	*	-	-	*	*	*	*	-	-
13 & 23	1 - 2	*	0.1	-	-	-	-	0.4	0.2	-	-
	3	*	0.1	-	-	-	-	0.2	0.2	-	-
	4	*	*	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	-	-	-	-	0.7	0.5	-	-
33	1 - 2	*	*	-	-	*	*	*	*	-	-
	3	0.2	0.2	*	*	*	*	0.2	0.1	*	*
	4	0.3	0.1	*	*	-	*	0.1	0.1	*	*
	5	0.1	0.1	*	*	-	-	*	*	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	0.4	*	*	*	*	0.4	0.3	*	*
43	1 - 2	-	-	-	*	*	*	*	*	-	-
	3	*	*	*	0.1	*	*	*	*	-	-
	4	0.1	*	*	*	*	*	0.1	0.1	-	-
	5	0.2	0.1	*	*	-	*	*	*	-	-
	6	0.1	*	-	-	-	-	*	*	-	*
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	0.4	0.2	0.1	0.1	*	*	0.2	0.2	-	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	*	*	*	*	-	-
	4	-	-	-	*	*	*	*	*	-	-
	5	-	-	-	*	*	*	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	*	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	-	-
24 - 54	1 - 8	0.4	0.2	*	*	-	-	0.1	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	*	-	-
30		-	-	-	-	-	-	-	*	-	-
31		-	-	-	-	-	-	0.1	0.1	-	-
32		*	*	-	-	-	*	0.6	0.4	-	-
33		0.6	0.6	*	*	0.1	0.1	3.2	1.5	*	*
34		3.5	2.9	0.6	0.7	1.3	2.9	8.3	4.2	0.2	0.3
35		10.8	8.3	5.3	6.4	7.4	9.8	15.2	8.5	4.6	4.1
36		16.0	13.2	32.8	33.0	30.7	31.9	21.9	18.0	20.3	19.7
37		27.1	22.2	45.0	47.6	45.6	42.9	32.1	40.1	58.6	61.3
38		22.6	19.0	12.3	10.3	13.4	11.0	14.1	20.4	13.6	12.6
39		15.0	18.6	3.7	1.8	1.4	1.3	3.8	6.2	2.6	1.9
40 & Longer		4.4	15.3	0.4	0.2	0.2	0.1	0.8	0.7	*	0.1
Average Staple		37.15	37.64	36.76	36.66	36.67	36.53	36.31	36.80	36.89	36.88
Average Length		1.16	1.18	1.15	1.14	1.14	1.14	1.13	1.15	1.15	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 13, 2025

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.1	0.1	*	*	-	0.1	-	-	0.3	0.3	0.3	0.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	0.1	-	*	2.0	1.7	*	0.1	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.2	0.4	1.7	0.5	0.1	-	-	0.4	0.2	0.2	0.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	0.1	-	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	-	-	-	-	-
23	-	-	-	*	-	-	-	-	-	-	-	*
24	*	*	*	*	*	*	-	-	-	-	*	*
25	-	*	*	*	*	*	-	-	-	-	*	*
26	*	*	*	*	0.6	0.1	-	*	-	*	0.1	0.1
27	0.2	0.2	0.1	0.3	2.9	0.7	-	0.1	0.1	0.1	1.1	1.1
28	4.8	3.0	1.3	2.1	5.8	4.8	*	1.1	2.5	1.7	5.9	5.6
29	20.2	17.0	10.9	11.0	16.7	13.9	0.3	7.9	9.8	10.3	17.1	16.6
30	28.3	29.5	35.3	33.5	24.4	23.6	9.7	14.0	22.0	24.1	26.7	27.2
31	23.5	25.7	34.4	34.6	20.0	24.7	11.4	15.5	27.7	27.9	22.0	23.4
32	12.2	14.4	12.4	13.9	9.7	13.2	4.4	5.3	25.8	20.1	14.4	14.0
33	7.0	6.7	4.3	3.8	11.5	10.6	10.4	4.1	9.4	9.0	7.5	7.0
34	2.8	2.6	1.2	0.8	7.6	7.3	40.1	12.8	2.0	5.5	3.3	3.2
35	0.9	0.8	0.1	0.1	0.7	1.1	15.4	20.8	0.5	1.2	1.4	1.3
36	0.1	0.1	*	*	*	*	7.3	13.9	0.2	0.1	0.5	0.4
37	*	*	*	*	-	*	0.8	4.1	*	*	0.1	0.1
38	*	*	-	-	-	-	*	0.2	-	-	*	*
39	-	-	-	-	-	-	0.1	0.1	-	-	-	*
40 & Above	-	-	-	-	-	-	*	0.1	-	-	-	-
Average	31.00	31.11	31.09	31.07	31.13	31.36	33.80	33.43	31.50	31.54	31.09	31.08
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	*	*
2.7	-	-	-	-	-	-	-	*	-	-	*	*
2.8	*	*	-	-	-	-	-	-	-	-	*	*
2.9	*	*	-	-	-	-	-	0.1	-	-	*	*
3.0	*	*	-	-	-	-	-	0.1	-	-	*	*
3.1	*	*	-	-	-	-	-	0.4	-	-	*	*
3.2	*	*	-	*	-	-	-	0.3	0.5	0.2	*	*
3.3	0.1	0.1	*	*	0.2	*	-	0.1	0.4	0.1	0.1	0.1
3.4	0.3	0.2	*	*	-	-	-	0.6	0.1	0.1	0.3	0.2
3.5	0.5	0.3	*	*	0.2	*	-	1.1	0.8	0.4	0.4	0.2
3.6	0.8	0.6	*	*	1.7	0.3	-	1.7	0.7	0.5	0.8	0.5
3.7	1.8	1.3	0.1	*	3.6	1.1	-	3.3	0.4	0.7	1.1	0.8
3.8	2.6	2.1	0.1	0.1	2.6	1.1	0.7	7.2	0.8	0.7	1.7	1.3
3.9	4.3	3.3	0.4	0.2	1.8	1.5	2.3	8.7	1.2	1.0	3.1	2.1
4.0	5.6	4.6	0.5	0.4	3.2	3.0	3.1	6.3	3.1	1.7	4.6	3.2
4.1	9.5	6.5	1.0	0.8	1.2	5.1	3.5	6.1	3.4	3.0	6.4	4.9
4.2	11.2	8.6	1.8	1.4	4.4	8.1	7.1	6.4	4.9	5.0	8.5	6.4
4.3	11.5	10.3	3.8	2.7	5.7	8.6	10.0	7.7	8.5	7.2	9.7	7.8
4.4	9.7	10.3	6.4	4.8	6.9	11.8	13.3	8.3	9.4	10.9	10.5	9.3
4.5	9.7	10.8	8.2	7.5	13.7	13.2	12.4	7.1	11.9	13.6	10.4	10.1
4.6	8.3	9.8	12.2	11.6	16.9	14.2	15.7	6.4	10.9	11.1	10.3	10.5
4.7	6.6	8.4	16.6	14.9	9.7	9.9	16.7	9.6	15.2	12.5	9.8	10.4
4.8	6.2	7.2	17.4	16.3	15.3	9.9	9.7	6.9	8.7	10.9	7.9	9.0
4.9	5.1	5.9	13.0	14.5	9.3	6.2	2.6	4.6	8.9	9.0	5.6	7.7
5.0	3.2	4.0	9.1	11.3	2.8	3.1	2.0	2.6	5.5	6.2	3.8	6.4
5.1	1.8	2.7	5.1	6.8	0.8	1.7	0.9	1.9	4.2	3.7	2.4	4.4
5.2	0.7	1.5	2.4	3.8	*	0.8	-	1.3	0.6	1.1	1.0	2.6
5.3	0.4	0.9	1.0	1.8	0.1	0.2	-	0.5	*	0.2	0.7	1.3
5.4	*	0.3	0.4	0.6	-	0.1	-	0.4	*	0.1	0.4	0.5
5.5 & Above	0.1	0.3	0.3	0.3	-	-	-	0.3	*	*	0.1	0.1
Average	4.39	4.47	4.73	4.77	4.51	4.50	4.50	4.34	4.55	4.58	4.47	4.56

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 13, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	*	*	*	*	*	*	1.2	0.7	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.1	*	*	*	*	*	0.1	0.1	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	*	0.4	0.4	0.3	0.1	0.3	0.5	0.4	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	-	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	*	-	-	-	-	-	-
24	-	-	-	-	-	*	-	*	-	-	-	-
25	-	-	-	*	-	*	*	*	-	-	-	-
26	-	-	*	*	*	*	*	0.1	0.1	0.1	-	-
27	-	-	0.1	0.5	*	*	0.5	1.1	1.2	1.2	-	-
28	-	-	3.2	4.9	0.5	0.5	3.4	4.7	8.0	6.9	-	-
29	-	-	20.0	21.1	6.1	5.7	12.9	15.7	27.5	24.5	-	-
30	-	-	38.1	33.1	37.2	31.4	27.0	27.0	33.0	35.0	-	-
31	-	-	19.8	19.7	37.2	40.1	27.1	26.0	19.5	20.9	-	-
32	-	-	7.0	11.3	13.5	16.0	19.1	16.0	8.2	8.3	-	-
33	-	-	1.5	4.6	4.4	4.9	7.5	6.5	2.1	2.4	-	-
34	-	-	5.1	2.7	1.1	1.1	2.1	2.4	0.3	0.6	-	-
35	-	-	4.8	1.8	0.1	0.1	0.5	0.4	*	0.1	-	-
36	-	-	0.5	0.2	*	*	*	*	*	*	-	-
37	-	-	*	*	*	*	*	*	-	-	-	-
38	-	-	-	*	*	*	*	*	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	31.03	30.89	31.21	31.30	31.22	31.06	30.40	30.50	-	-
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	*	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	*	-	-	-	-	-	-	-	-
3.0	-	-	*	*	-	-	-	-	*	*	-	-
3.1	-	-	*	*	-	-	-	-	*	*	-	-
3.2	-	-	*	*	-	-	*	*	*	*	-	-
3.3	-	-	0.1	*	*	*	*	*	0.1	0.1	-	-
3.4	-	-	0.1	0.1	*	*	*	*	0.3	0.2	-	-
3.5	-	-	0.2	0.1	*	*	*	*	0.4	0.3	-	-
3.6	-	-	0.2	0.1	*	0.1	0.1	0.1	0.8	0.5	-	-
3.7	-	-	0.6	0.2	*	0.1	0.2	0.1	1.4	1.0	-	-
3.8	-	-	0.2	0.3	0.1	0.3	0.4	0.2	1.7	1.5	-	-
3.9	-	-	0.6	0.6	0.2	0.6	0.6	0.3	2.3	2.4	-	-
4.0	-	-	1.1	1.3	0.9	1.2	0.9	0.6	3.8	3.5	-	-
4.1	-	-	1.7	2.2	1.5	2.0	1.8	1.1	5.6	5.1	-	-
4.2	-	-	3.6	3.3	3.1	3.3	2.6	1.7	8.3	7.7	-	-
4.3	-	-	7.4	4.4	4.9	5.5	4.4	2.7	11.8	10.1	-	-
4.4	-	-	8.3	6.0	7.8	8.7	5.8	4.0	14.2	11.4	-	-
4.5	-	-	7.7	8.2	10.6	12.0	7.5	5.6	13.3	11.7	-	-
4.6	-	-	7.0	9.4	15.2	15.7	10.7	8.3	10.5	11.0	-	-
4.7	-	-	9.8	10.9	18.0	16.7	11.8	11.0	8.2	9.9	-	-
4.8	-	-	13.7	12.7	16.4	14.4	13.5	14.0	6.3	8.2	-	-
4.9	-	-	13.6	11.7	10.5	9.8	14.1	15.1	4.5	6.2	-	-
5.0	-	-	9.5	9.9	5.7	5.4	12.3	14.3	3.0	4.5	-	-
5.1	-	-	7.9	9.0	2.8	2.5	7.7	10.4	1.6	2.5	-	-
5.2	-	-	4.5	5.3	1.5	1.0	3.4	5.9	0.8	1.3	-	-
5.3	-	-	1.4	2.6	0.6	0.4	1.3	2.8	0.5	0.6	-	-
5.4	-	-	0.7	1.2	0.1	0.2	0.7	1.2	0.2	0.3	-	-
5.5 & Above	-	-	*	0.3	0.1	0.1	0.2	0.4	*	0.1	-	-
Average	-	-	4.70	4.74	4.66	4.63	4.74	4.82	4.44	4.50	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Nov 13, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	2.7	1.2	4.0	2.2	*	*	2.6	1.7	1.9	1.0
Bark - Level 2	*	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	*	0.1	0.1	-	*	0.4	0.3	0.1	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	-	-	*	-	-	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	*	0.2	0.5	-	*	*	0.4	0.1	1.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	*	*	-	-
Other - Level 1	*	*	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	-	-	-	-	-	*	*	-	-
23	*	*	-	-	-	-	*	*	-	-
24	*	*	-	-	-	*	0.1	*	-	-
25	0.1	0.1	-	-	*	*	0.3	0.1	-	-
26	0.3	0.3	*	*	0.1	*	1.1	0.5	0.9	0.7
27	1.3	1.4	0.4	0.6	0.7	0.4	3.2	1.9	4.3	3.9
28	6.1	5.2	6.3	6.4	3.8	3.5	7.2	6.0	15.5	15.2
29	12.8	11.5	30.8	29.3	20.7	20.2	13.4	14.6	32.4	33.9
30	16.6	15.9	36.0	35.5	37.5	39.8	18.1	20.5	30.7	30.2
31	17.5	15.0	17.5	18.6	26.4	24.8	18.4	17.6	12.2	11.9
32	16.0	13.0	6.4	6.8	8.2	7.9	15.2	13.2	2.9	3.1
33	13.1	13.4	2.3	2.3	2.1	2.5	11.2	11.2	1.0	1.0
34	8.9	12.4	0.3	0.4	0.4	0.8	7.1	8.8	0.2	0.3
35	6.7	7.6	*	0.1	*	0.1	3.0	3.8	*	*
36	0.6	2.8	-	*	*	*	1.2	1.2	-	*
37	*	1.0	-	-	-	*	0.4	0.3	-	-
38	*	0.3	-	-	-	-	0.1	0.1	-	-
39	-	*	-	-	-	-	*	*	-	-
40 & Above	-	*	-	-	-	-	-	-	-	-
Average	31.76	32.13	30.39	30.42	30.66	30.69	31.37	31.51	29.88	29.89
Mike										
2.4 & Below	-	-	-	-	-	-	-	*	-	-
2.5	*	*	-	-	-	-	*	*	-	-
2.6	*	*	-	-	-	-	*	*	-	-
2.7	*	*	-	-	-	-	*	*	-	-
2.8	*	*	-	-	-	-	0.1	*	-	-
2.9	*	*	-	-	-	-	0.2	0.1	-	-
3.0	0.1	*	-	*	-	-	0.3	0.1	*	*
3.1	0.1	0.1	*	*	-	-	0.5	0.2	*	*
3.2	0.4	0.2	*	*	-	-	0.7	0.5	*	*
3.3	0.6	0.2	-	*	*	*	1.2	0.8	*	*
3.4	0.5	0.5	0.1	0.1	0.1	*	1.8	1.2	*	*
3.5	1.0	1.0	0.1	0.1	0.2	0.1	2.6	1.6	0.2	0.2
3.6	2.0	2.0	0.3	0.2	0.3	0.3	3.7	2.2	0.7	0.7
3.7	2.5	3.7	0.7	0.5	0.6	0.7	4.2	3.0	1.6	2.4
3.8	4.1	5.5	1.1	0.8	0.8	1.0	5.4	4.4	2.1	2.9
3.9	3.9	6.7	3.0	1.7	1.3	1.3	6.3	6.4	3.8	5.2
4.0	7.3	8.0	3.8	2.3	1.9	2.1	7.0	8.3	6.3	6.4
4.1	10.1	9.8	5.8	4.0	3.7	3.6	7.9	9.8	6.0	6.8
4.2	8.8	9.8	9.0	6.3	4.9	5.1	9.4	11.4	12.7	10.9
4.3	11.2	9.7	9.0	7.2	6.1	6.5	10.1	11.6	18.9	15.3
4.4	12.2	9.2	10.8	9.4	9.3	9.5	10.1	10.8	20.1	17.4
4.5	11.9	9.5	9.6	9.7	11.5	12.1	9.3	9.0	12.0	13.0
4.6	9.7	9.5	10.2	10.5	13.6	14.1	7.3	6.8	8.3	10.3
4.7	7.7	7.5	11.2	11.6	13.1	13.9	5.0	4.7	4.8	5.4
4.8	4.4	4.6	10.0	11.0	12.3	12.3	3.2	3.0	1.7	2.0
4.9	1.0	1.6	6.6	8.6	8.7	8.2	1.9	1.7	0.3	0.6
5.0	0.3	0.6	4.2	6.8	6.4	5.1	0.9	1.0	0.1	0.2
5.1	0.2	0.2	2.4	4.4	3.1	2.4	0.5	0.6	0.4	0.2
5.2	*	0.1	1.2	2.5	2.0	1.1	0.2	0.3	*	*
5.3	-	*	0.5	1.5	0.2	0.4	0.1	0.2	-	*
5.4	-	-	0.2	0.7	*	*	0.1	0.1	*	*
5.5 & Above	-	*	-	0.1	*	*	0.1	0.2	*	*
Average	4.29	4.26	4.50	4.60	4.60	4.58	4.19	4.23	4.32	4.31

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE												
For The Week Ending Nov 13, 2025												
Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	*	*
2.7 - 2.9	*	*	-	-	-	-	-	0.1	-	-	*	*
3.0 - 3.2	*	*	-	*	-	-	-	0.8	0.5	0.2	0.1	*
3.3 - 3.4	0.4	0.3	*	*	0.2	*	-	0.7	0.5	0.2	0.5	0.3
3.5 - 3.6	1.2	0.9	0.1	0.1	1.9	0.4	-	2.8	1.5	0.9	1.2	0.8
3.7 - 4.2	35.0	26.5	4.0	3.0	16.7	19.9	16.7	38.0	13.8	12.1	25.6	18.8
4.3 - 4.9	57.1	62.7	77.7	72.4	77.4	73.8	80.4	50.6	73.4	75.3	64.2	64.8
5.0 - 5.2	5.7	8.2	16.6	21.9	3.7	5.6	2.9	5.8	10.4	11.0	7.3	13.4
5.3 & Above	0.5	1.4	1.7	2.7	0.1	0.3	-	1.2	0.1	0.4	1.2	1.9
Average	4.39	4.47	4.73	4.77	4.51	4.50	4.50	4.34	4.55	4.58	4.47	4.56
Leaf												
1 - 2	14.8	16.2	2.3	2.0	58.7	63.6	23.4	40.5	7.4	13.7	16.8	17.0
3	55.7	55.8	42.4	39.1	31.4	29.6	35.4	37.7	50.6	57.1	59.5	60.4
4	24.8	24.4	43.9	45.9	7.9	5.3	14.5	12.0	36.0	26.0	20.9	20.5
5	4.2	3.4	9.9	11.7	1.6	1.2	20.0	7.8	5.8	3.0	2.7	2.1
6	0.4	0.2	1.3	1.2	0.5	0.3	6.7	2.0	0.2	0.1	0.1	0.1
7	*	*	0.3	0.1	-	-	-	-	-	-	*	*
8	-	-	-	-	-	-	-	-	-	-	-	*
Average	3.20	3.15	3.66	3.71	2.46	2.32	3.50	2.89	3.41	3.18	3.10	3.08
HVI Trash 1/												
00	-	-	-	-	-	*	-	-	-	-	-	-
01	1.9	2.3	0.1	0.1	20.2	27.2	5.3	11.1	0.3	2.0	1.7	1.8
02	17.0	18.2	3.8	3.0	46.2	45.0	25.2	35.0	9.7	15.6	21.9	22.1
03	28.4	28.4	17.1	14.8	18.2	17.1	19.0	24.1	22.2	28.3	33.2	33.3
04	23.8	23.9	25.8	24.6	8.2	6.1	11.9	10.5	27.6	25.4	22.2	22.7
05	14.5	14.3	22.2	22.9	3.9	2.4	6.1	5.4	19.6	15.0	11.3	11.4
06	7.5	7.2	14.5	15.9	1.5	1.0	6.8	4.2	10.7	7.5	5.3	5.1
07	3.6	3.3	8.3	9.4	0.8	0.5	9.0	3.7	5.3	3.4	2.4	2.2
08	1.8	1.4	4.1	4.9	0.5	0.3	7.3	2.8	2.7	1.6	1.0	0.9
09	0.8	0.6	2.1	2.4	0.4	0.2	4.9	1.8	0.9	0.6	0.5	0.4
10	0.4	0.3	1.0	1.1	0.1	0.1	2.7	0.9	0.6	0.3	0.2	0.1
11	0.2	0.1	0.5	0.5	0.1	*	1.3	0.4	0.2	0.1	0.1	0.1
12	0.1	0.1	0.3	0.2	-	*	0.4	0.1	0.1	*	*	*
13	*	*	0.1	0.1	-	-	0.1	*	0.1	*	*	*
14	*	*	0.1	*	-	-	-	*	*	*	*	*
15	*	*	*	*	-	-	-	-	*	*	*	*
16	*	*	-	-	-	-	-	-	*	*	*	*
17	-	*	-	-	-	-	-	-	*	*	*	*
18 & Above	*	*	-	-	-	-	-	-	-	*	*	*
Average	0.39	0.38	0.49	0.51	0.24	0.22	0.44	0.33	0.44	0.39	0.36	0.35
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	*
76	*	*	*	*	-	-	-	*	-	*	*	*
77	0.1	*	*	*	*	*	-	*	-	*	0.1	0.1
78	0.3	0.2	0.1	0.1	0.7	0.1	-	0.4	0.2	0.1	0.7	0.8
79	3.2	1.9	0.3	0.5	2.5	0.7	0.1	3.4	1.7	1.3	4.8	5.2
80	14.0	11.5	3.0	3.9	17.3	11.4	5.2	8.1	10.0	8.7	19.5	21.4
81	32.9	33.4	20.3	19.9	36.0	33.8	26.1	23.7	39.4	37.5	36.5	36.5
82	33.5	36.3	46.6	43.0	36.4	46.4	51.1	39.7	36.6	40.9	28.9	26.4
83	13.8	14.8	25.8	28.2	6.9	7.4	17.4	20.5	11.8	11.1	8.1	8.0
84	1.9	1.7	3.7	4.0	0.2	0.2	0.1	4.0	0.4	0.3	1.3	1.5
85 & Above	0.2	0.2	0.3	0.2	-	*	0.1	0.1	*	*	0.1	0.1
Average	81.91	82.01	82.51	82.52	81.72	81.92	82.26	82.21	81.92	81.97	81.63	81.58
Tenderable 3/	92.2	88.0	78.2	69.5	93.1	89.6	82.2	84.3	86.9	86.0	89.6	81.6
SAMPLES CLASSED	60,330	232,437	153,880	769,908	5,228	26,933	4,983	23,329	10,625	33,490	147,998	487,350

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 13, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	*	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	0.1	*	-	-	*	*	*	*	-	-
3.3 - 3.4	-	-	0.1	0.1	*	*	*	*	0.4	0.3	-	-
3.5 - 3.6	-	-	0.4	0.2	0.1	0.1	0.2	0.1	1.2	0.8	-	-
3.7 - 4.2	-	-	8.0	8.0	5.8	7.6	6.5	4.1	23.2	21.2	-	-
4.3 - 4.9	-	-	67.4	63.4	83.3	82.8	67.7	60.7	68.9	68.4	-	-
5.0 - 5.2	-	-	21.9	24.2	10.0	8.8	23.4	30.6	5.5	8.3	-	-
5.3 & Above	-	-	2.1	4.2	0.8	0.7	2.2	4.4	0.7	0.9	-	-
Average	-	-	4.70	4.74	4.66	4.63	4.74	4.82	4.44	4.50	-	-
Leaf												
1 - 2	-	-	17.3	15.1	5.3	3.5	4.2	7.5	8.4	12.8	-	-
3	-	-	47.8	50.7	52.1	51.6	38.4	45.1	54.6	56.1	-	-
4	-	-	27.7	28.6	36.9	39.1	45.1	37.5	31.7	27.0	-	-
5	-	-	6.4	5.2	5.3	5.4	11.4	8.9	4.8	3.7	-	-
6	-	-	0.8	0.3	0.3	0.3	0.8	1.0	0.4	0.3	-	-
7	-	-	-	-	*	*	*	*	*	*	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	3.25	3.24	3.43	3.47	3.66	3.51	3.34	3.22	-	-
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	2.3	2.0	0.3	0.1	0.3	0.6	0.9	1.3	-	-
02	-	-	17.7	15.9	7.3	5.2	5.1	9.0	10.8	14.6	-	-
03	-	-	23.0	25.1	22.8	21.7	16.2	20.7	25.8	27.5	-	-
04	-	-	22.0	23.4	27.6	29.1	22.9	24.5	26.6	25.7	-	-
05	-	-	15.8	16.0	21.0	22.1	21.0	19.5	18.3	16.2	-	-
06	-	-	9.8	9.2	11.5	12.0	15.3	12.1	9.8	8.2	-	-
07	-	-	5.2	4.7	5.4	5.5	9.7	6.9	4.6	3.7	-	-
08	-	-	2.5	2.1	2.3	2.3	5.1	3.5	2.0	1.6	-	-
09	-	-	1.1	1.0	1.0	1.0	2.5	1.8	0.8	0.6	-	-
10	-	-	0.4	0.4	0.4	0.4	1.1	0.8	0.3	0.3	-	-
11	-	-	0.2	0.2	0.2	0.2	0.5	0.4	0.2	0.1	-	-
12	-	-	0.1	*	0.1	0.1	0.2	0.2	*	0.1	-	-
13	-	-	*	*	*	*	0.1	0.1	*	*	-	-
14	-	-	*	*	*	*	*	*	*	*	-	-
15	-	-	-	-	*	*	*	*	-	*	-	-
16	-	-	-	-	-	-	-	-	*	*	-	-
17	-	-	-	-	-	-	-	-	*	*	-	-
18 & Above	-	-	-	-	-	-	-	-	*	*	-	-
Average	-	-	0.41	0.40	0.44	0.45	0.50	0.46	0.42	0.40	-	-
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	*	*	*	*	-	-	-	-
77	-	-	-	-	*	*	0.1	0.1	-	-	-	-
78	-	-	0.1	0.1	0.1	0.1	0.3	0.2	0.5	0.5	-	-
79	-	-	0.5	1.2	0.2	0.3	1.3	1.4	2.6	2.7	-	-
80	-	-	8.2	7.7	2.0	2.1	8.1	9.2	11.4	10.6	-	-
81	-	-	27.7	32.7	15.7	14.8	28.5	30.5	28.9	27.0	-	-
82	-	-	41.7	40.1	50.4	50.1	39.5	38.1	37.6	37.7	-	-
83	-	-	19.6	16.2	28.8	30.1	19.1	17.2	16.8	19.1	-	-
84	-	-	2.2	1.9	2.5	2.3	3.0	3.1	2.1	2.3	-	-
85 & Above	-	-	*	0.1	0.2	0.2	0.2	0.1	0.2	0.2	-	-
Average	-	-	82.24	82.13	82.58	82.60	82.21	82.14	82.05	82.11	-	-
Tenderable 3/	-	-	74.5	70.1	86.1	83.9	72.6	61.7	90.4	88.1	-	-
SAMPLES CLASSED	-	-	26,012	166,803	91,943	328,992	98,428	531,233	74,330	239,747	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Nov 13, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	-	*	-	-
2.5 - 2.6	*	*	-	-	-	-	*	*	-	-
2.7 - 2.9	0.1	*	-	-	-	-	0.3	0.1	-	-
3.0 - 3.2	0.5	0.3	*	*	-	-	1.5	0.8	*	*
3.3 - 3.4	1.1	0.7	0.1	0.1	0.1	0.1	3.0	1.9	*	0.1
3.5 - 3.6	3.0	3.1	0.4	0.3	0.5	0.4	6.3	3.8	0.8	1.0
3.7 - 4.2	36.7	43.4	23.5	15.6	13.1	13.8	40.3	43.2	32.4	34.5
4.3 - 4.9	58.2	51.6	67.4	68.0	74.5	76.7	46.8	47.6	66.1	64.0
5.0 - 5.2	0.5	0.9	7.9	13.7	11.6	8.7	1.6	1.9	0.5	0.4
5.3 & Above	-	*	0.7	2.2	0.3	0.4	0.3	0.5	*	*
Average	4.29	4.26	4.50	4.60	4.60	4.58	4.19	4.23	4.32	4.31
Leaf										
1 - 2	73.1	67.6	3.0	6.0	15.6	17.3	63.3	41.7	10.2	11.8
3	21.1	27.1	47.2	51.8	57.4	59.9	27.2	40.0	61.1	58.8
4	4.3	4.6	42.7	36.9	24.1	20.7	8.0	15.1	26.5	26.5
5	1.2	0.6	6.6	5.0	2.7	2.0	1.4	2.8	2.2	2.9
6	0.2	0.1	0.4	0.2	0.1	0.1	0.2	0.3	0.1	0.1
7	*	*	*	*	*	*	*	*	-	*
8	*	*	-	-	-	-	*	*	-	-
Average	2.04	2.09	3.54	3.42	3.14	3.07	2.27	2.71	3.21	3.21
HVI Trash 1/										
00	*	0.1	-	-	-	*	0.1	*	-	-
01	44.0	39.2	0.1	0.2	1.7	2.3	33.9	16.9	0.6	0.7
02	31.8	30.6	4.9	7.9	16.3	18.1	33.1	27.9	11.1	12.9
03	13.3	16.5	21.4	24.0	27.7	30.6	16.1	22.9	27.8	27.8
04	5.3	8.0	28.0	27.5	25.2	24.7	8.7	15.0	27.9	25.7
05	2.4	3.3	22.8	20.7	15.5	13.7	4.4	8.6	17.9	16.9
06	1.2	1.2	13.0	11.2	7.9	6.2	2.0	4.6	9.0	9.1
07	0.8	0.5	6.0	5.2	3.5	2.6	0.9	2.2	3.6	4.2
08	0.4	0.2	2.4	2.1	1.4	1.0	0.4	1.0	1.5	1.8
09	0.3	0.1	0.8	0.8	0.6	0.4	0.2	0.4	0.5	0.7
10	0.2	0.1	0.4	0.3	0.2	0.2	0.1	0.2	0.1	0.2
11	0.1	*	0.2	0.1	0.1	0.1	*	0.1	0.1	0.1
12	0.1	*	0.1	*	*	*	*	*	*	*
13	*	*	*	*	*	*	*	*	*	*
14	*	*	*	*	*	*	*	*	-	-
15	*	*	*	*	*	*	*	*	-	-
16	*	*	-	-	-	-	*	*	-	*
17	*	*	-	-	-	-	*	*	-	-
18 & Above	*	*	-	-	-	-	*	*	-	-
Average	0.20	0.22	0.45	0.43	0.39	0.37	0.23	0.30	0.40	0.40
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	*	*	-	-
75	*	*	-	-	-	-	*	*	-	-
76	0.1	*	-	-	-	*	0.2	0.1	-	-
77	0.6	0.2	-	-	*	*	0.8	0.4	-	-
78	1.6	1.0	0.3	0.2	0.2	0.1	3.6	1.9	0.2	0.2
79	9.3	5.3	3.9	2.5	1.0	0.7	13.6	6.9	1.7	1.8
80	23.0	17.8	16.0	14.0	6.9	7.5	29.0	17.9	11.0	12.2
81	34.7	30.4	28.3	30.1	30.3	33.4	31.7	30.4	33.1	36.4
82	20.2	23.9	41.4	40.2	43.6	42.6	16.3	26.6	37.1	33.4
83	8.7	13.4	9.6	12.0	16.9	14.8	4.0	12.3	15.7	14.7
84	1.8	7.3	0.5	1.0	1.1	0.7	0.6	3.2	1.1	1.2
85 & Above	*	0.7	*	0.1	0.1	0.1	0.1	0.3	0.1	0.1
Average	81.38	81.88	81.82	81.93	82.16	82.10	81.00	81.68	82.03	81.95
Tenderable 3/	94.0	95.4	84.9	78.9	86.0	81.0	86.2	87.1	97.1	97.0
SAMPLES CLASSED	27,055	99,447	20,122	53,069	57,764	262,120	372,852	2,045,163	22,001	52,154

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE									
For The Week Ending Nov 13, 2025									
Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	6.6	10.2	-	-	18.7	14.9
	2	-	-	6.6	9.1	-	-	23.3	23.8
	3	-	-	0.1	0.1	-	-	0.5	1.4
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	13.3	19.4	-	-	42.4	40.2
02	1	-	-	5.0	6.1	-	-	16.4	13.9
	2	-	-	29.6	36.0	-	-	38.4	35.6
	3	-	-	6.1	7.4	-	-	2.1	8.1
	4	-	-	*	0.1	-	-	-	0.6
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	40.7	49.6	-	-	56.9	58.2
03	1	-	-	0.1	0.1	-	-	0.1	*
	2	-	-	11.2	9.4	-	-	0.5	0.4
	3	-	-	23.1	15.6	-	-	0.2	0.5
	4	-	-	2.3	1.9	-	-	-	0.5
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	36.6	27.0	-	-	0.7	1.4
04	7	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-
	5	-	-	0.1	0.1	-	-	-	-
	4	-	-	2.5	1.2	-	-	-	0.1
	3	-	-	5.5	2.3	-	-	-	-
	2	-	-	0.7	0.3	-	-	-	*
	1	-	-	-	*	-	-	-	-
Total -----		-	-	8.7	3.9	-	-	-	0.1
05	1	-	-	*	*	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	0.2	0.1	-	-	-	-
	4	-	-	0.3	0.1	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.6	0.2	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	0.6	2.7	-	-	36.6	32.9
46		-	-	11.2	10.6	-	-	58.9	64.6
48		-	-	40.9	50.2	-	-	4.3	2.4
50		-	-	46.9	35.9	-	-	0.2	0.1
52 & Longer		-	-	0.5	0.6	-	-	-	-
Average Staple		-	-	48.71	48.42	-	-	45.36	45.39
Average Length		-	-	1.41	1.41	-	-	1.33	1.33
EXTRANEIOUS MATTER									
Bark		-	-	-	-	-	-	0.3	0.2
Grass		-	-	*	0.2	-	-	0.2	1.4
Spindle Twist		-	-	*	*	-	-	-	-
Preparation		-	-	-	*	-	-	-	-
All Other		-	-	*	*	-	-	0.2	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE								
For The Week Ending Nov 13, 2025								
Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	0.2	*	-	-	-	-
3.0 - 3.2	-	-	0.3	0.2	-	-	14.6	7.8
3.3 - 3.4	-	-	0.9	1.3	-	-	30.5	24.0
3.5 - 3.6	-	-	8.2	8.9	-	-	25.7	26.1
3.7 - 4.2	-	-	88.0	87.9	-	-	29.2	42.1
4.3 - 4.9	-	-	2.5	1.6	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	3.90	3.88	-	-	3.50	3.59
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	*	*	-	-	-	-
2.8	-	-	*	*	-	-	-	-
2.9	-	-	0.1	*	-	-	-	-
3.0	-	-	*	*	-	-	0.2	0.1
3.1	-	-	0.1	*	-	-	6.6	3.5
3.2	-	-	0.1	0.2	-	-	7.8	4.2
3.3	-	-	0.2	0.5	-	-	12.3	7.5
3.4	-	-	0.7	0.8	-	-	18.3	16.5
3.5	-	-	2.2	2.5	-	-	19.9	19.4
3.6	-	-	6.0	6.4	-	-	5.7	6.7
3.7	-	-	8.7	10.3	-	-	5.6	9.6
3.8	-	-	18.5	18.1	-	-	17.9	16.0
3.9	-	-	23.0	24.0	-	-	3.8	12.6
4.0	-	-	19.5	21.4	-	-	1.9	3.9
4.1	-	-	11.8	10.0	-	-	-	0.1
4.2	-	-	6.5	4.2	-	-	-	-
4.3	-	-	2.2	1.1	-	-	-	-
4.4	-	-	0.3	0.3	-	-	-	-
4.5	-	-	*	0.1	-	-	-	-
4.6	-	-	*	*	-	-	-	-
4.7	-	-	-	*	-	-	-	-
4.8	-	-	*	*	-	-	-	-
4.9	-	-	-	*	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	3.90	3.88	-	-	3.50	3.59
STRENGTH 1/								
36 & Below	-	-	2.6	2.5	-	-	13.2	7.1
37	-	-	4.8	6.5	-	-	39.7	26.5
38	-	-	2.9	3.3	-	-	30.4	43.5
39	-	-	0.6	0.7	-	-	16.3	22.1
40	-	-	1.9	2.3	-	-	0.1	0.7
41	-	-	6.6	7.3	-	-	0.1	*
42	-	-	14.2	13.5	-	-	0.1	*
43	-	-	18.8	20.2	-	-	-	-
44	-	-	20.7	21.8	-	-	-	-
45	-	-	18.9	15.0	-	-	0.1	*
46	-	-	6.3	5.8	-	-	-	-
47	-	-	1.5	1.0	-	-	-	-
48 & Above	-	-	0.3	0.2	-	-	-	-
Average	-	-	43.32	43.09	-	-	37.87	38.24
UNIFORMITY								
83 & Below	-	-	1.8	1.0	-	-	0.8	0.4
84	-	-	11.1	12.6	-	-	35.1	22.2
85	-	-	25.2	30.1	-	-	60.9	72.9
86	-	-	55.0	50.3	-	-	3.2	4.4
87	-	-	6.5	5.5	-	-	0.1	0.1
88 & Above	-	-	0.4	0.4	-	-	-	-
Average	-	-	86.00	85.92	-	-	85.07	85.22
Samples Classed	-	-	26,955	89,559	-	-	1,329	2,484

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.