

[Email us with accessibility issues regarding this report.](#)



Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2025 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1 - 2	-	-	4	69	507	5,215	27,083	92,384	125,262
	3	-	-	-	14	157	1,106	4,455	13,028	18,760
	4	-	-	-	-	6	48	190	635	879
	5	-	-	-	-	1	4	2	19	26
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	4	83	671	6,373	31,730	106,066	144,927
31	1 - 2	-	-	2	3	55	372	2,408	12,222	15,062
	3	-	-	-	11	68	560	3,388	18,388	22,415
	4	-	-	-	-	9	71	543	3,203	3,826
	5	-	-	-	-	1	4	51	220	276
	6	-	-	-	-	-	-	4	11	15
	7	-	-	-	-	-	-	2	1	3
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	2	14	133	1,007	6,396	34,045	41,597
41	1 - 2	-	-	-	1	3	59	1,095	6,746	7,904
	3	-	-	-	3	14	319	3,550	27,403	31,289
	4	-	-	-	-	4	141	1,393	11,016	12,554
	5	-	-	-	-	1	18	137	1,298	1,454
	6	-	-	-	-	-	-	8	97	105
	7	-	-	-	-	-	-	-	4	4
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	4	22	537	6,183	46,564	53,310
51	1 - 2	-	-	-	-	1	16	76	386	479
	3	-	-	-	-	3	33	541	3,044	3,621
	4	-	-	-	1	3	36	335	2,371	2,746
	5	-	-	-	-	1	15	60	457	533
	6	-	-	-	-	-	2	5	37	44
	7	-	-	-	-	-	-	1	2	3
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	1	8	102	1,018	6,297	7,426
61	1 - 2	-	-	-	-	-	-	1	1	2
	3	-	-	-	-	-	-	2	18	20
	4	-	-	-	-	-	-	1	11	12
	5	-	-	-	-	-	-	-	2	2
	6	-	-	-	-	-	1	-	1	2
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	1	4	33	38
71	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	1	2	28	509	3,104	12,373	26,047	42,064
	3	-	-	-	6	351	1,017	3,631	9,157	14,162
	4	-	-	-	-	6	90	304	763	1,163
	5	-	-	-	-	-	4	18	46	68
	6	-	-	-	-	-	-	1	5	6
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	1	2	34	866	4,215	16,327	36,018	57,463
32	1 - 2	-	-	-	1	25	79	451	1,147	1,703
	3	-	-	-	4	11	121	840	1,907	2,883
	4	-	-	1	2	4	59	224	624	914
	5	-	-	-	1	-	8	30	128	167
	6	-	-	-	-	-	-	4	9	13
	7	-	-	-	-	-	-	-	3	3
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	1	8	40	267	1,549	3,818	5,683
42	1 - 2	-	-	-	-	1	22	89	807	919
	3	-	-	-	-	1	55	325	2,770	3,151
	4	-	-	-	-	1	36	232	768	1,037
	5	-	-	-	-	-	8	55	169	232
	6	-	-	-	-	-	2	1	22	25
	7	-	-	-	-	-	-	-	2	2
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	3	123	702	4,538	5,366
52	1 - 2	-	-	-	-	-	-	1	30	31
	3	-	-	-	-	-	12	42	413	467
	4	-	-	-	1	3	16	87	258	365
	5	-	-	-	-	2	25	51	59	137
	6	-	-	-	-	-	4	8	26	38
	7	-	-	-	-	-	1	1	2	4
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	1	5	58	190	788	1,042

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2025 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
62	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	1	1
	4	-	-	-	-	-	-	1	3	4
	5	-	-	-	-	-	-	-	1	1
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	1	5	6
13 & 23	1 - 2	-	-	-	3	14	203	882	1,462	2,564
	3	-	-	-	-	12	278	591	1,064	1,945
	4	-	-	-	-	4	27	65	154	250
	5	-	-	-	-	-	-	1	20	21
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	3	30	508	1,539	2,701	4,781
33	1 - 2	-	-	-	-	1	13	100	167	281
	3	-	-	-	1	9	29	147	463	649
	4	-	-	-	-	1	45	78	213	337
	5	-	-	-	-	-	4	18	57	79
	6	-	-	-	-	-	-	4	8	12
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	1	11	91	347	908	1,358
43	1 - 2	-	-	-	-	-	-	3	29	32
	3	-	-	-	-	1	-	15	137	153
	4	-	-	-	-	1	3	13	123	140
	5	-	-	-	-	-	1	5	27	33
	6	-	-	-	-	-	-	8	4	12
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	2	4	44	320	370
53	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	4	4
	4	-	-	-	-	-	-	1	2	3
	5	-	-	-	-	-	-	-	1	1
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	1	7	8
63	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	20	82	147	249
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	3	3
TOTAL ALL		-	1	9	149	1,791	13,306	66,113	242,258	323,627

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2025 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
11 & 21	1 - 2	186,588	292,738	402,954	161,790	52,655	16,009	1,112,734	1,237,996
	3	31,430	71,559	171,372	105,309	35,797	8,923	424,390	443,150
	4	1,503	4,665	10,441	9,517	5,486	636	32,248	33,127
	5	33	86	232	136	137	8	632	658
	6	-	-	1	1	-	-	2	2
	7	-	-	-	1	-	-	1	1
	8	-	-	-	-	-	-	-	-
TOTAL		219,554	369,048	585,000	276,754	94,075	25,576	1,570,007	1,714,934
31	1 - 2	42,956	92,722	134,578	38,250	10,420	3,067	321,993	337,055
	3	85,164	238,661	545,727	235,803	56,212	18,136	1,179,703	1,202,118
	4	16,534	57,117	153,376	107,236	40,364	8,106	382,733	386,559
	5	980	3,645	10,595	8,927	5,539	869	30,555	30,831
	6	41	99	376	238	206	14	974	989
	7	-	2	7	6	2	-	17	20
	8	-	-	-	-	1	-	1	1
TOTAL		145,675	392,246	844,659	390,460	112,744	30,192	1,915,976	1,957,573
41	1 - 2	23,783	48,062	48,487	8,836	1,034	61	130,263	138,167
	3	123,885	350,345	632,349	196,359	26,781	2,587	1,332,306	1,363,595
	4	63,081	222,451	551,549	283,508	61,587	7,849	1,190,025	1,202,579
	5	10,009	40,106	94,918	67,274	25,723	4,472	242,502	243,956
	6	1,009	3,381	5,964	5,327	2,716	714	19,111	19,216
	7	56	203	204	234	116	16	829	833
	8	-	-	3	7	1	-	11	11
TOTAL		221,823	664,548	1,333,474	561,545	117,958	15,699	2,915,047	2,968,357
51	1 - 2	971	1,072	764	68	5	-	2,880	3,359
	3	10,925	20,853	26,310	7,495	878	47	66,508	70,129
	4	10,557	27,844	55,690	25,018	4,131	323	123,563	126,309
	5	3,194	10,247	20,954	12,580	3,390	394	50,759	51,292
	6	854	2,619	2,806	1,785	701	136	8,901	8,945
	7	118	521	152	80	84	26	981	984
	8	-	2	4	20	3	-	29	29
TOTAL		26,619	63,158	106,680	47,046	9,192	926	253,621	261,047
61	1 - 2	-	3	-	-	-	-	3	5
	3	18	30	25	2	1	-	76	96
	4	30	105	109	16	2	-	262	274
	5	7	20	48	22	3	1	101	103
	6	3	10	16	8	-	-	37	39
	7	-	-	-	-	1	-	1	1
	8	-	-	-	-	-	-	-	-
TOTAL		58	168	198	48	7	1	480	518
71	1 - 2	-	1	-	-	-	-	1	1
	3	-	1	-	-	-	-	1	1
	4	-	-	-	-	-	-	-	-
	5	-	1	-	-	-	-	1	1
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		-	3	-	-	-	-	3	3
12 & 22	1 - 2	37,347	47,433	47,971	10,924	1,731	412	145,818	187,882
	3	13,127	18,703	33,223	20,714	5,804	693	92,264	106,426
	4	1,253	2,674	5,636	6,303	2,842	305	19,013	20,176
	5	55	117	297	395	203	18	1,085	1,153
	6	1	1	8	10	1	-	21	27
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		51,783	68,928	87,135	38,346	10,581	1,428	258,201	315,664
32	1 - 2	2,791	4,420	5,241	846	88	47	13,433	15,136
	3	5,755	11,771	26,839	10,676	2,468	387	57,896	60,779
	4	2,029	5,482	17,610	13,886	5,724	459	45,190	46,104
	5	450	1,198	4,013	4,077	2,249	128	12,115	12,282
	6	27	103	383	358	185	16	1,072	1,085
	7	-	4	10	26	7	-	47	50
	8	-	1	1	3	-	-	5	5
TOTAL		11,052	22,979	54,097	29,872	10,721	1,037	129,758	135,441
42	1 - 2	1,385	2,122	1,769	233	18	1	5,528	6,447
	3	8,194	17,891	28,696	7,521	1,026	115	63,443	66,594
	4	2,760	10,033	31,821	17,605	4,352	522	67,093	68,130
	5	523	1,959	8,747	9,716	4,245	667	25,857	26,089
	6	82	416	1,677	2,127	1,267	233	5,802	5,827
	7	6	39	145	276	156	26	648	650
	8	-	1	10	33	12	2	58	58
TOTAL		12,950	32,461	72,865	37,511	11,076	1,566	168,429	173,795
52	1 - 2	104	179	96	13	1	2	395	426
	3	1,386	2,957	3,344	742	99	20	8,548	9,015
	4	935	3,393	7,712	3,247	710	109	16,106	16,471
	5	229	849	3,457	2,673	1,178	109	8,495	8,632
	6	52	184	895	826	333	64	2,354	2,392
	7	4	23	63	105	57	21	273	277
	8	-	2	24	41	27	6	100	100
TOTAL		2,710	7,587	15,591	7,647	2,405	331	36,271	37,313

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2025 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
62	1 - 2	-	-	-	1	-	-	1	1
	3	7	8	16	-	-	-	31	32
	4	9	39	92	13	1	-	154	158
	5	5	10	33	9	2	-	59	60
	6	-	7	7	-	-	-	14	14
	7	1	-	3	-	-	-	4	4
	8	1	1	-	-	-	-	2	2
TOTAL		23	65	151	23	3	-	265	271
13 & 23	1 - 2	1,744	1,777	1,035	342	30	6	4,934	7,498
	3	1,274	1,266	1,295	510	82	26	4,453	6,398
	4	217	199	394	179	62	23	1,074	1,324
	5	58	22	26	20	2	4	132	153
	6	9	1	-	1	1	-	12	13
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		3,302	3,265	2,750	1,052	177	59	10,605	15,386
33	1 - 2	159	216	174	25	2	15	591	872
	3	878	961	1,126	487	65	53	3,570	4,219
	4	537	786	1,034	576	138	18	3,089	3,426
	5	141	191	355	179	86	12	964	1,043
	6	12	32	34	34	17	3	132	144
	7	-	-	2	7	1	-	10	10
	8	-	-	-	-	-	-	-	-
TOTAL		1,727	2,186	2,725	1,308	309	101	8,356	9,714
43	1 - 2	8	26	14	12	-	-	60	92
	3	192	400	484	221	11	3	1,311	1,464
	4	243	561	1,034	489	90	19	2,436	2,576
	5	81	238	564	458	135	55	1,531	1,564
	6	25	75	215	157	84	23	579	591
	7	2	8	30	47	24	4	115	115
	8	-	-	1	3	6	3	13	13
TOTAL		551	1,308	2,342	1,387	350	107	6,045	6,415
53	1 - 2	-	1	1	1	-	-	3	3
	3	14	33	29	6	-	-	82	86
	4	9	112	163	35	9	3	331	334
	5	4	48	131	55	24	5	267	268
	6	1	11	76	34	9	2	133	133
	7	-	2	19	5	8	-	34	34
	8	-	-	-	1	7	2	10	10
TOTAL		28	207	419	137	57	12	860	868
63	1 - 2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	1	-	-	-	1	1
	6	-	-	1	-	-	-	1	1
	7	-	-	-	-	-	-	-	-
	8	-	-	1	-	-	-	1	1
TOTAL		-	-	3	-	-	-	3	3
24 - 54	1 - 8	276	443	408	155	22	12	1,316	1,565
25 - 35	1 - 8	-	-	-	-	-	-	-	-
81 - 85	1 - 8	4	4	8	4	-	-	20	23
TOTAL ALL		698,135	1,628,604	3,108,505	1,393,295	369,677	77,047	7,275,263	7,598,890

EXTRANEOUS MATTER	
Bark - Level 1	68,154
Bark - Level 2	1
Grass - Level 1	9,140
Grass - Level 2	4
Prep - Level 1	97
Prep - Level 2	1
Seed Coat - Level 1	31,581
Seed Coat - Level 2	1
Oil - Level 1	45
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	1
Other - Level 1	144
Other - Level 2	-
Plastic - Level 1	1,929
Plastic - Level 2	-

Average Staple	36.77
Percent Tenderable	82.0
SAMPLES CLASSED	7,598,890

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	*	*	*	0.1	0.4	1.2	2.5	3.9	5.3	2.1	0.7	0.2	16.3
	3	-	-	-	*	*	*	0.1	0.2	0.4	0.9	2.3	1.4	0.5	0.1	5.8
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	0.1	0.4	1.4	2.9	4.9	7.7	3.6	1.2	0.3	22.6
31	1 - 2	-	-	*	*	*	*	*	0.2	0.6	1.2	1.8	0.5	0.1	*	4.4
	3	-	-	-	*	*	*	*	0.2	1.1	3.1	7.2	3.1	0.7	0.2	15.8
	4	-	-	-	-	*	*	*	*	0.2	0.8	2.0	1.4	0.5	0.1	5.1
	5	-	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL		-	-	*	*	*	*	0.1	0.4	1.9	5.2	11.1	5.1	1.5	0.4	25.8
41	1 - 2	-	-	-	*	*	*	*	0.1	0.3	0.6	0.6	0.1	*	*	1.8
	3	-	-	-	*	*	*	*	0.4	1.6	4.6	8.3	2.6	0.4	*	17.9
	4	-	-	-	-	*	*	*	0.1	0.8	2.9	7.3	3.7	0.8	0.1	15.8
	5	-	-	-	-	*	*	*	*	0.1	0.5	1.2	0.9	0.3	0.1	3.2
	6	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
TOTAL		-	-	-	*	*	*	0.1	0.6	2.9	8.7	17.5	7.4	1.6	0.2	39.1
51	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	*	0.9
	4	-	-	-	*	*	*	*	*	0.1	0.4	0.7	0.3	0.1	*	1.7
	5	-	-	-	-	*	*	*	*	*	0.1	0.3	0.2	*	*	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL		-	-	-	*	*	*	*	0.1	0.4	0.8	1.4	0.6	0.1	*	3.4
61	1 - 2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1 - 2	-	*	*	*	*	*	0.2	0.3	0.5	0.6	0.6	0.1	*	*	2.5
	3	-	-	-	*	*	*	*	0.1	0.2	0.2	0.4	0.3	0.1	*	1.4
	4	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	*	0.1	0.2	0.5	0.7	0.9	1.1	0.5	0.1	*	4.2
32	1 - 2	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	3	-	-	-	*	*	*	*	*	0.1	0.2	0.4	0.1	*	*	0.8
	4	-	-	*	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	0.6
	5	-	-	-	*	-	*	*	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL		-	-	*	*	*	*	*	0.1	0.1	0.3	0.7	0.4	0.1	*	1.8
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.4	0.1	*	*	0.9
	4	-	-	-	-	*	*	*	*	*	0.1	0.4	0.2	0.1	*	0.9
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL		-	-	-	-	*	*	*	0.1	0.2	0.4	1.0	0.5	0.1	*	2.3
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	*	*	0.1	0.2	0.1	*	*	0.5

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL ALL		-	*	*	*	*	0.2	0.9	3.2	9.2	21.4	40.9	18.3	4.9	1.0	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.9
Bark - Level 2	*
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	0.4
Seed Coat - Level 2	*
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	*
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.77
Percent Tenderable	82.0
SAMPLES CLASSED	7,598,890

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.1	0.2	0.6	1.2	0.2	0.1	*	2.5
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.6	0.2	0.1	*	1.3
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.9	1.8	0.5	0.2	*	3.8
31	1 - 2	-	-	-	-	-	*	0.1	0.4	1.3	2.6	4.6	1.3	0.3	*	10.5
	3	-	-	-	-	*	*	0.1	0.8	3.0	6.7	14.3	5.5	1.1	0.3	31.6
	4	-	-	-	-	-	-	*	0.1	0.5	1.4	3.3	2.0	0.5	0.1	8.0
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.3	4.8	10.7	22.4	8.9	2.0	0.4	50.7
41	1 - 2	-	-	-	-	-	*	*	0.2	0.5	0.7	0.8	0.1	*	*	2.4
	3	-	-	-	-	-	*	0.1	0.8	2.8	5.9	8.5	2.1	0.4	0.1	20.6
	4	-	-	-	-	-	*	0.1	0.4	1.5	4.0	7.0	2.7	0.6	0.1	16.2
	5	-	-	-	-	-	*	*	*	0.3	0.8	1.0	0.6	0.2	*	3.0
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.2	1.4	5.1	11.4	17.4	5.6	1.3	0.2	42.5
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.2	0.2	0.3	*	*	*	0.8
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	0.2
32	1 - 2	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	0.7
42	1 - 2	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	4	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.5	0.2	0.1	*	1.2
52	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	*	*

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.4	2.9	10.6	23.7	42.8	15.4	3.5	0.7	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.1
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.69
Percent Tenderable	89.4
SAMPLES CLASSED	359,167

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.2	0.4	3.7	17.0	7.9	0.6	*	29.9
	3	-	-	-	-	-	-	-	0.1	0.2	0.5	3.1	3.9	0.9	*	8.7
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.3	*	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.3	0.7	4.2	20.2	12.1	1.8	*	39.3
31	1 - 2	-	-	-	-	-	-	*	0.3	1.7	3.1	4.5	1.7	0.1	*	11.4
	3	-	-	-	-	-	-	*	0.1	0.7	1.0	4.2	2.7	0.3	*	8.9
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.5	0.7	0.4	*	2.0
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	0.2	*	0.3
	6	-	-	-	-	-	-	-	-	*	-	-	-	0.1	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.4	2.6	4.4	9.1	5.1	1.1	*	22.7
41	1 - 2	-	-	-	-	-	-	-	*	0.2	1.1	1.5	0.3	*	-	3.1
	3	-	-	-	-	-	-	-	0.1	0.4	1.2	4.3	2.1	0.3	*	8.4
	4	-	-	-	-	-	-	-	*	0.1	0.3	1.8	1.4	0.4	0.1	4.0
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	*	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.1	0.7	2.7	7.7	4.1	0.7	0.1	16.1
51	1 - 2	-	-	-	-	-	-	-	-	*	*	0.1	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	0.1	0.3	0.3	*	*	-	0.7
	4	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	0.2
	5	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	0.1	0.4	0.6	0.2	*	-	1.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	0.3	2.5	5.7	1.7	0.4	*	10.6
	3	-	-	-	-	-	-	-	0.1	0.1	0.7	1.9	0.9	0.4	*	4.1
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.1	0.4	3.2	7.7	2.8	0.9	0.1	15.2
32	1 - 2	-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	-	0.4
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.6	0.2	*	*	1.2
	4	-	-	-	-	-	-	-	*	0.1	*	0.1	0.3	0.2	*	0.8
	5	-	-	-	-	-	-	-	*	*	*	*	*	0.1	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	-	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.2	0.2	1.1	0.7	0.3	*	2.6
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	0.1	0.2	*	*	-	0.3
	4	-	-	-	-	-	-	-	-	-	*	0.4	0.1	*	-	0.5
	5	-	-	-	-	-	-	-	-	*	*	0.2	0.1	*	-	0.4
	6	-	-	-	-	-	-	-	-	*	-	0.1	0.1	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.9	0.3	*	-	1.4
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	0.1	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	0.1	0.1	-	-	0.2

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	0.1	0.3	0.2	-	-	0.6
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	0.1	-	0.2
	4	-	-	-	-	-	-	-	-	-	*	-	*	0.1	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.4	0.3	0.1	-	0.9
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	*	-	-	-	-	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	-	-	-	0.1	0.1	0.1	*	-	0.2
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	*	-	-	*	*	-	*	-	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.1	1.0	4.6	15.5	47.8	25.7	5.1	0.2	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.2
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	0.1
Plastic - Level 2	-

Average Staple	37.09
Percent Tenderable	89.6
SAMPLES CLASSED	43,915

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.3
31	1 - 2	-	-	-	-	-	*	*	*	*	0.2	0.6	0.2	*	*	1.1
	3	-	-	-	-	*	*	*	*	0.1	1.1	5.2	2.7	0.3	*	9.5
	4	-	-	-	-	*	*	*	*	*	0.3	1.4	1.4	0.3	*	3.5
	5	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.2	1.7	7.2	4.3	0.6	0.1	14.2
41	1 - 2	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	0.6
	3	-	-	-	-	-	*	*	0.1	0.8	4.5	15.0	5.1	0.5	*	26.0
	4	-	-	-	-	-	*	*	0.1	0.6	4.4	18.5	10.6	1.9	0.1	36.2
	5	-	-	-	-	-	*	*	*	0.2	1.0	3.6	2.7	0.9	0.1	8.5
	6	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	0.7
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.7	10.3	37.7	18.5	3.4	0.3	72.1
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.2	0.5	0.9	0.2	*	*	1.8
	4	-	-	-	-	-	-	*	*	0.1	0.6	2.2	1.0	0.1	*	4.0
	5	-	-	-	-	-	*	*	*	0.1	0.3	1.0	0.6	0.1	*	2.1
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.4	1.5	4.3	1.9	0.3	*	8.5
61	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	0.2	0.6	0.2	*	*	1.1
	4	-	-	-	-	-	*	*	*	*	0.2	0.8	0.5	0.1	*	1.6
	5	-	-	-	-	-	-	*	*	*	*	0.2	0.3	0.1	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.4	1.7	0.9	0.3	*	3.4
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.6	0.3	0.1	*	1.2

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.1	0.2	2.5	14.2	51.8	26.1	4.7	0.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	1.3
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.16
Percent Tenderable	69.7
SAMPLES CLASSED	1,040,037

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.5	5.7	11.1	5.5	3.4	0.1	26.4
	3	-	-	-	-	-	-	-	*	*	1.0	4.0	6.5	5.8	0.2	17.5
	4	-	-	-	-	-	-	-	-	-	0.1	0.2	0.7	0.2	*	1.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.6	6.8	15.3	12.7	9.4	0.3	45.0
31	1 - 2	-	-	-	-	-	-	-	-	0.4	3.2	5.1	1.9	0.5	*	11.1
	3	-	-	-	-	-	-	-	-	*	1.2	5.1	3.7	3.0	1.2	14.3
	4	-	-	-	-	-	-	-	-	-	0.1	2.6	2.7	2.2	0.7	8.3
	5	-	-	-	-	-	-	-	-	-	*	0.5	0.8	0.6	*	1.9
	6	-	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	0.4	4.4	13.4	9.2	6.4	1.9	35.7
41	1 - 2	-	-	-	-	-	-	-	-	*	0.4	1.6	*	-	-	2.1
	3	-	-	-	-	-	-	-	-	*	0.1	1.2	0.7	0.3	0.1	2.4
	4	-	-	-	-	-	-	-	-	-	-	0.1	1.3	1.8	0.3	3.5
	5	-	-	-	-	-	-	-	-	-	*	0.1	1.5	2.1	0.2	3.8
	6	-	-	-	-	-	-	-	-	-	-	*	0.5	0.3	*	0.9
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.5	3.1	4.0	4.5	0.7	12.7
51	1 - 2	-	-	-	-	-	-	-	-	-	0.1	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	0.1	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	0.1	*	*	0.1	*	0.3
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	0.2	*	-	0.3
	3	-	-	-	-	-	-	-	-	-	*	*	0.3	0.2	0.1	0.6
	4	-	-	-	-	-	-	-	-	-	*	*	-	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.1	0.5	0.3	0.1	1.0
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	0.2	*	*	0.3
	3	-	-	-	-	-	-	-	-	-	*	0.2	0.4	0.1	*	0.7
	4	-	-	-	-	-	-	-	-	-	*	0.6	0.5	0.1	*	1.2
	5	-	-	-	-	-	-	-	-	-	*	0.2	0.6	0.1	-	1.0
	6	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.9	1.8	0.4	*	3.3
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	0.2
	4	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	-	-	0.2	0.4	0.1	-	0.7
	6	-	-	-	-	-	-	-	-	-	-	*	0.2	0.1	-	0.4
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	0.4	0.9	0.3	*	1.7
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	*	1.0	12.1	33.2	29.3	21.3	3.0	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	1.3
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.67
Percent Tenderable	86.1
SAMPLES CLASSED	30,988

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	*	0.5	1.1	0.8	*	-	-	2.4
	3	-	-	-	-	-	-	-	-	*	0.2	0.3	*	*	*	0.5
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.5	1.3	1.1	*	*	*	2.9
31	1 - 2	-	-	-	-	-	-	-	*	0.2	0.9	2.2	0.5	*	-	4.0
	3	-	-	-	-	-	-	*	0.1	0.9	4.0	5.9	1.7	0.4	0.1	13.3
	4	-	-	-	-	-	-	*	*	0.3	0.9	1.1	0.3	0.1	*	2.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	1.4	5.8	9.2	2.6	0.6	0.1	20.0
41	1 - 2	-	-	-	-	-	-	*	0.2	0.4	1.1	1.4	0.2	*	*	3.4
	3	-	-	-	-	-	-	0.1	0.8	4.1	12.1	14.2	3.7	1.3	0.2	36.5
	4	-	-	-	-	*	-	0.1	0.6	3.4	9.3	9.6	3.1	0.9	0.3	27.1
	5	-	-	-	-	-	-	*	0.2	0.4	1.3	1.1	0.5	0.2	*	3.7
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	0.2	1.8	8.3	23.7	26.4	7.5	2.4	0.5	70.8
51	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	*	0.1	0.6	0.4	0.1	*	-	1.4
	4	-	-	-	-	-	-	*	*	0.1	0.5	0.7	0.4	0.1	*	1.9
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	-	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.2	1.2	1.4	0.8	0.2	*	3.9
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	*	0.2	0.2	*	-	-	0.3
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.2	0.3	*	-	-	0.5
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.3	0.3	0.4	*	-	-	1.1
	4	-	-	-	-	-	-	-	*	*	0.2	0.3	*	-	-	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.4	0.6	0.7	*	-	-	1.7
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	-	0.2	2.1	10.9	32.9	39.1	10.9	3.2	0.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.4
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.2
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.57
Percent Tenderable	89.4
SAMPLES CLASSED	53,649

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	*	1.0
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	1.4
31	1 - 2	-	-	-	-	*	*	0.1	0.5	1.7	2.7	2.6	0.6	0.1	*	8.2
	3	-	-	-	*	*	*	0.1	0.8	3.1	6.0	6.9	2.3	0.5	0.1	19.8
	4	-	-	-	-	-	*	*	0.1	0.2	0.7	1.0	0.5	0.2	*	2.7
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	0.2	1.3	5.1	9.3	10.5	3.4	0.8	0.1	30.7
41	1 - 2	-	-	-	*	*	*	0.1	0.4	1.3	2.1	1.7	0.3	*	*	6.0
	3	-	-	-	*	*	*	0.3	1.7	6.0	12.7	12.4	2.8	0.6	0.1	36.5
	4	-	-	-	-	*	*	0.1	0.5	1.8	4.8	6.6	2.3	0.7	0.1	17.0
	5	-	-	-	-	*	*	*	*	0.1	0.4	0.7	0.4	0.2	*	1.9
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	0.4	2.6	9.2	20.1	21.5	5.8	1.4	0.2	61.4
51	1 - 2	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.2	0.5	0.7	0.3	*	*	*	1.8
	4	-	-	-	*	*	*	*	0.1	0.4	0.7	0.4	0.1	*	*	1.7
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	*	*	*	0.1	0.3	1.0	1.5	0.9	0.2	*	*	4.1
61	1 - 2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.3	0.1	*	*	0.9
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	0.3	0.4	0.5	0.2	*	*	1.7
52	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	*	*	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	-	*	*	-	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	*	*	0.1	0.8	4.6	16.0	32.0	34.0	9.8	2.3	0.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.5
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.34
Percent Tenderable	86.2
SAMPLES CLASSED	830,596

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	0.3	1.3	1.8	2.3	2.9	2.6	1.6	-	12.8
	3	-	-	-	-	-	-	*	0.3	0.8	1.0	1.7	2.0	0.5	*	6.2
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.3	1.5	2.6	3.4	4.8	4.9	2.1	*	19.7
31	1 - 2	-	-	-	-	-	-	-	-	-	0.1	0.4	0.7	0.4	*	1.6
	3	-	-	-	-	-	-	-	*	*	1.1	3.6	4.2	1.1	0.6	10.7
	4	-	-	-	-	-	*	-	*	*	0.7	2.3	3.8	0.8	0.2	7.8
	5	-	-	-	-	-	-	-	-	*	*	0.3	0.8	0.2	*	1.3
	6	-	-	-	-	-	-	-	-	-	-	*	0.1	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	-	*	0.1	1.9	6.6	9.6	2.6	0.8	21.5
41	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	0.1	0.6	0.3	0.1	0.2	1.3
	4	-	-	-	-	-	-	*	*	0.1	0.3	1.1	1.6	0.4	0.1	3.6
	5	-	-	-	-	-	-	-	*	0.2	0.3	1.1	1.7	0.7	*	4.0
	6	-	-	-	-	-	-	-	*	0.1	0.2	0.4	0.7	0.3	*	1.6
	7	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.2
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
TOTAL		-	-	-	-	-	-	*	0.1	0.4	0.9	3.3	4.4	1.6	0.3	10.9
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	0.1	*	-	0.1
	8	-	-	-	-	-	-	-	-	-	-	*	0.1	*	-	0.1
TOTAL		-	-	-	-	-	-	-	-	-	-	0.1	0.2	*	-	0.3
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	0.2	0.8	1.4	0.8	0.2	0.3	-	3.6
	3	-	-	-	-	-	-	*	0.1	0.7	1.2	1.2	0.8	0.3	*	4.2
	4	-	-	-	-	-	-	-	-	0.2	0.3	0.5	0.6	-	-	1.7
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	*	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	1.7	3.0	2.5	1.7	0.5	*	9.7
32	1 - 2	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.7	1.0	0.5	0.3	2.7
	4	-	-	-	-	-	-	-	*	*	0.1	0.8	2.6	1.5	0.6	5.6
	5	-	-	-	-	-	-	-	-	-	-	0.3	1.4	0.6	0.1	2.4
	6	-	-	-	-	-	-	-	-	*	-	0.1	0.4	0.2	-	0.7
	7	-	-	-	-	-	-	-	-	-	-	*	0.1	*	-	0.1
	8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL		-	-	-	-	-	-	-	*	0.1	0.3	2.0	5.5	2.8	1.0	11.6
42	1 - 2	-	-	-	-	-	-	-	-	-	*	0.1	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	0.1	0.9	0.3	0.3	0.1	1.6
	4	-	-	-	-	-	-	-	-	*	0.2	1.7	2.6	1.0	0.1	5.6
	5	-	-	-	-	-	-	-	-	*	0.1	1.9	3.6	1.9	0.2	7.7
	6	-	-	-	-	-	-	*	-	*	*	0.8	2.3	1.7	0.2	5.0
	7	-	-	-	-	-	-	-	*	-	-	0.2	0.8	0.4	0.1	1.5
	8	-	-	-	-	-	-	-	-	-	*	*	0.2	0.1	*	0.3
TOTAL		-	-	-	-	-	-	*	*	*	0.5	5.6	9.7	5.4	0.6	21.9
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	-	-	0.1	0.3	0.2	0.1	0.7
	8	-	-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	0.5
TOTAL		-	-	-	-	-	-	-	-	-	*	0.3	0.7	0.4	0.1	1.5

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	0.1	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	-	0.4
33	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	0.1	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	0.2	0.1	0.1	-	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	-	0.9
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.1	-	0.4
	6	-	-	-	-	-	-	-	-	-	-	0.1	0.4	0.2	*	0.7
	7	-	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	0.2
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
TOTAL		-	-	-	-	-	-	-	-	-	-	0.3	0.8	0.4	*	1.4
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	0.1	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	-	*	0.1	-	-	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.3	1.9	5.0	10.1	25.8	37.8	16.2	2.9	100.0

EXTRANEOUS MATTER	
Bark - Level 1	17.4
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	-
Plastic - Level 2	-

Average Staple	37.52
Percent Tenderable	48.5
SAMPLES CLASSED	20,590

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.1	0.6	1.2	1.1	1.3	0.2	*	4.5
	3	-	-	-	-	-	-	-	*	0.2	0.6	0.9	0.7	0.2	*	2.6
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.8	1.8	2.0	1.9	0.4	0.1	7.1
31	1 - 2	-	-	-	-	-	-	*	0.2	1.3	2.3	3.2	1.5	0.5	0.1	9.1
	3	-	-	-	-	-	-	*	0.4	3.8	9.7	16.1	5.7	1.5	0.2	37.4
	4	-	-	-	-	-	-	*	0.1	1.4	3.5	4.8	1.9	0.8	*	12.5
	5	-	-	-	-	-	-	-	-	*	0.2	0.2	0.2	0.1	*	0.8
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.7	6.5	15.8	24.3	9.3	2.9	0.3	59.8
41	1 - 2	-	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	-	0.5
	3	-	-	-	-	-	-	*	0.2	1.0	2.5	5.0	0.9	0.3	*	9.9
	4	-	-	-	-	-	-	*	0.1	1.4	4.7	7.0	1.9	0.6	*	15.8
	5	-	-	-	-	-	-	*	*	0.2	1.4	1.6	0.8	0.3	0.1	4.5
	6	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.4	2.7	8.8	13.9	3.7	1.3	0.1	31.0
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	0.1	0.3	*	*	*	0.4
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.2	0.6	*	*	*	0.8
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	0.1	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	*	*	-	-	0.1
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	0.5
42	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	-	0.4
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.4	0.1	*	*	0.7
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	0.1	1.2	10.2	26.9	41.4	15.2	4.6	0.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.4
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.75
Percent Tenderable	71.9
SAMPLES CLASSED	206,998

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.1	0.3	0.5	0.7	0.3	0.2	0.1	2.1
	3	-	-	-	-	-	*	*	*	0.1	0.4	0.7	0.4	0.2	0.1	1.9
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.4	0.9	1.4	0.7	0.4	0.2	4.1
31	1 - 2	-	-	-	-	-	*	*	0.1	0.5	1.0	1.2	0.4	0.1	*	3.5
	3	-	-	-	-	*	*	0.1	0.4	2.3	5.2	7.6	3.4	1.1	0.3	20.5
	4	-	-	-	-	-	*	*	0.1	0.5	1.8	3.5	1.9	0.7	0.2	8.7
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.7	3.4	8.1	12.5	6.0	2.0	0.6	33.3
41	1 - 2	-	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	0.9
	3	-	-	-	-	*	*	*	0.6	3.0	6.2	6.3	1.6	0.3	0.1	18.1
	4	-	-	-	-	-	*	*	0.4	2.9	7.5	9.9	3.5	1.4	0.4	25.9
	5	-	-	-	-	-	*	*	*	0.5	1.8	2.7	1.4	0.7	0.3	7.4
	6	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	0.6
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	1.1	6.6	15.8	19.4	6.8	2.4	0.7	52.9
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.3	0.4	0.3	*	*	*	1.1
	4	-	-	-	-	-	*	*	0.1	0.6	1.1	1.1	0.3	0.1	*	3.3
	5	-	-	-	-	-	-	*	*	0.2	0.6	0.5	0.2	0.1	*	1.5
	6	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.1	2.2	2.0	0.5	0.2	*	6.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	0.6
	4	-	-	-	-	-	-	*	*	*	0.2	0.4	0.4	0.1	*	1.2
	5	-	-	-	-	-	-	*	*	*	*	0.2	0.2	0.1	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.4	0.9	0.7	0.2	*	2.4
52	1 - 2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	0.7

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.2	2.2	11.6	27.7	36.6	14.9	5.3	1.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.72
Percent Tenderable	63.6
SAMPLES CLASSED	665,769

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
31	1 - 2	-	-	-	-	-	-	*	*	0.1	0.2	0.7	0.3	*	*	1.3
	3	-	-	-	-	-	-	*	*	0.1	0.7	4.5	3.2	0.3	*	8.9
	4	-	-	-	-	-	-	-	*	*	0.1	0.7	0.9	0.2	*	1.8
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	1.0	5.9	4.4	0.5	*	12.1
41	1 - 2	-	-	-	-	-	-	*	*	0.2	0.4	1.1	0.4	*	*	2.1
	3	-	-	-	-	-	*	*	0.1	0.7	4.2	20.7	11.2	1.0	0.1	37.9
	4	-	-	-	-	-	-	*	*	0.2	2.1	12.9	12.1	1.8	0.1	29.3
	5	-	-	-	-	-	-	-	*	*	0.2	1.1	1.6	0.6	0.1	3.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	1.1	7.0	35.7	25.3	3.6	0.3	73.1
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	0.3	1.4	0.8	0.1	*	2.6
	4	-	-	-	-	-	-	-	*	0.1	0.4	2.2	1.8	0.3	*	4.7
	5	-	-	-	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	1.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.8	4.0	3.1	0.6	*	8.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	*	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.3	0.9	0.3	*	*	1.7
	4	-	-	-	-	-	-	*	*	*	0.1	0.8	0.6	0.2	*	1.7
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	0.4
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.2	0.5	1.8	1.1	0.3	*	4.1
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.1	*	*	0.6
	4	-	-	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	0.9
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.8	0.5	0.2	*	1.9

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	*	0.2	1.7	9.6	48.4	34.5	5.1	0.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.32
Percent Tenderable	84.6
SAMPLES CLASSED	472,670

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

EXTRANEOUS MATTER	
Bark - Level 1	-
Bark - Level 2	-
Grass - Level 1	-
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	-
Plastic - Level 2	-

Average Staple	-
Percent Tenderable	-
SAMPLES CLASSED	-

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	-	0.5
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.1	0.2	0.3	0.1	*	*	0.7
31	1 - 2	-	-	-	-	-	-	*	0.1	0.5	2.2	3.2	0.5	*	*	6.6
	3	-	-	-	-	-	-	*	0.1	1.0	4.5	11.9	2.8	0.4	*	20.9
	4	-	-	-	-	-	-	*	*	0.2	0.7	3.2	1.2	0.2	*	5.6
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	1.8	7.5	18.5	4.6	0.7	0.1	33.3
41	1 - 2	-	-	-	-	-	-	*	0.1	0.5	1.3	1.3	0.1	*	*	3.4
	3	-	-	-	-	-	-	*	0.4	2.5	7.9	15.1	3.1	0.5	*	29.5
	4	-	-	-	-	-	-	*	0.2	1.4	4.4	11.8	4.8	1.0	0.1	23.7
	5	-	-	-	-	-	-	*	*	0.2	0.6	1.7	1.3	0.4	*	4.2
	6	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	0.1	0.7	4.6	14.3	30.0	9.5	1.9	0.2	61.2
51	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	0.1	0.4	0.7	0.2	0.1	*	1.6
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	0.9
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.3	0.9	1.4	0.6	0.2	*	3.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	-	-	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	0.3
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.1	0.1	*	0.8
52	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	0.1	1.1	6.9	23.0	50.8	15.0	2.9	0.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.1
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.81
Percent Tenderable	89.5
SAMPLES CLASSED	390,186

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	*	0.3	1.6	4.8	7.0	14.5	12.1	9.4	3.9	53.6
	3	-	-	-	-	-	-	*	0.1	0.3	0.8	1.7	1.7	2.4	2.2	9.2
	4	-	-	-	-	-	-	-	-	*	0.1	*	0.1	*	0.1	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.3	1.7	5.1	7.9	16.3	13.8	11.8	6.1	63.1
31	1 - 2	-	-	-	-	-	-	*	0.1	0.3	0.7	1.6	1.3	1.9	1.2	7.1
	3	-	-	-	-	*	*	*	0.1	0.4	0.9	2.5	1.8	4.4	6.0	16.1
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.3	0.7	1.7	3.6
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	0.2
	6	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	0.9	1.9	4.7	3.3	7.0	8.9	26.9
41	1 - 2	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	-	*	*	0.1	0.5	0.1	0.3	0.1	1.1
	4	-	-	-	-	-	-	*	*	*	*	0.2	0.2	0.2	0.4	1.0
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2	0.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.9	0.3	0.6	0.6	2.8
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	*	-	*	*	-	*	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	*	0.1	0.3	0.6	0.8	0.5	0.1	*	*	2.4
	3	-	-	-	-	-	-	*	0.2	0.2	0.3	0.3	0.1	0.1	*	1.3
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.5	0.9	1.2	0.8	0.3	0.1	*	3.8
32	1 - 2	-	-	-	-	-	-	*	*	0.1	*	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	*	0.1	0.1	0.2	0.4	0.2	0.2	0.1	1.2
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	0.6
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.2	0.4	0.7	0.3	0.2	0.1	2.1
42	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.4
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	*	-	-	*

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.5
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL ALL		-	-	-	-	*	*	0.5	2.5	7.3	11.9	23.8	18.2	19.8	15.8	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.1
Bark - Level 2	*
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	*
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.72
Percent Tenderable	94.9
SAMPLES CLASSED	159,320

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	0.2
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.2	*	*	-	0.3
31	1 - 2	-	-	-	-	-	-	*	0.1	0.3	1.0	0.6	0.1	*	-	2.1
	3	-	-	-	-	-	-	*	0.2	1.2	3.9	4.3	0.7	0.2	*	10.6
	4	-	-	-	-	-	-	*	*	0.1	0.6	1.0	0.4	0.1	*	2.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.3	1.7	5.6	6.0	1.3	0.3	*	15.2
41	1 - 2	-	-	-	-	-	-	*	0.1	0.4	1.3	0.8	0.1	*	-	2.6
	3	-	-	-	-	-	-	*	0.5	3.2	13.4	15.6	2.5	0.6	*	35.9
	4	-	-	-	-	-	-	*	0.1	1.4	8.9	15.7	5.0	1.5	0.2	32.7
	5	-	-	-	-	-	-	-	*	0.1	0.7	1.9	1.4	0.5	0.1	4.8
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.7	5.1	24.3	34.0	9.0	2.6	0.3	76.1
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.6	0.8	0.5	0.1	*	*	2.1
	4	-	-	-	-	-	-	*	*	0.3	1.0	1.6	0.5	*	*	3.3
	5	-	-	-	-	-	-	-	*	*	0.2	0.5	0.3	*	*	1.1
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.9	2.0	2.7	0.9	0.1	*	6.7
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1 - 2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	0.2	0.1	*	*	-	0.4
	4	-	-	-	-	-	-	-	*	*	0.2	0.4	0.1	*	*	0.7
	5	-	-	-	-	-	-	-	*	-	*	0.1	*	-	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.5	0.6	0.1	*	*	1.2
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	0.2

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	0.1	1.1	7.8	32.6	43.6	11.4	3.1	0.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	2.8
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	1.0
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.67
Percent Tenderable	82.8
SAMPLES CLASSED	105,607

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	0.4
	3	-	-	-	-	-	*	-	*	*	*	0.1	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	0.5
31	1 - 2	-	-	-	-	-	-	*	0.6	1.1	2.6	2.3	0.4	*	*	7.0
	3	-	-	-	-	-	*	*	0.1	0.8	3.7	7.3	1.9	0.1	*	14.0
	4	-	-	-	-	-	*	*	*	0.1	0.4	1.7	0.8	0.1	*	3.1
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.8	1.9	6.7	11.3	3.2	0.3	*	24.2
41	1 - 2	-	-	-	-	-	-	*	0.4	1.5	3.3	2.5	0.3	*	-	7.9
	3	-	-	-	-	-	*	*	0.6	3.2	11.5	17.1	3.6	0.4	*	36.5
	4	-	-	-	-	-	*	*	0.1	0.6	3.0	7.1	2.8	0.4	*	13.8
	5	-	-	-	-	-	-	*	*	*	0.3	0.7	0.4	0.1	*	1.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	1.1	5.2	18.1	27.4	7.0	0.8	*	59.7
51	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.2
	3	-	-	-	-	-	-	*	*	0.3	0.9	0.8	0.2	*	*	2.3
	4	-	-	-	-	-	-	*	*	0.3	0.8	0.8	0.2	*	*	2.3
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.8	2.0	1.9	0.5	*	*	5.3
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	*	-	0.6
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	0.9
42	1 - 2	-	-	-	-	-	*	*	0.2	0.2	0.3	0.2	*	*	-	0.9
	3	-	-	-	-	-	-	*	0.3	0.9	2.0	1.8	0.1	*	*	5.2
	4	-	-	-	-	-	-	*	*	0.1	0.5	0.7	0.2	*	*	1.6
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.5	1.2	2.9	2.8	0.4	0.1	*	7.8
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	0.7
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.2	0.5	0.4	0.1	*	*	1.3

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.1	2.7	9.5	30.8	44.3	11.3	1.3	0.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.56
Percent Tenderable	82.0
SAMPLES CLASSED	324,876

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	*	*	*	0.2	0.9	3.1	6.1	9.4	12.6	4.7	1.2	0.3	38.6
	3	-	-	-	*	*	*	0.2	0.4	1.0	2.3	5.5	3.3	1.0	0.2	13.9
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.2	*	1.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	0.2	1.1	3.6	7.2	11.9	18.5	8.3	2.4	0.5	53.6
31	1 - 2	-	-	*	*	*	*	*	0.1	0.3	0.8	1.4	0.4	0.1	*	3.3
	3	-	-	-	*	*	*	*	0.1	0.4	1.8	6.1	3.2	0.8	0.1	12.7
	4	-	-	-	-	*	*	*	*	0.1	0.6	2.0	1.7	0.8	0.1	5.4
	5	-	-	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL		-	-	*	*	*	*	0.1	0.3	0.9	3.3	9.8	5.6	1.8	0.3	22.1
41	1 - 2	-	-	-	-	-	*	*	*	*	0.1	0.2	*	*	*	0.3
	3	-	-	-	-	-	*	*	*	0.1	0.5	1.3	0.5	0.1	*	2.7
	4	-	-	-	-	-	*	*	*	*	0.3	1.2	0.8	0.2	*	2.7
	5	-	-	-	-	-	*	*	*	*	0.1	0.3	0.2	0.1	*	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.2	1.0	3.1	1.6	0.5	*	6.4
51	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	*	*	*	*	0.1	0.4	0.9	1.3	1.6	1.6	0.4	0.1	*	6.3
	3	-	-	-	*	*	*	0.1	0.3	0.5	0.6	1.1	0.7	0.2	*	3.6
	4	-	-	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	*	0.2	0.6	1.3	1.8	2.3	2.9	1.3	0.3	*	10.7
32	1 - 2	-	-	-	*	*	*	*	*	0.1	0.1	0.2	*	*	*	0.4
	3	-	-	-	*	*	*	*	0.1	0.1	0.3	0.8	0.3	0.1	*	1.7
	4	-	-	*	*	*	*	*	*	0.1	0.2	0.5	0.4	0.2	*	1.4
	5	-	-	-	*	-	*	*	*	*	*	0.1	0.1	0.1	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	*	*	*	*	0.1	0.1	0.3	0.6	1.6	0.9	0.3	*	3.9
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	4	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	0.6
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.3	0.7	0.4	0.1	*	1.6
52	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
33	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
43	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	TOTAL	-	-	-	-	*	-	*	*	*	*	0.1	*	*	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL ALL		-	*	*	*	0.1	0.4	1.9	5.4	10.8	19.6	37.1	18.2	5.5	0.9	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.8
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	*
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	*
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.65
Percent Tenderable	86.8
SAMPLES CLASSED	2,801,241

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.2
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	0.4
31	1 - 2	-	-	-	-	-	-	*	0.1	0.6	2.3	4.1	0.6	0.1	*	7.9
	3	-	-	-	-	-	-	*	0.2	1.7	7.8	20.6	4.4	0.7	*	35.3
	4	-	-	-	-	-	-	-	*	0.2	1.1	4.7	1.5	0.3	*	7.8
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	2.6	11.2	29.5	6.6	1.1	*	51.3
41	1 - 2	-	-	-	-	-	-	-	*	0.2	0.5	0.9	0.1	*	-	1.8
	3	-	-	-	-	-	-	*	0.2	1.4	6.5	14.1	2.3	0.3	*	24.8
	4	-	-	-	-	-	-	*	0.1	1.1	3.5	10.8	2.5	0.5	*	18.4
	5	-	-	-	-	-	-	*	*	0.3	0.4	1.1	0.8	0.2	*	2.7
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.3	3.0	10.9	26.9	5.8	1.0	*	47.9
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
32	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
42	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	0.6	5.6	22.2	56.8	12.5	2.2	0.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.1
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.8
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.82
Percent Tenderable	97.3
SAMPLES CLASSED	92,216

* Less than 0.05 percent.

Table 20. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2025 Crop

State	Extraneous Matter									
	Bark		Grass		Oil		Prep		Seed Coat	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	343	-	141	-	1	-	-	-	391	-
Arizona	74	-	24	-	-	-	-	-	30	-
Arkansas	297	-	634	-	-	-	2	-	13,498	-
California	4	-	408	-	-	-	-	-	-	-
Florida	235	-	29	-	-	-	-	-	92	-
Georgia	4,500	-	556	-	-	-	1	-	2,179	-
Kansas	3,582	-	12	-	-	-	-	-	57	-
Louisiana	89	-	50	-	-	-	-	-	823	-
Mississippi	73	-	217	-	3	-	2	-	2,268	-
Missouri	56	-	4	-	-	-	1	-	1,326	-
New Mexico	-	-	-	-	-	-	-	-	-	-
North Carolina	4,151	-	237	-	1	-	6	-	1,330	-
Oklahoma	1,764	1	83	-	-	-	-	1	28	-
South Carolina	2,954	-	96	-	-	-	2	-	1,034	-
Tennessee	9	-	21	-	-	-	-	-	9	-
Texas	49,032	-	6,604	4	40	-	82	-	7,769	1
Virginia	991	-	24	-	-	-	1	-	747	-
<i>United States</i>	<i>68,154</i>	<i>1</i>	<i>9,140</i>	<i>4</i>	<i>45</i>	<i>-</i>	<i>97</i>	<i>1</i>	<i>31,581</i>	<i>1</i>

State	Extraneous Matter							
	Other		Plastic		Spindle Twist		Total	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	-	-	35	-	-	-	911	-
Arizona	-	-	22	-	-	-	150	-
Arkansas	3	-	138	-	-	-	14,572	-
California	-	-	1	-	-	-	413	-
Florida	-	-	2	-	-	-	358	-
Georgia	4	-	111	-	-	-	7,351	-
Kansas	-	-	-	-	-	-	3,651	-
Louisiana	3	-	29	-	-	-	994	-
Mississippi	1	-	156	-	-	-	2,720	-
Missouri	1	-	60	-	-	-	1,448	-
New Mexico	-	-	-	-	-	-	-	-
North Carolina	1	-	98	-	-	-	5,824	-
Oklahoma	3	-	30	-	-	-	1,908	2
South Carolina	-	-	24	-	-	-	4,110	-
Tennessee	-	-	35	-	-	-	74	-
Texas	128	-	1,179	-	-	1	64,834	6
Virginia	-	-	9	-	-	-	1,772	-
<i>United States</i>	<i>144</i>	<i>-</i>	<i>1,929</i>	<i>-</i>	<i>-</i>	<i>1</i>	<i>111,090</i>	<i>8</i>

Table 21. -- Tenderability of upland cotton classed, by states, 2025 Crop

State	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	321,258	89.4	37,909	10.6
Arizona	39,326	89.6	4,589	10.4
Arkansas	725,357	69.7	314,680	30.3
California	26,694	86.1	4,294	13.9
Florida	47,987	89.4	5,662	10.6
Georgia	715,625	86.2	114,971	13.8
Kansas	9,994	48.5	10,596	51.5
Louisiana	148,879	71.9	58,119	28.1
Mississippi	423,103	63.6	242,666	36.4
Missouri	400,086	84.6	72,584	15.4
New Mexico	-	-	-	-
North Carolina	349,337	89.5	40,849	10.5
Oklahoma	151,210	94.9	8,110	5.1
South Carolina	87,454	82.8	18,153	17.2
Tennessee	266,449	82.0	58,427	18.0
Texas	2,430,247	86.8	370,994	13.2
Virginia	89,717	97.3	2,499	2.7
<i>United States</i>	<i>6,233,778</i>	<i>82.0</i>	<i>1,365,112</i>	<i>18.0</i>

Table 22. -- Tenderability of upland cotton classed, in the United States, for the past 20 crops.

Year	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7
2016	11,625,861	72.0	4,531,519	28.0
2017	13,613,792	69.1	6,080,090	30.9
2018	11,353,252	66.7	5,671,478	33.3
2019	14,763,958	78.8	3,964,880	21.2
2020	10,205,244	74.8	3,441,658	25.2
2021	13,876,313	82.7	2,896,284	17.3
2022	11,219,992	82.3	2,419,707	17.7
2023	9,067,507	79.3	2,370,793	20.7
2024	10,946,682	80.6	2,636,185	19.4

Table 23. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2025 Crop

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
11 & 21	1 - 2	12.8	53.6	50.0	49.5	14.4	0.1	1.6	1.1	0.5	0.2	0.2	0.4
	3	6.2	9.2	8.2	8.5	14.3	0.2	1.3	0.9	0.2	0.1	0.2	0.2
	4	0.7	0.3	0.3	0.3	1.4	*	*	*	*	*	*	*
	5	-	*	*	*	*	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		19.7	63.1	58.5	58.3	30.1	0.4	2.9	2.0	0.7	0.3	0.4	0.6
31	1 - 2	1.6	7.1	2.1	4.3	5.0	1.0	3.3	2.5	6.6	2.1	7.9	6.0
	3	10.7	16.1	2.4	9.1	22.2	12.8	19.0	16.9	20.9	10.6	35.3	21.3
	4	7.8	3.6	0.5	2.4	9.3	6.8	8.8	8.1	5.6	2.4	7.8	5.3
	5	1.3	0.2	*	0.2	1.0	0.3	0.6	0.5	0.3	0.1	0.3	0.2
	6	0.1	*	-	*	*	*	*	*	*	-	*	*
	7	*	-	-	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		21.5	26.9	5.0	15.9	37.5	20.9	31.7	28.0	33.3	15.2	51.3	32.9
41	1 - 2	*	0.2	*	0.1	0.6	0.3	0.9	0.7	3.4	2.6	1.8	3.0
	3	1.3	1.1	0.1	0.6	5.1	20.9	18.2	19.1	29.5	35.9	24.8	29.9
	4	3.6	1.0	*	0.7	4.9	41.0	26.6	31.6	23.7	32.7	18.4	24.5
	5	4.0	0.4	*	0.4	1.3	9.5	7.8	8.3	4.2	4.8	2.7	4.1
	6	1.6	*	*	0.1	0.1	0.6	0.6	0.6	0.3	0.1	0.1	0.3
	7	0.2	*	-	*	*	*	*	*	*	-	*	*
	8	*	-	-	*	-	-	-	-	-	-	-	-
TOTAL		10.9	2.8	0.2	2.0	12.1	72.2	54.0	60.3	61.2	76.1	47.9	61.8
51	1 - 2	-	-	-	-	*	*	*	*	0.1	0.1	-	0.1
	3	-	*	*	*	0.2	1.3	1.2	1.3	0.7	2.1	*	0.8
	4	-	-	-	-	0.4	2.1	3.9	3.2	1.6	3.3	0.1	1.7
	5	*	*	-	*	0.1	0.7	1.8	1.4	0.9	1.1	*	0.8
	6	*	*	-	*	*	0.1	0.3	0.2	0.2	0.1	*	0.2
	7	0.1	-	-	*	*	*	*	*	*	*	*	*
	8	0.1	*	-	*	-	-	-	-	-	-	-	-
TOTAL		0.3	*	*	*	0.8	4.2	7.2	6.2	3.5	6.7	0.2	3.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	*
12 & 22	1 - 2	3.6	2.4	23.8	12.9	4.2	-	*	*	*	-	-	*
	3	4.2	1.3	5.7	3.6	3.9	-	*	*	*	-	*	*
	4	1.7	0.1	0.4	0.4	1.0	-	*	*	*	-	-	*
	5	0.2	*	*	*	0.1	-	-	-	-	-	-	-
	6	-	-	*	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		9.7	3.8	30.0	16.9	9.1	-	*	*	*	-	*	*
32	1 - 2	0.1	0.2	0.9	0.5	0.6	*	*	*	*	*	*	*
	3	2.7	1.2	1.5	1.4	2.7	*	0.2	0.1	0.2	*	*	0.1
	4	5.6	0.6	0.5	0.8	2.4	0.1	0.2	0.1	0.1	0.1	0.1	0.1
	5	2.4	0.1	0.1	0.2	0.6	*	*	*	*	*	*	*
	6	0.7	*	*	*	*	-	*	*	-	-	-	-
	7	0.1	-	*	*	*	-	-	-	-	-	-	-
	8	*	-	-	*	-	-	-	-	-	-	-	-
TOTAL		11.6	2.1	3.0	3.1	6.4	0.1	0.4	0.3	0.3	0.1	0.1	0.3
42	1 - 2	0.1	*	*	*	0.1	*	*	*	*	*	*	*
	3	1.6	0.1	*	0.2	0.9	0.3	0.7	0.5	0.3	0.4	*	0.3
	4	5.6	0.1	*	0.4	1.1	1.1	1.4	1.3	0.4	0.7	0.1	0.4
	5	7.7	0.1	*	0.5	0.6	0.5	0.6	0.5	0.1	0.1	*	0.1
	6	5.0	*	*	0.3	0.1	*	0.1	0.1	*	*	*	*
	7	1.5	*	*	0.1	*	-	*	*	*	-	-	*
	8	0.3	-	-	*	-	-	-	-	-	-	-	-
TOTAL		21.9	0.4	0.1	1.5	2.8	1.9	2.8	2.5	0.8	1.2	0.1	0.8

Table 23. --- Continued.

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
52	1 - 2	-	-	-	-	*	-	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	*
	4	*	*	*	*	0.1	0.1	0.3	0.2	*	0.1	-	*
	5	*	-	-	*	0.1	0.1	0.3	0.2	*	*	*	*
	6	0.3	*	-	*	*	*	0.2	0.1	*	*	-	*
	7	0.7	*	-	*	*	-	*	*	*	-	-	*
	8	0.5	-	-	*	-	-	-	-	-	-	-	-
TOTAL		1.5	*	*	0.1	0.2	0.2	0.9	0.6	0.1	0.2	*	0.1
62	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	-	*	*	*	-	-	*
	6	-	-	-	-	*	-	*	*	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	-	*	-	*	*	-	-	-	-	-	-	-
TOTAL		-	*	-	*	*	*	*	*	*	-	-	*
13 & 23	1 - 2	*	0.1	1.3	0.7	0.1	-	-	-	-	-	-	-
	3	0.1	0.1	0.7	0.4	0.1	-	-	-	-	-	-	-
	4	0.2	*	0.1	0.1	*	-	-	-	*	-	-	*
	5	0.1	-	*	*	*	-	-	-	-	-	-	-
	6	-	-	*	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.4	0.1	2.1	1.1	0.3	-	-	-	*	-	-	*
33	1 - 2	*	*	0.1	0.1	*	-	*	*	*	-	-	*
	3	0.1	0.2	0.5	0.3	0.1	-	*	*	*	*	*	*
	4	0.2	0.1	0.2	0.2	0.1	-	*	*	*	*	*	*
	5	0.4	*	*	0.1	*	-	-	-	*	*	*	*
	6	0.1	*	*	*	*	-	-	-	-	-	-	-
	7	*	*	-	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.9	0.5	0.8	0.7	0.3	-	*	*	*	*	*	*
43	1 - 2	-	*	*	*	*	-	-	-	*	*	-	*
	3	*	*	*	*	0.1	*	*	*	*	*	-	*
	4	0.1	*	*	*	0.1	*	*	*	*	*	-	*
	5	0.4	0.1	*	0.1	0.1	*	*	*	*	*	-	*
	6	0.7	*	*	0.1	*	*	*	*	*	-	*	*
	7	0.2	*	-	*	*	-	-	-	-	-	-	-
	8	0.1	-	-	*	-	-	-	-	-	-	-	-
TOTAL		1.4	0.2	*	0.2	0.3	*	*	*	*	0.1	*	*
53	1 - 2	-	-	-	-	*	-	*	*	-	*	-	-
	3	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	*	-	*	*	*	*	*	*	*	-	*
	5	*	*	-	*	*	*	*	*	*	*	-	*
	6	*	*	-	*	*	*	*	*	*	-	-	*
	7	*	-	-	*	*	-	*	*	-	*	-	*
	8	*	-	-	*	-	-	-	-	-	-	-	-
TOTAL		0.1	*	*	*	*	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	*	-	-	*	-	-	-	-	-	-	-	-
TOTAL		*	-	-	*	*	-	*	*	-	-	-	-
24 - 54	1 - 8	0.1	0.2	0.1	0.2	*	-	-	-	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	*	*	*	-	-	-	-	-	-	-
Staple													
28 & Shorter		-	-	*	*	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	*	*	-	-	-	-	-	-	-	-
31		-	*	0.4	0.2	*	-	*	*	-	-	-	-
32		*	*	1.5	0.9	*	*	*	*	-	-	-	-
33		0.4	0.5	6.1	3.3	0.1	*	0.2	0.2	0.1	0.1	*	0.1
34		1.9	2.5	13.3	7.8	0.7	0.3	2.1	1.5	1.1	1.1	0.6	1.0
35		5.0	7.3	21.8	14.3	3.7	3.9	11.5	8.9	6.9	7.8	5.6	6.9
36		10.1	11.9	24.1	17.8	15.6	23.7	28.1	26.6	23.0	32.6	22.2	24.6
37		25.8	23.8	20.7	22.4	46.3	52.6	36.8	42.3	50.8	43.6	56.8	50.4
38		37.8	18.2	8.1	14.4	25.4	16.1	15.1	15.4	15.0	11.4	12.5	14.0
39		16.2	19.8	2.9	11.4	7.5	3.0	4.8	4.2	2.9	3.1	2.2	2.8
40 & Longer		2.9	15.8	1.1	7.9	0.6	0.4	1.3	1.0	0.3	0.3	0.1	0.3
Average Staple		37.52	37.72	35.75	36.75	37.17	36.91	36.70	36.77	36.81	36.67	36.82	36.79
Average Length		1.17	1.18	1.11	1.15	1.16	1.15	1.14	1.15	1.15	1.14	1.15	1.15

* Less than 0.05 percent.

Table 24. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2025 Crop

		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
11 & 21	1 - 2	72.0	66.7	4.0	2.4	1.0	1.6	0.7	0.1	4.9	*	0.4	0.5
	3	6.3	15.8	1.6	0.5	0.4	0.6	0.9	0.1	5.0	*	0.1	0.5
	4	0.4	1.0	*	*	*	*	0.1	*	0.1	*	*	*
	5	*	*	-	-	*	*	-	-	*	-	-	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	*	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		78.7	83.5	5.6	2.9	1.4	2.2	1.6	0.2	9.9	*	0.5	1.0
31	1 - 2	0.4	1.5	14.1	4.0	8.2	9.1	6.0	1.1	4.2	1.3	7.0	2.8
	3	0.6	2.9	27.5	13.3	19.8	20.9	36.8	8.2	25.7	8.9	14.0	13.0
	4	0.3	1.4	4.1	2.7	2.7	3.0	12.8	2.3	9.0	1.8	3.1	3.7
	5	*	0.3	0.1	0.1	0.1	0.1	1.1	0.1	0.5	*	0.1	0.2
	6	*	*	*	-	*	*	*	*	*	*	*	*
	7	*	*	-	-	-	-	*	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		1.3	6.1	45.9	20.0	30.7	33.0	56.8	11.7	39.4	12.1	24.2	19.7
41	1 - 2	*	*	3.7	3.4	6.0	5.4	0.6	0.8	0.6	2.1	7.9	2.3
	3	*	*	24.5	36.5	36.5	34.3	15.7	27.9	14.4	37.9	36.5	30.1
	4	*	*	15.0	27.1	17.0	17.1	17.8	34.5	23.6	29.3	13.8	27.3
	5	*	*	1.9	3.7	1.9	2.0	4.4	8.2	6.9	3.6	1.5	5.4
	6	*	*	0.1	0.1	0.1	0.1	0.4	0.8	0.8	0.1	0.1	0.4
	7	*	*	*	-	*	*	*	*	*	*	*	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		*	0.1	45.3	70.8	61.4	58.9	39.0	72.1	46.4	73.1	59.7	65.6
51	1 - 2	-	*	0.1	0.1	0.1	0.1	*	*	*	*	0.2	0.1
	3	-	*	0.5	1.4	1.8	1.5	*	1.9	0.8	2.6	2.3	1.9
	4	-	*	0.4	1.9	1.7	1.4	0.1	4.7	1.5	4.7	2.3	3.7
	5	-	*	0.2	0.6	0.4	0.4	0.1	2.6	0.6	1.2	0.5	1.5
	6	-	-	*	*	*	*	*	0.6	0.1	0.1	*	0.3
	7	-	-	*	*	*	*	*	0.1	*	*	*	*
	8	-	-	*	-	*	*	-	-	-	-	-	-
TOTAL		-	*	1.3	3.9	4.1	3.5	0.2	10.0	3.1	8.6	5.3	7.5
61	1 - 2	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	-	*	-	*	*	*
	4	-	-	*	*	*	*	-	*	*	*	*	*
	5	-	-	*	*	*	*	-	*	-	*	*	*
	6	-	-	-	-	*	*	-	*	-	*	*	*
	7	-	-	-	-	*	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	*	-	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	-	-	*
12 & 22	1 - 2	13.9	5.2	0.2	*	*	0.1	*	*	*	-	*	*
	3	3.3	3.0	*	*	*	*	*	*	*	*	*	*
	4	0.3	0.3	*	-	*	*	*	*	-	-	*	*
	5	*	*	-	-	-	-	-	*	-	-	-	*
	6	*	*	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		17.5	8.6	0.3	*	*	0.1	0.1	*	*	*	*	*
32	1 - 2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	*	*	*	0.2	0.1
	3	0.4	0.4	0.4	0.3	0.3	0.3	0.5	0.2	*	0.1	0.6	0.3
	4	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	*	*	0.1	0.1
	5	*	0.1	*	-	*	*	*	*	*	*	*	*
	6	*	*	-	-	*	*	*	*	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		0.8	0.8	0.7	0.5	0.5	0.5	0.7	0.3	*	0.2	0.9	0.4
42	1 - 2	*	*	*	0.1	0.1	0.1	*	*	*	0.1	0.9	0.2
	3	*	*	0.4	1.1	0.9	0.8	0.8	1.3	0.5	1.7	5.2	2.0
	4	*	*	0.3	0.5	0.6	0.5	0.7	1.8	0.5	1.7	1.6	1.6
	5	-	0.1	0.2	*	0.1	0.1	0.1	0.7	0.1	0.4	0.1	0.4
	6	*	*	*	*	*	*	*	0.1	*	0.1	*	0.1
	7	-	*	*	*	*	*	*	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		*	0.1	1.0	1.7	1.7	1.5	1.6	4.0	1.1	4.1	7.8	4.3

* Less than 0.05 percent.

Table 24. -- Continued.

		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
52	1 - 2	-	-	*	-	*	*	*	*	-	*	0.1	*
	3	-	-	*	*	0.1	*	*	0.3	*	0.6	0.7	0.4
	4	-	*	*	*	0.1	0.1	*	0.8	0.1	0.9	0.5	0.6
	5	-	*	*	*	0.1	*	*	0.4	*	0.3	0.1	0.3
	6	-	*	*	*	*	*	*	0.1	*	*	*	*
	7	-	*	-	*	*	*	*	*	*	*	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	0.1	0.2	0.2	*	1.6	0.1	1.9	1.3	1.4
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	-	*	-	*	*	*
	4	-	-	-	-	*	*	-	*	*	*	*	*
	5	-	-	-	*	*	*	-	*	-	*	*	*
	6	-	-	-	-	*	*	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	*	-	*	*	*	*	*
13 & 23	1 - 2	0.7	0.2	-	-	-	-	-	-	-	-	-	-
	3	0.4	0.2	-	-	-	-	-	-	-	-	-	-
	4	*	0.1	-	-	-	-	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		1.2	0.5	-	-	-	-	-	-	-	-	-	-
33	1 - 2	0.1	*	*	-	*	*	-	-	-	-	*	*
	3	0.2	0.1	*	-	*	*	*	*	*	-	*	*
	4	0.1	0.1	-	-	*	*	*	*	*	*	*	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	*	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.4	0.2	*	-	*	*	*	*	*	*	*	*
43	1 - 2	-	*	-	-	*	*	-	*	-	-	*	*
	3	*	*	*	*	*	*	*	*	-	*	*	*
	4	-	*	*	-	*	*	*	*	*	*	*	*
	5	-	*	*	-	*	*	*	*	-	*	*	*
	6	-	*	-	-	*	*	*	*	-	*	*	*
	7	-	*	-	-	-	-	*	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		*	0.1	*	*	*	*	*	0.1	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	*	-	*	-	*	*	*
	4	-	-	-	-	*	*	-	*	-	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	*	*	-	-	*	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	0.2	*	-	-	*	*	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	-	-	-	-	-	-	-	-	-	-	-
Staple													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-	-	-
30		*	*	-	-	*	*	-	-	-	-	-	-
31		0.1	0.1	*	*	*	*	*	*	-	-	-	*
32		1.9	0.6	*	-	0.1	0.1	*	*	*	*	*	*
33		7.2	2.8	0.6	0.2	0.8	0.7	0.2	0.1	0.2	*	0.1	0.1
34		19.0	8.6	3.5	2.1	4.6	4.3	2.0	0.2	2.1	0.2	2.7	0.9
35		24.4	16.8	11.1	10.9	16.0	14.8	10.0	2.1	8.3	1.7	9.5	4.4
36		21.1	24.3	25.1	32.9	32.0	30.8	22.1	10.7	22.6	9.6	30.8	15.7
37		18.8	29.8	44.6	39.1	34.0	36.2	40.4	51.5	39.4	48.4	44.3	47.7
38		6.1	11.8	12.2	11.0	9.8	10.3	19.4	29.7	16.5	34.5	11.3	25.9
39		1.2	3.9	2.6	3.2	2.3	2.4	4.7	5.3	8.0	5.1	1.3	4.7
40 & Longer		0.1	1.3	0.2	0.6	0.3	0.3	1.3	0.4	2.8	0.4	0.1	0.6
Average Staple		35.42	36.26	36.57	36.57	36.34	36.39	36.84	37.26	36.95	37.32	36.56	37.09
Average Length		1.10	1.13	1.14	1.14	1.13	1.13	1.15	1.16	1.15	1.17	1.14	1.16

* Less than 0.05 percent.

Table 25. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2025 Crop

Color	Leaf	Rayville					Visalia					United States
		Arkansas	Louisiana	Mississippi 1/	Texas 1/	Classing Office Total	Arizona	California	New Mexico 1/	Texas	Classing Office Total	
11 & 21	1 - 2	-	4.5	-	-	4.0	29.9	26.4	-	14.5	28.3	16.3
	3	-	2.6	-	-	2.7	8.7	17.5	-	19.3	12.5	5.8
	4	-	*	-	-	0.2	0.7	1.1	-	0.6	0.8	0.4
	5	-	-	-	-	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	7.1	-	-	6.8	39.3	45.0	-	34.4	41.7	22.6
31	1 - 2	-	9.1	-	-	8.2	11.4	11.1	-	6.4	11.0	4.4
	3	-	37.4	-	-	34.4	8.9	14.3	-	40.6	12.0	15.8
	4	-	12.5	-	-	12.0	2.0	8.3	-	14.9	4.9	5.1
	5	-	0.8	-	-	0.9	0.3	1.9	-	2.2	1.0	0.4
	6	-	*	-	-	*	0.1	0.2	-	*	0.1	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	59.8	-	-	55.5	22.7	35.7	-	64.1	29.0	25.8
41	1 - 2	-	0.5	-	-	0.7	3.1	2.1	-	-	2.6	1.8
	3	-	9.9	-	-	11.6	8.4	2.4	-	-	5.7	17.9
	4	-	15.8	-	-	16.0	4.0	3.5	-	-	3.7	15.8
	5	-	4.5	-	-	4.2	0.6	3.8	-	-	1.9	3.2
	6	-	0.3	-	-	0.4	*	0.9	-	-	0.4	0.3
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	31.0	-	-	32.9	16.1	12.7	-	-	14.2	39.1
51	1 - 2	-	*	-	-	*	0.1	0.1	-	-	0.1	*
	3	-	*	-	-	*	0.7	0.1	-	-	0.5	0.9
	4	-	0.4	-	-	0.3	0.2	0.1	-	-	0.2	1.7
	5	-	0.3	-	-	0.3	0.2	*	-	-	0.1	0.7
	6	-	0.1	-	-	*	0.1	*	-	-	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.8	-	-	0.7	1.4	0.3	-	-	0.9	3.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	-	*	-	-	-	-	-	*
	4	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	-	-	*	-	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	0.1	-	-	0.1	10.6	0.3	-	1.0	6.1	2.5
	3	-	*	-	-	0.1	4.1	0.6	-	0.1	2.6	1.4
	4	-	-	-	-	0.1	0.4	0.1	-	-	0.3	0.3
	5	-	*	-	-	*	*	-	-	-	*	*
	6	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	0.1	-	-	0.3	15.2	1.0	-	1.1	9.0	4.2
32	1 - 2	-	0.1	-	-	0.1	0.4	0.3	-	0.2	0.4	0.2
	3	-	0.3	-	-	0.4	1.2	0.7	-	0.2	1.0	0.8
	4	-	0.2	-	-	0.7	0.8	1.2	-	-	0.9	0.6
	5	-	*	-	-	0.4	0.2	1.0	-	-	0.5	0.2
	6	-	*	-	-	0.1	0.1	0.1	-	-	0.1	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.5	-	-	1.6	2.6	3.3	-	0.4	2.9	1.8
42	1 - 2	-	*	-	-	*	*	*	-	-	*	0.1
	3	-	0.2	-	-	0.3	0.3	0.2	-	-	0.2	0.9
	4	-	0.4	-	-	1.0	0.5	0.3	-	-	0.4	0.9
	5	-	0.1	-	-	0.5	0.4	0.7	-	-	0.5	0.3
	6	-	*	-	-	0.2	0.1	0.4	-	-	0.2	0.1
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.7	-	-	2.1	1.4	1.7	-	-	1.4	2.3

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 25. -- Continued.

		Rayville					Visalia					
Color	Leaf	Arkansas	Louisiana	Mississippi 1/	Texas 1/	Classing Office Total	Arizona	California	New Mexico 1/	Texas	Classing Office Total	United States
52	1 - 2	-	-	-	-	-	-	*	-	-	*	*
	3	-	*	-	-	*	*	*	-	-	*	0.1
	4	-	*	-	-	0.1	0.1	*	-	-	*	0.2
	5	-	*	-	-	0.1	0.1	-	-	-	0.1	0.1
	6	-	*	-	-	*	0.1	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	-	0.1	0.2	0.1	-	-	0.2	0.5
62	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	0.6	-	-	-	0.4	0.1
	3	-	-	-	-	-	0.2	*	-	-	0.1	0.1
	4	-	-	-	-	-	0.1	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	0.9	*	-	-	0.5	0.2
33	1 - 2	-	-	-	-	-	*	*	-	-	*	*
	3	-	*	-	-	*	0.1	*	-	-	0.1	0.1
	4	-	*	-	-	*	0.1	*	-	-	0.1	*
	5	-	*	-	-	*	*	*	-	-	*	*
	6	-	-	-	-	*	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	-	-	*	0.2	*	-	-	0.1	0.1
43	1 - 2	-	*	-	-	*	-	-	-	-	-	*
	3	-	*	-	-	*	*	*	-	-	*	*
	4	-	*	-	-	*	*	*	-	-	*	*
	5	-	*	-	-	*	*	*	-	-	*	*
	6	-	-	-	-	*	*	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	-	*	0.1	*	-	-	0.1	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	*	*
	4	-	-	-	-	-	-	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	*	-	*	-	-	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	*	-	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	*
Staple												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	*
29		-	-	-	-	-	-	-	-	-	-	*
30		-	-	-	-	-	-	-	-	-	-	*
31		-	-	-	-	-	*	-	-	-	*	*
32		-	-	-	-	*	*	-	-	-	*	0.2
33		-	0.1	-	-	0.2	0.1	0.2	-	-	0.1	0.9
34		-	1.2	-	-	1.7	1.0	*	-	-	0.8	3.2
35		-	10.2	-	-	11.9	4.6	1.0	-	7.2	3.4	9.2
36		-	26.9	-	-	28.5	15.5	12.1	-	5.3	14.0	21.4
37		-	41.4	-	-	39.9	47.8	33.2	-	0.2	40.7	40.9
38		-	15.2	-	-	13.6	25.7	29.3	-	10.4	27.4	18.3
39		-	4.6	-	-	3.9	5.1	21.3	-	2.8	11.7	4.9
40 & Longer		-	0.5	-	-	0.4	0.2	3.1	-	88.0	3.7	1.0
Average Staple		-	36.75	-	-	36.64	37.09	37.67	-	42.95	37.47	36.77
Average Length		-	1.15	-	-	1.14	1.16	1.18	-	1.37	1.17	1.15

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 26. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2025 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Extraneous Matter												
Bark - Level 1	17.4	1.1	1.2	2.1	0.5	0.1	*	*	1.1	2.8	1.1	1.4
Bark - Level 2	-	*	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	0.1	0.1	0.3	0.3	*	0.1	0.1	0.1	*	0.1
Grass - Level 2	-	-	-	-	*	-	-	-	-	-	-	-
Oil - Level 1	-	-	*	*	*	-	*	*	*	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	*	*	*	*	*	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	*	*	0.1	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	*	*	*	*	*	*	*	*
Prep - Level 2	-	*	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.4	*	0.1	0.1	*	4.4	0.4	1.8	0.3	1.0	0.8	0.5
Seed Coat - Level 2	-	-	*	*	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	-	-	*	*	*	-	-	-	-	-	-	-
23	-	*	*	*	*	-	-	-	-	-	-	-
24	-	*	0.2	0.1	*	*	*	*	-	-	-	-
25	*	0.1	0.4	0.3	*	*	*	*	-	-	-	-
26	*	0.2	1.7	1.0	0.2	0.1	*	0.1	0.2	0.1	0.7	0.3
27	0.1	1.1	6.0	3.5	1.2	0.7	0.5	0.5	1.6	1.0	4.5	1.9
28	0.5	4.3	14.9	9.3	5.3	4.7	3.7	4.1	8.4	7.7	16.9	9.6
29	2.0	9.9	21.2	14.9	15.0	17.9	15.1	16.1	26.0	31.4	32.3	28.0
30	8.2	14.2	19.6	16.5	21.9	34.2	26.4	29.1	33.7	35.0	28.6	33.2
31	23.4	14.8	14.3	15.1	17.6	26.0	27.1	26.7	19.4	16.3	12.2	17.7
32	29.3	14.6	9.5	12.9	12.2	11.6	17.5	15.4	7.6	6.1	3.7	6.7
33	23.1	15.4	5.6	11.1	11.4	3.9	6.9	5.8	2.3	1.8	0.9	2.0
34	10.1	13.4	3.5	8.3	9.7	0.8	2.4	1.8	0.5	0.3	0.2	0.5
35	2.6	8.1	1.7	4.7	4.0	0.2	0.4	0.3	0.1	*	*	0.1
36	0.5	2.8	0.8	1.7	1.1	*	*	*	*	*	*	*
37	0.1	1.1	0.4	0.7	0.2	-	-	-	-	-	-	-
38	*	0.3	0.3	0.2	*	-	-	-	-	-	-	-
39	0.2	*	0.1	*	*	-	-	-	-	-	-	-
40 & Above	-	*	*	*	-	-	-	-	-	-	-	-
Average	32.51	32.33	30.49	31.44	31.58	30.81	31.15	31.03	30.41	30.30	29.87	30.30
MIKE												
2.4 & Below	0.1	-	*	*	-	-	-	-	-	-	-	-
2.5	0.3	*	*	*	*	-	-	-	-	-	-	-
2.6	0.3	*	0.1	0.1	*	-	-	-	-	-	-	-
2.7	0.5	*	*	0.1	*	-	-	-	-	-	-	-
2.8	1.3	*	0.1	0.1	*	-	-	-	-	-	-	-
2.9	1.6	*	0.2	0.2	*	-	-	-	*	-	-	*
3.0	2.1	0.1	0.2	0.3	0.1	-	-	-	*	*	*	*
3.1	2.3	0.1	0.4	0.4	0.1	-	-	-	*	*	*	*
3.2	2.7	0.3	0.8	0.7	0.3	*	*	*	0.1	*	*	*
3.3	2.6	0.4	0.9	0.8	0.5	-	*	*	0.2	0.1	*	0.1
3.4	3.0	0.7	1.3	1.1	0.9	*	*	*	0.2	0.2	0.1	0.2
3.5	4.2	1.0	2.0	1.7	1.2	*	*	*	0.4	0.2	0.3	0.3
3.6	5.4	1.8	2.9	2.6	1.8	*	0.1	0.1	0.7	0.3	0.8	0.6
3.7	5.2	3.3	4.0	3.8	2.6	*	0.1	0.1	1.3	0.8	2.1	1.3
3.8	5.2	5.3	5.1	5.2	4.3	*	0.2	0.1	2.1	1.2	3.0	2.1
3.9	6.3	7.4	7.4	7.3	6.7	0.1	0.3	0.2	3.0	2.2	5.8	3.3
4.0	7.3	8.9	9.3	9.0	9.1	0.2	0.4	0.3	4.0	3.4	7.4	4.4
4.1	9.9	10.1	10.6	10.3	11.1	0.3	0.7	0.6	5.9	4.6	9.5	6.2
4.2	8.3	10.0	12.6	11.2	12.7	0.5	1.3	1.0	8.4	7.1	13.2	8.9
4.3	9.3	10.6	11.8	11.1	12.8	0.8	2.2	1.7	11.1	8.5	15.9	11.4
4.4	6.8	9.7	10.9	10.1	11.2	1.4	3.5	2.8	12.0	10.1	15.7	12.2
4.5	4.5	9.4	7.7	8.3	8.8	2.2	4.9	4.0	11.6	11.0	11.6	11.5
4.6	3.0	8.6	4.9	6.5	6.1	4.1	7.8	6.5	10.5	11.0	8.2	10.2
4.7	3.4	6.3	2.8	4.4	3.8	7.4	10.9	9.7	9.2	10.9	4.2	8.7
4.8	2.6	3.8	1.7	2.7	2.4	12.3	14.3	13.6	7.0	9.4	1.5	6.5
4.9	1.2	1.5	1.2	1.3	1.3	16.6	16.1	16.3	5.2	7.2	0.5	4.8
5.0	0.8	0.5	0.7	0.6	0.8	19.0	15.2	16.5	3.6	5.2	0.2	3.4
5.1	*	0.2	0.3	0.3	0.4	15.8	11.1	12.8	2.0	3.4	0.1	2.0
5.2	*	*	0.1	0.1	0.3	10.8	6.4	7.9	1.0	1.8	*	1.0
5.3	-	*	*	*	0.2	5.6	2.9	3.8	0.4	0.9	*	0.5
5.4	-	-	-	-	0.1	2.1	1.2	1.5	0.2	0.4	*	0.2
5.5 & Above	-	*	-	*	0.2	0.9	0.4	0.6	*	0.1	*	*
Average	3.96	4.24	4.16	4.18	4.23	4.95	4.84	4.88	4.45	4.54	4.28	4.44

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2025 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
Extraneous Matter												
Bark - Level 1	1.5	3.5	0.2	0.4	0.5	0.5	*	*	*	*	*	*
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.6	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	*	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	-	-	*	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	-	*	*	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	*	0.2	0.2	0.3	0.2	*	0.2	0.1	0.3	*	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	*	-	-	-	-	*	-	-	*	-	*
23	0.1	*	-	-	*	*	-	*	-	*	-	*
24	0.2	0.1	*	-	*	*	*	*	*	*	*	*
25	1.0	0.2	*	-	*	*	*	*	*	*	*	*
26	2.4	0.6	*	*	0.2	0.2	*	*	0.1	*	*	*
27	6.6	2.1	0.6	0.2	1.4	1.2	0.5	0.1	0.7	*	0.3	0.2
28	12.1	5.7	4.6	2.3	7.1	6.4	4.9	0.9	4.2	0.5	3.4	1.8
29	18.0	12.4	15.5	11.8	18.7	17.8	23.9	8.9	16.7	6.7	20.7	12.2
30	21.5	18.4	26.4	25.4	26.5	26.4	35.2	34.4	32.8	33.7	38.7	35.0
31	18.5	20.0	26.4	28.3	22.2	23.3	21.1	37.1	26.2	38.0	25.0	33.1
32	11.8	16.4	15.1	18.2	13.2	13.8	9.2	14.3	11.8	14.7	8.5	12.8
33	4.8	11.4	7.4	8.1	6.4	6.7	3.6	3.4	5.1	5.1	2.5	3.8
34	2.0	7.1	3.0	4.6	2.8	3.0	1.1	0.8	1.8	1.1	0.7	0.9
35	0.7	3.4	0.9	1.0	1.1	1.1	0.3	0.1	0.4	0.1	0.1	0.1
36	0.3	1.4	0.1	0.1	0.4	0.3	0.1	*	0.1	*	*	*
37	0.1	0.5	*	*	0.1	0.1	*	*	*	*	*	*
38	*	0.2	-	-	*	*	*	*	*	*	-	*
39	-	*	-	-	*	*	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.37	31.57	31.14	31.41	30.95	31.01	30.67	31.14	30.93	31.25	30.69	31.03
MIKE												
2.4 & Below	-	*	-	-	-	-	-	-	-	-	-	-
2.5	*	*	*	-	-	*	-	-	-	-	-	-
2.6	0.1	*	-	-	*	*	-	-	-	-	-	-
2.7	0.1	0.1	*	-	*	*	-	-	-	-	-	-
2.8	0.2	0.2	*	-	*	*	-	-	-	-	-	-
2.9	0.4	0.3	*	-	*	*	-	-	-	-	-	-
3.0	0.6	0.4	*	-	*	*	-	-	-	-	-	-
3.1	0.6	0.8	*	*	*	*	*	-	-	-	-	*
3.2	0.6	1.3	*	0.1	*	*	*	-	-	-	-	*
3.3	0.9	1.9	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*
3.4	1.5	2.5	0.3	0.1	0.2	0.2	0.4	*	0.1	*	0.1	0.1
3.5	2.1	3.2	0.4	0.7	0.3	0.4	0.7	*	0.1	*	0.2	0.1
3.6	3.1	4.0	0.7	0.8	0.7	0.7	1.1	0.1	0.2	0.1	0.3	0.2
3.7	3.8	4.7	1.5	1.2	1.1	1.2	1.7	0.1	0.3	0.1	0.7	0.4
3.8	4.3	5.6	1.9	1.1	1.7	1.7	3.3	0.1	0.7	0.3	1.0	0.6
3.9	5.3	6.2	2.8	1.6	2.7	2.7	4.5	0.3	1.2	0.5	1.5	1.0
4.0	6.1	6.6	4.4	2.6	4.2	4.1	5.7	0.6	2.3	1.2	2.2	1.6
4.1	7.8	7.1	6.7	3.6	6.2	6.2	7.3	1.1	3.7	1.9	3.6	2.4
4.2	8.8	7.9	9.3	5.5	8.0	8.1	9.4	1.9	5.0	3.4	5.0	3.7
4.3	10.0	8.6	10.9	8.5	9.1	9.4	9.9	3.5	6.6	5.7	6.7	5.4
4.4	10.2	8.8	10.5	11.7	9.9	10.1	10.2	6.1	8.3	8.8	9.6	7.9
4.5	9.7	8.3	10.6	13.6	10.2	10.5	10.5	9.5	9.9	12.5	12.1	10.8
4.6	8.4	7.3	9.5	10.9	9.9	9.9	9.8	14.2	12.3	15.7	13.8	14.0
4.7	6.7	5.7	7.9	12.9	9.6	9.4	8.2	17.4	12.9	16.4	13.7	15.4
4.8	4.7	3.8	6.8	9.8	8.3	8.1	6.5	17.4	11.1	14.0	11.9	14.2
4.9	2.3	2.2	5.1	7.1	6.6	6.4	5.2	13.6	9.2	9.5	8.2	10.6
5.0	1.1	1.1	3.7	4.7	4.9	4.7	3.1	8.4	6.8	5.7	5.5	6.6
5.1	0.4	0.7	2.7	2.5	3.2	3.1	1.6	3.7	4.7	2.6	2.7	3.1
5.2	0.2	0.4	1.9	0.8	1.8	1.8	0.6	1.4	2.6	0.9	1.0	1.2
5.3	0.1	0.2	1.3	0.2	0.9	0.9	0.2	0.5	1.3	0.4	0.3	0.4
5.4	*	0.1	0.6	0.3	0.3	0.4	*	0.1	0.4	0.2	*	0.1
5.5 & Above	-	0.1	0.4	0.1	0.1	0.2	*	*	0.3	0.1	*	*
Average	4.23	4.17	4.47	4.53	4.50	4.50	4.39	4.70	4.62	4.63	4.57	4.63

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2025 Crop

	Rayville					Visalia					
	Arkansas 2/	Louisiana	Mississippi 2/	Texas 2/	Classing Office Total	Arizona	California	New Mexico 2/	Texas 2/	Classing Office Total	United States
Extraneous Matter											
Bark - Level 1	-	*	-	-	0.7	0.2	*	-	-	0.1	0.9
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	*
Grass - Level 1	-	*	-	-	0.1	0.1	1.5	-	-	0.7	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	-	*	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	-	*	0.1	*	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	-	-	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	*
Seed Coat - Level 1	-	0.4	-	-	3.6	0.1	-	-	-	0.1	0.4
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	*
Strength 1/											
22 & Below	-	-	-	-	-	-	-	-	-	-	*
23	-	-	-	-	-	-	-	-	-	-	*
24	-	-	-	-	-	*	-	-	-	*	*
25	-	*	-	-	*	0.1	-	-	-	0.1	0.1
26	-	*	-	-	0.2	0.6	*	-	-	0.4	0.3
27	-	0.5	-	-	1.8	2.3	0.1	-	-	1.7	1.3
28	-	4.5	-	-	6.2	8.2	2.5	-	-	5.8	5.2
29	-	19.3	-	-	18.1	17.1	8.1	-	*	13.5	15.7
30	-	33.7	-	-	31.0	24.0	12.6	-	1.1	18.9	26.9
31	-	21.0	-	-	19.9	21.2	13.1	-	6.3	17.5	23.4
32	-	11.7	-	-	12.6	12.0	6.3	-	6.1	9.5	13.0
33	-	4.6	-	-	5.7	8.1	4.9	-	16.2	7.0	7.2
34	-	2.7	-	-	2.9	5.3	14.5	-	35.9	9.7	4.3
35	-	1.7	-	-	1.7	1.1	21.4	-	26.1	9.9	1.8
36	-	0.2	-	-	0.2	*	13.0	-	6.2	5.4	0.6
37	-	*	-	-	*	*	3.9	-	1.4	1.7	0.2
38	-	*	-	-	*	-	0.2	-	0.4	0.2	0.1
39	-	-	-	-	-	-	0.1	-	0.3	0.1	*
40 & Above	-	-	-	-	-	-	0.1	-	-	0.1	*
Average	-	30.93	-	-	30.91	30.97	33.42	-	34.41	32.02	31.16
MIKE											
2.4 & Below	-	-	-	-	-	-	-	-	-	-	*
2.5	-	-	-	-	-	-	-	-	-	-	*
2.6	-	-	-	-	-	-	-	-	-	-	*
2.7	-	*	-	-	*	-	0.5	-	-	0.5	*
2.8	-	-	-	-	*	-	-	-	0.2	0.2	0.1
2.9	-	*	-	-	*	-	0.2	-	2.9	0.6	0.1
3.0	-	*	-	-	*	-	0.3	-	4.1	0.9	0.2
3.1	-	*	-	-	*	*	0.4	-	3.2	0.2	0.2
3.2	-	*	-	-	*	-	0.4	-	10.2	1.4	0.4
3.3	-	*	-	-	0.1	*	0.1	-	6.7	0.3	0.5
3.4	-	0.1	-	-	0.1	*	0.6	-	6.3	0.4	0.7
3.5	-	0.1	-	-	0.1	0.1	1.4	-	5.8	0.8	0.9
3.6	-	0.1	-	-	0.2	0.4	2.4	-	9.3	1.4	1.3
3.7	-	0.2	-	-	0.4	1.1	3.3	-	20.4	2.5	1.8
3.8	-	0.4	-	-	0.6	1.1	6.4	-	11.2	3.6	2.5
3.9	-	0.6	-	-	1.1	1.2	7.1	-	6.6	4.0	3.5
4.0	-	1.3	-	-	1.9	2.7	5.8	-	1.3	4.1	4.6
4.1	-	2.3	-	-	3.6	5.2	5.6	-	0.2	5.4	5.9
4.2	-	3.4	-	-	4.5	8.3	6.3	-	21.7	7.5	7.2
4.3	-	4.9	-	-	5.4	8.4	7.0	-	2.8	7.9	8.2
4.4	-	6.3	-	-	6.4	11.2	7.6	-	-	9.7	8.9
4.5	-	8.2	-	-	8.2	14.7	7.9	-	-	11.8	9.2
4.6	-	9.6	-	-	9.4	13.6	8.7	-	-	11.5	9.3
4.7	-	11.3	-	-	10.8	9.4	10.5	-	-	9.7	9.0
4.8	-	12.7	-	-	11.9	9.9	7.6	-	-	8.9	8.2
4.9	-	11.9	-	-	11.0	6.6	5.1	-	0.1	5.9	6.6
5.0	-	9.7	-	-	8.9	4.1	2.3	-	-	3.3	5.0
5.1	-	7.9	-	-	7.4	1.2	2.2	-	5.3	1.7	3.2
5.2	-	4.6	-	-	4.4	0.6	1.0	-	6.5	1.0	1.7
5.3	-	2.7	-	-	2.4	0.2	0.6	-	0.8	0.4	0.9
5.4	-	1.2	-	-	1.0	0.1	0.5	-	-	0.2	0.4
5.5 & Above	-	0.5	-	-	0.4	-	0.5	-	-	0.5	0.2
Average	-	4.73	-	-	4.69	4.51	4.35	-	3.71	4.42	4.46

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 29. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2025 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
MIKE Range												
2.4 & Below	0.1	-	*	*	-	-	-	-	-	-	-	-
2.5 - 2.6	0.6	*	0.1	0.1	*	-	-	-	-	-	-	-
2.7 - 2.9	3.4	*	0.3	0.4	0.1	-	-	-	*	-	-	*
3.0 - 3.2	7.1	0.5	1.4	1.3	0.5	*	*	*	0.1	*	*	0.1
3.3 - 3.4	5.6	1.1	2.3	1.9	1.4	*	*	*	0.4	0.2	0.1	0.3
3.5 - 3.6	9.6	2.8	5.0	4.3	3.0	*	0.1	0.1	1.1	0.5	1.0	1.0
3.7 - 4.2	42.3	45.0	48.9	46.7	46.6	1.1	3.0	2.4	24.6	19.2	41.0	26.2
4.3 - 4.9	30.7	49.8	41.0	44.4	46.4	44.7	59.5	54.4	66.5	68.2	57.4	65.4
5.0 - 5.2	0.9	0.7	1.1	0.9	1.5	45.7	32.8	37.2	6.6	10.4	0.4	6.3
5.3 & Above	-	*	*	*	0.5	8.5	4.5	5.9	0.6	1.4	*	0.7
Average	3.96	4.24	4.16	4.18	4.23	4.95	4.84	4.88	4.45	4.54	4.28	4.44
Leaf Grade												
1 - 2	18.4	63.6	78.3	68.1	25.0	1.5	5.8	4.3	10.6	5.1	9.9	9.5
3	27.0	29.4	19.1	24.2	49.6	35.6	40.7	38.9	51.9	49.2	60.3	52.8
4	25.5	6.0	2.2	5.3	21.0	51.2	41.3	44.7	31.4	39.3	26.5	32.0
5	16.5	0.9	0.3	1.5	3.9	11.0	11.2	11.1	5.5	6.1	3.1	5.2
6	8.6	0.1	*	0.6	0.4	0.7	1.1	1.0	0.6	0.3	0.1	0.4
7	3.0	*	*	0.2	*	*	*	*	*	*	*	*
8	1.1	*	-	0.2	*	-	-	-	-	-	-	-
Average	3.81	2.19	2.01	2.20	3.03	3.74	3.61	3.66	3.33	3.47	3.23	3.34
Trash 1/												
00	-	0.1	*	0.1	*	-	-	-	-	-	-	-
01	6.2	35.2	41.3	36.5	5.2	*	0.4	0.3	1.0	0.2	0.5	0.8
02	13.9	30.5	40.3	34.4	22.6	2.1	6.6	5.1	12.3	6.9	11.2	11.2
03	12.1	17.6	12.4	14.7	27.9	11.6	17.7	15.6	24.9	22.5	28.1	25.0
04	12.1	9.2	3.7	6.7	20.2	22.8	23.5	23.3	25.0	27.1	27.2	25.7
05	11.4	4.1	1.3	3.2	12.0	24.5	20.5	21.9	17.7	21.3	17.1	18.3
06	9.5	1.8	0.6	1.6	6.5	18.2	14.0	15.4	10.1	12.1	9.1	10.3
07	7.5	0.8	0.2	0.9	3.1	10.8	8.5	9.3	5.0	5.9	4.2	5.0
08	6.0	0.3	0.1	0.6	1.4	5.4	4.6	4.9	2.2	2.5	1.7	2.2
09	5.1	0.2	*	0.4	0.6	2.6	2.3	2.4	1.0	1.0	0.7	0.9
10	4.0	0.1	*	0.3	0.2	1.2	1.1	1.1	0.4	0.4	0.2	0.4
11	3.0	0.1	*	0.2	0.1	0.5	0.5	0.5	0.2	0.2	0.1	0.2
12	2.4	*	*	0.2	0.1	0.2	0.2	0.2	0.1	*	*	0.1
13	2.0	*	*	0.1	*	0.1	0.1	0.1	*	*	*	*
14	1.3	*	*	0.1	*	*	*	*	*	*	*	*
15	0.9	*	*	0.1	*	*	*	*	*	*	-	*
16	0.7	*	-	0.1	*	-	-	-	*	*	*	*
17	0.5	*	-	0.1	*	-	-	-	*	-	-	*
18 & Above	1.3	*	-	0.2	*	-	-	-	*	*	-	*
Average	0.58	0.23	0.19	0.23	0.36	0.52	0.48	0.50	0.42	0.45	0.41	0.42
Uniformity 2/												
74 & Below	*	*	*	*	*	-	-	-	-	-	-	-
75	0.1	*	0.1	*	*	-	-	-	-	-	-	-
76	0.2	*	0.3	0.2	*	*	*	*	-	-	-	-
77	0.6	0.2	1.1	0.7	0.1	*	*	*	-	-	-	-
78	1.9	0.9	4.7	2.8	0.7	0.2	0.2	0.2	0.6	0.4	0.2	0.5
79	5.6	5.0	18.8	11.8	3.6	1.0	1.0	1.0	3.1	3.6	1.8	3.0
80	16.8	16.6	39.5	27.8	13.2	6.7	7.5	7.2	11.3	14.5	10.9	11.8
81	32.2	29.7	27.0	28.5	29.9	26.0	29.8	28.5	27.8	30.5	34.1	29.3
82	28.6	24.6	7.3	16.4	31.3	36.3	39.5	38.4	36.4	37.5	34.9	36.4
83	12.7	16.3	1.0	8.6	16.3	22.4	18.8	20.0	18.5	12.6	16.2	17.1
84	1.4	6.2	0.1	2.9	4.4	7.2	3.2	4.6	2.2	0.9	1.7	1.9
85 & Above	0.1	0.5	*	0.2	0.5	0.3	0.1	0.1	0.2	0.1	0.1	0.1
Average	81.66	81.93	80.57	81.25	82.01	82.40	82.22	82.28	82.06	81.87	82.03	82.02
Tenderable	48.5	94.9	88.2	88.9	88.0	42.4	58.8	53.2	89.5	82.8	97.3	89.5
SAMPLES CLASSED	20,590	159,320	172,118	352,028	1,437,110	276,554	526,234	802,788	390,186	105,607	92,216	588,009

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

* Less than 0.05 percent.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2025 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
MIKE Range												
2.4 & Below	-	*	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	0.1	0.1	*	-	*	*	-	-	-	-	-	-
2.7 - 2.9	0.7	0.6	*	-	*	*	-	-	-	-	-	-
3.0 - 3.2	1.8	2.5	*	0.1	*	*	*	-	-	-	-	*
3.3 - 3.4	2.4	4.4	0.4	0.2	0.3	0.3	0.5	*	0.1	*	0.1	0.1
3.5 - 3.6	5.2	7.2	1.1	1.5	1.0	1.1	1.8	0.1	0.3	0.1	0.5	0.3
3.7 - 4.2	36.2	38.0	26.5	15.5	23.9	24.0	32.0	4.2	13.3	7.5	14.0	9.8
4.3 - 4.9	52.0	44.7	61.3	74.4	63.6	63.7	60.2	81.6	70.4	82.6	76.0	78.3
5.0 - 5.2	1.6	2.2	8.2	7.8	9.9	9.5	5.3	13.5	14.1	9.2	9.1	11.0
5.3 & Above	0.1	0.5	2.4	0.6	1.3	1.5	0.2	0.6	1.9	0.6	0.3	0.6
Average	4.23	4.17	4.47	4.53	4.50	4.50	4.39	4.70	4.62	4.63	4.57	4.63
Leaf Grade												
1 - 2	87.3	73.8	22.3	10.0	15.4	16.4	7.4	2.1	9.6	3.6	16.7	6.0
3	11.3	22.5	55.0	53.1	59.7	58.5	54.8	40.0	46.4	51.9	59.5	48.2
4	1.3	3.2	20.1	32.3	22.2	22.3	31.7	44.2	34.8	38.5	21.4	37.0
5	0.1	0.5	2.4	4.4	2.5	2.6	5.6	12.0	8.2	5.6	2.3	7.8
6	*	0.1	0.2	0.2	0.1	0.1	0.5	1.6	0.9	0.3	0.1	0.9
7	*	*	*	*	*	*	*	0.2	0.1	*	*	0.1
8	-	*	*	-	*	*	-	-	-	-	-	-
Average	1.69	2.09	3.02	3.31	3.12	3.11	3.37	3.71	3.44	3.47	3.09	3.49
Trash 1/												
00	0.9	*	-	-	-	-	-	-	-	*	*	*
01	61.4	38.6	3.5	1.3	1.6	1.9	0.4	0.1	1.0	0.1	2.1	0.5
02	27.3	40.1	24.4	11.6	20.5	20.8	8.7	3.2	12.3	5.4	17.4	7.4
03	7.1	13.7	30.3	24.5	32.8	31.9	24.4	15.5	21.9	21.8	30.1	20.9
04	2.1	4.6	21.1	26.6	23.4	23.1	26.9	25.1	21.7	28.9	24.8	25.9
05	0.7	1.7	11.4	18.4	12.1	12.3	18.7	22.4	17.8	21.7	14.0	20.1
06	0.2	0.7	5.3	9.8	5.5	5.7	10.8	15.2	11.7	12.0	6.6	12.2
07	0.1	0.3	2.3	4.3	2.4	2.5	5.6	9.0	6.8	5.7	2.9	6.6
08	*	0.1	0.9	2.0	1.0	1.0	2.5	4.8	3.5	2.5	1.2	3.3
09	*	0.1	0.4	0.8	0.4	0.4	1.1	2.5	1.8	1.1	0.5	1.6
10	*	*	0.2	0.4	0.2	0.2	0.5	1.2	0.9	0.5	0.2	0.8
11	*	*	0.1	0.1	0.1	0.1	0.2	0.6	0.5	0.2	0.1	0.4
12	*	*	*	0.1	*	*	0.1	0.3	0.2	0.1	*	0.2
13	*	*	*	*	*	*	*	0.1	0.1	*	*	0.1
14	*	*	*	*	*	*	*	0.1	*	*	*	*
15	-	*	*	*	*	*	*	*	*	*	*	*
16	-	*	*	*	*	*	-	-	-	-	-	-
17	-	*	*	*	*	*	-	-	-	-	-	-
18 & Above	-	*	*	*	*	*	-	-	-	-	-	-
Average	0.15	0.20	0.35	0.42	0.36	0.36	0.44	0.50	0.45	0.45	0.37	0.46
Uniformity 2/												
74 & Below	*	*	-	-	-	-	-	-	-	-	-	-
75	0.1	*	-	-	*	*	-	-	-	-	-	-
76	0.4	0.2	*	*	*	*	*	*	*	*	*	*
77	2.1	0.8	0.1	*	0.1	0.1	*	*	0.1	*	*	*
78	10.1	3.6	0.4	0.1	0.9	0.8	0.2	0.1	0.4	0.1	0.1	0.1
79	25.1	12.3	3.2	1.4	5.4	4.8	1.3	0.3	1.8	0.3	0.6	0.5
80	34.0	28.1	16.0	9.5	22.0	20.2	6.9	2.7	9.5	2.1	6.9	4.1
81	22.3	33.3	39.7	40.5	36.3	37.2	22.5	17.7	31.2	15.9	32.8	21.2
82	5.1	17.3	31.5	38.8	25.8	27.5	41.3	45.8	35.3	49.8	43.1	45.3
83	0.8	3.8	8.4	9.1	7.9	8.0	24.2	30.3	17.4	29.1	15.5	26.0
84	*	0.5	0.7	0.4	1.4	1.2	3.3	3.0	3.8	2.6	0.8	2.6
85 & Above	*	0.1	*	*	0.1	0.1	0.3	0.2	0.4	0.2	0.1	0.2
Average	80.26	81.04	81.72	81.91	81.55	81.60	82.36	82.58	82.14	82.58	82.13	82.45
Tenderable	87.8	85.5	87.5	89.4	86.2	86.6	91.8	79.7	82.3	84.6	82.0	82.6
SAMPLES CLASSED	180,779	986,035	200,257	53,649	830,596	1,084,502	158,910	763,483	119,839	472,670	324,876	1,839,778

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2025 Crop

	Rayville					Visalia					
	Arkansas 3/	Louisiana	Mississippi 3/	Texas 3/	Classing Office Total	Arizona	California	New Mexico 3/	Texas	Classing Office Total	United States
MIKE Range											
2.4 & Below	-	-	-	-	-	-	-	-	-	-	*
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	*
2.7 - 2.9	-	*	-	-	*	-	0.3	-	3.1	0.7	0.2
3.0 - 3.2	-	*	-	-	0.1	*	0.7	-	17.3	0.8	0.7
3.3 - 3.4	-	0.1	-	-	0.1	*	0.7	-	13.0	0.7	1.1
3.5 - 3.6	-	0.2	-	-	0.3	0.5	3.8	-	15.2	2.2	2.2
3.7 - 4.2	-	8.2	-	-	12.1	19.5	34.4	-	40.2	26.8	25.5
4.3 - 4.9	-	64.8	-	-	63.1	73.8	54.1	-	0.3	63.8	59.4
5.0 - 5.2	-	22.3	-	-	20.6	5.9	5.5	-	11.8	5.8	9.8
5.3 & Above	-	4.3	-	-	3.8	0.3	1.6	-	0.8	0.7	1.4
Average	-	4.73	-	-	4.69	4.51	4.35	-	3.71	4.42	4.46
Leaf Grade											
1 - 2	-	14.2	-	-	13.0	56.2	40.3	-	22.0	49.0	25.5
3	-	50.4	-	-	49.5	32.7	35.9	-	60.2	34.6	43.9
4	-	29.3	-	-	30.4	8.8	15.2	-	15.5	11.4	25.1
5	-	5.7	-	-	6.3	2.0	7.7	-	2.2	4.2	5.0
6	-	0.4	-	-	0.8	0.4	1.7	-	0.1	0.9	0.5
7	-	-	-	-	-	-	-	-	-	-	*
8	-	-	-	-	-	-	-	-	-	-	*
Average	-	3.27	-	-	3.32	2.48	2.90	-	2.97	2.66	3.06
Trash 1/											
00	-	-	-	-	-	0.3	-	-	-	0.3	0.1
01	-	1.9	-	-	1.7	22.9	11.8	-	4.6	18.2	9.9
02	-	15.1	-	-	14.2	41.7	34.1	-	23.1	38.1	18.7
03	-	24.7	-	-	24.3	18.9	22.1	-	36.2	20.6	22.1
04	-	23.4	-	-	23.6	8.7	11.4	-	20.2	10.0	19.7
05	-	16.3	-	-	16.5	4.0	6.9	-	9.4	5.3	13.6
06	-	9.5	-	-	9.7	1.8	5.3	-	4.6	3.2	7.9
07	-	5.1	-	-	5.2	0.8	3.9	-	1.1	2.1	4.2
08	-	2.4	-	-	2.5	0.6	2.7	-	0.4	1.4	2.0
09	-	1.1	-	-	1.3	0.3	1.6	-	0.1	0.8	1.0
10	-	0.4	-	-	0.6	0.1	0.8	-	0.2	0.4	0.5
11	-	0.2	-	-	0.3	0.1	0.3	-	0.1	0.2	0.2
12	-	0.1	-	-	0.1	*	0.1	-	-	0.1	0.1
13	-	*	-	-	0.1	*	*	-	-	*	*
14	-	*	-	-	*	-	*	-	-	*	*
15	-	-	-	-	-	-	-	-	-	-	*
16	-	-	-	-	-	-	-	-	-	-	*
17	-	-	-	-	-	-	-	-	-	-	*
18 & Above	-	-	-	-	-	-	-	-	-	-	*
Average	-	0.41	-	-	0.42	0.24	0.33	-	0.33	0.28	0.37
Uniformity 2/											
74 & Below	-	-	-	-	-	-	-	-	-	-	*
75	-	-	-	-	-	-	-	-	-	-	*
76	-	-	-	-	-	*	*	-	-	*	0.1
77	-	-	-	-	-	*	0.1	-	-	0.1	0.3
78	-	0.1	-	-	0.2	0.3	1.5	-	0.1	0.8	1.2
79	-	1.2	-	-	1.7	2.0	5.2	-	0.3	3.2	4.7
80	-	7.1	-	-	9.9	15.1	8.6	-	1.2	12.1	14.2
81	-	30.7	-	-	31.6	37.7	21.7	-	4.4	30.5	28.9
82	-	40.8	-	-	38.7	38.5	39.7	-	29.2	38.8	32.5
83	-	17.6	-	-	15.8	6.1	20.0	-	39.8	12.5	15.5
84	-	2.4	-	-	2.0	0.2	4.4	-	21.8	2.5	2.6
85 & Above	-	0.1	-	-	0.1	*	0.1	-	3.2	0.1	0.2
Average	-	82.19	-	-	82.08	81.75	82.13	-	83.37	81.95	81.89
Tenderable	-	71.9	-	-	70.1	89.6	86.1	-	55.5	87.4	82.0
SAMPLES CLASSED	-	206,998	-	-	249,882	43,915	30,988	-	2,011	77,979	7,598,890

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.
* Less than 0.05 percent.

Table 32. -- Percentage distribution of color, leaf and staple American Pima cotton classed, by states and United States, 2025 Crop

Quality Desgination	Leaf	Arizona		California		New Mexico		Texas		United States	
01	1	6	0.3	10,694	7.9	-	-	1,318	13.8	12,677	8.2
	2	2	0.1	10,407	7.7	-	-	1,431	15.0	12,354	8.0
	3	-	-	128	0.1	-	-	52	0.5	185	0.1
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		8	0.4	21,229	15.8	-	-	2,801	29.4	25,216	16.3
02	1	707	31.3	7,414	5.5	-	-	1,354	14.2	10,724	6.9
	2	374	16.5	47,642	35.4	-	-	4,378	45.9	57,377	37.1
	3	5	0.2	10,887	8.1	-	-	403	4.2	11,664	7.5
	4	-	-	115	0.1	-	-	18	0.2	135	0.1
	5	-	-	1	*	-	-	-	-	1	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		1,086	48.1	66,059	49.1	-	-	6,153	64.5	79,901	51.7
03	1	347	15.4	169	0.1	-	-	13	0.1	536	0.3
	2	740	32.7	15,232	11.3	-	-	446	4.7	16,631	10.8
	3	32	1.4	23,534	17.5	-	-	110	1.2	23,856	15.4
	4	-	-	2,500	1.9	-	-	14	0.1	2,540	1.6
	5	-	-	27	*	-	-	-	-	27	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		1,119	49.5	41,462	30.8	-	-	583	6.1	43,590	28.2
04	1	5	0.2	3	*	-	-	-	-	8	*
	2	37	1.6	478	0.4	-	-	1	*	516	0.3
	3	5	0.2	3,357	2.5	-	-	1	*	3,363	2.2
	4	-	-	1,442	1.1	-	-	2	*	1,444	0.9
	5	-	-	103	0.1	-	-	-	-	103	0.1
	6	-	-	14	*	-	-	-	-	14	*
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		47	2.1	5,397	4.0	-	-	4	*	5,448	3.5
05	1	-	-	1	*	-	-	-	-	1	*
	2	-	-	12	*	-	-	-	-	12	*
	3	-	-	164	0.1	-	-	-	-	164	0.1
	4	-	-	179	0.1	-	-	-	-	179	0.1
	5	-	-	31	*	-	-	-	-	31	*
	6	-	-	32	*	-	-	-	-	32	*
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	419	0.3	-	-	-	-	419	0.3
06	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	5	*	-	-	-	-	5	*
	4	-	-	12	*	-	-	-	-	12	*
	5	-	-	6	*	-	-	-	-	6	*
	6	-	-	5	*	-	-	-	-	5	*
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	28	*	-	-	-	-	28	*
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	-	-	-	-	-	-	-	-
Staple											
44 & Shorter		2	0.1	3,484	2.6	-	-	1,912	20.0	5,401	3.5
46		379	16.8	14,192	10.5	-	-	4,894	51.3	20,272	13.1
48		1,731	76.6	63,602	47.3	-	-	2,683	28.1	74,121	47.9
50		147	6.5	51,966	38.6	-	-	51	0.5	53,412	34.5
52 & Longer		1	*	1,350	1.0	-	-	1	*	1,396	0.9
Average Staple		47.79		48.50		-	-	46.18		48.33	
Average Length		1.39		1.41		-	-	1.35		1.41	
Extraneous Matter											
Bark		-	-	2	*	-	-	4	*	8	*
Grass		-	-	298	0.2	-	-	95	1.0	394	0.3
Spindle Twist		-	-	59	*	-	-	-	-	59	*
Prep		-	-	6	*	-	-	-	-	6	*
All Other		-	-	13	*	-	-	5	0.1	25	*

* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike, strength and uniformity for American Pima cotton classed, by states and United States, 2025 Crop

	Arizona		California		New Mexico		Texas		United States	
MIKE Range										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	51	*	-	-	1	*	52	*
3.0 - 3.2	-	-	518	0.4	-	-	1,301	13.6	1,885	1.2
3.3 - 3.4	-	-	1,794	1.3	-	-	2,012	21.1	4,233	2.7
3.5 - 3.6	14	0.6	10,969	8.1	-	-	1,427	15.0	14,760	9.5
3.7 - 4.2	2,170	96.0	118,410	88.0	-	-	4,776	50.1	130,410	84.4
4.3 - 4.9	76	3.4	2,852	2.1	-	-	24	0.3	3,262	2.1
5.0 - 5.2	-	-	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-	-	-
<i>Average</i>	<i>4.00</i>		<i>3.89</i>		<i>-</i>		<i>3.63</i>		<i>3.87</i>	
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-
2.7	-	-	2	*	-	-	-	-	2	*
2.8	-	-	8	*	-	-	-	-	8	*
2.9	-	-	41	*	-	-	1	*	42	*
3.0	-	-	11	*	-	-	204	2.1	215	0.1
3.1	-	-	71	0.1	-	-	411	4.3	483	0.3
3.2	-	-	436	0.3	-	-	686	7.2	1,187	0.8
3.3	-	-	689	0.5	-	-	801	8.4	1,602	1.0
3.4	-	-	1,105	0.8	-	-	1,211	12.7	2,631	1.7
3.5	-	-	3,176	2.4	-	-	990	10.4	5,024	3.2
3.6	14	0.6	7,793	5.8	-	-	437	4.6	9,736	6.3
3.7	115	5.1	13,576	10.1	-	-	721	7.6	16,097	10.4
3.8	245	10.8	23,601	17.5	-	-	988	10.4	25,949	16.8
3.9	454	20.1	30,599	22.7	-	-	1,329	13.9	33,420	21.6
4.0	525	23.2	28,874	21.5	-	-	1,037	10.9	31,089	20.1
4.1	567	25.1	14,855	11.0	-	-	593	6.2	16,370	10.6
4.2	264	11.7	6,905	5.1	-	-	108	1.1	7,485	4.8
4.3	64	2.8	1,950	1.4	-	-	17	0.2	2,316	1.5
4.4	11	0.5	593	0.4	-	-	7	0.1	629	0.4
4.5	-	-	245	0.2	-	-	-	-	250	0.2
4.6	-	-	53	*	-	-	-	-	55	*
4.7	1	*	4	*	-	-	-	-	5	*
4.8	-	-	5	*	-	-	-	-	5	*
4.9	-	-	2	*	-	-	-	-	2	*
5.0	-	-	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-	-	-
<i>Average</i>	<i>4.00</i>		<i>3.89</i>		<i>-</i>		<i>3.63</i>		<i>3.87</i>	
Strength										
36 & Below	-	-	3,114	2.3	-	-	1,264	13.2	4,850	3.1
37	1	*	9,058	6.7	-	-	2,176	22.8	11,448	7.4
38	5	0.2	4,395	3.3	-	-	2,148	22.5	6,596	4.3
39	1	*	1,062	0.8	-	-	1,060	11.1	2,148	1.4
40	281	12.4	2,793	2.1	-	-	59	0.6	3,300	2.1
41	720	31.9	8,804	6.5	-	-	129	1.4	10,420	6.7
42	821	36.3	16,978	12.6	-	-	522	5.5	20,197	13.1
43	309	13.7	26,976	20.0	-	-	764	8.0	29,970	19.4
44	112	5.0	29,898	22.2	-	-	926	9.7	32,693	21.1
45	3	0.1	21,239	15.8	-	-	350	3.7	22,221	14.4
46	2	0.1	8,079	6.0	-	-	108	1.1	8,426	5.5
47	5	0.2	1,759	1.3	-	-	25	0.3	1,857	1.2
48 & Above	-	-	439	0.3	-	-	10	0.1	476	0.3
<i>Average</i>	<i>42.13</i>		<i>43.15</i>		<i>-</i>		<i>39.66</i>		<i>42.91</i>	
Uniformity										
83 & Below	2	0.1	1,690	1.3	-	-	172	1.8	1,877	1.2
84	77	3.4	17,593	13.1	-	-	2,340	24.5	20,346	13.2
85	764	33.8	41,656	30.9	-	-	4,562	47.8	50,253	32.5
86	1,300	57.5	65,991	49.0	-	-	2,412	25.3	73,727	47.7
87	116	5.1	7,053	5.2	-	-	44	0.5	7,750	5.0
88 & Above	1	*	611	0.5	-	-	11	0.1	649	0.4
<i>Average</i>	<i>86.10</i>		<i>85.90</i>		<i>-</i>		<i>85.43</i>		<i>85.88</i>	
SAMPLES CLASSED	2,260		134,594		<i>-</i>		9,541		154,602	

NOTE: Totals may not add due to rounding.

* Less than 0.05 percent.