



Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	31	84.1	62.6	87,339	31	87.4	64.9	528,763
Corpus Christi	10	91.6	83.7	15,035	42	88.1	72.3	1,473,002
Dumas	20	47.5	22.6	27,972	33	53.2	25.1	878,728
Florence	40	92.1	82.4	126,639	40	90.6	78.8	845,791
Lamesa	24	86.5	67.9	60,034	24	86.5	61.1	307,477
Lubbock	52	77.0	57.7	249,993	54	83.3	64.1	1,512,301
Macon	68	91.4	79.1	214,621	68	88.1	73.6	1,540,922
Memphis	35	83.4	61.9	107,791	65	83.1	59.4	2,101,989
Rayville	6	70.4	65.3	7,586	16	70.3	47.9	269,810
Visalia	13	84.6	68.8	22,382	21	86.1	65.8	122,886
United States	299	84.0	67.4	919,392	394	82.7	63.1	9,581,669
AMERICAN PIMA								
Visalia	16			35,501	17			229,080
United States	16			35,501	17			229,080
United States all cotton	314			954,893	404			9,810,749

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 11, 2025

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	42.1	47.4	10.9	14.4	*	1.0	0.6	0.5	81.2	74.6
	3	6.5	8.0	14.5	14.5	0.1	0.8	1.0	0.4	7.2	6.0
	4	0.4	0.3	2.8	1.4	*	*	0.1	*	0.2	0.3
	5	*	*	0.3	*	-	*	*	*	*	*
	6	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	49.0 55.7	28.5 30.3	0.1 1.8	1.6 0.9	88.5 80.9	88.5 80.9	88.5 80.9	88.5 80.9	88.5 80.9
31	1 - 2	9.5	5.9	3.2	4.9	0.8	2.3	4.1	5.6	1.0	0.5
	3	11.2	9.6	20.5	22.2	16.4	16.6	22.1	21.8	1.0	0.7
	4	3.8	2.9	10.1	9.3	6.6	8.1	7.1	5.9	0.3	0.3
	5	0.7	0.4	1.3	1.0	0.3	0.5	0.5	0.3	*	*
	6	*	*	0.1	*	*	*	*	*	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	25.3 18.7	35.3 37.5	24.0 27.6	33.9 33.5	2.2 1.5	2.2 1.5	2.2 1.5	2.2 1.5	2.2 1.5
41	1 - 2	0.1	0.1	1.9	0.6	0.7	0.7	2.4	2.8	*	*
	3	0.6	0.6	14.3	5.2	21.9	19.5	29.1	29.3	-	*
	4	0.9	0.8	6.9	5.0	38.2	32.2	25.6	24.6	-	*
	5	0.6	0.5	0.6	1.3	9.5	8.4	4.4	4.2	-	*
	6	0.3	0.2	0.3	0.1	0.4	0.6	0.2	0.3	-	*
	7	0.1	*	0.2	*	-	*	*	*	-	*
	8	*	*	-	-	-	-	-	-	-	-
	Total	----	2.5 2.3	24.3 12.2	70.6 61.3	61.6 61.1	* *	* *	* *	* *	* *
51	1 - 2	-	*	*	*	-	*	*	0.1	-	-
	3	*	*	0.1	0.2	0.3	1.2	0.8	0.9	-	-
	4	-	*	-	0.4	1.3	3.1	1.3	1.6	-	-
	5	*	*	-	0.1	0.6	1.4	0.3	0.7	-	-
	6	*	*	-	*	0.1	0.2	*	0.1	-	-
	7	*	*	*	*	-	*	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
	Total	----	* *	0.1 0.8	2.2 5.9	2.5 3.5	- -	- -	- -	- -	- -
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	-
	4	-	-	-	*	-	*	*	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- *	- *	* *	* *	* *	* *	- -	- -
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- -	- -	- -	- *	- *	- *	- -	- -
12 & 22	1 - 2	9.9	11.9	0.2	4.1	-	*	-	*	6.1	12.4
	3	2.9	3.4	4.5	3.8	-	*	*	*	1.6	2.8
	4	0.3	0.3	2.4	1.0	-	*	*	*	0.2	0.3
	5	*	*	0.2	0.1	-	-	-	-	*	*
	6	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	13.1 15.7	7.3 9.0	- *	* *	* *	* *	* *	7.9 15.4	7.9 15.4
32	1 - 2	1.3	0.6	0.1	0.6	*	*	*	*	*	0.1
	3	2.1	1.5	0.5	2.7	*	0.1	*	0.1	0.2	0.3
	4	0.9	0.9	0.7	2.4	*	0.1	*	0.1	0.1	0.1
	5	0.2	0.3	0.3	0.6	*	*	*	*	*	*
	6	*	*	0.1	*	-	*	-	-	-	*
	7	-	*	*	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	4.6 3.3	1.7 6.3	0.1 0.3	* 0.2	0.5 0.7	0.5 0.7	0.5 0.7	0.5 0.7	0.5 0.7
42	1 - 2	*	*	*	0.1	*	*	*	*	-	*
	3	0.6	0.2	0.7	0.9	0.3	0.5	0.1	0.2	*	*
	4	1.1	0.6	0.6	1.1	1.3	1.3	0.1	0.3	-	*
	5	0.8	0.6	0.2	0.6	0.6	0.5	*	0.1	*	*
	6	0.3	0.4	0.1	0.1	*	0.1	-	*	-	*
	7	0.1	0.1	0.2	*	-	*	-	*	-	-
	8	*	*	-	-	-	-	-	-	-	-
	Total	----	2.9 2.0	1.8 2.8	2.3 2.4	0.3 0.6	* *	* *	* *	* *	* *

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 11, 2025

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	*	-	*	-	-
	3	-	-	*	*	0.1	0.1	*	*	-	-
	4	*	*	*	0.1	0.3	0.2	*	*	-	-
	5	*	*	*	0.1	0.2	0.2	*	*	-	-
	6	*	*	*	*	*	0.1	-	*	-	-
	7	*	*	*	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	*	0.1	0.2	0.2	0.5	0.6	*	0.1	-	-
62	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	*	-	*	*	*	-	-
	5	-	-	-	*	-	*	*	*	-	-
	6	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	*	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	*	*	-	-
13 & 23	1 - 2	0.5	0.6	-	0.1	-	-	-	-	0.4	0.7
	3	0.7	0.4	*	0.1	-	-	-	-	0.2	0.3
	4	0.1	0.1	0.1	*	-	-	-	*	*	*
	5	*	*	*	*	-	-	-	-	*	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.2	1.1	0.2	0.3	-	-	-	*	0.6	1.1
33	1 - 2	0.2	0.1	-	*	-	*	*	*	*	0.1
	3	0.5	0.3	*	0.1	*	*	*	*	0.1	0.2
	4	0.2	0.2	0.1	0.1	*	*	*	*	0.1	0.1
	5	*	0.1	0.1	*	-	-	*	*	*	*
	6	*	*	*	*	-	-	-	-	*	*
	7	*	*	-	*	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.9	0.7	0.3	0.3	*	*	*	*	0.2	0.3
43	1 - 2	*	*	*	*	-	-	-	*	*	*
	3	*	*	0.1	0.1	*	*	*	*	*	*
	4	0.1	0.1	0.2	0.1	0.1	*	*	*	-	-
	5	0.1	0.1	*	0.1	*	*	*	*	-	*
	6	*	0.1	*	*	*	*	-	*	-	-
	7	*	*	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	0.2	0.2	0.4	0.3	0.2	*	*	*	*	*
53	1 - 2	-	-	-	*	-	*	-	-	-	-
	3	*	*	-	*	*	*	-	*	-	-
	4	*	*	*	*	0.1	*	-	*	-	-
	5	*	*	*	*	*	*	-	*	-	-
	6	*	*	*	*	-	*	-	*	-	-
	7	*	*	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	0.1	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	-	-	-
24 - 54	1 - 8	0.1	0.1	0.1	*	-	-	*	*	0.1	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	*	-	-	-	-	*	*
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	0.1	*
31		*	0.1	-	*	-	*	-	-	0.5	0.2
32		0.2	0.6	*	*	-	*	*	*	2.2	1.9
33		2.3	2.7	0.3	0.1	*	0.2	0.1	0.1	7.0	6.9
34		7.1	7.3	0.9	0.7	0.2	1.4	1.3	1.0	21.8	19.8
35		13.9	14.1	3.9	3.7	3.2	8.5	8.4	7.2	28.2	25.3
36		19.1	18.3	11.1	15.5	15.2	25.9	25.2	25.0	21.3	20.9
37		26.8	23.7	31.2	45.9	51.3	42.7	48.2	49.9	16.5	18.7
38		15.0	14.8	27.3	25.5	22.0	15.8	13.0	13.7	2.4	5.2
39		11.8	11.6	22.1	7.8	6.8	4.5	3.2	2.9	*	0.9
40 & Longer		3.9	6.8	3.3	0.7	1.2	1.0	0.5	0.3	-	0.1
Average Staple		36.73	36.77	37.59	37.18	37.17	36.80	36.74	36.77	35.17	35.38
Average Length		1.15	1.15	1.17	1.16	1.16	1.15	1.15	1.15	1.10	1.10

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 11, 2025

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1 - 2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	61.8	65.8	1.7	1.7	*	0.5	2.8	4.0	29.8	28.9
	4	14.3	15.5	1.5	0.8	0.1	0.4	2.0	2.6	6.6	10.1
	5	0.7	0.9	0.1	*	*	*	*	0.2	0.1	0.6
	6	*	*	*	*	*	*	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	76.8	82.3	3.3	2.5	0.1	0.9	4.9	6.8	36.5	39.5
31	1 - 2	2.4	1.7	6.6	8.5	1.8	2.8	5.9	8.1	14.7	12.5
	3	5.0	3.4	24.8	21.9	9.0	12.6	30.4	33.8	22.2	15.0
	4	1.7	1.5	5.6	3.6	2.6	3.6	12.6	11.8	3.2	4.4
	5	0.2	0.3	0.2	0.1	0.2	0.2	1.3	0.9	0.2	0.7
	6	*	*	*	*	*	*	-	*	-	0.1
	7	-	*	-	-	-	*	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	9.4	6.9	37.2	34.1	13.6	19.2	50.2	54.6	40.3	32.7
41	1 - 2	*	*	4.4	5.2	2.1	2.3	1.3	0.7	0.6	2.0
	3	0.1	*	31.2	33.3	32.9	30.2	21.4	12.2	5.4	6.1
	4	0.3	0.1	17.4	17.3	22.1	27.1	17.8	16.2	5.7	4.5
	5	0.2	0.1	2.5	2.1	3.1	5.3	3.2	4.4	1.9	1.7
	6	*	*	0.1	0.1	0.3	0.4	0.3	0.4	0.4	0.4
	7	*	*	*	*	*	*	-	-	*	*
	8	*	*	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	0.6	0.2	55.6	58.1	60.5	65.3	44.0	33.9	14.1	14.6
51	1 - 2	-	*	0.1	0.1	0.3	0.1	-	*	*	0.1
	3	-	*	1.2	1.5	7.3	2.5	0.1	*	0.4	0.5
	4	-	*	1.3	1.4	9.9	4.3	0.3	0.3	0.8	0.4
	5	-	*	0.4	0.4	2.4	1.6	*	0.3	0.9	0.3
	6	-	-	0.1	*	0.3	0.3	*	*	0.7	0.2
	7	-	-	*	*	*	*	-	-	0.4	0.1
	8	*	*	-	*	-	-	-	-	0.1	*
	8	*	*	-	*	-	-	-	-	0.1	*
Total	----	*	*	3.1	3.5	20.2	8.7	0.4	0.7	3.3	1.5
61	1 - 2	-	-	-	*	-	*	-	-	-	-
	3	-	-	*	*	*	*	-	*	-	-
	4	-	-	*	*	*	*	-	*	-	-
	5	-	-	*	*	*	*	-	-	*	*
	6	-	-	*	*	*	*	-	-	-	-
	7	-	-	-	*	-	-	-	-	*	*
	8	-	*	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	*	*	-	*	*	*
71	1 - 2	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	-	-	-	-
12 & 22	1 - 2	5.1	5.1	*	*	-	*	-	0.1	0.8	4.1
	3	3.2	2.9	0.1	*	-	*	*	0.1	3.0	2.2
	4	0.3	0.3	*	*	*	*	-	0.1	0.4	0.3
	5	*	*	-	-	-	*	-	*	*	*
	6	*	*	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	8.7	8.4	0.1	0.1	*	*	*	0.3	4.2	6.6
32	1 - 2	0.3	0.2	*	0.1	*	*	-	0.1	0.1	0.3
	3	0.8	0.5	0.1	0.3	0.1	0.2	*	0.4	0.3	0.8
	4	0.6	0.3	0.1	0.1	0.1	0.1	*	0.6	0.2	0.7
	5	0.2	0.1	*	*	-	*	*	0.4	*	0.3
	6	*	*	-	*	-	*	-	0.1	*	0.1
	7	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.9	1.0	0.2	0.4	0.2	0.3	0.1	1.6	0.6	2.1
42	1 - 2	*	*	*	*	*	0.2	-	*	-	*
	3	0.1	*	0.2	0.6	0.8	1.8	*	0.3	0.1	0.6
	4	0.1	0.1	0.2	0.4	1.2	1.5	0.1	1.0	0.4	0.6
	5	0.1	0.1	*	0.1	0.5	0.4	0.2	0.5	0.2	0.4
	6	*	*	*	*	0.2	0.1	*	0.2	*	0.1
	7	*	*	-	*	*	*	-	-	*	*
	8	*	*	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	0.3	0.2	0.4	1.2	2.6	4.0	0.4	2.0	0.7	1.7

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 11, 2025

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	*	*	-	-	-	*
	3	-	-	*	*	0.5	0.4	-	*	*	0.1
	4	*	*	*	0.1	1.3	0.7	-	*	*	0.1
	5	-	*	*	*	0.4	0.3	-	*	*	0.2
	6	-	*	*	*	0.2	0.1	-	*	*	0.2
	7	-	*	*	*	*	*	-	-	*	*
	8	-	-	-	*	-	-	-	-	-	-
Total	----	*	*	0.1	0.1	2.3	1.4	-	0.1	0.1	0.6
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	-	-	-	-
	4	-	-	-	*	*	*	-	-	-	-
	5	-	-	*	*	*	*	-	-	-	-
	6	-	-	*	*	*	*	-	-	-	-
	7	-	-	*	*	-	*	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	*	*	-	-	-	-
13 & 23	1 - 2	0.6	0.3	*	*	-	-	-	-	*	0.2
	3	0.5	0.3	*	*	-	-	-	-	0.1	0.1
	4	0.1	0.1	*	*	-	-	-	-	*	*
	5	*	*	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	1.3	0.7	*	*	-	-	-	-	0.1	0.3
33	1 - 2	0.1	*	-	*	-	*	-	-	-	*
	3	0.4	0.1	*	*	*	*	-	*	*	0.1
	4	0.2	0.1	*	*	*	*	-	*	-	*
	5	0.1	*	-	-	*	*	-	*	-	*
	6	*	*	-	-	-	*	-	*	-	*
	7	*	*	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	0.8	0.3	*	*	0.1	*	-	*	*	0.1
43	1 - 2	*	*	-	*	*	*	-	*	-	-
	3	*	*	*	*	0.1	*	-	*	*	*
	4	*	*	*	*	0.1	*	-	*	0.1	*
	5	*	*	*	*	*	*	-	*	-	*
	6	*	*	-	*	*	*	*	*	-	*
	7	*	*	-	*	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	0.1	*	*	*	0.2	0.1	*	*	0.1	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	-	-	-	*
	5	-	-	*	*	*	*	-	-	-	-
	6	-	*	-	*	*	*	-	*	-	-
	7	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	0.1	*	-	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	0.1	*	-	*	-	-	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	-	-	-	-	-
31		0.1	0.1	*	*	*	*	-	-	*	*
32		0.4	0.6	*	0.1	*	*	-	*	0.1	*
33		2.1	2.6	0.6	0.7	0.1	0.1	*	0.2	0.4	0.1
34		7.2	8.3	3.8	4.1	0.4	0.9	0.3	1.7	1.8	0.8
35		17.2	16.9	13.0	14.5	2.5	4.2	10.2	11.7	5.2	3.3
36		27.1	25.1	28.3	30.3	12.1	15.3	46.2	29.1	14.2	13.5
37		31.4	30.0	40.4	37.2	48.8	47.7	30.4	39.6	31.0	39.9
38		10.5	11.5	10.5	10.5	30.9	26.6	11.9	13.6	28.8	27.2
39		3.0	3.7	3.0	2.5	4.8	4.7	1.0	3.7	9.6	10.0
40 & Longer		1.1	1.2	0.5	0.3	0.5	0.6	-	0.4	8.9	5.1
Average Staple		36.26	36.25	36.50	36.42	37.23	37.11	36.46	36.64	37.62	37.53
Average Length		1.13	1.13	1.14	1.14	1.16	1.16	1.14	1.14	1.18	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 11, 2025

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	4.3	2.9	0.3	0.5	*	*	2.5	1.6	1.4	1.4
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	0.2	0.3	-	0.1	*	*	0.1	0.4
Grass - Level 2	-	-	-	*	-	-	-	-	-	-
Prep - Level 1	*	*	-	*	-	*	*	*	-	-
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	-	*	*	1.6	0.4	0.5	0.1	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	*	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	0.1	0.1	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	-	*	-	-	-	-	*	*
23	*	*	-	*	-	-	-	-	*	*
24	*	0.1	-	*	-	*	*	*	*	0.2
25	*	0.2	*	*	-	*	*	*	0.2	0.7
26	0.2	0.7	0.3	0.2	0.1	0.1	0.4	0.4	1.0	1.9
27	1.4	2.9	0.9	1.2	0.6	0.5	2.8	2.4	4.6	5.4
28	4.9	8.2	2.0	5.2	4.2	4.1	14.5	11.3	11.9	11.2
29	13.4	14.5	6.9	14.9	15.0	15.9	33.3	29.6	20.5	18.7
30	17.0	16.5	17.0	21.8	27.4	28.9	30.1	31.7	26.2	23.2
31	18.0	15.6	17.5	17.6	26.5	26.7	13.2	16.2	21.4	20.0
32	14.8	13.7	15.5	12.3	15.4	15.5	4.3	6.2	10.1	11.6
33	12.6	11.5	14.2	11.5	6.8	6.0	1.1	1.8	3.0	4.5
34	10.1	8.7	16.2	9.8	3.0	1.9	0.2	0.4	0.8	1.7
35	5.4	4.8	7.7	4.0	1.0	0.4	*	0.1	0.3	0.6
36	1.4	1.6	1.4	1.1	*	*	*	*	0.1	0.2
37	0.5	0.7	0.3	0.2	-	-	-	*	*	0.1
38	0.3	0.3	*	*	-	-	-	-	*	*
39	*	*	*	*	-	-	-	-	-	-
40 & Above	*	*	-	-	-	-	-	-	-	-
Average	31.83	31.55	32.35	31.59	31.15	31.05	29.98	30.20	30.37	30.44
Mike										
2.4 & Below	*	*	-	-	-	-	-	-	-	-
2.5	0.1	*	-	*	-	-	-	-	0.1	*
2.6	0.2	0.1	-	*	-	-	-	-	0.2	0.1
2.7	0.3	0.1	-	*	-	-	*	*	0.1	0.1
2.8	0.3	0.2	-	*	-	-	*	*	0.1	0.2
2.9	0.4	0.3	-	*	-	-	*	*	0.2	0.4
3.0	0.5	0.3	-	0.1	-	-	*	*	0.8	0.7
3.1	0.9	0.5	-	0.1	-	-	0.1	*	1.0	0.8
3.2	1.0	0.8	0.1	0.3	*	*	0.1	0.1	1.1	1.0
3.3	1.3	1.0	0.1	0.5	-	*	0.1	0.2	1.1	1.2
3.4	1.8	1.4	0.4	0.8	-	*	0.4	0.3	1.2	1.6
3.5	2.5	2.0	0.4	1.2	0.1	*	0.6	0.4	2.1	2.1
3.6	3.3	2.8	0.9	1.8	*	0.1	0.9	0.8	2.2	2.8
3.7	4.5	4.0	2.4	2.6	0.1	0.1	1.5	1.5	2.1	3.3
3.8	5.1	5.2	5.1	4.3	0.1	0.1	2.8	2.3	4.1	4.2
3.9	6.8	7.2	8.6	6.7	0.1	0.2	4.3	3.6	5.8	5.2
4.0	7.9	8.7	11.0	9.1	0.2	0.4	6.9	5.1	7.3	6.1
4.1	10.6	10.3	15.4	11.2	0.3	0.6	10.0	7.1	7.3	7.1
4.2	10.5	11.0	13.7	12.8	0.5	1.1	11.1	9.6	8.1	8.3
4.3	11.0	10.9	13.9	12.8	1.1	1.7	12.2	11.7	7.9	9.3
4.4	9.7	9.9	11.4	11.2	2.2	2.8	11.9	12.2	9.0	9.8
4.5	8.2	8.2	7.4	8.8	4.6	4.0	10.5	11.2	9.9	9.6
4.6	5.9	6.3	4.3	6.0	5.7	6.4	8.3	9.7	8.8	8.7
4.7	3.4	4.1	2.3	3.7	9.0	9.5	6.2	8.1	7.5	7.2
4.8	1.9	2.5	1.2	2.4	12.0	13.5	4.5	6.0	5.4	5.1
4.9	0.7	1.2	1.0	1.3	13.7	16.2	3.5	4.3	3.3	2.7
5.0	0.3	0.5	0.3	0.8	15.1	16.4	2.1	2.9	1.7	1.4
5.1	0.6	0.3	0.1	0.4	16.4	12.8	1.1	1.6	0.7	0.6
5.2	0.5	0.2	-	0.3	11.0	8.1	0.4	0.8	0.4	0.3
5.3	*	*	*	0.2	5.6	3.9	0.1	0.3	0.3	0.1
5.4	-	-	-	0.1	1.7	1.5	0.1	0.1	0.1	*
5.5 & Above	-	*	*	0.2	0.7	0.5	0.1	*	*	*
Average	4.13	4.17	4.20	4.23	4.92	4.88	4.35	4.41	4.26	4.24

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 11, 2025

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	5.8	3.9	0.9	0.6	*	*	2.9	0.7	*	0.1
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	0.1	0.1	*	*	-	0.1	0.2	0.5
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.4	0.1	0.2	0.2	*	0.1	0.5	3.0	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	*	-	-	-	-	-	-	-	-
Other - Level 1	*	*	*	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	-	-	-	*	-	-	-	-
23	*	*	-	*	-	*	-	-	-	-
24	*	0.1	*	*	*	*	-	-	-	*
25	0.2	0.2	*	*	*	*	-	*	*	*
26	0.8	0.7	0.4	0.2	*	*	0.1	0.2	0.2	0.3
27	2.9	2.3	2.6	1.6	0.2	0.2	1.0	1.7	0.8	1.2
28	7.6	6.2	9.9	7.5	1.7	1.9	12.0	6.6	4.7	5.4
29	15.9	13.3	22.1	19.3	10.5	12.2	25.3	18.2	12.5	13.4
30	21.0	19.0	25.8	26.4	37.0	35.5	13.2	30.2	17.1	19.2
31	19.4	19.9	20.4	22.1	32.8	32.9	11.3	19.6	14.6	17.4
32	14.5	16.0	11.4	13.0	12.1	12.5	9.3	12.5	18.3	12.1
33	9.6	10.9	4.9	6.2	4.3	3.7	12.6	6.0	16.1	9.3
34	4.6	6.5	1.8	2.6	1.3	0.9	9.6	3.1	9.6	9.1
35	2.1	3.1	0.5	0.9	0.1	0.1	4.8	1.6	4.3	7.6
36	1.0	1.3	0.1	0.2	*	*	0.7	0.2	1.1	3.8
37	0.4	0.5	*	0.1	*	*	0.1	*	0.3	1.1
38	0.1	0.2	*	*	-	*	-	*	0.1	0.1
39	*	*	-	*	-	-	-	-	0.1	*
40 & Above	-	-	-	-	-	-	-	-	*	*
Average	31.16	31.47	30.62	30.88	31.06	31.02	31.26	30.92	31.90	31.91
Mike										
2.4 & Below	*	*	-	-	-	-	-	-	-	-
2.5	0.1	*	-	*	-	-	-	-	-	-
2.6	0.2	0.1	*	*	-	-	*	*	-	-
2.7	0.4	0.2	*	*	*	*	-	*	-	*
2.8	0.5	0.3	*	*	*	*	-	*	-	*
2.9	0.9	0.5	*	*	*	*	-	*	*	0.1
3.0	1.4	0.7	*	*	*	*	-	*	0.1	0.2
3.1	1.7	1.0	*	*	*	*	-	*	0.5	0.4
3.2	2.2	1.6	*	*	*	*	*	*	0.6	0.4
3.3	3.0	2.2	0.1	0.1	0.1	*	0.5	0.1	1.0	0.4
3.4	3.6	2.9	0.3	0.2	0.1	0.1	0.6	0.1	1.1	0.5
3.5	4.5	3.6	0.8	0.4	0.2	0.1	0.1	0.2	1.3	1.0
3.6	5.2	4.3	1.3	0.8	0.3	0.2	0.9	0.3	1.2	1.3
3.7	5.7	4.9	2.0	1.4	0.6	0.4	1.0	0.4	2.1	2.5
3.8	6.2	5.7	3.2	2.2	0.8	0.7	2.0	0.6	3.0	3.2
3.9	6.5	6.3	4.6	3.2	1.6	1.1	0.8	1.1	4.0	3.8
4.0	6.9	6.7	5.8	4.6	2.7	1.7	1.2	1.8	5.6	4.4
4.1	6.9	7.1	7.4	6.8	3.7	2.6	1.0	3.4	8.7	6.1
4.2	7.5	7.7	9.2	8.6	4.5	3.9	3.9	4.4	9.5	7.4
4.3	6.7	8.0	10.2	9.7	6.5	5.6	6.8	5.5	9.6	8.0
4.4	6.2	8.1	10.7	10.2	8.6	7.9	12.3	6.5	7.1	9.0
4.5	6.2	7.7	10.6	10.4	10.1	10.8	18.5	8.6	10.2	11.1
4.6	5.3	6.8	9.6	9.7	13.0	14.0	12.0	9.6	9.4	10.8
4.7	4.3	5.4	7.9	8.9	15.0	15.4	7.4	10.7	6.8	9.2
4.8	3.2	3.6	5.7	7.4	12.9	14.0	2.9	11.7	5.3	8.0
4.9	2.1	2.2	4.1	5.7	8.1	10.3	1.9	10.7	4.1	5.5
5.0	1.3	1.2	2.8	4.1	5.7	6.4	0.5	8.6	3.3	3.6
5.1	0.8	0.7	2.0	2.7	3.2	3.1	3.5	7.1	1.8	1.7
5.2	0.4	0.3	1.0	1.5	1.6	1.2	0.2	4.1	1.5	0.9
5.3	0.2	0.2	0.4	0.8	0.5	0.4	0.3	2.3	1.5	0.4
5.4	*	0.1	0.2	0.3	0.1	0.1	3.3	1.0	0.5	0.2
5.5 & Above	*	0.1	*	0.1	*	*	18.5	1.0	*	0.1
Average	4.04	4.13	4.39	4.46	4.59	4.62	4.70	4.69	4.36	4.41

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 11, 2025

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	*	*	-	-	-	-	-	-	-	-
2.5 - 2.6	0.3	0.1	-	*	-	-	-	-	0.2	0.1
2.7 - 2.9	0.9	0.6	-	0.1	-	-	*	*	0.5	0.7
3.0 - 3.2	2.3	1.6	0.1	0.5	*	*	0.2	0.1	3.0	2.4
3.3 - 3.4	3.1	2.4	0.5	1.4	-	*	0.5	0.4	2.3	2.8
3.5 - 3.6	5.7	4.8	1.3	3.0	0.1	0.1	1.5	1.2	4.2	4.9
3.7 - 4.2	45.4	46.4	56.1	46.7	1.2	2.5	36.7	29.3	34.6	34.2
4.3 - 4.9	40.7	43.2	41.6	46.3	48.2	54.1	57.2	63.1	52.0	52.5
5.0 - 5.2	1.4	1.0	0.4	1.5	42.5	37.3	3.7	5.3	2.8	2.2
5.3 & Above	*	*	*	0.5	8.0	6.0	0.3	0.5	0.4	0.2
Average	4.13	4.17	4.20	4.23	4.92	4.88	4.35	4.41	4.26	4.24
Leaf										
1 - 2	63.6	66.7	16.3	24.9	1.5	4.1	7.1	8.9	88.8	88.4
3	25.0	24.1	55.3	49.7	39.0	38.9	53.1	52.8	10.2	10.4
4	7.9	6.1	24.1	21.0	47.9	45.0	34.2	32.5	0.9	1.1
5	2.6	2.0	3.0	3.9	11.1	11.1	5.3	5.3	0.1	0.1
6	0.8	0.8	0.7	0.4	0.5	1.0	0.3	0.4	*	*
7	0.2	0.2	0.5	*	-	*	*	*	*	*
8	*	0.1	-	*	-	-	*	*	-	-
Average	2.36	2.26	3.17	3.03	3.70	3.66	3.38	3.35	1.68	1.67
HVI Trash 1/										
00	*	*	-	*	-	-	-	-	0.5	0.9
01	31.6	35.2	3.0	5.2	*	0.3	0.3	0.7	64.3	63.6
02	35.6	34.5	17.7	22.5	2.2	4.9	8.8	10.7	27.6	26.5
03	14.7	14.5	28.1	27.9	15.3	15.5	24.4	24.9	5.6	6.3
04	7.2	6.7	26.4	20.3	25.4	23.4	26.9	25.9	1.4	1.8
05	4.1	3.4	14.7	12.0	23.4	22.1	19.4	18.5	0.3	0.6
06	2.4	1.9	6.1	6.4	16.0	15.5	11.2	10.5	0.2	0.2
07	1.5	1.1	2.2	3.1	9.3	9.3	5.3	5.1	0.1	0.1
08	1.0	0.7	0.8	1.4	4.9	4.8	2.3	2.2	*	*
09	0.6	0.5	0.3	0.6	2.1	2.4	0.9	0.9	*	*
10	0.4	0.4	0.4	0.3	0.9	1.1	0.4	0.4	*	*
11	0.3	0.3	0.2	0.1	0.3	0.5	0.1	0.2	*	*
12	0.2	0.2	0.2	0.1	0.1	0.2	*	0.1	-	*
13	0.1	0.2	0.1	*	*	0.1	*	*	*	*
14	0.1	0.1	*	*	*	*	*	*	*	*
15	*	0.1	*	*	-	*	*	*	-	-
16	*	0.1	-	*	-	-	*	*	*	*
17	*	*	-	*	-	-	*	*	-	-
18 & Above	*	0.1	-	*	-	-	*	*	-	-
Average	0.25	0.24	0.37	0.36	0.50	0.50	0.43	0.42	0.15	0.15
UNIFORMITY 2/										
74 & Below	*	*	-	*	-	-	-	-	-	*
75	*	*	-	*	-	-	*	*	0.1	0.1
76	0.1	0.2	*	*	-	*	*	*	0.5	0.4
77	0.7	0.7	0.2	0.1	*	*	0.1	*	2.2	2.0
78	3.0	2.8	1.2	0.7	0.2	0.2	0.4	0.4	11.4	9.6
79	12.4	11.9	4.1	3.7	1.3	1.0	1.9	2.7	29.5	25.4
80	26.1	27.2	13.5	13.3	6.4	7.1	8.3	11.0	38.2	35.6
81	28.6	28.6	24.5	29.8	28.2	28.4	25.5	28.0	16.2	22.0
82	21.0	17.9	28.0	31.2	34.9	38.3	36.6	36.3	2.0	4.3
83	7.1	8.2	24.5	16.4	22.2	20.1	23.9	19.0	0.1	0.6
84	0.8	2.2	3.8	4.4	6.5	4.7	3.1	2.4	-	*
85 & Above	0.1	0.2	0.2	0.5	0.2	0.1	0.2	0.2	*	*
Average	81.19	81.24	82.09	82.01	82.35	82.29	82.26	82.09	80.04	80.25
Tenderable 3/	84.1	87.4	91.6	88.1	47.5	53.2	92.1	90.6	86.5	86.5
SAMPLES CLASSED										
Week	87,339		15,035		27,972		126,639		60,034	
Season	528,763		1,473,002		878,728		845,791		307,477	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 11, 2025

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	*	*	-	-	-	-	-	-	-	-
2.5 - 2.6	0.3	0.1	*	*	-	-	*	*	-	-
2.7 - 2.9	1.8	1.0	*	*	*	*	-	*	*	0.1
3.0 - 3.2	5.2	3.3	0.1	0.1	0.1	*	*	0.1	1.2	1.0
3.3 - 3.4	6.6	5.1	0.4	0.3	0.2	0.1	1.1	0.2	2.1	0.9
3.5 - 3.6	9.6	7.9	2.1	1.3	0.5	0.4	0.9	0.5	2.5	2.3
3.7 - 4.2	39.8	38.3	32.2	26.8	13.8	10.3	9.8	11.7	32.9	27.4
4.3 - 4.9	34.1	41.8	58.8	62.1	74.3	78.0	61.8	63.2	52.6	61.5
5.0 - 5.2	2.4	2.2	5.8	8.3	10.5	10.6	4.2	19.9	6.6	6.1
5.3 & Above	0.2	0.4	0.6	1.2	0.6	0.6	22.0	4.3	2.0	0.7
Average	4.04	4.13	4.39	4.46	4.59	4.62	4.70	4.69	4.36	4.41
Leaf										
1 - 2	70.4	73.1	12.9	15.7	4.3	5.9	10.0	12.9	46.0	48.1
3	24.5	22.8	59.0	58.4	50.8	48.2	54.1	49.5	38.0	35.4
4	4.1	3.4	24.6	22.9	37.3	37.2	30.8	30.3	11.1	11.6
5	0.8	0.5	3.2	2.8	6.7	7.8	4.8	6.5	3.3	3.7
6	0.1	0.1	0.2	0.2	0.9	0.9	0.3	0.8	1.2	1.0
7	*	*	*	*	*	0.1	-	-	0.5	0.1
8	*	*	-	*	-	-	-	-	0.1	*
Average	2.18	2.11	3.19	3.13	3.49	3.50	3.31	3.32	2.71	2.67
HVI Trash 1/										
00	*	*	-	-	-	*	-	-	-	*
01	35.1	38.0	1.1	1.8	0.2	0.5	0.3	1.6	15.6	17.8
02	41.7	40.5	18.3	20.3	6.4	7.2	13.9	14.2	38.4	37.3
03	14.4	13.8	31.9	31.8	22.3	20.8	28.9	24.4	22.0	20.9
04	5.0	4.6	25.1	23.5	28.1	26.1	24.7	23.5	10.8	10.6
05	1.9	1.7	13.2	12.5	20.8	20.3	15.8	16.4	5.7	5.6
06	0.9	0.7	6.0	5.8	11.8	12.3	8.5	9.6	3.0	3.2
07	0.4	0.3	2.5	2.5	5.7	6.6	3.9	5.2	1.7	1.9
08	0.2	0.2	1.1	1.1	2.6	3.2	2.0	2.6	0.9	1.2
09	0.1	0.1	0.5	0.4	1.2	1.6	0.9	1.3	0.6	0.7
10	0.1	*	0.2	0.2	0.6	0.8	0.7	0.6	0.5	0.4
11	*	*	0.1	0.1	0.2	0.3	0.3	0.4	0.3	0.2
12	*	*	*	*	0.1	0.2	0.1	0.2	0.2	0.1
13	*	*	*	*	*	0.1	0.1	0.1	0.1	*
14	*	*	*	*	*	*	-	*	0.1	*
15	*	*	*	*	*	*	-	-	*	*
16	*	*	*	*	-	-	-	-	*	*
17	*	*	*	*	-	-	-	-	*	*
18 & Above	*	*	*	*	-	-	-	-	*	*
Average	0.20	0.20	0.37	0.36	0.45	0.46	0.41	0.42	0.29	0.28
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	-	-	-	-
75	0.1	*	-	*	-	-	-	-	-	-
76	0.2	0.2	*	*	*	*	-	-	*	*
77	1.1	0.9	*	0.1	*	*	-	-	*	*
78	4.9	3.9	0.4	0.7	*	0.1	0.2	0.2	0.4	0.6
79	15.3	13.0	3.5	4.5	0.2	0.5	0.9	1.8	4.5	3.8
80	32.0	29.2	16.6	19.4	2.5	3.9	18.1	10.3	14.3	13.0
81	30.8	32.9	34.8	36.9	16.1	20.7	27.4	31.5	29.6	30.4
82	12.6	15.8	32.1	28.5	46.7	45.6	18.2	37.9	36.3	36.5
83	2.6	3.4	10.7	8.5	30.5	26.4	31.2	16.2	13.3	13.0
84	0.2	0.4	1.7	1.3	3.7	2.6	3.9	2.1	1.4	2.4
85 & Above	*	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.2
Average	80.80	80.97	81.80	81.64	82.62	82.47	82.19	82.08	81.87	81.93
Tenderable 3/	77.0	83.3	91.4	88.1	83.4	83.1	70.4	70.3	84.6	86.1
SAMPLES CLASSED										
Week	249,993		214,621		107,791		7,586		22,382	
Season		1,512,301		1,540,922		2,101,989		269,810		122,886

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 11, 2025

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	3.6	6.9		MIKE		
	2	6.6	7.5		2.4 & Below	-	-
	3	0.2	0.2		2.5 - 2.6	-	-
	4	-	-		2.7 - 2.9	0.2	0.1
	5	-	-		3.0 - 3.2	1.2	1.6
	6	-	-		3.3 - 3.4	2.4	3.0
	7	-	-		3.5 - 3.6	7.2	8.9
Total -----		10.4	14.6		3.7 - 4.2	85.6	84.1
02	1	8.0	7.1		4.3 - 4.9	3.5	2.4
	2	34.8	37.0		5.0 - 5.2	-	-
	3	8.1	8.2		5.3 & Above	-	-
	4	0.3	0.2		Average	3.90	3.87
	5	-	*		ALL RANGE MIKE		
	6	-	-		2.4 & Below	-	-
	7	-	-		2.5	-	-
Total -----		51.1	52.4		2.6	-	-
03	1	1.1	0.5		2.7	*	*
	2	16.0	12.0		2.8	*	*
	3	15.8	15.1		2.9	0.2	0.1
	4	2.0	1.7		3.0	0.2	0.2
	5	0.1	*		3.1	0.3	0.5
	6	*	*		3.2	0.7	0.9
	7	-	-		3.3	0.9	1.1
Total -----		34.9	29.3		3.4	1.5	1.8
04	1	*	*		3.5	3.2	3.2
	2	0.6	0.5		3.6	4.0	5.7
	3	1.3	1.9		3.7	8.8	9.9
	4	0.5	0.8		3.8	15.4	16.1
	5	0.1	0.1		3.9	19.7	21.4
	6	*	*		4.0	20.1	20.0
	7	-	-		4.1	14.0	11.4
Total -----		2.6	3.2		4.2	7.6	5.2
05	1	-	*		4.3	2.5	1.7
	2	0.1	*		4.4	0.6	0.5
	3	0.4	0.2		4.5	0.4	0.2
	4	0.3	0.1		4.6	*	*
	5	0.1	*		4.7	*	*
	6	*	*		4.8	*	*
	7	-	-		4.9	-	*
Total -----		0.8	0.4		5.0	-	-
06	1	-	-		5.1	-	-
	2	-	*		5.2	-	-
	3	*	*		5.3 & Above	-	-
	4	0.1	*		Average	3.90	3.87
	5	*	*		STRENGTH 1/		
	6	*	*		36 & Below	2.1	3.1
	7	-	-		37	2.1	5.8
Total -----		0.1	*		38	3.3	4.0
07	1	-	-		39	2.4	1.6
	2	-	-		40	2.2	2.0
	3	-	-		41	6.7	6.5
	4	-	-		42	12.0	12.7
	5	-	-		43	16.5	18.3
	6	-	-		44	19.4	20.5
	7	-	-		45	16.7	15.6
Total -----		-	-		46	10.2	7.1
STAPLE	44 & Shorter	1.4	2.8		47	5.0	2.2
	46	8.7	12.2		48 & Above	1.5	0.7
	48	47.8	48.0		Average	43.69	43.15
	50	39.2	35.6		UNIFORMITY		
	52 & Longer	2.8	1.4		83 & Below	1.4	1.1
	Average Staple	48.67	48.42		84	7.2	12.0
	Average Length	1.41	1.41		85	36.4	33.7
EXTRANEEOUS MATTER	Bark	*	*		86	47.1	47.1
	Grass	0.5	0.3		87	7.5	5.6
	Spindle Twist	0.1	*		88 & Above	0.4	0.5
	Preparation	*	*		Average	85.97	85.90
	All Other	*	*		Samples Classed		
					Week	35,501	
					Season		229,080

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.