



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	20	93.9	85.1	33,212	21	90.4	77.9	449,558
AR	16	70.8	45.3	79,231	26	70.6	42.2	1,216,915
AZ	8	82.7	65.2	14,813	9	87.1	64.0	73,732
CA*	-	-	-	-	7	85.4	69.8	37,538
FL	4	98.0	90.7	7,800	4	91.4	75.8	75,106
GA	53	90.4	77.4	180,092	53	87.6	72.5	1,194,770
KS	3	48.8	33.0	13,854	3	46.0	33.1	48,455
LA	4	64.6	57.9	4,836	14	71.8	47.7	219,913
MO	13	86.7	68.8	39,384	16	85.5	63.3	568,593
MS	17	63.0	42.4	9,489	30	63.6	36.3	701,276
NC	26	91.7	82.4	65,158	26	90.3	77.8	533,505
NM	2	98.0	91.8	2,465	2	97.2	89.3	5,104
OK	10	96.3	84.8	29,820	10	95.1	83.4	222,428
SC	10	88.8	75.7	33,585	10	85.7	71.0	168,964
TN*	-	-	-	-	17	82.3	63.4	339,972
TX	107	80.3	60.2	371,751	142	85.7	66.4	3,582,518
VA	4	97.0	90.3	27,896	4	97.1	91.8	143,322
United States	299	84.0	67.4	919,392	394	82.7	63.1	9,581,669
AMERICAN PIMA								
AZ	2			1,678	2			6,034
CA	9			28,678	9			193,128
NM*	-			-	-			-
TX	4			2,892	5			16,030
United States	16			35,501	17			229,080
United States all cotton	314			954,893	404			9,810,749

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Dec 11, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	1.4	2.5	*	0.1	22.5	26.9	-	30.6	0.1	1.9	1.8	1.2
	3	1.3	1.3	*	0.1	6.2	7.3	-	15.0	0.1	0.5	1.5	0.6
	4	0.1	*	-	*	0.1	0.4	-	0.9	-	*	*	*
	5	-	-	-	-	-	*	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	2.83.9	*0.2		28.734.7		-46.6		0.22.4		3.41.8	
31	1 - 2	7.1	10.4	1.5	1.1	15.7	12.4	-	14.0	2.2	3.5	6.5	7.8
	3	28.3	30.8	8.5	9.3	19.2	13.2	-	13.9	14.5	13.7	24.8	21.1
	4	8.6	7.9	2.4	3.4	3.2	2.6	-	6.9	4.4	3.0	5.7	3.5
	5	0.9	0.6	0.1	0.1	0.3	0.3	-	1.5	0.1	0.1	0.2	0.1
	6	0.1	*	-	*	-	*	-	0.2	-	-	*	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	45.149.7	12.414.1		38.428.5		-36.6		21.220.3		37.232.5	
41	1 - 2	4.6	3.0	1.6	0.7	0.9	2.4	-	1.8	2.3	2.9	4.3	5.5
	3	26.6	21.6	28.7	26.2	7.8	8.9	-	2.3	40.0	37.1	31.1	34.9
	4	13.7	15.6	28.7	35.7	8.4	5.9	-	2.9	30.8	28.2	17.6	17.3
	5	2.6	2.9	5.5	8.2	2.7	1.1	-	3.2	4.4	3.9	2.4	2.1
	6	0.3	0.3	0.4	0.7	0.6	0.1	-	0.8	0.2	0.2	0.1	0.1
	7	*	*	*	*	*	*	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	47.943.4	64.971.5		20.318.4		-10.9		77.672.3		55.559.9	
51	1 - 2	0.1	0.1	0.2	*	*	0.1	-	0.1	*	0.1	0.1	0.1
	3	1.5	0.5	5.7	2.1	0.6	0.7	-	0.1	0.3	1.1	1.1	1.6
	4	1.6	0.4	9.0	4.5	1.2	0.7	-	0.1	0.4	1.5	1.3	1.6
	5	0.4	0.1	2.1	2.1	1.3	0.5	-	*	0.2	0.5	0.4	0.4
	6	*	*	0.3	0.5	1.0	0.3	-	*	0.1	*	0.1	*
	7	-	*	*	0.1	0.6	0.1	-	-	-	*	*	*
	8	-	*	-	-	0.1	*	-	-	-	-	-	*
	Total	----	3.61.2	17.29.3		5.02.5		-0.2		0.93.3		3.03.9	
61	1 - 2	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	*	*	*	-	-	-	-	-	-	*	*
	4	*	*	*	*	-	-	-	-	-	*	-	*
	5	-	*	*	*	*	*	-	-	-	*	*	*
	6	-	-	*	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	*	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	**	**		**		-	-	-	*	**	*
71	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	*	-	-	-	-	-	-	-	-
12 & 22	1 - 2	*	0.1	-	*	1.0	6.6	-	0.3	-	*	*	*
	3	*	*	-	*	4.0	3.3	-	0.6	-	*	0.1	*
	4	-	*	-	*	0.6	0.4	-	0.1	-	-	*	*
	5	-	-	-	*	*	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	*0.1	-*		5.510.3		-0.9		-*		0.1*	
32	1 - 2	*	0.1	*	*	*	0.2	-	0.3	-	*	*	0.1
	3	0.1	0.4	0.1	0.1	0.3	0.9	-	0.6	-	0.3	0.1	0.2
	4	0.1	0.1	*	0.1	0.3	0.6	-	1.0	-	0.1	0.1	0.1
	5	*	*	*	*	*	0.1	-	0.8	-	-	*	*
	6	-	*	-	*	-	*	-	0.1	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.20.6	0.20.2		0.61.9		-2.9		-0.4		0.20.4	
42	1 - 2	-	*	*	*	-	*	-	*	-	0.1	*	0.1
	3	0.1	0.4	0.9	1.0	0.2	0.7	-	0.4	-	0.8	0.2	0.7
	4	0.1	0.4	1.1	1.5	0.7	0.8	-	0.3	*	0.4	0.2	0.5
	5	*	0.1	0.3	0.5	0.2	0.4	-	0.6	-	*	*	0.1
	6	-	*	*	0.1	*	0.1	-	0.3	-	*	*	*
	7	-	*	-	*	*	*	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.21.0	2.33.2		1.12.0		-1.7		*1.3		0.41.3	

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Dec 11, 2025

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	*	-	*	-	-	-	*
	3	*	*	0.6	0.3	*	0.1	-	*	-	*	*	*
	4	*	*	1.5	0.6	*	0.2	-	*	-	*	*	0.1
	5	*	*	0.4	0.3	*	0.4	-	-	-	*	*	*
	6	*	*	0.1	0.1	0.1	0.3	-	-	-	*	*	*
	7	-	*	*	*	*	0.1	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	0.1	*	2.7	1.3	0.2	1.0	-	0.1	-	0.1	0.1	0.2
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	*	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	*
	5	-	-	*	*	-	-	-	-	-	*	*	*
	6	*	*	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	-	*	*	*
13 & 23	1 - 2	*	*	-	-	*	0.4	-	-	-	-	*	*
	3	-	*	-	-	*	0.1	-	*	-	-	*	*
	4	-	-	-	-	*	*	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	-	0.1	0.5	-	*	-	-	*	*
33	1 - 2	-	*	-	-	-	*	-	*	-	-	-	*
	3	*	*	*	*	-	0.1	-	*	-	-	*	*
	4	*	*	*	*	-	*	-	*	-	-	*	*
	5	-	-	*	*	-	*	-	*	-	-	-	-
	6	-	*	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	0.1	-	*	-	-	*	*
43	1 - 2	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	*	0.1	*	-	*	-	*	-	*	*	*
	4	*	*	0.1	*	0.1	*	-	*	-	-	*	*
	5	*	*	*	*	-	*	-	*	-	-	*	*
	6	-	*	-	*	-	*	-	*	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	0.2	0.1	0.1	0.1	-	0.1	-	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	*	*	-	-	-	*	-	*	*	*
	4	*	*	*	*	-	-	-	*	-	-	*	*
	5	*	*	*	*	-	-	-	-	-	-	-	*
	6	-	*	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	0.1	*	-	-	-	*	-	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	*	-	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		-	*	*	*	-	*	-	-	-	*	*	*
32		*	*	*	*	-	*	-	-	-	-	*	0.1
33		0.9	0.5	0.1	0.1	*	0.1	-	*	*	0.2	0.5	0.7
34		3.6	2.9	0.4	0.3	*	0.7	-	*	0.5	1.9	3.9	4.3
35		9.9	10.9	1.9	2.4	0.8	3.1	-	2.0	11.6	12.6	13.6	15.3
36		23.1	23.6	11.3	13.6	12.7	13.9	-	13.7	37.7	32.1	28.6	31.4
37		41.8	42.7	50.5	51.4	39.6	46.9	-	34.9	24.8	35.1	40.4	35.6
38		16.3	15.5	30.3	26.9	30.4	27.6	-	28.3	21.3	13.6	9.5	9.9
39		4.1	3.4	4.8	4.9	11.6	6.6	-	18.6	4.0	3.8	3.0	2.4
40 & Longer		0.3	0.6	0.7	0.4	4.9	1.2	-	2.6	0.1	0.7	0.5	0.3
Average Staple		36.68	36.68	37.25	37.18	37.54	37.22	-	37.56	36.67	36.60	36.47	36.37
Average Length		1.14	1.14	1.16	1.16	1.17	1.16	-	1.17	1.14	1.14	1.14	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Dec 11, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	12.0	10.5	4.5	4.4	*	*	*	2.0	0.3	0.4	54.1	53.9
	3	7.8	7.4	3.0	2.6	*	*	0.2	1.8	0.6	0.3	4.3	9.0
	4	1.5	1.0	-	*	-	*	*	*	0.1	*	-	0.1
	5	0.1	*	-	-	-	-	-	*	*	*	-	-
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	21.4	19.0	7.5	7.1	*	*	0.3	3.9	0.9	0.8	58.3	63.0
31	1 - 2	4.1	2.0	7.9	9.2	1.6	1.3	2.3	3.4	2.8	5.8	11.9	10.1
	3	13.3	10.7	30.3	36.9	7.8	8.6	23.1	20.3	15.6	20.0	21.1	17.0
	4	13.6	10.8	15.5	12.4	1.1	1.8	5.3	8.6	5.9	5.7	3.1	3.4
	5	3.8	2.8	0.6	0.8	*	*	0.5	0.6	0.5	0.3	0.2	0.3
	6	0.2	0.2	-	*	-	*	*	*	*	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	35.0	26.5	54.3	59.2	10.6	11.8	31.3	32.9	24.8	31.8	36.3	30.8
41	1 - 2	*	*	0.5	0.5	2.5	2.2	2.5	0.9	3.5	3.3	*	*
	3	1.0	1.1	13.9	10.0	39.1	38.0	29.3	18.7	34.0	30.0	1.7	1.0
	4	3.2	3.5	18.8	16.2	19.8	28.1	23.4	26.1	27.7	24.5	1.5	1.1
	5	3.2	3.9	4.2	4.7	1.7	3.5	3.5	7.3	4.8	4.5	1.4	1.4
	6	1.6	1.9	0.3	0.3	*	0.1	0.1	0.6	0.3	0.4	0.6	0.8
	7	0.4	0.4	-	-	*	*	-	*	*	*	*	0.2
	8	0.1	0.1	-	-	-	-	-	-	-	-	-	-
Total	----	9.4	10.8	37.6	31.7	63.2	71.9	58.7	53.6	70.2	62.6	5.3	4.4
51	1 - 2	-	-	-	*	0.3	0.1	-	*	*	0.1	-	-
	3	-	-	*	*	8.5	3.6	0.7	1.1	1.2	0.9	-	-
	4	-	-	*	0.4	9.4	5.5	2.2	3.3	1.7	1.7	-	-
	5	*	*	*	0.3	2.8	1.3	0.4	1.5	0.5	0.9	-	-
	6	*	*	*	0.1	0.2	0.1	*	0.2	0.1	0.2	*	*
	7	*	0.1	-	-	*	*	-	*	*	*	-	-
	8	-	0.1	-	-	-	-	-	-	*	*	-	-
Total	----	*	0.2	0.1	0.8	21.2	10.6	3.3	6.1	3.5	3.7	*	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	-	*	*	*	-	-
	4	-	-	-	*	*	*	-	*	*	*	-	-
	5	-	-	-	-	*	*	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	*	*	-	*	*	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	-	-	-	*	-	-
12 & 22	1 - 2	1.5	3.0	-	0.1	-	-	-	*	-	*	-	0.3
	3	3.3	4.6	-	*	-	*	*	*	-	*	-	*
	4	1.2	1.4	-	*	-	-	-	*	*	*	-	-
	5	0.2	0.1	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	6.3	9.2	-	0.1	-	*	*	*	*	*	-	0.4
32	1 - 2	0.3	0.2	-	0.1	-	*	*	*	-	*	-	1.2
	3	4.8	3.1	*	0.3	0.1	0.1	0.1	0.2	*	0.1	-	0.2
	4	4.0	4.9	*	0.2	0.1	*	*	0.1	*	0.1	-	-
	5	1.4	2.2	-	*	-	*	*	*	*	*	-	-
	6	0.2	0.5	-	*	-	-	-	*	-	-	-	-
	7	-	0.1	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	10.7	11.0	0.1	0.5	0.2	0.2	0.1	0.3	*	0.3	-	1.4
42	1 - 2	-	*	-	*	*	0.1	*	*	-	*	-	-
	3	1.6	1.5	*	0.2	0.5	1.5	0.9	0.6	0.1	0.3	-	-
	4	5.3	5.1	0.2	0.4	1.2	1.5	3.0	1.2	0.2	0.3	-	-
	5	4.5	6.5	0.2	0.1	1.0	0.4	0.6	0.5	*	0.1	-	-
	6	2.1	4.1	*	*	0.4	0.1	*	0.1	-	*	-	-
	7	0.3	1.1	-	-	*	*	-	*	-	*	-	-
	8	*	0.2	-	-	-	-	-	-	-	-	-	-
Total	----	13.9	18.5	0.5	0.6	3.1	3.7	4.5	2.4	0.3	0.7	-	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Dec 11, 2025

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	*	*	-	*	-	*	-	-
	3	-	-	-	*	0.1	0.5	0.2	0.1	*	*	-	-
	4	*	*	-	*	0.4	0.8	0.8	0.3	*	*	-	-
	5	0.1	*	-	*	0.4	0.3	0.1	0.3	*	*	-	-
	6	0.1	0.2	-	*	0.2	0.1	-	0.1	-	*	-	-
	7	0.1	0.5	-	-	*	*	-	*	-	*	-	-
	8	-	0.3	-	-	-	-	-	-	*	*	-	-
Total	----	0.2	1.1	-	*	1.2	1.7	1.1	0.7	*	0.1	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	*	-	-	-	-
	4	-	-	-	-	*	*	-	*	*	*	-	-
	5	-	-	-	-	*	*	-	*	*	*	-	-
	6	-	-	-	-	*	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	-	*	*	*	-	-
13 & 23	1 - 2	0.1	0.1	-	-	-	-	-	-	-	-	-	-
	3	1.1	0.5	-	-	-	-	-	-	-	-	-	-
	4	0.3	0.2	-	-	-	-	-	-	-	*	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.5	0.8	-	-	-	-	-	-	-	*	-	-
33	1 - 2	-	*	-	-	-	*	-	*	*	*	-	-
	3	0.1	0.1	-	*	*	*	*	*	*	*	-	-
	4	0.2	0.2	-	*	*	*	*	*	*	*	-	-
	5	*	0.2	-	*	-	-	-	-	*	*	-	-
	6	*	0.1	-	-	-	-	-	-	-	-	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	0.6	-	*	0.1	*	*	*	*	*	-	-
43	1 - 2	-	-	-	*	*	*	-	-	-	*	-	-
	3	*	0.1	-	*	0.1	*	0.1	*	*	*	-	-
	4	0.4	0.4	-	*	0.2	*	0.3	*	*	*	-	-
	5	0.3	0.5	-	*	*	*	0.1	*	-	*	-	-
	6	0.2	0.6	-	-	*	*	*	*	-	*	-	-
	7	0.1	0.2	-	-	-	-	-	-	-	-	-	-
	8	-	0.1	-	-	-	-	-	-	-	-	-	-
Total	----	1.1	1.9	-	*	0.3	*	0.4	*	*	*	-	-
53	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	*	-	-	*	*	*	*	-	*	-	-
	4	*	*	-	-	*	*	0.2	*	-	*	-	-
	5	0.1	*	-	-	*	*	*	*	-	*	-	-
	6	*	*	-	-	*	*	-	*	-	*	-	-
	7	*	*	-	-	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.2	-	-	0.1	*	0.2	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	0.1	0.1	-	-	-	-	-	-	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		*	*	-	-	-	-	-	*	-	-	-	-
32		-	*	-	-	-	*	-	*	*	*	-	-
33		0.1	0.3	-	0.1	*	*	0.1	0.2	0.2	0.1	-	-
34		0.8	1.6	0.1	1.1	0.1	0.2	0.7	2.1	2.0	1.2	2.5	2.0
35		3.0	4.7	8.1	10.1	1.2	1.7	10.4	11.6	9.6	7.5	7.0	6.3
36		10.0	10.8	35.9	27.0	12.9	10.3	30.1	27.6	23.1	23.4	10.7	12.2
37		24.3	25.7	42.9	41.7	51.2	48.8	30.0	36.4	49.4	50.1	22.2	26.3
38		33.9	34.2	11.5	15.1	29.8	33.5	18.3	15.0	13.2	14.6	46.0	45.2
39		25.7	19.7	1.5	4.4	4.6	5.0	8.7	5.4	2.3	2.8	10.6	6.9
40 & Longer		2.2	2.8	-	0.5	0.2	0.4	1.8	1.6	0.2	0.3	1.0	1.1
Average Staple		37.73	37.56	36.62	36.74	37.24	37.30	36.88	36.73	36.69	36.79	37.38	37.31
Average Length		1.18	1.17	1.14	1.15	1.16	1.17	1.15	1.15	1.14	1.15	1.17	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Dec 11, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	39.2	49.5	0.1	0.3	-	0.4	61.6	43.9	2.0	0.7
	3	5.7	8.3	0.2	0.3	-	0.1	12.2	13.6	2.7	0.9
	4	0.2	0.3	*	*	-	*	0.6	1.0	0.1	*
	5	-	*	-	-	-	*	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	45.2	58.1	0.4	0.6	-	0.5	74.5	58.6	4.8	1.7
31	1 - 2	19.7	10.8	2.3	2.3	-	7.0	2.5	3.0	9.3	8.6
	3	20.9	17.5	19.2	14.1	-	14.5	5.1	11.0	40.9	37.7
	4	3.7	3.8	7.0	4.1	-	3.2	1.8	4.7	10.2	8.5
	5	0.3	0.2	0.3	0.1	-	0.2	0.2	0.6	0.8	0.5
	6	-	*	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	44.6	32.3	28.7	20.6	-	24.8	9.6	19.2	61.1	55.3
41	1 - 2	0.2	0.3	1.4	2.2	-	7.7	0.1	0.3	1.1	1.6
	3	0.9	1.1	31.0	33.6	-	35.8	0.7	2.2	15.2	21.7
	4	0.9	1.0	31.0	31.7	-	14.2	0.5	2.2	14.2	16.5
	5	0.3	0.4	4.5	4.4	-	1.8	0.1	0.6	3.3	2.7
	6	0.1	*	0.1	0.1	-	0.1	*	0.1	0.1	0.1
	7	-	*	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	-	-
Total	----	2.4	2.9	68.0	72.1	-	59.6	1.4	5.3	33.9	42.6
51	1 - 2	-	*	*	0.1	-	0.2	*	*	-	*
	3	*	*	0.7	1.8	-	2.4	*	0.1	-	*
	4	-	*	1.5	2.7	-	2.2	-	0.2	*	0.1
	5	-	*	0.3	0.8	-	0.5	-	0.1	*	*
	6	-	*	*	0.1	-	*	-	*	-	*
	7	-	*	-	*	-	*	*	*	-	*
	8	-	*	-	-	-	-	*	*	-	-
Total	----	*	*	2.5	5.5	-	5.3	*	0.3	*	0.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	3.6	2.3	-	-	-	*	6.4	6.5	-	-
	3	0.8	1.1	-	-	-	*	3.1	3.4	*	*
	4	*	0.1	-	-	-	*	0.4	0.6	*	*
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	4.4	3.5	-	-	-	*	9.9	10.5	*	*
32	1 - 2	0.6	0.3	*	*	-	0.2	0.4	0.4	*	*
	3	1.0	1.1	*	*	-	0.5	0.9	1.5	*	*
	4	0.2	0.5	*	*	-	0.1	0.5	1.2	*	*
	5	*	0.1	*	*	-	*	0.1	0.3	*	*
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.8	1.9	0.1	0.1	-	0.8	2.0	3.4	*	0.1
42	1 - 2	*	*	*	*	-	0.9	*	*	-	*
	3	0.2	0.1	0.1	0.3	-	5.0	0.1	0.4	*	*
	4	0.1	0.1	0.2	0.5	-	1.5	0.2	0.5	*	*
	5	*	0.1	*	0.1	-	0.1	0.1	0.3	*	*
	6	*	*	-	*	-	*	*	0.1	-	*
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	0.3	0.4	0.3	0.9	-	7.5	0.4	1.4	0.1	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Dec 11, 2025											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	0.1	-	*	-	-
	3	-	-	*	*	-	0.7	*	*	-	-
	4	-	*	*	0.1	-	0.5	*	*	*	*
	5	-	-	*	*	-	0.1	*	*	-	*
	6	-	*	-	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	0.1	-	1.3	*	0.1	*	*
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	-	*	-	-	-	*	*	*	-	-
13 & 23	1 - 2	0.2	0.1	-	-	-	-	0.5	0.3	-	-
	3	0.1	0.1	-	-	-	-	0.5	0.3	-	-
	4	*	*	-	-	-	-	0.1	0.1	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	0.3	0.2	-	-	-	-	1.2	0.6	-	-
33	1 - 2	0.2	0.1	-	-	-	*	0.1	*	-	-
	3	0.4	0.2	-	*	-	*	0.3	0.1	-	*
	4	0.1	0.1	-	*	-	*	0.2	0.1	-	*
	5	*	*	-	*	-	-	0.1	*	-	*
	6	-	*	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	0.8	0.4	-	*	-	*	0.7	0.3	-	*
43	1 - 2	-	*	-	*	-	*	*	*	-	-
	3	*	*	*	*	-	*	*	*	*	*
	4	*	*	*	*	-	*	*	0.1	-	-
	5	*	*	-	*	-	*	*	*	*	*
	6	-	*	-	-	-	*	*	*	-	*
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	0.1	0.1	*	*	-	*	0.1	0.1	*	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	*	*	-	*	-	*	-	*	-	-
	4	-	*	-	*	-	*	*	*	-	-
	5	-	*	-	*	-	*	*	*	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	*	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	-	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
24 - 54	1 - 8	0.1	0.1	-	*	-	-	0.1	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		-	-	-	-	-	-	*	*	-	-
31		-	*	-	-	-	-	0.1	0.1	-	-
32		*	*	-	-	-	*	0.7	0.5	*	*
33		0.1	0.4	*	*	-	0.1	3.1	2.1	*	*
34		1.0	2.1	0.5	1.0	-	2.6	10.1	6.4	0.6	0.5
35		5.5	6.6	8.5	8.0	-	9.5	19.1	12.5	5.7	5.3
36		12.6	12.0	31.3	32.0	-	30.9	25.3	20.8	22.7	22.6
37		28.9	25.1	42.4	44.1	-	44.2	28.1	35.1	52.3	55.9
38		21.7	19.3	11.1	11.2	-	11.3	9.2	16.4	14.9	13.1
39		20.6	20.3	4.7	3.2	-	1.3	3.1	5.1	3.6	2.6
40 & Longer		9.5	14.2	1.4	0.5	-	0.1	1.3	1.0	0.2	0.1
Average Staple		37.65	37.72	36.75	36.68	-	36.56	36.10	36.54	36.86	36.84
Average Length		1.18	1.18	1.15	1.14	-	1.14	1.13	1.14	1.15	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Dec 11, 2025

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.6	0.2	*	*	*	0.2	-	*	0.7	0.6	1.0	0.7
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	*	*	0.1	*	0.1	-	1.3	0.1	0.1	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	-	-	-	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	0.1	*	1.1	-	*	-	-	0.1	0.2	0.2	0.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	-	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	-	-	-	-	-
23	-	-	-	*	-	-	-	-	-	-	-	*
24	*	*	*	*	-	*	-	*	-	-	*	*
25	*	*	*	*	*	0.1	-	*	-	-	*	*
26	0.2	0.1	*	*	0.1	0.4	-	*	-	*	0.5	0.3
27	2.0	0.7	0.3	0.2	0.7	1.7	-	0.1	0.2	0.2	2.8	1.8
28	9.5	5.9	2.4	1.9	4.7	7.0	-	2.5	4.8	2.6	10.1	8.1
29	24.4	21.0	13.4	11.4	11.9	15.4	-	9.1	12.1	12.8	22.1	19.9
30	31.1	30.3	35.2	34.8	17.6	21.5	-	15.7	29.5	26.8	25.1	26.2
31	19.6	22.7	31.9	33.8	16.6	19.7	-	14.2	30.1	27.3	20.1	21.3
32	9.4	11.7	12.2	13.2	19.4	15.0	-	7.0	10.7	16.7	11.7	12.6
33	2.9	5.1	3.6	3.6	13.7	10.3	-	6.8	7.4	7.9	5.1	6.0
34	0.8	1.9	0.8	0.8	10.0	6.6	-	12.3	3.8	4.4	1.9	2.5
35	0.1	0.5	0.2	0.1	4.6	2.1	-	17.8	1.2	1.1	0.5	0.9
36	*	0.1	*	*	0.5	0.3	-	11.0	0.1	0.1	0.1	0.3
37	*	*	-	*	0.1	0.1	-	3.2	-	*	*	0.1
38	-	*	-	*	*	*	-	0.2	-	-	*	*
39	-	-	-	-	*	*	-	0.1	-	-	-	*
40 & Above	-	-	-	-	-	-	-	0.1	-	-	-	-
Average	30.46	30.82	30.96	31.04	31.84	31.28	-	33.08	31.20	31.34	30.62	30.83
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	*	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	*	*
2.7	*	*	-	-	-	-	-	*	-	-	*	*
2.8	*	*	-	-	-	-	-	-	-	-	*	*
2.9	*	*	-	-	-	-	-	*	-	-	*	*
3.0	0.1	*	*	*	-	-	-	0.1	-	-	*	*
3.1	0.1	*	-	-	-	*	-	0.5	-	*	*	*
3.2	0.1	*	*	*	0.1	*	-	0.3	*	0.1	*	*
3.3	0.2	0.1	*	*	0.3	0.1	-	0.2	0.2	0.1	0.1	0.1
3.4	0.2	0.3	0.1	*	0.6	0.1	-	0.4	0.1	0.1	0.3	0.2
3.5	0.7	0.7	0.1	*	0.2	0.2	-	1.2	0.7	0.6	0.8	0.4
3.6	1.3	0.9	0.3	0.1	0.5	0.4	-	2.0	1.3	0.8	1.3	0.8
3.7	2.8	1.8	0.3	0.1	2.0	1.5	-	2.8	2.0	1.3	1.8	1.3
3.8	4.6	2.8	0.7	0.1	2.8	1.4	-	5.6	1.7	1.3	3.0	2.1
3.9	6.1	4.0	0.9	0.4	4.3	2.0	-	6.6	2.2	1.9	4.5	3.2
4.0	8.3	5.4	1.4	0.6	6.4	3.6	-	5.5	2.7	3.1	5.8	4.7
4.1	8.2	7.6	1.7	1.0	8.9	6.3	-	5.8	6.9	5.4	7.5	6.7
4.2	9.9	9.6	2.2	1.7	8.6	7.9	-	7.1	10.9	7.0	9.1	8.5
4.3	9.9	10.5	3.7	3.0	8.4	8.3	-	7.8	17.8	10.0	9.8	9.3
4.4	12.4	10.6	5.2	4.9	6.0	10.0	-	8.2	21.5	12.2	9.8	9.9
4.5	11.5	10.4	7.6	7.7	9.8	13.3	-	7.9	12.4	12.9	10.1	10.2
4.6	6.8	9.3	11.6	11.8	10.4	13.0	-	7.9	9.1	10.6	9.9	9.8
4.7	6.1	7.7	14.8	14.8	7.4	9.7	-	9.5	4.5	11.9	8.2	9.1
4.8	4.4	6.2	14.4	15.8	6.4	9.0	-	7.3	3.8	8.6	6.0	7.6
4.9	2.5	4.8	11.1	13.9	5.1	6.1	-	5.6	1.6	5.7	4.6	6.0
5.0	1.8	3.1	9.5	10.9	4.2	4.2	-	3.3	0.5	3.6	3.2	4.4
5.1	0.9	1.9	7.2	6.8	2.6	1.4	-	2.5	*	2.0	2.4	2.9
5.2	0.6	1.1	4.3	3.8	2.2	0.8	-	1.0	*	0.6	1.1	1.6
5.3	0.4	0.7	2.1	1.8	2.2	0.5	-	0.3	-	0.2	0.4	0.7
5.4	0.1	0.3	0.7	0.6	0.7	0.2	-	0.3	-	0.2	0.2	0.3
5.5 & Above	*	0.2	0.2	0.2	*	*	-	0.2	-	0.1	*	0.1
Average	4.31	4.41	4.72	4.76	4.45	4.49	-	4.37	4.34	4.48	4.40	4.47

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Dec 11, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	18.7	19.8	0.1	*	*	*	*	*	2.3	1.4	-	0.1
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	-	*	-	*	-	*	*	*	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	*	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.1	0.8	0.4	0.1	0.2	*	0.3	0.2	0.3	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	*	*	*	*	*	*	0.1	0.1
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	*	*	-	-	-	*	-	-	-	-	-	-
23	-	*	-	-	-	*	-	-	-	-	-	-
24	-	-	-	-	-	*	-	*	*	*	-	-
25	-	*	-	*	-	*	-	*	*	*	-	-
26	*	0.1	*	*	-	*	0.1	0.1	0.3	0.2	-	-
27	0.3	0.4	0.1	0.5	*	*	0.9	1.0	2.0	1.8	1.9	1.8
28	1.0	1.1	2.7	4.5	0.1	0.5	10.2	4.8	12.7	9.8	5.3	5.7
29	2.5	2.7	15.0	19.1	4.9	6.8	18.8	15.6	32.9	27.7	25.2	23.9
30	6.4	7.4	13.9	33.2	37.0	34.7	15.3	26.9	31.8	32.6	31.0	30.9
31	12.0	17.2	15.2	20.9	34.8	37.5	19.1	26.3	14.0	18.0	17.5	20.4
32	16.8	22.9	10.2	11.7	13.9	14.3	17.5	16.1	4.5	7.1	11.4	12.7
33	19.6	21.7	19.0	5.1	6.3	4.9	10.4	6.5	1.5	2.1	4.2	2.3
34	24.3	16.5	15.1	3.0	2.7	1.1	5.6	2.3	0.2	0.5	3.4	2.3
35	14.2	8.1	7.5	1.8	0.2	0.1	2.0	0.4	*	0.1	0.1	0.1
36	2.5	1.4	1.1	0.2	*	*	0.1	*	*	*	-	-
37	0.3	0.2	0.1	*	*	*	-	*	-	-	-	-
38	0.1	0.1	-	*	-	*	-	*	-	-	-	-
39	0.1	*	-	-	-	-	-	-	-	-	-	-
40 & Above	-	*	-	-	-	-	-	-	-	-	-	-
Average	33.30	32.84	32.22	30.97	31.34	31.23	31.20	31.06	30.07	30.32	30.71	30.66
Mike												
2.4 & Below	0.1	0.1	-	-	-	-	-	-	-	-	-	-
2.5	0.7	0.3	-	-	-	-	-	-	-	-	-	-
2.6	0.7	0.5	*	*	-	-	-	-	-	-	-	-
2.7	1.3	1.1	-	*	-	-	-	-	-	-	-	-
2.8	1.4	1.6	-	-	-	-	-	-	*	*	-	-
2.9	1.9	1.9	-	*	-	-	-	-	*	*	-	*
3.0	2.0	2.2	-	*	-	-	-	-	*	*	-	*
3.1	3.2	2.7	-	*	*	*	-	-	*	*	-	-
3.2	3.6	3.0	*	*	-	-	*	*	0.2	0.1	-	0.1
3.3	4.6	3.7	-	*	-	*	-	*	0.2	0.2	*	0.6
3.4	6.0	4.6	-	0.1	-	*	-	*	0.4	0.3	0.2	0.4
3.5	7.2	5.7	0.1	0.1	*	*	0.3	0.1	0.6	0.5	0.2	1.1
3.6	6.1	6.0	0.3	0.1	*	0.1	0.1	0.1	0.8	0.8	0.2	0.5
3.7	7.8	6.6	0.1	0.2	0.1	0.2	0.3	0.2	1.0	1.3	0.4	3.4
3.8	6.7	6.1	0.5	0.3	0.2	0.3	0.1	0.3	2.0	2.2	1.0	4.9
3.9	6.4	6.3	0.6	0.6	0.6	0.6	0.1	0.4	3.5	3.2	2.8	8.7
4.0	6.2	6.4	1.8	1.3	1.2	1.3	0.4	0.8	5.3	4.4	3.1	8.6
4.1	8.6	8.4	1.5	2.3	3.4	2.2	0.5	1.3	8.2	6.5	10.2	10.7
4.2	7.2	7.0	4.7	3.4	4.9	3.9	1.8	2.0	9.5	8.9	11.1	9.9
4.3	6.4	7.3	7.1	4.9	8.9	6.2	3.1	3.0	12.7	11.5	13.5	12.2
4.4	3.1	5.7	9.1	6.3	12.2	9.1	6.8	4.5	13.7	12.2	12.8	9.6
4.5	2.6	4.0	10.4	8.2	13.4	12.6	13.6	6.1	12.1	11.5	15.6	11.1
4.6	2.0	2.9	13.1	9.7	13.9	15.3	7.9	8.6	10.2	10.3	14.2	8.0
4.7	1.2	2.3	9.3	11.3	14.9	16.0	9.7	11.2	7.2	8.9	7.4	4.0
4.8	1.5	2.1	4.2	12.7	11.5	13.6	9.9	13.6	4.6	6.4	3.8	3.1
4.9	1.3	1.1	2.3	11.7	5.8	9.1	12.4	14.7	3.2	4.5	2.8	2.4
5.0	0.2	0.4	0.4	9.6	3.8	5.3	9.4	13.4	2.1	3.1	0.4	0.2
5.1	*	*	0.1	7.7	2.3	2.6	15.0	9.9	1.4	1.7	0.5	0.3
5.2	-	*	*	4.4	2.0	1.0	6.3	5.7	0.6	0.8	-	0.1
5.3	-	-	0.4	2.6	0.8	0.4	2.1	2.6	0.2	0.3	-	*
5.4	-	-	5.1	1.2	0.1	0.1	0.1	1.0	*	0.1	-	-
5.5 & Above	-	-	28.8	1.2	*	*	0.1	0.4	-	*	-	-
Average	3.79	3.87	4.84	4.73	4.59	4.62	4.78	4.80	4.38	4.43	4.39	4.25

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Dec 11, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	1.2	1.1	4.1	2.8	-	*	4.4	2.1	1.0	1.1
Bark - Level 2	-	*	-	-	-	-	-	*	-	-
Grass - Level 1	0.2	0.1	*	0.1	-	*	0.1	0.2	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	-	*	*	-	-	*	*	-	*
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	1.0	1.1	-	*	0.3	0.3	*	0.6
Seed Coat - Level 2	-	-	-	-	-	-	-	*	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	*	-	-
Other - Level 1	-	*	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	-	-	-	-	-	*	*	-	-
23	*	*	-	-	-	-	*	*	-	-
24	-	*	*	*	-	*	*	*	*	*
25	-	*	*	*	-	*	0.2	0.2	0.1	*
26	*	0.2	0.3	0.2	-	*	0.8	0.6	0.7	1.0
27	0.1	0.8	1.7	1.4	-	0.5	3.1	2.3	5.8	5.6
28	1.2	3.5	13.2	9.9	-	3.8	8.2	6.7	20.4	18.5
29	5.7	9.3	35.9	33.6	-	21.0	17.0	14.9	31.1	31.9
30	11.8	14.0	30.8	33.3	-	38.7	21.9	20.6	25.4	26.6
31	19.2	15.8	12.8	14.5	-	24.7	19.5	18.6	12.0	11.6
32	19.5	15.9	4.3	5.5	-	8.2	13.4	13.8	3.6	3.6
33	18.3	15.7	0.9	1.4	-	2.4	8.4	10.3	0.7	0.9
34	13.9	13.1	0.1	0.2	-	0.7	4.3	7.3	0.2	0.2
35	6.9	7.6	*	*	-	0.1	2.0	3.2	*	*
36	2.0	2.6	*	*	-	*	0.8	1.1	*	*
37	1.0	1.0	-	*	-	*	0.3	0.3	-	-
38	0.2	0.3	-	-	-	-	0.1	0.1	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	*	*	-	-	-	-	*	*	-	-
Average	32.59	32.36	30.01	30.17	-	30.66	31.05	31.38	29.74	29.78
Mike										
2.4 & Below	-	*	-	-	-	-	*	*	-	-
2.5	-	*	-	-	-	-	0.1	*	-	-
2.6	-	*	-	-	-	-	0.2	*	-	-
2.7	0.1	*	-	-	-	*	0.3	0.1	*	*
2.8	0.1	*	-	*	-	*	0.4	0.2	-	-
2.9	*	0.1	-	*	-	*	0.6	0.3	*	*
3.0	0.1	0.1	-	*	-	*	1.1	0.4	0.1	*
3.1	0.1	0.1	*	*	-	*	1.4	0.6	0.1	*
3.2	0.1	0.3	*	*	-	*	1.8	0.9	0.1	0.1
3.3	0.3	0.5	0.1	0.1	-	*	2.4	1.3	0.2	0.1
3.4	0.4	0.7	0.2	0.2	-	0.1	2.9	1.8	0.4	0.2
3.5	0.9	1.0	0.3	0.3	-	0.3	3.7	2.4	1.1	0.5
3.6	1.9	1.9	0.4	0.5	-	0.3	4.3	3.0	1.7	1.0
3.7	2.8	3.2	1.0	1.2	-	0.8	4.9	3.8	3.3	2.3
3.8	5.4	5.2	2.4	1.8	-	1.1	5.7	4.9	5.4	3.5
3.9	8.0	7.4	3.0	2.8	-	1.6	6.4	6.4	7.7	6.1
4.0	8.5	9.0	6.2	4.4	-	2.4	7.2	7.8	11.6	8.6
4.1	10.5	10.2	8.7	5.7	-	3.9	7.8	9.1	15.6	11.3
4.2	10.0	10.0	9.7	7.9	-	5.3	8.4	10.2	16.4	14.3
4.3	11.5	10.7	10.0	9.3	-	6.7	7.8	10.4	13.9	15.3
4.4	11.7	9.9	11.6	11.0	-	9.5	7.4	9.7	8.2	13.6
4.5	12.2	9.8	12.0	11.5	-	11.8	7.0	8.3	5.1	9.5
4.6	7.0	8.3	9.4	10.7	-	13.4	6.0	6.5	2.5	6.3
4.7	5.1	5.9	7.1	9.5	-	13.4	4.6	4.7	2.6	3.5
4.8	2.7	3.6	6.4	7.9	-	11.8	3.3	3.1	2.1	2.0
4.9	0.5	1.5	6.1	6.2	-	8.1	2.1	1.8	1.1	1.1
5.0	*	0.5	3.3	4.2	-	5.4	1.2	1.0	0.4	0.4
5.1	*	0.1	1.3	2.5	-	2.7	0.8	0.5	0.3	0.2
5.2	-	*	0.3	1.4	-	1.0	0.4	0.3	0.1	*
5.3	-	*	0.2	0.6	-	0.3	0.2	0.2	-	*
5.4	-	-	0.2	0.3	-	*	*	0.1	-	*
5.5 & Above	-	*	0.3	0.1	-	*	*	0.1	-	*
Average	4.23	4.24	4.42	4.49	-	4.56	4.10	4.18	4.17	4.25

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE												
For The Week Ending Dec 11, 2025												
Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	*	-	-	-	-	-	-	-	-	*	*
2.7 - 2.9	0.1	*	-	-	-	-	-	0.1	-	-	*	*
3.0 - 3.2	0.3	0.1	*	*	0.1	*	-	0.9	*	0.1	*	*
3.3 - 3.4	0.4	0.4	0.1	*	0.9	0.2	-	0.7	0.3	0.2	0.4	0.3
3.5 - 3.6	1.9	1.6	0.4	0.1	0.8	0.6	-	3.2	2.0	1.4	2.1	1.2
3.7 - 4.2	39.9	31.1	7.2	3.8	32.9	22.6	-	33.5	26.4	19.9	31.7	26.6
4.3 - 4.9	53.6	59.4	68.3	71.9	53.4	69.4	-	54.2	70.7	71.9	58.4	61.9
5.0 - 5.2	3.3	6.2	21.0	21.5	9.0	6.4	-	6.8	0.6	6.2	6.7	8.8
5.3 & Above	0.5	1.2	3.0	2.7	3.0	0.7	-	0.8	-	0.4	0.7	1.1
Average	4.31	4.41	4.72	4.76	4.45	4.49	-	4.37	4.34	4.48	4.40	4.47
Leaf												
1 - 2	13.4	16.2	3.3	2.1	40.0	49.0	-	47.2	4.6	8.5	12.8	14.8
3	58.0	55.2	44.6	39.1	38.3	35.4	-	33.0	54.9	53.6	59.0	59.3
4	24.3	24.5	42.9	46.0	14.5	11.6	-	12.3	35.6	33.2	24.8	23.1
5	3.9	3.8	8.3	11.4	4.6	2.9	-	6.1	4.7	4.5	3.2	2.7
6	0.5	0.4	0.8	1.3	1.7	0.8	-	1.4	0.2	0.2	0.2	0.2
7	*	*	*	0.1	0.7	0.2	-	-	-	*	*	*
8	-	*	-	-	0.1	*	-	-	-	-	-	*
Average	3.20	3.17	3.59	3.71	2.88	2.64	-	2.75	3.41	3.34	3.19	3.14
HVI Trash 1/												
00	-	-	-	-	-	*	-	-	-	-	-	-
01	1.2	2.1	0.1	0.1	12.5	18.9	-	16.1	0.4	1.0	1.1	1.5
02	17.3	18.2	4.5	3.1	36.1	38.2	-	36.4	6.1	10.2	18.5	20.0
03	30.4	28.2	17.9	14.7	21.5	20.2	-	20.3	22.6	24.2	32.1	32.5
04	24.8	23.5	27.1	24.6	12.2	10.7	-	9.6	33.9	28.2	24.8	23.7
05	13.8	14.2	22.7	23.1	7.2	5.6	-	5.6	19.6	18.6	13.1	12.4
06	6.8	7.4	14.0	15.9	4.1	2.9	-	4.3	9.3	9.7	5.9	5.7
07	3.1	3.6	7.3	9.3	2.3	1.4	-	3.1	4.8	4.5	2.5	2.5
08	1.4	1.6	3.5	4.8	1.3	0.8	-	2.2	1.9	2.0	1.1	1.0
09	0.7	0.7	1.7	2.4	1.0	0.5	-	1.3	0.9	0.8	0.5	0.4
10	0.3	0.3	0.7	1.2	0.7	0.3	-	0.6	0.3	0.4	0.2	0.2
11	0.1	0.1	0.3	0.5	0.4	0.2	-	0.3	0.1	0.2	0.1	0.1
12	0.1	0.1	0.1	0.2	0.3	0.1	-	0.1	0.1	0.1	*	*
13	*	*	*	0.1	0.2	*	-	*	*	*	*	*
14	*	*	*	*	0.2	*	-	*	-	*	*	*
15	*	*	*	*	*	*	-	-	0.1	*	*	*
16	-	*	-	-	*	*	-	-	*	*	*	*
17	-	*	-	-	*	*	-	-	-	*	*	*
18 & Above	*	*	-	-	*	*	-	-	*	*	*	*
Average	0.38	0.38	0.48	0.51	0.32	0.27	-	0.30	0.43	0.42	0.37	0.36
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	*
76	-	*	*	*	-	*	-	*	-	*	*	*
77	*	*	*	*	-	*	-	*	*	*	*	0.1
78	0.2	0.3	0.1	0.1	0.3	0.2	-	1.4	*	0.1	0.4	0.8
79	2.2	2.2	0.6	0.5	1.6	1.6	-	8.4	0.2	1.1	3.7	5.0
80	14.3	11.9	4.8	3.8	11.0	12.8	-	13.6	3.7	8.1	17.1	21.0
81	23.3	31.3	22.4	20.0	29.8	36.4	-	20.7	25.2	38.4	36.6	36.7
82	35.8	36.2	42.9	43.5	42.1	39.0	-	33.3	52.3	41.0	30.2	26.6
83	20.0	15.7	25.4	28.0	13.9	9.1	-	17.8	15.4	10.0	10.1	8.2
84	4.1	2.1	3.5	4.0	1.3	0.6	-	4.6	3.0	1.2	1.7	1.4
85 & Above	0.1	0.2	0.2	0.2	*	*	-	0.1	0.2	0.1	0.1	0.1
Average	82.15	82.02	82.44	82.52	82.03	81.86	-	81.93	82.34	82.00	81.75	81.59
Tenderable 3/	93.9	90.4	70.8	70.6	82.7	87.1	-	85.4	98.0	91.4	90.4	87.6
SAMPLES CLASSED	33,212	449,558	79,231	1,216,915	14,813	73,732	-	37,538	7,800	75,106	180,092	1,194,770

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Dec 11, 2025

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	0.1	0.1	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	1.4	0.8	*	*	-	-	-	-	-	-	-	-
2.7 - 2.9	4.6	4.6	-	*	-	-	-	-	*	*	-	*
3.0 - 3.2	8.8	7.9	*	*	*	*	*	*	0.3	0.2	-	0.1
3.3 - 3.4	10.6	8.3	-	0.1	-	*	-	*	0.6	0.5	0.3	1.0
3.5 - 3.6	13.2	11.7	0.4	0.2	*	0.1	0.3	0.2	1.4	1.3	0.3	1.7
3.7 - 4.2	42.9	40.8	9.1	8.1	10.4	8.5	3.2	5.0	29.6	26.5	28.5	46.2
4.3 - 4.9	18.1	25.4	55.6	64.8	80.6	81.9	63.4	61.8	63.7	65.4	70.0	50.4
5.0 - 5.2	0.3	0.4	0.5	21.7	8.1	8.9	30.7	29.0	4.2	5.7	0.9	0.5
5.3 & Above	-	-	34.3	5.1	0.9	0.6	2.3	4.0	0.2	0.5	-	*
Average	3.79	3.87	4.84	4.73	4.59	4.62	4.78	4.80	4.38	4.43	4.39	4.25
Leaf												
1 - 2	18.0	15.9	12.8	14.2	4.6	3.8	4.9	6.3	6.6	9.7	66.0	65.6
3	33.0	29.0	47.2	50.0	56.3	52.4	54.4	42.7	51.6	51.6	27.1	27.2
4	29.8	27.7	34.5	29.5	32.2	37.9	35.3	39.7	35.6	32.3	4.7	4.6
5	13.6	16.5	5.0	5.9	6.0	5.5	5.2	10.2	5.8	5.8	1.6	1.6
6	4.5	7.7	0.4	0.4	0.9	0.4	0.2	1.0	0.4	0.6	0.6	0.8
7	1.0	2.4	-	-	*	*	-	*	*	*	*	0.2
8	0.1	0.8	-	-	-	-	-	-	*	*	-	-
Average	3.56	3.80	3.33	3.28	3.42	3.46	3.41	3.57	3.42	3.36	2.26	2.29
HVI Trash 1/												
00	-	-	-	-	-	*	-	-	-	-	-	-
01	2.9	4.2	0.4	1.9	0.2	0.1	0.1	0.5	0.4	0.9	29.2	28.8
02	17.8	14.1	13.2	15.0	7.9	5.7	8.5	7.7	8.4	11.4	38.4	40.0
03	15.9	13.5	23.6	24.5	27.4	22.3	27.3	19.0	23.1	24.4	18.5	18.5
04	14.7	13.1	24.2	23.3	29.1	28.9	25.9	23.6	26.5	25.2	7.0	6.1
05	14.2	12.4	18.7	16.3	18.1	21.4	18.7	19.9	19.9	18.1	3.6	3.1
06	10.6	10.3	11.2	9.6	9.1	11.7	11.4	13.3	11.8	10.5	1.3	1.4
07	7.8	8.0	4.5	5.1	4.4	5.6	5.0	7.9	5.8	5.3	0.9	0.9
08	5.4	6.2	2.1	2.4	2.2	2.4	2.0	4.2	2.5	2.4	0.7	0.6
09	3.7	4.7	0.8	1.1	1.0	1.1	0.8	2.1	1.0	1.1	-	0.3
10	2.4	3.5	0.7	0.5	0.4	0.4	0.3	1.0	0.4	0.4	0.2	0.2
11	1.6	2.7	0.2	0.2	0.2	0.2	0.1	0.5	0.2	0.2	-	*
12	1.3	2.1	0.1	0.1	0.1	0.1	*	0.2	*	0.1	0.1	0.1
13	0.8	1.6	0.1	*	*	*	*	0.1	*	*	*	*
14	0.4	1.1	-	*	-	*	-	*	*	*	-	-
15	0.2	0.7	-	-	-	*	-	*	*	*	-	-
16	0.1	0.5	-	-	-	-	-	-	-	*	-	-
17	*	0.4	-	-	-	-	-	-	-	*	-	-
18 & Above	*	0.9	-	-	-	-	-	-	*	*	-	-
Average	0.49	0.57	0.42	0.41	0.42	0.45	0.43	0.47	0.44	0.43	0.23	0.23
UNIFORMITY 2/												
74 & Below	*	*	-	-	-	-	-	-	-	-	-	-
75	0.1	0.1	-	-	-	-	-	-	*	*	-	-
76	0.4	0.3	-	-	-	*	-	*	*	*	-	-
77	1.5	1.2	-	-	*	*	-	*	0.1	*	-	*
78	3.8	3.2	0.2	0.1	*	0.1	0.1	0.2	0.6	0.6	0.2	0.3
79	9.9	7.7	0.9	1.2	0.1	0.3	0.6	1.3	2.5	2.9	0.7	1.3
80	16.5	16.5	14.7	7.2	0.8	2.1	8.8	8.8	8.4	10.7	11.4	14.1
81	25.3	29.4	10.0	30.1	11.4	15.9	27.0	30.0	25.6	27.0	32.1	34.9
82	28.0	27.1	19.3	40.3	52.7	49.8	30.6	38.1	35.6	36.1	42.3	38.8
83	12.4	12.3	48.7	18.5	32.3	29.1	24.1	18.1	24.0	19.9	13.0	10.3
84	2.0	2.0	6.0	2.5	2.6	2.6	8.7	3.3	2.9	2.6	0.2	0.2
85 & Above	*	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.2	*	*
Average	81.48	81.54	82.65	82.20	82.70	82.59	82.40	82.18	82.22	82.11	82.00	81.86
Tenderable 3/	48.8	46.0	64.6	71.8	86.7	85.5	63.0	63.6	91.7	90.3	98.0	97.2
SAMPLES CLASSED	13,854	48,455	4,836	219,913	39,384	568,593	9,489	701,276	65,158	533,505	2,465	5,104

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Dec 11, 2025										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	*	-	-	-	-	*	*	-	-
2.5 - 2.6	-	*	-	-	-	-	0.3	0.1	-	-
2.7 - 2.9	0.1	0.1	-	*	-	*	1.3	0.5	*	*
3.0 - 3.2	0.2	0.5	*	0.1	-	*	4.2	1.9	0.3	0.1
3.3 - 3.4	0.7	1.1	0.3	0.3	-	0.2	5.2	3.1	0.6	0.3
3.5 - 3.6	2.8	2.9	0.7	0.7	-	0.6	8.0	5.4	2.8	1.4
3.7 - 4.2	45.2	45.1	31.0	23.8	-	15.1	40.3	42.2	59.9	46.2
4.3 - 4.9	50.9	49.6	62.5	66.0	-	74.8	38.1	44.5	35.5	51.4
5.0 - 5.2	*	0.7	5.0	8.1	-	9.1	2.4	1.9	0.8	0.6
5.3 & Above	-	*	0.6	1.1	-	0.3	0.2	0.4	-	*
Average	4.23	4.24	4.42	4.49	-	4.56	4.10	4.18	4.17	4.25
Leaf										
1 - 2	63.8	63.4	3.8	5.0	-	16.4	71.8	54.5	12.4	10.9
3	30.0	29.5	51.2	50.2	-	59.1	23.0	32.6	58.8	60.4
4	5.4	6.0	39.6	39.1	-	21.7	4.3	10.6	24.5	25.3
5	0.7	0.9	5.2	5.5	-	2.7	0.7	2.0	4.2	3.3
6	0.1	0.1	0.1	0.2	-	0.2	0.1	0.3	0.1	0.1
7	-	*	-	*	-	*	*	*	*	*
8	-	*	-	-	-	-	*	*	-	-
Average	2.25	2.21	3.47	3.46	-	3.11	2.13	2.46	3.21	3.21
HVI Trash 1/										
00	*	0.1	-	-	-	*	0.1	0.1	-	-
01	32.0	34.4	0.1	0.2	-	2.0	38.9	26.7	0.6	0.5
02	35.3	31.6	5.9	7.0	-	17.1	38.4	31.7	13.5	12.1
03	18.7	18.0	22.8	22.9	-	29.8	13.3	18.8	29.5	28.9
04	8.7	9.0	29.2	27.8	-	24.7	5.2	10.9	25.0	26.5
05	3.3	3.9	21.6	21.2	-	14.2	2.2	6.0	15.6	16.5
06	1.2	1.7	12.2	11.8	-	6.8	1.0	3.1	8.5	8.7
07	0.5	0.7	5.1	5.5	-	3.1	0.4	1.5	4.2	4.1
08	0.2	0.3	2.0	2.2	-	1.3	0.2	0.7	2.0	1.7
09	0.1	0.1	0.8	0.9	-	0.6	0.1	0.3	0.7	0.7
10	*	0.1	0.3	0.3	-	0.2	0.1	0.1	0.3	0.2
11	*	*	0.1	0.1	-	0.1	*	0.1	0.1	0.1
12	*	*	*	*	-	*	*	*	*	*
13	-	*	*	*	-	*	*	*	*	*
14	-	*	*	*	-	*	*	*	*	*
15	-	*	-	*	-	*	*	*	*	*
16	-	*	*	*	-	-	*	*	-	*
17	-	*	-	-	-	-	*	*	*	*
18 & Above	-	*	-	*	-	-	*	*	*	*
Average	0.22	0.23	0.44	0.44	-	0.38	0.20	0.26	0.40	0.40
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	*	*	-	-
75	*	*	-	-	-	-	*	*	-	-
76	*	*	-	-	-	*	0.3	0.1	*	*
77	0.2	0.2	*	*	-	*	1.2	0.7	*	*
78	1.4	0.9	0.1	0.3	-	0.1	5.7	3.1	0.1	0.2
79	4.6	5.0	1.7	3.0	-	0.6	17.4	10.5	0.6	1.4
80	13.7	16.2	11.4	14.1	-	6.9	32.8	23.7	4.3	8.6
81	31.2	30.1	30.9	31.1	-	32.7	27.8	30.3	18.9	28.3
82	34.0	26.8	34.5	36.0	-	43.2	11.3	20.8	41.3	37.6
83	13.6	15.5	18.8	14.2	-	15.6	3.0	8.4	29.7	20.9
84	1.3	4.8	2.4	1.2	-	0.9	0.4	2.0	4.6	2.8
85 & Above	0.1	0.4	0.1	0.1	-	0.1	*	0.2	0.4	0.2
Average	81.82	81.89	82.09	81.92	-	82.14	80.73	81.32	82.55	82.22
Tenderable 3/	96.3	95.1	88.8	85.7	-	82.3	80.3	85.7	97.0	97.1
SAMPLES CLASSED	29,820	222,428	33,585	168,964	-	339,972	371,751	3,582,518	27,896	143,322

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE									
For The Week Ending Dec 11, 2025									
Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	4.9	2.5	1.9	6.3	-	-	21.2	17.6
	2	0.1	0.1	4.9	6.9	-	-	22.4	17.3
	3	-	-	0.1	0.1	-	-	0.4	0.5
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		5.0	2.6	7.0	13.3	-	-	44.1	35.5
02	1	48.3	39.5	4.9	5.1	-	-	18.5	15.4
	2	16.6	16.8	34.4	35.7	-	-	33.7	40.9
	3	-	0.1	8.3	8.6	-	-	0.8	3.2
	4	-	-	0.2	0.1	-	-	0.1	0.2
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		64.9	56.3	47.8	49.6	-	-	53.0	59.7
03	1	13.4	13.2	0.5	0.2	-	-	0.1	0.1
	2	14.6	24.1	18.6	13.0	-	-	2.5	3.7
	3	0.4	0.9	19.4	17.7	-	-	0.1	0.8
	4	-	-	2.4	2.0	-	-	0.3	0.1
	5	-	-	0.1	*	-	-	-	-
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		28.4	38.2	41.0	32.9	-	-	2.9	4.7
04	1	0.2	0.2	*	*	-	-	-	-
	2	1.3	2.3	0.7	0.5	-	-	-	*
	3	0.2	0.3	1.6	2.3	-	-	-	*
	4	-	-	0.7	0.9	-	-	-	*
	5	-	-	0.1	0.1	-	-	-	-
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		1.7	2.8	3.1	3.8	-	-	-	*
05	1	-	-	-	*	-	-	-	-
	2	-	-	0.1	*	-	-	-	-
	3	-	-	0.4	0.2	-	-	-	-
	4	-	-	0.4	0.2	-	-	-	-
	5	-	-	0.1	*	-	-	-	-
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	1.0	0.4	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	0.1	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.1	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter	-	*	1.4	2.1	-	-	3.7	13.8	
46	15.3	19.3	3.9	8.8	-	-	53.0	54.5	
48	81.5	76.4	45.2	47.2	-	-	43.2	30.4	
50	2.9	4.1	46.2	40.3	-	-	0.1	1.1	
52 & Longer	0.4	0.1	3.3	1.6	-	-	-	0.1	
Average Staple	47.77	47.70	48.92	48.61	-	-	46.79	46.38	
Average Length		1.38	1.38	1.42	1.41	-	-	1.36	1.35
EXTRANEIOUS MATTER									
Bark	-	-	*	*	-	-	-	*	
Grass	-	-	0.6	0.3	-	-	0.1	0.6	
Spindle Twist	-	-	0.1	*	-	-	-	-	
Preparation	-	*	*	*	-	-	-	-	
All Other	0.1	*	*	*	-	-	0.1	*	

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Dec 11, 2025

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	*	0.2	0.1	-	-	-	0.3
3.0 - 3.2	-	-	0.4	0.4	-	-	0.2	13.7
3.3 - 3.4	-	0.4	0.6	1.5	-	-	14.1	17.8
3.5 - 3.6	1.4	1.1	3.5	7.1	-	-	45.4	21.5
3.7 - 4.2	92.7	94.0	91.5	88.5	-	-	40.3	46.3
4.3 - 4.9	6.0	4.5	3.7	2.4	-	-	-	0.4
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	4.02	4.00	3.94	3.90	-	-	3.65	3.61
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	*	*	*	-	-	-	-
2.8	-	-	*	*	-	-	-	-
2.9	-	-	0.2	0.1	-	-	-	0.3
3.0	-	-	0.2	*	-	-	-	2.7
3.1	-	-	0.2	0.1	-	-	*	4.6
3.2	-	-	0.1	0.2	-	-	0.1	6.4
3.3	-	0.2	0.2	0.5	-	-	4.1	7.5
3.4	-	0.2	0.4	0.9	-	-	10.0	10.3
3.5	-	*	0.9	2.1	-	-	26.5	13.2
3.6	1.4	1.1	2.6	5.0	-	-	18.9	8.3
3.7	3.5	4.6	8.9	9.8	-	-	8.9	7.8
3.8	9.1	11.9	16.5	16.9	-	-	13.0	11.3
3.9	16.1	18.1	21.6	22.9	-	-	7.7	12.0
4.0	26.5	26.7	21.7	21.5	-	-	6.0	8.7
4.1	27.0	22.4	14.4	11.9	-	-	4.1	5.6
4.2	10.5	10.3	8.4	5.6	-	-	0.5	1.0
4.3	3.3	3.2	2.7	1.7	-	-	-	0.3
4.4	2.1	1.0	0.5	0.5	-	-	-	*
4.5	0.6	0.2	0.5	0.2	-	-	-	-
4.6	-	-	*	*	-	-	-	*
4.7	-	*	*	*	-	-	-	-
4.8	-	-	*	*	-	-	-	-
4.9	-	-	-	*	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	4.02	4.00	3.94	3.90	-	-	3.65	3.61
STRENGTH 1/36 & Below	-	-	0.5	1.7	-	-	4.5	13.6
37	-	*	0.4	4.9	-	-	20.7	22.7
38	0.1	0.1	1.0	2.9	-	-	30.3	21.2
39	1.3	0.4	2.1	1.1	-	-	8.0	8.6
40	4.1	7.3	1.4	1.8	-	-	9.7	2.5
41	31.1	27.3	6.2	6.1	-	-	0.6	1.5
42	28.9	36.0	12.3	12.3	-	-	1.1	4.0
43	23.7	21.5	17.4	19.0	-	-	1.3	5.7
44	9.6	6.4	20.6	21.9	-	-	8.7	8.4
45	1.1	0.6	18.8	17.4	-	-	8.1	4.9
46	0.1	0.1	11.6	7.7	-	-	5.0	4.0
47	0.1	0.1	6.0	2.3	-	-	1.1	2.1
48 & Above	0.1	*	1.7	0.7	-	-	0.8	0.8
Average	42.49	42.39	44.23	43.47	-	-	40.23	39.96
UNIFORMITY								
83 & Below	0.1	0.1	1.7	1.2	-	-	0.1	1.7
84	2.1	2.8	6.9	11.6	-	-	9.0	24.2
85	38.9	40.7	33.5	32.3	-	-	70.5	49.1
86	50.5	51.3	49.9	48.6	-	-	17.3	23.4
87	8.5	5.0	7.4	5.8	-	-	3.1	1.5
88 & Above	-	0.1	0.5	0.5	-	-	-	0.1
Average	86.12	86.04	86.00	85.92	-	-	85.58	85.44
Samples Classed	1,678	6,034	28,678	193,128	-	-	2,892	16,030

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.