



Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07),mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

| UPLAND SPOT PRICE QUOTATIONS                                                                        |                                     |          |                             |                             |                                                  |             | TRANSACTIONS REPORTED |         |
|-----------------------------------------------------------------------------------------------------|-------------------------------------|----------|-----------------------------|-----------------------------|--------------------------------------------------|-------------|-----------------------|---------|
| Growth Areas                                                                                        | Color 41, Leaf 4, Staple 34         |          |                             | Color 31, Leaf 3, Staple 36 |                                                  |             | Bales                 |         |
|                                                                                                     | Basis Points                        |          | Cents/Pound                 | Basis Points                |                                                  | Cents/Pound | Today                 | Season  |
| Southeast                                                                                           | -175                                | Mar-26   | 61.76                       | 400                         | Mar-26                                           | 67.51       | 0                     | 60,956  |
| North Delta                                                                                         | -225                                | Mar-26   | 61.26                       | 250                         | Mar-26                                           | 66.01       | 0                     | 5,074   |
| South Delta                                                                                         | -225                                | Mar-26   | 61.26                       | 200                         | Mar-26                                           | 65.51       | 0                     | 64      |
| East TX-South TX                                                                                    | -550                                | Mar-26   | 58.01                       | 125                         | Mar-26                                           | 64.76       | 367                   | 63,366  |
| West TX-KS-OK                                                                                       | -450                                | Mar-26   | 59.01                       | 50                          | Mar-26                                           | 64.01       | 20,762                | 244,205 |
| Desert SW                                                                                           | -475                                | Mar-26   | 58.76                       | 125                         | Mar-26                                           | 64.76       | 440                   | 1,536   |
| SJ Valley                                                                                           | -450                                | Mar-26   | 59.01                       | 790                         | Mar-26                                           | 71.41       | 0                     | 0       |
| Average                                                                                             | -364                                | Mar-26   | 59.87                       | 277                         | Mar-26                                           | 66.28       | Upland Totals         |         |
| Previous day                                                                                        | -357                                | Mar-26   | 59.86                       | 287                         | Mar-26                                           | 66.31       | 21,569                | 375,201 |
|                                                                                                     | AMERICAN PIMA SPOT PRICE QUOTATIONS |          |                             |                             |                                                  |             | TRANSACTIONS REPORTED |         |
|                                                                                                     | Color 01, Leaf 1, Staple 48         |          | Color 02, Leaf 2, Staple 46 | Color 02, Leaf 2, Staple 48 |                                                  |             | Today                 | Season  |
|                                                                                                     | 150.25                              |          | 148.00                      | 149.75                      |                                                  |             | 400                   | 932     |
| ICE FUTURES US - CONTRACT NO. 2 1/<br>COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER |                                     |          |                             |                             | 7-MARKET<br>BASE QUOTATIONS<br>FOR UPLAND COTTON |             | Dec 12 - Dec 18       |         |
| Month                                                                                               | Cents per pound                     |          |                             |                             |                                                  |             | ADJ. WORLD PRICE      |         |
|                                                                                                     | Today                               | Previous |                             | Change                      | Season high<br><br>08/12/2025    64.32           |             | 50.39                 |         |
| Mar-26                                                                                              | 63.51                               | 63.43    | ↑                           | 0.08                        |                                                  |             | CC ADJUSTMENT         |         |
| May-26                                                                                              | 64.61                               | 64.53    | ↑                           | 0.08                        |                                                  |             | 0.00                  |         |
| Jul-26                                                                                              | 65.66                               | 65.58    | ↑                           | 0.08                        |                                                  |             | FC ADJUSTMENT         |         |
| Oct-26                                                                                              | 66.06                               | 66.05    | ↑                           | 0.01                        | Season low<br><br>11/13/2025    59.19            |             | 2024                  | 2025    |
| Dec-26                                                                                              | 67.15                               | 67.19    | ↓                           | -0.04                       |                                                  |             | 0.00                  | 0.00    |
| Mar-27                                                                                              | 68.21                               | 68.26    | ↓                           | -0.05                       |                                                  |             | LOAN DEFICIT PMT.     |         |
| May-27                                                                                              | 69.11                               | 69.17    | ↓                           | -0.06                       |                                                  |             | 1.61                  |         |
| Jul-27                                                                                              | 69.78                               | 69.84    | ↓                           | -0.06                       | PIMA COMPETITIVENESS<br>PAYMENT                  |             |                       |         |
| Oct-27                                                                                              | 69.03                               | 69.09    | ↓                           | -0.06                       |                                                  |             | 0.00                  |         |
| Dec-27                                                                                              | 68.00                               | 68.06    | ↓                           | -0.06                       |                                                  |             |                       |         |

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW

| Market           | Basis | Color Leaf Staple | Mike | Strength | Extraneous | Uniformity |
|------------------|-------|-------------------|------|----------|------------|------------|
| Southeast        |       |                   |      |          |            |            |
| North Delta      |       |                   |      |          |            |            |
| South Delta      |       |                   |      |          |            |            |
| East TX-South TX |       | ✓                 |      |          |            |            |
| West TX-KS-OK    |       |                   |      |          |            |            |
| Desert SW        | ✓     |                   |      |          |            |            |
| SJ Valley        | ✓     |                   |      |          |            |            |
| American Pima    |       |                   |      |          |            |            |

1/ Settlement prices provided by ICE Futures US

Source: USDA, AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.gov>

| SOUTHEAST DIFFERENCES |       |        |       |       |       |       |       | 18-Dec-25 |
|-----------------------|-------|--------|-------|-------|-------|-------|-------|-----------|
| Color                 | Leaf  | Staple |       |       |       |       |       |           |
|                       |       | 32     | 33    | 34    | 35    | 36    | 37    | 38        |
| 11 & 21               | 1 & 2 | -225   | -50   | 175   | 500   | 625   | 675   | 700       |
|                       | 3     | -225   | -50   | 175   | 475   | 600   | 650   | 675       |
|                       | 4     | -225   | -125  | 100   | 425   | 500   | 525   | 525       |
|                       | 5     | -475   | -325  | -225  | 25    | 100   | 100   | 100       |
|                       | 6     | -600   | -450  | -400  | -225  | -175  | -175  | -175      |
|                       | 7     | -725   | -575  | -550  | -350  | -300  | -300  | -300      |
| 31                    | 1 & 2 | -225   | -100  | 100   | 475   | 600   | 625   | 650       |
|                       | 3     | -225   | -100  | 100   | 475   | 575   | 600   | 625       |
|                       | 4     | -225   | -125  | 100   | 425   | 475   | 500   | 500       |
|                       | 5     | -475   | -325  | -225  | 25    | 75    | 75    | 75        |
|                       | 6     | -600   | -450  | -400  | -275  | -225  | -225  | -225      |
|                       | 7     | -725   | -575  | -550  | -400  | -350  | -350  | -350      |
| 41                    | 1 & 2 | -275   | -150  | 75    | 400   | 450   | 450   | 475       |
|                       | 3     | -275   | -150  | 75    | 375   | 425   | 425   | 450       |
|                       | 4     | -275   | -200  | 61.76 | 225   | 400   | 400   | 425       |
|                       | 5     | -550   | -450  | -300  | -175  | -100  | -100  | -100      |
|                       | 6     | -675   | -550  | -525  | -450  | -400  | -400  | -400      |
|                       | 7     | -775   | -675  | -650  | -600  | -550  | -550  | -550      |
| 51                    | 1 & 2 | -475   | -350  | -175  | -125  | -75   | -75   | -75       |
|                       | 3     | -550   | -375  | -250  | -175  | -100  | -100  | -100      |
|                       | 4     | -575   | -375  | -300  | -250  | -200  | -200  | -200      |
|                       | 5     | -775   | -650  | -525  | -475  | -425  | -425  | -425      |
|                       | 6     | -850   | -675  | -625  | -625  | -575  | -575  | -575      |
|                       | 7     | -925   | -800  | -775  | -775  | -725  | -725  | -725      |
| 61                    | 1-5   | -775   | -700  | -625  | -600  | -575  | -575  | -575      |
|                       | 6     | -950   | -875  | -825  | -800  | -775  | -775  | -775      |
|                       | 7     | -1075  | -950  | -900  | -875  | -850  | -850  | -850      |
| 12 & 22               | 1 & 2 | -275   | -100  | 50    | 200   | 275   | 275   | 300       |
|                       | 3     | -275   | -100  | 50    | 175   | 250   | 250   | 275       |
|                       | 4     | -275   | -125  | 0     | 150   | 225   | 225   | 250       |
|                       | 5     | -525   | -425  | -300  | -100  | -50   | -50   | -50       |
|                       | 6     | -650   | -525  | -525  | -450  | -400  | -400  | -400      |
|                       | 7     | -750   | -650  | -650  | -600  | -550  | -550  | -550      |
| 32                    | 1 & 2 | -325   | -175  | -25   | 0     | 75    | 75    | 75        |
|                       | 3     | -350   | -200  | -50   | 0     | 50    | 50    | 50        |
|                       | 4     | -450   | -200  | -150  | -100  | -25   | -25   | -25       |
|                       | 5     | -625   | -450  | -400  | -375  | -325  | -325  | -325      |
|                       | 6     | -700   | -550  | -550  | -525  | -475  | -475  | -475      |
|                       | 7     | -800   | -675  | -675  | -650  | -600  | -600  | -600      |
| 42                    | 1-3   | -550   | -350  | -200  | -175  | -125  | -125  | -125      |
|                       | 4     | -575   | -375  | -275  | -275  | -225  | -225  | -225      |
|                       | 5     | -775   | -650  | -425  | -375  | -350  | -350  | -350      |
|                       | 6     | -825   | -675  | -625  | -625  | -600  | -600  | -600      |
|                       | 7     | -925   | -800  | -775  | -750  | -725  | -725  | -725      |
| 52                    | 1-4   | -825   | -700  | -575  | -500  | -500  | -500  | -500      |
|                       | 5     | -850   | -850  | -675  | -650  | -650  | -650  | -650      |
|                       | 6     | -925   | -900  | -850  | -825  | -825  | -825  | -825      |
|                       | 7     | -1075  | -1000 | -950  | -925  | -925  | -925  | -925      |
| 62                    | 1-5   | -950   | -875  | -825  | -825  | -825  | -825  | -825      |
|                       | 6     | -1125  | -1050 | -1000 | -1000 | -1000 | -1000 | -1000     |

| Color | Leaf  | Staple |       |       |       |       |       |       |
|-------|-------|--------|-------|-------|-------|-------|-------|-------|
|       |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    |
| 33    | 1 & 2 | -900   | -850  | -800  | -750  | -725  | -725  | -725  |
|       | 3     | -900   | -850  | -800  | -750  | -725  | -725  | -725  |
|       | 4     | -925   | -900  | -850  | -775  | -750  | -750  | -750  |
|       | 5     | -950   | -900  | -850  | -825  | -825  | -825  | -825  |
|       | 6     | -1000  | -925  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1125  | -1000 | -950  | -925  | -925  | -925  | -925  |
| 43    | 1-3   | -900   | -850  | -800  | -750  | -725  | -725  | -725  |
|       | 4     | -925   | -900  | -850  | -775  | -750  | -750  | -750  |
|       | 5     | -950   | -900  | -850  | -825  | -825  | -825  | -825  |
|       | 6     | -1000  | -925  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1125  | -1000 | -950  | -925  | -925  | -925  | -925  |
| 53    | 1-4   | -1000  | -900  | -850  | -800  | -800  | -800  | -800  |
|       | 5     | -1125  | -1075 | -975  | -975  | -975  | -975  | -975  |
|       | 6     | -1150  | -1100 | -1000 | -1000 | -1000 | -1000 | -1000 |
|       | 7     | -1250  | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |
| 63    | 1-5   | -1125  | -1075 | -975  | -975  | -975  | -975  | -975  |
|       | 6     | -1250  | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 25-26      | -1075 | Range            | Diff. | 77.9 & Below     | -125  | Prep              | -200      | -800      |
| 27-29      | -675  |                  |       | 78.0 - 78.9      | -110  | Bark              | -550      | -800      |
| 30-32      | -525  | 22.0 - 23.9      | -675  | 79.0 - 79.9      | -100  | Grass             | -550      | -800      |
| 33-34      | -400  | 24.0 - 24.9      | -625  | 80.0 - 80.9      | 0     | Seed Coat         | -550      | -550      |
| Base 35-36 | 0     | 25.0 - 25.9      | -600  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| 37-42      | 0     | 26.0 - 26.9      | -300  | 82.0 - 82.9      | 0     | All Other         | -550      | -550      |
| Base 43-49 | 0     | Base 27.0 - 28.9 | 0     | 83.0 - 83.9      | 20    |                   |           |           |
| 50-52      | -200  | 29.0 - 29.9      | 0     | 84.0 - 84.9      | 30    |                   |           |           |
| 53 & Above | -375  | 30.0 - 30.9      | 25    | 85.0 - 85.9      | 40    |                   |           |           |
|            |       | 31.0 - 32.9      | 50    | 86.0 & Above     | 50    |                   |           |           |
|            |       | 33.0 & Above     | 50    |                  |       |                   |           |           |

| Color   | Leaf  | Staple |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|------|------|------|------|
|         |       | 32     | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -225   | -75   | 175   | 250  | 500  | 600  | 600  |
|         | 3     | -225   | -75   | 150   | 200  | 475  | 550  | 550  |
|         | 4     | -275   | -200  | 75    | 100  | 225  | 250  | 250  |
|         | 5     | -450   | -325  | -175  | -100 | -100 | -75  | -75  |
|         | 6     | -500   | -475  | -450  | -400 | -400 | -400 | -400 |
|         | 7     | -600   | -575  | -550  | -500 | -500 | -500 | -500 |
| 31      | 1 & 2 | -225   | -100  | 125   | 225  | 500  | 525  | 525  |
|         | 3     | -225   | -100  | 125   | 200  | 475  | 500  | 500  |
|         | 4     | -275   | -250  | 75    | 100  | 175  | 225  | 225  |
|         | 5     | -450   | -325  | -225  | -150 | -125 | -100 | -100 |
|         | 6     | -500   | -475  | -450  | -400 | -400 | -400 | -400 |
|         | 7     | -600   | -575  | -550  | -500 | -500 | -500 | -500 |
| 41      | 1 & 2 | -350   | -250  | 50    | 100  | 350  | 350  | 375  |
|         | 3     | -350   | -250  | 25    | 50   | 325  | 350  | 375  |
|         | 4     | -375   | -275  | 61.26 | 0    | 175  | 200  | 200  |
|         | 5     | -625   | -500  | -325  | -225 | -175 | -175 | -175 |
|         | 6     | -675   | -600  | -500  | -425 | -425 | -425 | -425 |
|         | 7     | -800   | -775  | -650  | -550 | -550 | -550 | -550 |
| 51      | 1 & 2 | -675   | -475  | -350  | -250 | -250 | -250 | -250 |
|         | 3     | -725   | -475  | -375  | -275 | -275 | -275 | -275 |
|         | 4     | -750   | -500  | -400  | -350 | -350 | -350 | -350 |
|         | 5     | -825   | -725  | -650  | -575 | -550 | -550 | -550 |
|         | 6     | -950   | -925  | -775  | -700 | -700 | -700 | -700 |
|         | 7     | -1000  | -975  | -825  | -775 | -775 | -775 | -775 |
| 61      | 1-5   | -850   | -750  | -650  | -575 | -575 | -575 | -575 |
|         | 6     | -950   | -950  | -775  | -750 | -750 | -750 | -750 |
|         | 7     | -1025  | -1000 | -875  | -850 | -850 | -850 | -850 |
| 12 & 22 | 1 & 2 | -275   | -125  | 50    | 100  | 250  | 275  | 275  |
|         | 3     | -275   | -125  | 25    | 50   | 200  | 250  | 250  |
|         | 4     | -300   | -250  | 0     | 0    | 175  | 200  | 200  |
|         | 5     | -600   | -475  | -300  | -200 | -175 | -150 | -150 |
|         | 6     | -725   | -650  | -525  | -425 | -400 | -400 | -400 |
|         | 7     | -775   | -750  | -625  | -550 | -525 | -525 | -525 |
| 32      | 1 & 2 | -400   | -250  | -100  | 0    | 50   | 50   | 50   |
|         | 3     | -400   | -250  | -100  | -25  | 25   | 25   | 25   |
|         | 4     | -425   | -275  | -200  | -100 | -75  | -75  | -75  |
|         | 5     | -700   | -525  | -350  | -325 | -300 | -300 | -300 |
|         | 6     | -800   | -750  | -575  | -525 | -500 | -500 | -500 |
|         | 7     | -900   | -850  | -675  | -625 | -625 | -625 | -625 |
| 42      | 1-3   | -550   | -425  | -325  | -225 | -200 | -200 | -200 |
|         | 4     | -575   | -450  | -350  | -300 | -250 | -250 | -250 |
|         | 5     | -725   | -575  | -425  | -375 | -325 | -325 | -325 |
|         | 6     | -850   | -750  | -600  | -575 | -525 | -525 | -525 |
|         | 7     | -900   | -850  | -700  | -650 | -650 | -650 | -650 |
| 52      | 1-4   | -750   | -575  | -525  | -500 | -500 | -500 | -500 |
|         | 5     | -825   | -725  | -650  | -600 | -600 | -600 | -600 |
|         | 6     | -975   | -875  | -800  | -775 | -775 | -775 | -775 |
|         | 7     | -1000  | -975  | -900  | -875 | -875 | -875 | -875 |
| 62      | 1-5   | -1025  | -925  | -850  | -825 | -825 | -825 | -825 |
|         | 6     | -1175  | -1075 | -950  | -925 | -925 | -925 | -925 |

| Color | Leaf  | Staple |       |       |       |       |       |       |
|-------|-------|--------|-------|-------|-------|-------|-------|-------|
|       |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    |
| 33    | 1 & 2 | -900   | -675  | -500  | -475  | -475  | -475  | -475  |
|       | 3     | -900   | -675  | -500  | -475  | -475  | -475  | -475  |
|       | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  |
|       | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |
|       | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 43    | 1-3   | -900   | -675  | -500  | -475  | -475  | -475  | -475  |
|       | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  |
|       | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |
|       | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 53    | 1-4   | -1000  | -900  | -825  | -800  | -800  | -800  | -800  |
|       | 5     | -1075  | -1000 | -925  | -900  | -900  | -900  | -900  |
|       | 6     | -1250  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
|       | 7     | -1275  | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 63    | 1-5   | -1225  | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |
|       | 6     | -1275  | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 25-26      | -1000 | Range            | Diff. | 77.9 & Below     | -90   | Prep              | -200      | -800      |
| 27-29      | -650  | 22.0 - 23.9      | -800  | 78.0 - 78.9      | -80   | Bark              | -375      | -785      |
| 30-32      | -525  | 24.0 - 24.9      | -700  | 79.0 - 79.9      | -70   | Grass             | -375      | -785      |
| 33-34      | -425  | 25.0 - 25.9      | -650  | 80.0 - 80.9      | 0     | Seed Coat         | -375      | -785      |
| Base 35-36 | 0     | 26.0 - 26.9      | -300  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| 37-42      | 25    | Base 27.0 - 28.9 | 0     | 82.0 - 82.9      | 0     | All Other         | -375      | -785      |
| Base 43-49 | 0     | 29.0 - 29.9      | 0     | 83.0 - 83.9      | 30    |                   |           |           |
| 50-52      | -225  | 30.0 - 30.9      | 25    | 84.0 - 84.9      | 40    |                   |           |           |
| 53 & Above | -375  | 31.0 - 32.9      | 50    | 85.0 - 85.9      | 50    |                   |           |           |
|            |       | 33.0 & Above     | 50    | 86.0 & Above     | 60    |                   |           |           |

| SOUTH DELTA DIFFERENCES |       |        |       |       |      |      |      | 18-Dec-25 |
|-------------------------|-------|--------|-------|-------|------|------|------|-----------|
| Color                   | Leaf  | Staple |       |       |      |      |      |           |
|                         |       | 32     | 33    | 34    | 35   | 36   | 37   | 38        |
| 11 & 21                 | 1 & 2 | -225   | -75   | 175   | 300  | 450  | 550  | 550       |
|                         | 3     | -225   | -75   | 150   | 250  | 425  | 500  | 500       |
|                         | 4     | -275   | -200  | 75    | 150  | 275  | 300  | 300       |
|                         | 5     | -450   | -325  | -175  | -100 | -100 | -75  | -75       |
|                         | 6     | -500   | -475  | -450  | -400 | -400 | -400 | -400      |
|                         | 7     | -600   | -575  | -550  | -500 | -500 | -500 | -500      |
| 31                      | 1 & 2 | -225   | -100  | 125   | 275  | 425  | 450  | 450       |
|                         | 3     | -225   | -100  | 125   | 250  | 425  | 450  | 450       |
|                         | 4     | -275   | -250  | 75    | 150  | 250  | 275  | 275       |
|                         | 5     | -550   | -425  | -225  | -150 | -125 | -100 | -100      |
|                         | 6     | -600   | -575  | -450  | -400 | -400 | -400 | -400      |
|                         | 7     | -700   | -675  | -550  | -500 | -500 | -500 | -500      |
| 41                      | 1 & 2 | -350   | -250  | 50    | 150  | 300  | 300  | 325       |
|                         | 3     | -350   | -250  | 25    | 100  | 275  | 300  | 325       |
|                         | 4     | -375   | -275  | 61.26 | 50   | 225  | 250  | 250       |
|                         | 5     | -625   | -500  | -325  | -200 | -150 | -150 | -150      |
|                         | 6     | -675   | -600  | -500  | -425 | -425 | -425 | -425      |
|                         | 7     | -800   | -775  | -650  | -550 | -550 | -550 | -550      |
| 51                      | 1 & 2 | -675   | -475  | -350  | -250 | -250 | -250 | -250      |
|                         | 3     | -725   | -475  | -375  | -275 | -275 | -275 | -275      |
|                         | 4     | -750   | -500  | -400  | -350 | -350 | -350 | -350      |
|                         | 5     | -825   | -725  | -650  | -575 | -550 | -550 | -550      |
|                         | 6     | -925   | -825  | -775  | -700 | -700 | -700 | -700      |
|                         | 7     | -1100  | -1075 | -925  | -800 | -800 | -800 | -800      |
| 61                      | 1-5   | -850   | -750  | -650  | -575 | -575 | -575 | -575      |
|                         | 6     | -925   | -850  | -775  | -750 | -750 | -750 | -750      |
|                         | 7     | -1125  | -1100 | -975  | -850 | -850 | -850 | -850      |
| 12 & 22                 | 1 & 2 | -275   | -125  | 50    | 100  | 275  | 300  | 300       |
|                         | 3     | -275   | -125  | 25    | 50   | 225  | 275  | 275       |
|                         | 4     | -300   | -250  | 0     | 0    | 175  | 200  | 200       |
|                         | 5     | -600   | -475  | -300  | -200 | -175 | -150 | -150      |
|                         | 6     | -725   | -650  | -525  | -425 | -400 | -400 | -400      |
|                         | 7     | -775   | -750  | -625  | -550 | -525 | -525 | -525      |
| 32                      | 1 & 2 | -400   | -250  | -100  | 0    | 50   | 50   | 50        |
|                         | 3     | -400   | -250  | -100  | -25  | 25   | 25   | 25        |
|                         | 4     | -425   | -275  | -200  | -100 | -75  | -75  | -75       |
|                         | 5     | -700   | -525  | -350  | -325 | -300 | -300 | -300      |
|                         | 6     | -800   | -750  | -575  | -525 | -500 | -500 | -500      |
|                         | 7     | -900   | -850  | -675  | -625 | -625 | -625 | -625      |
| 42                      | 1-3   | -550   | -425  | -325  | -225 | -200 | -200 | -200      |
|                         | 4     | -575   | -450  | -350  | -300 | -250 | -250 | -250      |
|                         | 5     | -725   | -575  | -425  | -375 | -325 | -325 | -325      |
|                         | 6     | -850   | -750  | -600  | -525 | -500 | -500 | -500      |
|                         | 7     | -900   | -850  | -700  | -650 | -650 | -650 | -650      |
| 52                      | 1-4   | -750   | -575  | -525  | -500 | -500 | -500 | -500      |
|                         | 5     | -875   | -725  | -650  | -600 | -600 | -600 | -600      |
|                         | 6     | -925   | -875  | -800  | -775 | -775 | -775 | -775      |
|                         | 7     | -1025  | -975  | -900  | -875 | -875 | -875 | -875      |
| 62                      | 1-5   | -1025  | -925  | -850  | -825 | -825 | -825 | -825      |
|                         | 6     | -1175  | -1075 | -950  | -925 | -925 | -925 | -925      |

| Color | Leaf  | Staple |       |       |       |       |       |       |
|-------|-------|--------|-------|-------|-------|-------|-------|-------|
|       |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    |
| 33    | 1 & 2 | -900   | -675  | -475  | -450  | -450  | -450  | -450  |
|       | 3     | -900   | -675  | -475  | -450  | -450  | -450  | -450  |
|       | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  |
|       | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |
|       | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 43    | 1-3   | -900   | -675  | -475  | -450  | -450  | -450  | -450  |
|       | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  |
|       | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |
|       | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |
|       | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 53    | 1-4   | -1000  | -900  | -825  | -800  | -800  | -800  | -800  |
|       | 5     | -1075  | -1000 | -925  | -900  | -900  | -900  | -900  |
|       | 6     | -1250  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
|       | 7     | -1275  | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 63    | 1-5   | -1225  | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |
|       | 6     | -1275  | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 25-26      | -1100 | Range            | Diff. | 77.9 & Below     | -90   | Prep              | -200      | -800      |
| 27-29      | -750  |                  |       | 78.0 - 78.9      | -80   | Bark              | -375      | -785      |
| 30-32      | -525  | 22.0 - 23.9      | -800  | 79.0 - 79.9      | -70   | Grass             | -375      | -785      |
| 33-34      | -425  | 24.0 - 24.9      | -700  | 80.0 - 80.9      | 0     | Seed Coat         | -375      | -785      |
| Base 35-36 | 0     | 25.0 - 25.9      | -650  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| 37-42      | 25    | 26.0 - 26.9      | -300  | 82.0 - 82.9      | 0     | All Other         | -375      | -785      |
| Base 43-49 | 0     | Base 27.0 - 28.9 | 0     | 83.0 - 83.9      | 30    |                   |           |           |
| 50-52      | -225  | 29.0 - 29.9      | 0     | 84.0 - 84.9      | 40    |                   |           |           |
| 53 & Above | -375  | 30.0 - 30.9      | 25    | 85.0 - 85.9      | 50    |                   |           |           |
|            |       | 31.0 - 32.9      | 50    | 86.0 & Above     | 60    |                   |           |           |
|            |       | 33.0 & Above     | 50    |                  |       |                   |           |           |

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -500   | -450  | -275  | 175   | 500  | 825  | 875  | 925  |
|         | 3     | -550   | -500  | -300  | 125   | 475  | 800  | 850  | 900  |
|         | 4     | -625   | -500  | -300  | 25    | 150  | 375  | 400  | 450  |
|         | 5     | -650   | -525  | -450  | -100  | 25   | 150  | 275  | 275  |
|         | 6     | -750   | -600  | -575  | -300  | -275 | -150 | -50  | -50  |
|         | 7     | -825   | -700  | -675  | -375  | -350 | -225 | -150 | -150 |
| 31      | 1 & 2 | -575   | -500  | -300  | 100   | 425  | 700  | 775  | 825  |
|         | 3     | -600   | -525  | -325  | 75    | 400  | 675  | 775  | 825  |
|         | 4     | -675   | -575  | -325  | 0     | 150  | 325  | 375  | 425  |
|         | 5     | -700   | -575  | -475  | -100  | 0    | 75   | 200  | 200  |
|         | 6     | -775   | -625  | -600  | -300  | -275 | -175 | -125 | -125 |
|         | 7     | -850   | -725  | -700  | -375  | -350 | -250 | -225 | -225 |
| 41      | 1 & 2 | -675   | -500  | -325  | 50    | 150  | 425  | 550  | 625  |
|         | 3     | -725   | -525  | -325  | 25    | 150  | 285  | 410  | 485  |
|         | 4     | -750   | -600  | -450  | 58.01 | 110  | 185  | 260  | 335  |
|         | 5     | -900   | -675  | -600  | -225  | -90  | 35   | 85   | 110  |
|         | 6     | -975   | -775  | -725  | -375  | -350 | -250 | -250 | -250 |
|         | 7     | -1075  | -875  | -825  | -475  | -425 | -350 | -350 | -350 |
| 51      | 1 & 2 | -850   | -700  | -575  | -150  | -100 | 50   | 75   | 75   |
|         | 3     | -875   | -750  | -600  | -175  | -100 | 50   | 50   | 75   |
|         | 4     | -925   | -775  | -625  | -250  | -175 | -50  | -50  | -25  |
|         | 5     | -950   | -825  | -750  | -325  | -250 | -225 | -200 | -175 |
|         | 6     | -1050  | -850  | -825  | -425  | -400 | -300 | -300 | -300 |
|         | 7     | -1150  | -875  | -850  | -500  | -475 | -350 | -350 | -350 |
| 61      | 1-5   | -1025  | -875  | -800  | -375  | -350 | -225 | -225 | -225 |
|         | 6     | -1175  | -975  | -925  | -550  | -500 | -375 | -375 | -375 |
|         | 7     | -1275  | -1075 | -1025 | -650  | -600 | -475 | -475 | -475 |
| 12 & 22 | 1 & 2 | -650   | -450  | -275  | 50    | 325  | 450  | 525  | 525  |
|         | 3     | -700   | -500  | -325  | 50    | 275  | 425  | 475  | 475  |
|         | 4     | -725   | -500  | -325  | -25   | 110  | 325  | 375  | 375  |
|         | 5     | -800   | -675  | -600  | -225  | -115 | 150  | 275  | 275  |
|         | 6     | -950   | -750  | -725  | -375  | -350 | -200 | -75  | -75  |
|         | 7     | -1075  | -875  | -825  | -475  | -425 | -300 | -225 | -225 |
| 32      | 1 & 2 | -825   | -725  | -550  | -150  | 25   | 100  | 225  | 225  |
|         | 3     | -850   | -725  | -575  | -175  | -50  | 50   | 175  | 200  |
|         | 4     | -900   | -750  | -625  | -200  | -75  | -50  | 0    | 25   |
|         | 5     | -1000  | -875  | -825  | -375  | -300 | -125 | -50  | -50  |
|         | 6     | -1150  | -950  | -925  | -550  | -500 | -425 | -375 | -375 |
|         | 7     | -1300  | -1075 | -1050 | -650  | -600 | -525 | -475 | -475 |
| 42      | 1-3   | -900   | -800  | -700  | -225  | -50  | -25  | 25   | 50   |
|         | 4     | -975   | -850  | -750  | -275  | -75  | -75  | -50  | 0    |
|         | 5     | -1125  | -975  | -875  | -475  | -375 | -325 | -300 | -250 |
|         | 6     | -1300  | -1025 | -950  | -600  | -550 | -550 | -475 | -475 |
|         | 7     | -1425  | -1150 | -1075 | -725  | -650 | -600 | -550 | -550 |
| 52      | 1-4   | -1175  | -975  | -875  | -525  | -500 | -400 | -350 | -325 |
|         | 5     | -1225  | -1050 | -925  | -550  | -550 | -525 | -450 | -425 |
|         | 6     | -1425  | -1225 | -1125 | -725  | -700 | -625 | -575 | -575 |
|         | 7     | -1525  | -1350 | -1250 | -850  | -825 | -700 | -650 | -650 |
| 62      | 1-5   | -1275  | -1125 | -1100 | -650  | -625 | -550 | -500 | -500 |
|         | 6     | -1475  | -1300 | -1275 | -850  | -825 | -725 | -675 | -675 |



| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1200  | -1050 | -975  | -525  | -450  | -325  | -225  | -225  |
|         | 3     | -1225  | -1075 | -1000 | -550  | -475  | -350  | -250  | -250  |
|         | 4     | -1275  | -1150 | -1025 | -575  | -500  | -400  | -300  | -300  |
|         | 5     | -1400  | -1250 | -1150 | -700  | -625  | -525  | -425  | -425  |
|         | 6     | -1525  | -1325 | -1200 | -800  | -725  | -625  | -525  | -525  |
|         | 7     | -1625  | -1425 | -1325 | -925  | -850  | -750  | -650  | -650  |
| 33      | 1 & 2 | -1275  | -1100 | -1000 | -530  | -475  | -375  | -275  | -275  |
|         | 3     | -1275  | -1100 | -1000 | -555  | -500  | -400  | -275  | -275  |
|         | 4     | -1350  | -1175 | -1050 | -605  | -550  | -450  | -325  | -325  |
|         | 5     | -1500  | -1275 | -1175 | -730  | -675  | -575  | -450  | -450  |
|         | 6     | -1575  | -1350 | -1250 | -855  | -800  | -700  | -575  | -575  |
|         | 7     | -1675  | -1475 | -1350 | -980  | -925  | -825  | -700  | -700  |
| 43      | 1-3   | -1325  | -1175 | -1050 | -605  | -550  | -450  | -325  | -325  |
|         | 4     | -1400  | -1250 | -1100 | -630  | -575  | -475  | -350  | -350  |
|         | 5     | -1525  | -1350 | -1200 | -760  | -700  | -600  | -475  | -475  |
|         | 6     | -1625  | -1425 | -1300 | -880  | -850  | -750  | -625  | -625  |
|         | 7     | -1725  | -1525 | -1400 | -980  | -950  | -850  | -725  | -725  |
| 53      | 1-4   | -1450  | -1350 | -1225 | -755  | -750  | -700  | -575  | -575  |
|         | 5     | -1550  | -1425 | -1325 | -830  | -825  | -775  | -650  | -650  |
|         | 6     | -1650  | -1525 | -1425 | -1005 | -950  | -900  | -775  | -775  |
|         | 7     | -1750  | -1625 | -1550 | -1105 | -1050 | -975  | -850  | -850  |
| 63      | 1-5   | -1650  | -1500 | -1375 | -955  | -875  | -800  | -675  | -675  |
|         | 6     | -1750  | -1625 | -1475 | -1075 | -1000 | -925  | -800  | -800  |
| 34      | 1 & 2 | -1400  | -1275 | -1200 | -750  | -725  | -650  | -575  | -575  |
|         | 3     | -1400  | -1275 | -1200 | -750  | -725  | -650  | -575  | -575  |
|         | 4     | -1525  | -1400 | -1300 | -850  | -825  | -750  | -675  | -675  |
|         | 5     | -1625  | -1500 | -1425 | -975  | -950  | -875  | -800  | -800  |
|         | 6     | -1800  | -1675 | -1600 | -1150 | -1125 | -1050 | -975  | -975  |
| 44      | 1-3   | -1500  | -1375 | -1300 | -850  | -825  | -750  | -675  | -675  |
|         | 4     | -1575  | -1475 | -1350 | -900  | -875  | -800  | -725  | -725  |
|         | 5     | -1650  | -1550 | -1450 | -1000 | -975  | -900  | -825  | -825  |
|         | 6     | -1825  | -1700 | -1625 | -1175 | -1150 | -1075 | -1000 | -1000 |
| 54      | 1-4   | -1600  | -1500 | -1425 | -925  | -925  | -850  | -800  | -800  |
|         | 5     | -1700  | -1600 | -1500 | -1025 | -1000 | -925  | -875  | -875  |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 24 & Below | -1600 | Range            | Diff. | 77.9 & Below     | -90   | Prep              | -300      | -500      |
| 25-26      | -1600 |                  |       | 78.0 - 78.9      | -75   | Bark              | -475      | -550      |
| 27-29      | -1200 | 22.0 - 23.9      | -575  | 79.0 - 79.9      | -10   | Grass             | -950      | -1000     |
| 30-32      | -825  | 24.0 - 24.9      | -500  | 80.0 - 80.9      | 0     | Seed Coat         | -375      | -785      |
| 33-34      | -625  | 25.0 - 25.9      | -375  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 35-36 | 0     | 26.0 - 26.9      | -350  | 82.0 - 82.9      | 0     | All Other         | -375      | -785      |
| 37-42      | 0     | Base 27.0 - 28.9 | 0     | 83.0 - 83.9      | 0     |                   |           |           |
| Base 43-49 | 0     | 29.0 - 29.9      | 10    | 84.0 - 84.9      | 0     |                   |           |           |
| 50-52      | -200  | 30.0 - 30.9      | 10    | 85.0 - 85.9      | 0     |                   |           |           |
| 53 & Above | -450  | 31.0 - 32.9      | 10    | 86.0 & Above     | 0     |                   |           |           |
|            |       | 33.0 & Above     | 10    |                  |       |                   |           |           |

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -475   | -325  | -125  | 175   | 325  | 550  | 700  | 775  |
|         | 3     | -575   | -400  | -200  | 75    | 225  | 500  | 630  | 730  |
|         | 4     | -625   | -450  | -325  | 50    | 175  | 325  | 350  | 350  |
|         | 5     | -650   | -450  | -325  | 25    | 150  | 300  | 325  | 325  |
|         | 6     | -775   | -575  | -475  | -225  | -175 | -125 | -125 | -125 |
|         | 7     | -850   | -625  | -550  | -300  | -250 | -200 | -200 | -200 |
| 31      | 1 & 2 | -725   | -500  | -300  | 125   | 275  | 500  | 650  | 675  |
|         | 3     | -775   | -525  | -325  | 50    | 225  | 500  | 625  | 650  |
|         | 4     | -800   | -550  | -400  | 50    | 125  | 250  | 325  | 325  |
|         | 5     | -825   | -600  | -450  | -50   | 75   | 200  | 225  | 225  |
|         | 6     | -925   | -675  | -500  | -275  | -250 | -225 | -225 | -225 |
|         | 7     | -1025  | -725  | -575  | -325  | -300 | -275 | -275 | -275 |
| 41      | 1 & 2 | -825   | -575  | -325  | 0     | 75   | 200  | 275  | 300  |
|         | 3     | -850   | -600  | -350  | 0     | 50   | 175  | 250  | 275  |
|         | 4     | -900   | -625  | -500  | 59.01 | 25   | 25   | 100  | 125  |
|         | 5     | -950   | -675  | -525  | -225  | -175 | -125 | -100 | -50  |
|         | 6     | -1050  | -800  | -675  | -475  | -450 | -325 | -325 | -325 |
|         | 7     | -1150  | -875  | -750  | -525  | -500 | -425 | -425 | -425 |
| 51      | 1 & 2 | -900   | -700  | -575  | -125  | -75  | -75  | -75  | -75  |
|         | 3     | -950   | -700  | -575  | -125  | -75  | -75  | -75  | -75  |
|         | 4     | -975   | -700  | -650  | -225  | -200 | -200 | -175 | -175 |
|         | 5     | -975   | -725  | -700  | -325  | -325 | -250 | -225 | -225 |
|         | 6     | -1075  | -825  | -800  | -525  | -500 | -400 | -375 | -375 |
|         | 7     | -1175  | -925  | -900  | -625  | -600 | -525 | -500 | -500 |
| 61      | 1-5   | -975   | -775  | -750  | -375  | -350 | -250 | -250 | -250 |
|         | 6     | -1150  | -900  | -875  | -625  | -550 | -450 | -450 | -450 |
|         | 7     | -1250  | -1050 | -1000 | -700  | -625 | -550 | -550 | -550 |
| 12 & 22 | 1 & 2 | -625   | -425  | -175  | 125   | 200  | 250  | 375  | 375  |
|         | 3     | -650   | -450  | -225  | 50    | 125  | 200  | 275  | 275  |
|         | 4     | -750   | -500  | -400  | -50   | 75   | 175  | 225  | 225  |
|         | 5     | -850   | -625  | -500  | -125  | -25  | 50   | 50   | 50   |
|         | 6     | -925   | -725  | -625  | -400  | -375 | -275 | -225 | -225 |
|         | 7     | -1050  | -825  | -725  | -475  | -450 | -350 | -300 | -300 |
| 32      | 1 & 2 | -850   | -575  | -325  | -100  | 0    | 0    | 25   | 50   |
|         | 3     | -925   | -650  | -375  | -175  | 0    | 0    | 0    | 0    |
|         | 4     | -975   | -725  | -575  | -200  | 0    | 0    | 0    | 0    |
|         | 5     | -1125  | -925  | -775  | -450  | -275 | -250 | -225 | -225 |
|         | 6     | -1225  | -975  | -900  | -600  | -475 | -450 | -400 | -400 |
|         | 7     | -1300  | -1050 | -925  | -675  | -550 | -525 | -475 | -475 |
| 42      | 1-3   | -950   | -700  | -525  | -225  | -150 | -75  | -25  | -25  |
|         | 4     | -1025  | -800  | -575  | -275  | -175 | -100 | -50  | -25  |
|         | 5     | -1175  | -1000 | -775  | -475  | -300 | -300 | -275 | -250 |
|         | 6     | -1425  | -1100 | -900  | -625  | -500 | -475 | -450 | -425 |
|         | 7     | -1450  | -1150 | -1000 | -725  | -575 | -550 | -525 | -525 |
| 52      | 1-4   | -1200  | -925  | -850  | -525  | -450 | -400 | -350 | -350 |
|         | 5     | -1275  | -1025 | -925  | -550  | -475 | -425 | -375 | -375 |
|         | 6     | -1525  | -1250 | -1150 | -725  | -625 | -575 | -525 | -525 |
|         | 7     | -1600  | -1350 | -1250 | -800  | -725 | -675 | -650 | -650 |
| 62      | 1-5   | -1325  | -1100 | -1025 | -650  | -600 | -550 | -500 | -500 |
|         | 6     | -1550  | -1300 | -1225 | -900  | -825 | -775 | -700 | -700 |

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1025  | -800  | -725  | -400  | -350  | -325  | -275  | -275  |
|         | 3     | -1125  | -850  | -775  | -425  | -375  | -350  | -300  | -300  |
|         | 4     | -1175  | -950  | -875  | -475  | -425  | -400  | -350  | -350  |
|         | 5     | -1275  | -1025 | -975  | -600  | -550  | -500  | -450  | -450  |
|         | 6     | -1425  | -1150 | -1100 | -725  | -625  | -575  | -525  | -525  |
|         | 7     | -1500  | -1250 | -1175 | -775  | -725  | -675  | -625  | -625  |
| 33      | 1 & 2 | -1200  | -900  | -800  | -450  | -425  | -400  | -350  | -350  |
|         | 3     | -1200  | -900  | -800  | -450  | -425  | -400  | -350  | -350  |
|         | 4     | -1300  | -1000 | -925  | -525  | -500  | -450  | -400  | -400  |
|         | 5     | -1425  | -1100 | -1025 | -675  | -625  | -550  | -500  | -500  |
|         | 6     | -1525  | -1225 | -1200 | -775  | -725  | -650  | -600  | -600  |
|         | 7     | -1600  | -1325 | -1250 | -900  | -825  | -750  | -700  | -700  |
| 43      | 1-3   | -1275  | -1025 | -950  | -525  | -500  | -450  | -400  | -400  |
|         | 4     | -1350  | -1100 | -1000 | -600  | -550  | -450  | -400  | -400  |
|         | 5     | -1450  | -1175 | -1075 | -725  | -675  | -575  | -525  | -525  |
|         | 6     | -1575  | -1300 | -1225 | -850  | -800  | -725  | -675  | -675  |
|         | 7     | -1650  | -1400 | -1300 | -925  | -875  | -800  | -750  | -750  |
| 53      | 1-4   | -1450  | -1275 | -1150 | -700  | -675  | -550  | -500  | -500  |
|         | 5     | -1525  | -1300 | -1200 | -800  | -750  | -600  | -550  | -550  |
|         | 6     | -1700  | -1450 | -1350 | -950  | -875  | -725  | -675  | -675  |
|         | 7     | -1750  | -1525 | -1450 | -1075 | -1000 | -875  | -825  | -825  |
| 63      | 1-5   | -1675  | -1425 | -1300 | -850  | -825  | -775  | -725  | -725  |
|         | 6     | -1775  | -1550 | -1400 | -1050 | -1000 | -950  | -900  | -900  |
| 34      | 1 & 2 | -1375  | -1125 | -1025 | -625  | -625  | -575  | -525  | -525  |
|         | 3     | -1375  | -1125 | -1025 | -625  | -625  | -575  | -525  | -525  |
|         | 4     | -1500  | -1250 | -1125 | -725  | -725  | -675  | -625  | -625  |
|         | 5     | -1575  | -1325 | -1225 | -850  | -850  | -800  | -750  | -750  |
|         | 6     | -1750  | -1500 | -1400 | -1075 | -1050 | -1000 | -950  | -950  |
| 44      | 1-3   | -1500  | -1250 | -1150 | -725  | -725  | -675  | -650  | -650  |
|         | 4     | -1575  | -1350 | -1200 | -775  | -775  | -725  | -700  | -700  |
|         | 5     | -1650  | -1400 | -1275 | -875  | -875  | -825  | -800  | -800  |
|         | 6     | -1825  | -1575 | -1475 | -1125 | -1100 | -1050 | -1025 | -1025 |
| 54      | 1-4   | -1600  | -1375 | -1275 | -850  | -850  | -800  | -775  | -775  |
|         | 5     | -1675  | -1425 | -1300 | -975  | -975  | -925  | -900  | -900  |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 24 & Below | -1600 | Range            | Diff. | 77.9 & Below     | -70   | Prep              | -300      | -500      |
| 25-26      | -1600 |                  |       | 78.0 - 78.9      | -55   | Bark              | -350      | -550      |
| 27-29      | -1200 | 22.0 - 23.9      | -575  | 79.0 - 79.9      | -40   | Grass             | -650      | -700      |
| 30-32      | -825  | 24.0 - 24.9      | -500  | 80.0 - 80.9      | 0     | Seed Coat         | -375      | -785      |
| 33-34      | -625  | 25.0 - 25.9      | -375  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 35-36 | 0     | 26.0 - 26.9      | -350  | 82.0 - 82.9      | 0     | All Other         | -375      | -785      |
| 37-42      | 0     | Base 27.0 - 28.9 | 0     | 83.0 - 83.9      | 0     |                   |           |           |
| Base 43-49 | 0     | 29.0 - 29.9      | 10    | 84.0 - 84.9      | 0     |                   |           |           |
| 50-52      | -200  | 30.0 - 30.9      | 10    | 85.0 - 85.9      | 0     |                   |           |           |
| 53 & Above | -450  | 31.0 - 32.9      | 10    | 86.0 & Above     | 0     |                   |           |           |
|            |       | 33.0 & Above     | 10    |                  |       |                   |           |           |

| Color   | Leaf  | Staple |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|
|         |       | 33     | 34    | 35    | 36    | 37    | 38    |
| 11 & 21 | 1 & 2 | -125   | 150   | 475   | 750   | 785   | 825   |
|         | 3     | -125   | 125   | 400   | 700   | 725   | 750   |
|         | 4     | -325   | 25    | 250   | 360   | 420   | 445   |
|         | 5     | -400   | -200  | -25   | 75    | 160   | 160   |
|         | 6     | -475   | -375  | -150  | -110  | -55   | -55   |
|         | 7     | -675   | -400  | -225  | -165  | -125  | -125  |
| 31      | 1 & 2 | -200   | 125   | 425   | 675   | 725   | 750   |
|         | 3     | -200   | 100   | 325   | 600   | 625   | 650   |
|         | 4     | -375   | 0     | 150   | 310   | 370   | 420   |
|         | 5     | -425   | -225  | -100  | -25   | 70    | 70    |
|         | 6     | -500   | -400  | -185  | -145  | -65   | -65   |
|         | 7     | -700   | -425  | -275  | -220  | -140  | -140  |
| 41      | 1 & 2 | -600   | 0     | 25    | 160   | 170   | 270   |
|         | 3     | -600   | 0     | 10    | 135   | 145   | 245   |
|         | 4     | -650   | 58.76 | 0     | 85    | 120   | 170   |
|         | 5     | -675   | -525  | -425  | -340  | -280  | -280  |
|         | 6     | -825   | -700  | -525  | -490  | -440  | -440  |
|         | 7     | -975   | -850  | -700  | -670  | -635  | -635  |
| 51      | 1 & 2 | -725   | -550  | -350  | -340  | -330  | -330  |
|         | 3     | -725   | -550  | -350  | -340  | -330  | -330  |
|         | 4     | -750   | -625  | -475  | -425  | -365  | -365  |
|         | 5     | -850   | -800  | -675  | -650  | -600  | -600  |
|         | 6     | -1000  | -900  | -775  | -775  | -725  | -725  |
|         | 7     | -1200  | -1100 | -975  | -975  | -950  | -950  |
| 12 & 22 | 1 & 2 | -500   | 25    | 175   | 260   | 345   | 345   |
|         | 3     | -500   | 25    | 150   | 210   | 295   | 295   |
|         | 4     | -600   | -25   | 150   | 210   | 295   | 295   |
|         | 5     | -625   | -450  | -150  | -150  | -75   | -75   |
|         | 6     | -775   | -650  | -350  | -350  | -275  | -275  |
|         | 7     | -950   | -825  | -600  | -600  | -525  | -525  |
| 32      | 1 & 2 | -600   | -225  | 0     | 110   | 120   | 120   |
|         | 3     | -600   | -225  | 0     | 110   | 120   | 120   |
|         | 4     | -650   | -450  | -100  | 10    | 20    | 20    |
|         | 5     | -700   | -700  | -450  | -450  | -450  | -450  |
|         | 6     | -900   | -825  | -575  | -575  | -575  | -575  |
|         | 7     | -1050  | -1000 | -825  | -825  | -825  | -825  |
| 42      | 1-3   | -700   | -525  | -250  | -175  | -175  | -175  |
|         | 4     | -725   | -600  | -350  | -275  | -275  | -275  |
|         | 5     | -800   | -775  | -550  | -525  | -525  | -525  |
|         | 6     | -975   | -900  | -675  | -675  | -675  | -675  |
|         | 7     | -1175  | -1075 | -925  | -925  | -925  | -925  |
| 52      | 1-4   | -925   | -800  | -600  | -550  | -550  | -550  |
|         | 5     | -975   | -875  | -700  | -700  | -700  | -700  |
|         | 6     | -1075  | -975  | -800  | -800  | -800  | -800  |
|         | 7     | -1325  | -1225 | -1100 | -1075 | -1075 | -1075 |

| Color | Leaf  | Staple |       |       |       |       |       |
|-------|-------|--------|-------|-------|-------|-------|-------|
|       |       | 33     | 34    | 35    | 36    | 37    | 38    |
| 33    | 1 & 2 | -800   | -725  | -650  | -575  | -575  | -575  |
|       | 3     | -800   | -725  | -650  | -575  | -575  | -575  |
|       | 4     | -900   | -825  | -700  | -650  | -650  | -650  |
|       | 5     | -1000  | -900  | -725  | -700  | -700  | -700  |
|       | 6     | -1100  | -1000 | -975  | -975  | -975  | -975  |
|       | 7     | -1200  | -1125 | -1100 | -1100 | -1100 | -1100 |
| 43    | 1-3   | -800   | -725  | -650  | -575  | -575  | -575  |
|       | 4     | -900   | -825  | -700  | -650  | -650  | -650  |
|       | 5     | -1000  | -900  | -725  | -700  | -700  | -700  |
|       | 6     | -1100  | -1000 | -975  | -975  | -975  | -975  |
|       | 7     | -1200  | -1125 | -1100 | -1100 | -1100 | -1100 |
| 53    | 1-4   | -1050  | -950  | -875  | -875  | -875  | -875  |
|       | 5     | -1100  | -1000 | -925  | -925  | -925  | -925  |
|       | 6     | -1200  | -1100 | -1025 | -1025 | -1025 | -1025 |
|       | 7     | -1450  | -1350 | -1350 | -1350 | -1350 | -1350 |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 24 & Below | -1350 | Range            | Diff. | 77.9 & Below     | -100  | Prep              | -50       | -800      |
| 25-26      | -1150 |                  |       | 78.0 - 78.9      | -90   | Bark              | -600      | -800      |
| 27-29      | -1050 | 22.0 - 23.9      | -525  | 79.0 - 79.9      | -80   | Grass             | -600      | -800      |
| 30-32      | -700  | 24.0 - 24.9      | -300  | 80.0 - 80.9      | 0     | Seed Coat         | -600      | -800      |
| 33-34      | -500  | 25.0 - 25.9      | -275  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 35-36 | 0     | 26.0 - 26.9      | -200  | 82.0 - 82.9      | 0     | All Other         | -600      | -800      |
| 37-42      | 25    | Base 27.0 - 28.9 | 0     | 83.0 - 83.9      | 30    |                   |           |           |
| Base 43-49 | 0     | 29.0 - 29.9      | 0     | 84.0 - 84.9      | 40    |                   |           |           |
| 50-52      | -325  | 30.0 - 30.9      | 10    | 85.0 - 85.9      | 50    |                   |           |           |
| 53 & Above | -525  | 31.0 - 32.9      | 35    | 86.0 & Above     | 60    |                   |           |           |
|            |       | 33.0 & Above     | 75    |                  |       |                   |           |           |

| SAN JOAQUIN VALLEY DIFFERENCES |       |        |       |       |       | 18-Dec-25 |
|--------------------------------|-------|--------|-------|-------|-------|-----------|
| Color                          | Leaf  | Staple |       |       |       |           |
|                                |       | 34     | 35    | 36    | 37    | 38        |
| 11 & 21                        | 1 & 2 | 415    | 1040  | 1390  | 1540  | 1765      |
|                                | 3     | 365    | 990   | 1340  | 1465  | 1665      |
|                                | 4     | 75     | 350   | 400   | 500   | 500       |
|                                | 5     | -125   | 75    | 130   | 190   | 190       |
|                                | 6     | -400   | -200  | -150  | -100  | -100      |
|                                | 7     | -625   | -525  | -475  | -425  | -425      |
| 31                             | 1 & 2 | 315    | 940   | 1290  | 1415  | 1590      |
|                                | 3     | 265    | 890   | 1240  | 1365  | 1540      |
|                                | 4     | 50     | 300   | 330   | 410   | 410       |
|                                | 5     | -200   | 0     | 55    | 115   | 115       |
|                                | 6     | -500   | -325  | -275  | -225  | -225      |
|                                | 7     | -675   | -575  | -525  | -475  | -475      |
| 41                             | 1 & 2 | 100    | 350   | 430   | 440   | 440       |
|                                | 3     | 50     | 250   | 330   | 340   | 340       |
|                                | 4     | 59.01  | 200   | 280   | 290   | 290       |
|                                | 5     | -425   | -200  | -195  | -185  | -185      |
|                                | 6     | -625   | -450  | -450  | -450  | -450      |
|                                | 7     | -825   | -725  | -725  | -725  | -725      |
| 51                             | 1 & 2 | -675   | -225  | -175  | -175  | -175      |
|                                | 3     | -700   | -250  | -200  | -200  | -200      |
|                                | 4     | -750   | -300  | -275  | -275  | -275      |
|                                | 5     | -775   | -375  | -325  | -325  | -325      |
|                                | 6     | -900   | -800  | -800  | -800  | -800      |
|                                | 7     | -1050  | -1000 | -1000 | -1000 | -1000     |
| 12 & 22                        | 1 & 2 | 125    | 575   | 830   | 965   | 1140      |
|                                | 3     | 50     | 500   | 780   | 890   | 1040      |
|                                | 4     | -75    | 325   | 375   | 440   | 440       |
|                                | 5     | -250   | -50   | 0     | 50    | 50        |
|                                | 6     | -525   | -400  | -350  | -300  | -300      |
|                                | 7     | -775   | -700  | -650  | -600  | -600      |
| 32                             | 1 & 2 | 0      | 250   | 325   | 375   | 475       |
|                                | 3     | -50    | 200   | 275   | 325   | 425       |
|                                | 4     | -200   | 25    | 50    | 100   | 100       |
|                                | 5     | -525   | -275  | -275  | -275  | -275      |
|                                | 6     | -675   | -475  | -475  | -475  | -475      |
|                                | 7     | -850   | -750  | -750  | -750  | -750      |
| 42                             | 1-3   | -450   | -100  | -75   | -75   | -75       |
|                                | 4     | -500   | -175  | -150  | -150  | -150      |
|                                | 5     | -675   | -350  | -300  | -300  | -300      |
|                                | 6     | -800   | -775  | -775  | -775  | -775      |
|                                | 7     | -1000  | -950  | -950  | -950  | -950      |
| 52                             | 1-4   | -825   | -775  | -775  | -775  | -775      |
|                                | 5     | -875   | -825  | -825  | -825  | -825      |
|                                | 6     | -1025  | -1025 | -1025 | -1025 | -1025     |
|                                | 7     | -1225  | -1225 | -1225 | -1225 | -1225     |

| Color | Leaf  | Staple |       |       |       |       |
|-------|-------|--------|-------|-------|-------|-------|
|       |       | 34     | 35    | 36    | 37    | 38    |
| 33    | 1 & 2 | -500   | -500  | -500  | -500  | -500  |
|       | 3     | -500   | -500  | -500  | -500  | -500  |
|       | 4     | -600   | -600  | -600  | -600  | -600  |
|       | 5     | -800   | -800  | -800  | -800  | -800  |
|       | 6     | -1075  | -1075 | -1075 | -1075 | -1075 |
|       | 7     | -1225  | -1225 | -1225 | -1225 | -1225 |
| 43    | 1-3   | -875   | -875  | -875  | -875  | -875  |
|       | 4     | -925   | -925  | -925  | -925  | -925  |
|       | 5     | -1075  | -1075 | -1075 | -1075 | -1075 |
|       | 6     | -1225  | -1225 | -1225 | -1225 | -1225 |
|       | 7     | -1425  | -1425 | -1425 | -1425 | -1425 |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 27-29      | -1600 | Range            | Diff. | 77.9 & Below     | -60   | Prep              | -50       | -800      |
| 30-32      | -1000 |                  |       | 78.0 - 78.9      | -50   | Bark              | -350      | -925      |
| 33-34      | -500  | 25.0 - 25.9      | -400  | 79.0 - 79.9      | -40   | Grass             | -350      | -925      |
| Base 35-36 | 0     | 26.0 - 26.9      | -300  | 80.0 - 80.9      | 0     | Seed Coat         | -350      | -925      |
| 37-42      | 25    | Base 27.0 - 28.9 | 0     | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 43-49 | 0     | 29.0 - 29.9      | 0     | 82.0 - 82.9      | 50    | All Other         | -350      | -925      |
| 50-52      | -500  | 30.0 - 30.9      | 75    | 83.0 - 83.9      | 80    |                   |           |           |
|            |       | 31.0 - 32.9      | 125   | 84.0 - 84.9      | 90    |                   |           |           |
|            |       | 33.0 & Above     | 250   | 85.0 - 85.9      | 100   |                   |           |           |
|            |       |                  |       | 86.0 & Above     | 110   |                   |           |           |

| AMERICAN PIMA SPOT QUOTATIONS |      |        |        |        |        |                                                                                                                                    |       |
|-------------------------------|------|--------|--------|--------|--------|------------------------------------------------------------------------------------------------------------------------------------|-------|
| Color                         | Leaf | Staple |        |        |        |                                                                                                                                    |       |
|                               |      | 44     | 46     | 48     | 50     |                                                                                                                                    |       |
| 1                             | 1    | 142.75 | 148.50 | 150.25 | 150.25 | The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on December 17, 2025 |       |
|                               | 2    | 142.50 | 148.25 | 150.00 | 150.00 |                                                                                                                                    |       |
|                               | 3    | 135.75 | 143.50 | 144.50 | 144.50 |                                                                                                                                    |       |
|                               | 4    |        |        |        |        |                                                                                                                                    |       |
|                               | 5    |        |        |        |        |                                                                                                                                    |       |
|                               | 6    |        |        |        |        |                                                                                                                                    |       |
| 2                             | 1    | 142.50 | 148.25 | 150.00 | 150.00 | Mike                                                                                                                               |       |
|                               | 2    | 142.25 | 148.00 | 149.75 | 149.75 | Range                                                                                                                              | Diff. |
|                               | 3    | 135.50 | 143.25 | 144.25 | 144.25 | 26 & below                                                                                                                         | -2000 |
|                               | 4    | 125.50 | 133.75 | 134.75 | 134.75 | 27-29                                                                                                                              | -1500 |
|                               | 5    |        |        |        |        | 30-32                                                                                                                              | -1000 |
|                               | 6    |        |        |        |        | 33-34                                                                                                                              | -500  |
| 3                             | 1    | 134.25 | 142.00 | 143.00 | 143.00 | 35 & Above                                                                                                                         | 0     |
|                               | 2    | 131.75 | 139.50 | 140.50 | 140.50 | Strength                                                                                                                           |       |
|                               | 3    | 129.50 | 137.25 | 138.25 | 138.25 | (Grams per Tex)                                                                                                                    |       |
|                               | 4    | 120.50 | 128.25 | 129.25 | 129.25 | Range                                                                                                                              | Diff. |
|                               | 5    | 104.50 | 111.75 | 112.75 | 112.75 | 34.9 & below                                                                                                                       | -1650 |
|                               | 6    |        |        |        |        | 35.0 – 35.9                                                                                                                        | -1400 |
| 4                             | 1    | 115.50 | 123.25 | 125.00 | 125.00 | 36.0 – 36.9                                                                                                                        | -1150 |
|                               | 2    | 115.25 | 123.00 | 124.25 | 124.25 | 37.0 – 37.9                                                                                                                        | -800  |
|                               | 3    | 114.00 | 121.75 | 122.75 | 122.75 | 38.0 – 38.9                                                                                                                        | 0     |
|                               | 4    | 109.00 | 116.75 | 117.75 | 117.75 | 39.0 – 39.9                                                                                                                        | 0     |
|                               | 5    | 97.75  | 105.50 | 106.50 | 106.50 | 40.0 & Above                                                                                                                       | 0     |
|                               | 6    |        |        |        |        | Extraneous Matter                                                                                                                  |       |
| 5                             | 1    |        |        |        |        | Type - Level                                                                                                                       | Diff. |
|                               | 2    | 92.25  | 102.25 | 102.25 | 102.25 | Prep - Level 1                                                                                                                     | -810  |
|                               | 3    | 92.25  | 101.75 | 102.00 | 102.00 | Prep - Level 2                                                                                                                     | -1095 |
|                               | 4    | 92.25  | 96.25  | 96.25  | 96.25  | Other - Level 1                                                                                                                    | -715  |
|                               | 5    | 92.00  | 96.00  | 96.00  | 96.00  | Other - Level 2                                                                                                                    | -1035 |
|                               | 6    |        |        |        |        | Plastic - Level 1                                                                                                                  | -4000 |
| 6                             | 1    |        |        |        |        | Plastic - Level 2                                                                                                                  | -4000 |
|                               | 2    | 84.50  | 87.50  | 87.50  | 87.50  |                                                                                                                                    |       |
|                               | 3    | 84.50  | 87.50  | 87.50  | 87.50  |                                                                                                                                    |       |
|                               | 4    | 84.50  | 87.50  | 87.50  | 87.50  |                                                                                                                                    |       |
|                               | 5    | 84.25  | 87.25  | 87.25  | 87.25  |                                                                                                                                    |       |
|                               | 6    | 83.75  | 86.75  | 86.75  | 86.75  |                                                                                                                                    |       |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.



| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -488   | -290  | -121  | 206   | 484  | 727  | 818  | 877  |
|         | 3     | -563   | -315  | -138  | 166   | 431  | 691  | 767  | 824  |
|         | 4     | -625   | -345  | -246  | 61    | 229  | 351  | 392  | 403  |
|         | 5     | -650   | -470  | -358  | -139  | 7    | 79   | 129  | 129  |
|         | 6     | -763   | -555  | -488  | -371  | -261 | -216 | -186 | -186 |
|         | 7     | -838   | -650  | -604  | -479  | -386 | -338 | -314 | -314 |
| 31      | 1 & 2 | -650   | -335  | -183  | 145   | 434  | 670  | 738  | 781  |
|         | 3     | -688   | -345  | -192  | 120   | 395  | 641  | 706  | 749  |
|         | 4     | -738   | -380  | -288  | 50    | 200  | 302  | 354  | 369  |
|         | 5     | -763   | -530  | -404  | -179  | -43  | 19   | 69   | 69   |
|         | 6     | -850   | -600  | -517  | -396  | -301 | -264 | -238 | -238 |
|         | 7     | -938   | -695  | -633  | -493  | -414 | -374 | -352 | -352 |
| 41      | 1 & 2 | -750   | -410  | -317  | 46    | 179  | 331  | 362  | 401  |
|         | 3     | -788   | -420  | -321  | 29    | 141  | 279  | 317  | 356  |
|         | 4     | -825   | -450  | -392  | 59.87 | 87   | 196  | 231  | 256  |
|         | 5     | -925   | -630  | -542  | -336  | -213 | -150 | -129 | -119 |
|         | 6     | -1013  | -720  | -663  | -529  | -439 | -395 | -388 | -388 |
|         | 7     | -1113  | -825  | -796  | -661  | -579 | -546 | -541 | -541 |
| 51      | 1 & 2 | -875   | -645  | -529  | -339  | -196 | -159 | -154 | -154 |
|         | 3     | -913   | -690  | -538  | -364  | -214 | -174 | -172 | -169 |
|         | 4     | -950   | -710  | -567  | -421  | -300 | -264 | -252 | -249 |
|         | 5     | -963   | -795  | -733  | -579  | -464 | -425 | -411 | -407 |
|         | 6     | -1063  | -880  | -842  | -704  | -643 | -607 | -596 | -596 |
|         | 7     | -1163  | -965  | -967  | -829  | -771 | -736 | -729 | -729 |
| 61      | 1-5   | -1000  | -825  | -750  | -535  | -490 | -440 | -440 | -440 |
|         | 6     | -1163  | -940  | -895  | -710  | -670 | -620 | -620 | -620 |
|         | 7     | -1263  | -1070 | -1015 | -820  | -760 | -715 | -715 | -715 |
| 12 & 22 | 1 & 2 | -638   | -340  | -217  | 68    | 239  | 370  | 437  | 466  |
|         | 3     | -675   | -355  | -233  | 39    | 189  | 327  | 387  | 412  |
|         | 4     | -738   | -375  | -325  | -25   | 116  | 237  | 280  | 284  |
|         | 5     | -825   | -605  | -517  | -279  | -120 | -50  | -7   | -7   |
|         | 6     | -938   | -715  | -658  | -504  | -396 | -339 | -296 | -296 |
|         | 7     | -1063  | -800  | -775  | -636  | -554 | -500 | -464 | -464 |
| 32      | 1 & 2 | -838   | -485  | -358  | -100  | 39   | 101  | 131  | 149  |
|         | 3     | -888   | -505  | -375  | -125  | 14   | 76   | 103  | 121  |
|         | 4     | -938   | -555  | -433  | -229  | -64  | -24  | -8   | -4   |
|         | 5     | -1063  | -765  | -633  | -450  | -332 | -289 | -275 | -275 |
|         | 6     | -1188  | -845  | -796  | -621  | -514 | -486 | -471 | -471 |
|         | 7     | -1300  | -945  | -900  | -743  | -661 | -639 | -625 | -625 |
| 42      | 1-3   | -925   | -630  | -521  | -325  | -168 | -125 | -111 | -107 |
|         | 4     | -1000  | -675  | -554  | -375  | -236 | -189 | -179 | -168 |
|         | 5     | -1150  | -840  | -708  | -525  | -386 | -350 | -343 | -332 |
|         | 6     | -1363  | -930  | -833  | -679  | -604 | -586 | -571 | -568 |
|         | 7     | -1438  | -1005 | -958  | -814  | -736 | -721 | -711 | -711 |
| 52      | 1-4   | -1188  | -845  | -750  | -614  | -546 | -518 | -504 | -500 |
|         | 5     | -1250  | -925  | -854  | -689  | -629 | -618 | -600 | -596 |
|         | 6     | -1475  | -1060 | -1000 | -843  | -789 | -771 | -757 | -757 |
|         | 7     | -1563  | -1160 | -1129 | -979  | -936 | -907 | -896 | -896 |
| 62      | 1-5   | -1300  | -1045 | -970  | -765  | -740 | -715 | -695 | -695 |
|         | 6     | -1513  | -1215 | -1140 | -930  | -900 | -870 | -845 | -845 |

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -1113  | -925  | -850  | -463  | -400  | -325  | -250  | -250  |
|         | 3     | -1175  | -963  | -888  | -488  | -425  | -350  | -275  | -275  |
|         | 4     | -1225  | -1050 | -950  | -525  | -463  | -400  | -325  | -325  |
|         | 5     | -1338  | -1138 | -1063 | -650  | -588  | -513  | -438  | -438  |
|         | 6     | -1475  | -1238 | -1150 | -763  | -675  | -600  | -525  | -525  |
|         | 7     | -1563  | -1338 | -1250 | -850  | -788  | -713  | -638  | -638  |
| 33      | 1 & 2 | -1238  | -940  | -800  | -569  | -532  | -500  | -479  | -479  |
|         | 3     | -1238  | -940  | -800  | -572  | -536  | -504  | -479  | -479  |
|         | 4     | -1325  | -990  | -863  | -636  | -589  | -557  | -532  | -532  |
|         | 5     | -1463  | -1045 | -967  | -786  | -736  | -707  | -682  | -682  |
|         | 6     | -1550  | -1135 | -1063 | -904  | -875  | -850  | -825  | -825  |
|         | 7     | -1638  | -1265 | -1167 | -1033 | -1000 | -975  | -950  | -950  |
| 43      | 1-3   | -1300  | -980  | -833  | -644  | -607  | -571  | -546  | -546  |
|         | 4     | -1375  | -1025 | -883  | -697  | -646  | -607  | -582  | -582  |
|         | 5     | -1488  | -1075 | -979  | -837  | -786  | -754  | -729  | -729  |
|         | 6     | -1600  | -1165 | -1075 | -940  | -914  | -889  | -864  | -864  |
|         | 7     | -1688  | -1290 | -1183 | -1065 | -1039 | -1014 | -989  | -989  |
| 53      | 1-4   | -1450  | -1125 | -1021 | -818  | -783  | -754  | -725  | -725  |
|         | 5     | -1538  | -1200 | -1117 | -909  | -879  | -846  | -817  | -817  |
|         | 6     | -1675  | -1325 | -1213 | -1018 | -975  | -942  | -913  | -913  |
|         | 7     | -1750  | -1390 | -1350 | -1147 | -1117 | -1083 | -1054 | -1054 |
| 63      | 1-5   | -1663  | -1300 | -1220 | -996  | -965  | -940  | -905  | -905  |
|         | 6     | -1763  | -1395 | -1305 | -1085 | -1050 | -1025 | -990  | -990  |
| 34      | 1 & 2 | -1388  | -1200 | -1113 | -688  | -675  | -613  | -550  | -550  |
|         | 3     | -1388  | -1200 | -1113 | -688  | -675  | -613  | -550  | -550  |
|         | 4     | -1513  | -1325 | -1213 | -788  | -775  | -713  | -650  | -650  |
|         | 5     | -1600  | -1413 | -1325 | -913  | -900  | -838  | -775  | -775  |
|         | 6     | -1775  | -1588 | -1500 | -1113 | -1088 | -1025 | -963  | -963  |
| 44      | 1-3   | -1500  | -1313 | -1225 | -788  | -775  | -713  | -663  | -663  |
|         | 4     | -1575  | -1413 | -1275 | -838  | -825  | -763  | -713  | -713  |
|         | 5     | -1650  | -1475 | -1363 | -938  | -925  | -863  | -813  | -813  |
|         | 6     | -1825  | -1638 | -1550 | -1150 | -1125 | -1063 | -1013 | -1013 |
| 54      | 1-4   | -1600  | -1438 | -1350 | -888  | -888  | -825  | -788  | -788  |
|         | 5     | -1688  | -1513 | -1400 | -1000 | -988  | -925  | -888  | -888  |

| Mike       |       | Strength         |       | Uniformity       |       | Extraneous Matter |           |           |
|------------|-------|------------------|-------|------------------|-------|-------------------|-----------|-----------|
| Range      | Diff. | (Grams per Tex)  |       | Unit             | Diff. | Type              | - Level 1 | - Level 2 |
| 24 & Below | -1517 | Range            | Diff. | 77.9 & Below     | -89   | Prep              | -186      | -714      |
| 25-26      | -1254 |                  |       | 78.0 - 78.9      | -77   | Bark              | -439      | -742      |
| 27-29      | -1018 | 22.0 - 23.9      | -658  | 79.0 - 79.9      | -59   | Grass             | -550      | -828      |
| 30-32      | -704  | 24.0 - 24.9      | -554  | 80.0 - 80.9      | 0     | Seed Coat         | -429      | -774      |
| 33-34      | -500  | 25.0 - 25.9      | -475  | Base 81.0 - 81.9 | 0     | Plastic           | -4000     | -4000     |
| Base 35-36 | 0     | 26.0 - 26.9      | -300  |                  | 7     | All Other         | -429      | -774      |
| 37-42      | 14    | Base 27.0 - 28.9 |       | 83.0 - 83.9      | 27    |                   |           |           |
| Base 43-49 | 0     | 29.0 - 29.9      | 3     | 84.0 - 84.9      | 34    |                   |           |           |
| 50-52      | -268  | 30.0 - 30.9      | 26    | 85.0 - 85.9      | 41    |                   |           |           |
| 53 & Above | -425  | 31.0 - 32.9      | 47    | 86.0 & Above     | 49    |                   |           |           |
|            |       | 33.0 & Above     | 71    |                  |       |                   |           |           |



Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

| PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/ |             |        |      |      |      |      |
|--------------------------------------------------|-------------|--------|------|------|------|------|
| Color                                            | Leaf        | Staple |      |      |      |      |
|                                                  |             | 33     | 34   | 35   | 36   | 37   |
| 11                                               | 1 & 2       | -130   | 170  | 415  | 645  | 722  |
|                                                  | 3           | -150   | 130  | 360  | 610  | 676  |
|                                                  | 4           | -255   | 55   | 225  | 362  | 394  |
|                                                  | 5           | -365   | -135 | 15   | 105  | 157  |
| 21                                               | 1 & 2       | -130   | 170  | 415  | 645  | 722  |
|                                                  | 3           | -150   | 130  | 360  | 610  | 676  |
|                                                  | 4           | -255   | 55   | 225  | 362  | 394  |
|                                                  | 5           | -365   | -135 | 15   | 105  | 157  |
| 31                                               | 1 & 2       | -200   | 115  | 370  | 587  | 652  |
|                                                  | 3           | -210   | 90   | 330  | 560  | 620  |
|                                                  | 4           | -295   | 45   | 195  | 314  | 364  |
|                                                  | 5           | -410   | -165 | -30  | 40   | 94   |
| 41                                               | 1 & 2       | -330   | 35   | 155  | 312  | 354  |
|                                                  | 3           | -335   | 25   | 132  | 264  | 311  |
|                                                  | 4           | -415   | 0    | 77   | 179  | 221  |
|                                                  | 5           | -550   | -320 | -215 | -138 | -111 |
| 51                                               | 1 & 2       | -540   | -270 | -180 | -138 | -131 |
|                                                  | 3           | -550   | -295 | -195 | -148 | -146 |
|                                                  | 4           | -580   | -360 | -290 | -245 | -228 |
|                                                  | 5           | -735   | -525 | -460 | -420 | -400 |
| 12                                               | 1 & 2       | -235   | 60   | 200  | 299  | 361  |
|                                                  | 3           | -255   | 40   | 155  | 259  | 311  |
| 22                                               | 1 & 2       | -235   | 60   | 200  | 299  | 361  |
|                                                  | 3           | -255   | 40   | 155  | 259  | 311  |
| 32                                               | 1 & 2       | -380   | -120 | 5    | 67   | 99   |
|                                                  | 3           | -400   | -145 | -15  | 47   | 74   |
| Strength                                         | 25.0 - 25.9 | -455   |      |      |      |      |

Source: USDA, AMS Cotton and Tobacco Market News  
Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov  
<https://www.ams.usda.gov/market-news/cotton>  
<https://mymarketnews.ams.usda.gov>