# Daily Spot Cotton Quotations

Agricultural Marketing Service
Cotton and Tobacco Market News

22-Dec-25

Volume 108, No. 100

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07),mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

| UPLAND SPOT PRICE QUOTATIONS | | | | | | TRANSACTIONS REPORTED | |
|---|---|---|---|---|---|---|---|
| Growth Areas | Color 41, Leaf 4, Staple 34 | | | Color 31, Leaf 3, Staple 36 | | Bales | |
| | Basis Points | | Cents/Pound | Basis Points | Cents/Pound | Today | Season |
| Southeast | -175 | Mar-26 | 61.86 | 400 | Mar-26 67.61 | 2,809 | 68,540 |
| North Delta | -225 | Mar-26 | 61.36 | 250 | Mar-26 66.11 | 0 | 5,074 |
| South Delta | -225 | Mar-26 | 61.36 | 200 | Mar-26 65.61 | 0 | 64 |
| East TX-South TX | -575 | Mar-26 | 57.86 | 100 | Mar-26 64.61 | 2,185 | 65,551 |
| West TX-KS-OK | -450 | Mar-26 | 59.11 | 50 | Mar-26 64.11 | 20,975 | 279,670 |
| Desert SW | -475 | Mar-26 | 58.86 | 125 | Mar-26 64.86 | 0 | 1,536 |
| SJ Valley | -450 | Mar-26 | 59.11 | 790 | Mar-26 71.51 | 0 | 0 |
| | | | | | | Upland Totals | |
| Average | -367 | Mar-26 | 59.93 | 273 | Mar-26 66.35 | **25,969** | **420,435** |
| Previous day | -364 | Mar-26 | 60.11 | 277 | Mar-26 66.52 | | |

| | AMERICAN PIMA SPOT PRICE QUOTATIONS | | | TRANSACTIONS REPORTED | |
|---|---|---|---|---|---|
| | Color 01, Leaf 1, Staple 48 | Color 02, Leaf 2, Staple 46 | Color 02, Leaf 2, Staple 48 | Today | Season |
| | 150.25 | 148.00 | 149.75 | **0** | **932** |

ICE FUTURES US - CONTRACT NO. 2 1/

COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER

| Month | *Cents per pound* | | | |
|---|---|---|---|---|
| | Today | Previous | | Change |
| Mar-26 | 63.61 | 63.75 | ↓ | **-0.14** |
| May-26 | 64.78 | 64.84 | ↓ | **-0.06** |
| Jul-26 | 65.85 | 65.86 | ↓ | **-0.01** |
| Oct-26 | 66.37 | 66.43 | ↓ | **-0.06** |
| Dec-26 | 67.20 | 67.30 | ↓ | **-0.10** |
| Mar-27 | 68.12 | 68.28 | ↓ | **-0.16** |
| May-27 | 68.89 | 69.05 | ↓ | **-0.16** |
| Jul-27 | 69.53 | 69.63 | ↓ | **-0.10** |
| Oct-27 | 68.78 | 68.88 | ↓ | **-0.10** |
| Dec-27 | 67.75 | 67.85 | ↓ | **-0.10** |

**7-MARKET BASE QUOTATIONS FOR UPLAND COTTON**

**Season high**

08/12/2025 64.32

**Season low**

11/13/2025 59.19

**Dec 19 - Dec 25**

**ADJ. WORLD PRICE**

49.99

**CC ADJUSTMENT**

0.00

**FC ADJUSTMENT**

| 2024 | 2025 |
|---|---|
| 0.00 | 0.00 |

**LOAN DEFICIT PMT.**

2.01

**PIMA COMPETITIVENESS PAYMENT**

0.00

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW

| Market | Basis | Color Leaf Staple | Mike | Strength | Extraneous | Uniformity |
|---|---|---|---|---|---|---|
| Southeast | | | | | | |
| North Delta | | | | | | |
| South Delta | | | | | | |
| East TX-South TX | ✔ | | | | | |
| West TX-KS-OK | | | | | | |
| Desert SW | | | | | | |
| SJ Valley | | | | | | |
| American Pima | | | | | | |

1/ Settlement prices provided by ICE Futures US

Source: USDA, AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@usda.gov

https://www.ams.usda.gov/market-news/cotton

https://mymarketnews.ams.usda.gov

SOUTHEAST DIFFERENCES 22-Dec-25

| Color | Leaf | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -225 | -50 | 175 | 500 | 625 | 675 | 700 |
| | 3 | -225 | -50 | 175 | 475 | 600 | 650 | 675 |
| | 4 | -225 | -125 | 100 | 425 | 500 | 525 | 525 |
| | 5 | -475 | -325 | -225 | 25 | 100 | 100 | 100 |
| | 6 | -600 | -450 | -400 | -225 | -175 | -175 | -175 |
| | 7 | -725 | -575 | -550 | -350 | -300 | -300 | -300 |
| 31 | 1 & 2 | -225 | -100 | 100 | 475 | 600 | 625 | 650 |
| | 3 | -225 | -100 | 100 | 475 | 575 | 600 | 625 |
| | 4 | -225 | -125 | 100 | 425 | 475 | 500 | 500 |
| | 5 | -475 | -325 | -225 | 25 | 75 | 75 | 75 |
| | 6 | -600 | -450 | -400 | -275 | -225 | -225 | -225 |
| | 7 | -725 | -575 | -550 | -400 | -350 | -350 | -350 |
| 41 | 1 & 2 | -275 | -150 | 75 | 400 | 450 | 450 | 475 |
| | 3 | -275 | -150 | 75 | 375 | 425 | 425 | 450 |
| | 4 | -275 | -200 | 61.86 | 225 | 400 | 400 | 425 |
| | 5 | -550 | -450 | -300 | -175 | -100 | -100 | -100 |
| | 6 | -675 | -550 | -525 | -450 | -400 | -400 | -400 |
| | 7 | -775 | -675 | -650 | -600 | -550 | -550 | -550 |
| 51 | 1 & 2 | -475 | -350 | -175 | -125 | -75 | -75 | -75 |
| | 3 | -550 | -375 | -250 | -175 | -100 | -100 | -100 |
| | 4 | -575 | -375 | -300 | -250 | -200 | -200 | -200 |
| | 5 | -775 | -650 | -525 | -475 | -425 | -425 | -425 |
| | 6 | -850 | -675 | -625 | -625 | -575 | -575 | -575 |
| | 7 | -925 | -800 | -775 | -775 | -725 | -725 | -725 |
| 61 | 1-5 | -775 | -700 | -625 | -600 | -575 | -575 | -575 |
| | 6 | -950 | -875 | -825 | -800 | -775 | -775 | -775 |
| | 7 | -1075 | -950 | -900 | -875 | -850 | -850 | -850 |
| 12 & 22 | 1 & 2 | -275 | -100 | 50 | 200 | 275 | 275 | 300 |
| | 3 | -275 | -100 | 50 | 175 | 250 | 250 | 275 |
| | 4 | -275 | -125 | 0 | 150 | 225 | 225 | 250 |
| | 5 | -525 | -425 | -300 | -100 | -50 | -50 | -50 |
| | 6 | -650 | -525 | -525 | -450 | -400 | -400 | -400 |
| | 7 | -750 | -650 | -650 | -600 | -550 | -550 | -550 |
| 32 | 1 & 2 | -325 | -175 | -25 | 0 | 75 | 75 | 75 |
| | 3 | -350 | -200 | -50 | 0 | 50 | 50 | 50 |
| | 4 | -450 | -200 | -150 | -100 | -25 | -25 | -25 |
| | 5 | -625 | -450 | -400 | -375 | -325 | -325 | -325 |
| | 6 | -700 | -550 | -550 | -525 | -475 | -475 | -475 |
| | 7 | -800 | -675 | -675 | -650 | -600 | -600 | -600 |
| 42 | 1-3 | -550 | -350 | -200 | -175 | -125 | -125 | -125 |
| | 4 | -575 | -375 | -275 | -275 | -225 | -225 | -225 |
| | 5 | -775 | -650 | -425 | -375 | -350 | -350 | -350 |
| | 6 | -825 | -675 | -625 | -625 | -600 | -600 | -600 |
| | 7 | -925 | -800 | -775 | -750 | -725 | -725 | -725 |
| 52 | 1-4 | -825 | -700 | -575 | -500 | -500 | -500 | -500 |
| | 5 | -850 | -850 | -675 | -650 | -650 | -650 | -650 |
| | 6 | -925 | -900 | -850 | -825 | -825 | -825 | -825 |
| | 7 | -1075 | -1000 | -950 | -925 | -925 | -925 | -925 |
| 62 | 1-5 | -950 | -875 | -825 | -825 | -825 | -825 | -825 |
| | 6 | -1125 | -1050 | -1000 | -1000 | -1000 | -1000 | -1000 |

SOUTHEAST DIFFERENCES 22-Dec-25

| Color | Leaf | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 33 | 1 & 2 | -900 | -850 | -800 | -750 | -725 | -725 | -725 |
| | 3 | -900 | -850 | -800 | -750 | -725 | -725 | -725 |
| | 4 | -925 | -900 | -850 | -775 | -750 | -750 | -750 |
| | 5 | -950 | -900 | -850 | -825 | -825 | -825 | -825 |
| | 6 | -1000 | -925 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1125 | -1000 | -950 | -925 | -925 | -925 | -925 |
| 43 | 1-3 | -900 | -850 | -800 | -750 | -725 | -725 | -725 |
| | 4 | -925 | -900 | -850 | -775 | -750 | -750 | -750 |
| | 5 | -950 | -900 | -850 | -825 | -825 | -825 | -825 |
| | 6 | -1000 | -925 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1125 | -1000 | -950 | -925 | -925 | -925 | -925 |
| 53 | 1-4 | -1000 | -900 | -850 | -800 | -800 | -800 | -800 |
| | 5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 |
| | 6 | -1150 | -1100 | -1000 | -1000 | -1000 | -1000 | -1000 |
| | 7 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |
| 63 | 1-5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 |
| | 6 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |

Mike

| Range | Diff. |
|---|---|
| 25-26 | -1075 |
| 27-29 | -675 |
| 30-32 | -525 |
| 33-34 | -400 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -200 |
| 53 & Above | -375 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 22.0 - 23.9 | -675 |
| 24.0 - 24.9 | -625 |
| 25.0 - 25.9 | -600 |
| 26.0 - 26.9 | -300 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & Above | 50 |

Uniformity

| Unit | Diff. |
|---|---|
| 77.9 & Below | -125 |
| 78.0 - 78.9 | -110 |
| 79.0 - 79.9 | -100 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 20 |
| 84.0 - 84.9 | 30 |
| 85.0 - 85.9 | 40 |
| 86.0 & Above | 50 |

Extraneous Matter

| Type | - Level 1 | - Level 2 |
|---|---|---|
| Prep | -200 | -800 |
| Bark | -550 | -800 |
| Grass | -550 | -800 |
| Seed Coat | -550 | -550 |
| Plastic | -4000 | -4000 |
| All Other | -550 | -550 |

| Color | Leaf | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -225 | -75 | 175 | 250 | 500 | 600 | 600 |
| | 3 | -225 | -75 | 150 | 200 | 475 | 550 | 550 |
| | 4 | -275 | -200 | 75 | 100 | 225 | 250 | 250 |
| | 5 | -450 | -325 | -175 | -100 | -100 | -75 | -75 |
| | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 |
| | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 |
| 31 | 1 & 2 | -225 | -100 | 125 | 225 | 500 | 525 | 525 |
| | 3 | -225 | -100 | 125 | 200 | 475 | 500 | 500 |
| | 4 | -275 | -250 | 75 | 100 | 175 | 225 | 225 |
| | 5 | -450 | -325 | -225 | -150 | -125 | -100 | -100 |
| | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 |
| | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 |
| 41 | 1 & 2 | -350 | -250 | 50 | 100 | 350 | 350 | 375 |
| | 3 | -350 | -250 | 25 | 50 | 325 | 350 | 375 |
| | 4 | -375 | -275 | 61.36 | 0 | 175 | 200 | 200 |
| | 5 | -625 | -500 | -325 | -225 | -175 | -175 | -175 |
| | 6 | -675 | -600 | -500 | -425 | -425 | -425 | -425 |
| | 7 | -800 | -775 | -650 | -550 | -550 | -550 | -550 |
| 51 | 1 & 2 | -675 | -475 | -350 | -250 | -250 | -250 | -250 |
| | 3 | -725 | -475 | -375 | -275 | -275 | -275 | -275 |
| | 4 | -750 | -500 | -400 | -350 | -350 | -350 | -350 |
| | 5 | -825 | -725 | -650 | -575 | -550 | -550 | -550 |
| | 6 | -950 | -925 | -775 | -700 | -700 | -700 | -700 |
| | 7 | -1000 | -975 | -825 | -775 | -775 | -775 | -775 |
| 61 | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 |
| | 6 | -950 | -950 | -775 | -750 | -750 | -750 | -750 |
| | 7 | -1025 | -1000 | -875 | -850 | -850 | -850 | -850 |
| 12 & 22 | 1 & 2 | -275 | -125 | 50 | 100 | 250 | 275 | 275 |
| | 3 | -275 | -125 | 25 | 50 | 200 | 250 | 250 |
| | 4 | -300 | -250 | 0 | 0 | 175 | 200 | 200 |
| | 5 | -600 | -475 | -300 | -200 | -175 | -150 | -150 |
| | 6 | -725 | -650 | -525 | -425 | -400 | -400 | -400 |
| | 7 | -775 | -750 | -625 | -550 | -525 | -525 | -525 |
| 32 | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 |
| | 5 | -700 | -525 | -350 | -325 | -300 | -300 | -300 |
| | 6 | -800 | -750 | -575 | -525 | -500 | -500 | -500 |
| | 7 | -900 | -850 | -675 | -625 | -625 | -625 | -625 |
| 42 | 1-3 | -550 | -425 | -325 | -225 | -200 | -200 | -200 |
| | 4 | -575 | -450 | -350 | -300 | -250 | -250 | -250 |
| | 5 | -725 | -575 | -425 | -375 | -325 | -325 | -325 |
| | 6 | -850 | -750 | -600 | -575 | -525 | -525 | -525 |
| | 7 | -900 | -850 | -700 | -650 | -650 | -650 | -650 |
| 52 | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -825 | -725 | -650 | -600 | -600 | -600 | -600 |
| | 6 | -975 | -875 | -800 | -775 | -775 | -775 | -775 |
| | 7 | -1000 | -975 | -900 | -875 | -875 | -875 | -875 |
| 62 | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 |
| | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 |

| Color | Leaf | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 33 | 1 & 2 | -900 | -675 | -500 | -475 | -475 | -475 | -475 |
| | 3 | -900 | -675 | -500 | -475 | -475 | -475 | -475 |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 43 | 1-3 | -900 | -675 | -500 | -475 | -475 | -475 | -475 |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 53 | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 63 | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |

Mike

| Range | Diff. |
|---|---|
| 25-26 | -1000 |
| 27-29 | -650 |
| 30-32 | -525 |
| 33-34 | -425 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -225 |
| 53 & Above | -375 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 22.0 - 23.9 | -800 |
| 24.0 - 24.9 | -700 |
| 25.0 - 25.9 | -650 |
| 26.0 - 26.9 | -300 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & Above | 50 |

Uniformity

| Unit | Diff. |
|---|---|
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -80 |
| 79.0 - 79.9 | -70 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 30 |
| 84.0 - 84.9 | 40 |
| 85.0 - 85.9 | 50 |
| 86.0 & Above | 60 |

Extraneous Matter

| Type | - Level 1 | - Level 2 |
|---|---|---|
| Prep | -200 | -800 |
| Bark | -375 | -785 |
| Grass | -375 | -785 |
| Seed Coat | -375 | -785 |
| Plastic | -4000 | -4000 |
| All Other | -375 | -785 |

SOUTH DELTA DIFFERENCES 22-Dec-25

| Color | Leaf | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -225 | -75 | 175 | 300 | 450 | 550 | 550 |
| | 3 | -225 | -75 | 150 | 250 | 425 | 500 | 500 |
| | 4 | -275 | -200 | 75 | 150 | 275 | 300 | 300 |
| | 5 | -450 | -325 | -175 | -100 | -100 | -75 | -75 |
| | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 |
| | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 |
| 31 | 1 & 2 | -225 | -100 | 125 | 275 | 425 | 450 | 450 |
| | 3 | -225 | -100 | 125 | 250 | 425 | 450 | 450 |
| | 4 | -275 | -250 | 75 | 150 | 250 | 275 | 275 |
| | 5 | -550 | -425 | -225 | -150 | -125 | -100 | -100 |
| | 6 | -600 | -575 | -450 | -400 | -400 | -400 | -400 |
| | 7 | -700 | -675 | -550 | -500 | -500 | -500 | -500 |
| 41 | 1 & 2 | -350 | -250 | 50 | 150 | 300 | 300 | 325 |
| | 3 | -350 | -250 | 25 | 100 | 275 | 300 | 325 |
| | 4 | -375 | -275 | 61.36 | 50 | 225 | 250 | 250 |
| | 5 | -625 | -500 | -325 | -200 | -150 | -150 | -150 |
| | 6 | -675 | -600 | -500 | -425 | -425 | -425 | -425 |
| | 7 | -800 | -775 | -650 | -550 | -550 | -550 | -550 |
| 51 | 1 & 2 | -675 | -475 | -350 | -250 | -250 | -250 | -250 |
| | 3 | -725 | -475 | -375 | -275 | -275 | -275 | -275 |
| | 4 | -750 | -500 | -400 | -350 | -350 | -350 | -350 |
| | 5 | -825 | -725 | -650 | -575 | -550 | -550 | -550 |
| | 6 | -925 | -825 | -775 | -700 | -700 | -700 | -700 |
| | 7 | -1100 | -1075 | -925 | -800 | -800 | -800 | -800 |
| 61 | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 |
| | 6 | -925 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 7 | -1125 | -1100 | -975 | -850 | -850 | -850 | -850 |
| 12 & 22 | 1 & 2 | -275 | -125 | 50 | 100 | 275 | 300 | 300 |
| | 3 | -275 | -125 | 25 | 50 | 225 | 275 | 275 |
| | 4 | -300 | -250 | 0 | 0 | 175 | 200 | 200 |
| | 5 | -600 | -475 | -300 | -200 | -175 | -150 | -150 |
| | 6 | -725 | -650 | -525 | -425 | -400 | -400 | -400 |
| | 7 | -775 | -750 | -625 | -550 | -525 | -525 | -525 |
| 32 | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 |
| | 5 | -700 | -525 | -350 | -325 | -300 | -300 | -300 |
| | 6 | -800 | -750 | -575 | -525 | -500 | -500 | -500 |
| | 7 | -900 | -850 | -675 | -625 | -625 | -625 | -625 |
| 42 | 1-3 | -550 | -425 | -325 | -225 | -200 | -200 | -200 |
| | 4 | -575 | -450 | -350 | -300 | -250 | -250 | -250 |
| | 5 | -725 | -575 | -425 | -375 | -325 | -325 | -325 |
| | 6 | -850 | -750 | -600 | -525 | -500 | -500 | -500 |
| | 7 | -900 | -850 | -700 | -650 | -650 | -650 | -650 |
| 52 | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -875 | -725 | -650 | -600 | -600 | -600 | -600 |
| | 6 | -925 | -875 | -800 | -775 | -775 | -775 | -775 |
| | 7 | -1025 | -975 | -900 | -875 | -875 | -875 | -875 |
| 62 | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 |
| | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 |

| Color | Leaf | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 33 | 1 & 2 | -900 | -675 | -475 | -450 | -450 | -450 | -450 |
| | 3 | -900 | -675 | -475 | -450 | -450 | -450 | -450 |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 43 | 1-3 | -900 | -675 | -475 | -450 | -450 | -450 | -450 |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 53 | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 63 | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |

Mike

| Range | Diff. |
|---|---|
| 25-26 | -1100 |
| 27-29 | -750 |
| 30-32 | -525 |
| 33-34 | -425 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -225 |
| 53 & Above | -375 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 22.0 - 23.9 | -800 |
| 24.0 - 24.9 | -700 |
| 25.0 - 25.9 | -650 |
| 26.0 - 26.9 | -300 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & Above | 50 |

Uniformity

| Unit | Diff. |
|---|---|
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -80 |
| 79.0 - 79.9 | -70 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 30 |
| 84.0 - 84.9 | 40 |
| 85.0 - 85.9 | 50 |
| 86.0 & Above | 60 |

Extraneous Matter

| Type | - Level 1 | - Level 2 |
|---|---|---|
| Prep | -200 | -800 |
| Bark | -375 | -785 |
| Grass | -375 | -785 |
| Seed Coat | -375 | -785 |
| Plastic | -4000 | -4000 |
| All Other | -375 | -785 |

EAST TEXAS - SOUTH TEXAS DIFFERENCES 22-Dec-25

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -500 | -450 | -275 | 175 | 500 | 825 | 875 | 925 |
| | 3 | -550 | -500 | -300 | 125 | 475 | 800 | 850 | 900 |
| | 4 | -625 | -500 | -300 | 25 | 150 | 375 | 400 | 450 |
| | 5 | -650 | -525 | -450 | -100 | 25 | 150 | 275 | 275 |
| | 6 | -750 | -600 | -575 | -300 | -275 | -150 | -50 | -50 |
| | 7 | -825 | -700 | -675 | -375 | -350 | -225 | -150 | -150 |
| 31 | 1 & 2 | -575 | -500 | -300 | 100 | 425 | 700 | 775 | 825 |
| | 3 | -600 | -525 | -325 | 75 | 400 | 675 | 775 | 825 |
| | 4 | -675 | -575 | -325 | 0 | 150 | 325 | 375 | 425 |
| | 5 | -700 | -575 | -475 | -100 | 0 | 75 | 200 | 200 |
| | 6 | -775 | -625 | -600 | -300 | -275 | -175 | -125 | -125 |
| | 7 | -850 | -725 | -700 | -375 | -350 | -250 | -225 | -225 |
| 41 | 1 & 2 | -675 | -500 | -325 | 50 | 150 | 425 | 550 | 625 |
| | 3 | -725 | -525 | -325 | 25 | 150 | 285 | 410 | 485 |
| | 4 | -750 | -600 | -450 | 57.86 | 110 | 185 | 260 | 335 |
| | 5 | -900 | -675 | -600 | -225 | -90 | 35 | 85 | 110 |
| | 6 | -975 | -775 | -725 | -375 | -350 | -250 | -250 | -250 |
| | 7 | -1075 | -875 | -825 | -475 | -425 | -350 | -350 | -350 |
| 51 | 1 & 2 | -850 | -700 | -575 | -150 | -100 | 50 | 75 | 75 |
| | 3 | -875 | -750 | -600 | -175 | -100 | 50 | 50 | 75 |
| | 4 | -925 | -775 | -625 | -250 | -175 | -50 | -50 | -25 |
| | 5 | -950 | -825 | -750 | -325 | -250 | -225 | -200 | -175 |
| | 6 | -1050 | -850 | -825 | -425 | -400 | -300 | -300 | -300 |
| | 7 | -1150 | -875 | -850 | -500 | -475 | -350 | -350 | -350 |
| 61 | 1-5 | -1025 | -875 | -800 | -375 | -350 | -225 | -225 | -225 |
| | 6 | -1175 | -975 | -925 | -550 | -500 | -375 | -375 | -375 |
| | 7 | -1275 | -1075 | -1025 | -650 | -600 | -475 | -475 | -475 |
| 12 & 22 | 1 & 2 | -650 | -450 | -275 | 50 | 325 | 450 | 525 | 525 |
| | 3 | -700 | -500 | -325 | 50 | 275 | 425 | 475 | 475 |
| | 4 | -725 | -500 | -325 | -25 | 110 | 325 | 375 | 375 |
| | 5 | -800 | -675 | -600 | -225 | -115 | 150 | 275 | 275 |
| | 6 | -950 | -750 | -725 | -375 | -350 | -200 | -75 | -75 |
| | 7 | -1075 | -875 | -825 | -475 | -425 | -300 | -225 | -225 |
| 32 | 1 & 2 | -825 | -725 | -550 | -150 | 25 | 100 | 225 | 225 |
| | 3 | -850 | -725 | -575 | -175 | -50 | 50 | 175 | 200 |
| | 4 | -900 | -750 | -625 | -200 | -75 | -50 | 0 | 25 |
| | 5 | -1000 | -875 | -825 | -375 | -300 | -125 | -50 | -50 |
| | 6 | -1150 | -950 | -925 | -550 | -500 | -425 | -375 | -375 |
| | 7 | -1300 | -1075 | -1050 | -650 | -600 | -525 | -475 | -475 |
| 42 | 1-3 | -900 | -800 | -700 | -225 | -50 | -25 | 25 | 50 |
| | 4 | -975 | -850 | -750 | -275 | -75 | -75 | -50 | 0 |
| | 5 | -1125 | -975 | -875 | -475 | -375 | -325 | -300 | -250 |
| | 6 | -1300 | -1025 | -950 | -600 | -550 | -550 | -475 | -475 |
| | 7 | -1425 | -1150 | -1075 | -725 | -650 | -600 | -550 | -550 |
| 52 | 1-4 | -1175 | -975 | -875 | -525 | -500 | -400 | -350 | -325 |
| | 5 | -1225 | -1050 | -925 | -550 | -550 | -525 | -450 | -425 |
| | 6 | -1425 | -1225 | -1125 | -725 | -700 | -625 | -575 | -575 |
| | 7 | -1525 | -1350 | -1250 | -850 | -825 | -700 | -650 | -650 |
| 62 | 1-5 | -1275 | -1125 | -1100 | -650 | -625 | -550 | -500 | -500 |
| | 6 | -1475 | -1300 | -1275 | -850 | -825 | -725 | -675 | -675 |

EAST TEXAS - SOUTH TEXAS DIFFERENCES 22-Dec-25

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1200 | -1050 | -975 | -525 | -450 | -325 | -225 | -225 |
| | 3 | -1225 | -1075 | -1000 | -550 | -475 | -350 | -250 | -250 |
| | 4 | -1275 | -1150 | -1025 | -575 | -500 | -400 | -300 | -300 |
| | 5 | -1400 | -1250 | -1150 | -700 | -625 | -525 | -425 | -425 |
| | 6 | -1525 | -1325 | -1200 | -800 | -725 | -625 | -525 | -525 |
| | 7 | -1625 | -1425 | -1325 | -925 | -850 | -750 | -650 | -650 |
| 33 | 1 & 2 | -1275 | -1100 | -1000 | -530 | -475 | -375 | -275 | -275 |
| | 3 | -1275 | -1100 | -1000 | -555 | -500 | -400 | -275 | -275 |
| | 4 | -1350 | -1175 | -1050 | -605 | -550 | -450 | -325 | -325 |
| | 5 | -1500 | -1275 | -1175 | -730 | -675 | -575 | -450 | -450 |
| | 6 | -1575 | -1350 | -1250 | -855 | -800 | -700 | -575 | -575 |
| | 7 | -1675 | -1475 | -1350 | -980 | -925 | -825 | -700 | -700 |
| 43 | 1-3 | -1325 | -1175 | -1050 | -605 | -550 | -450 | -325 | -325 |
| | 4 | -1400 | -1250 | -1100 | -630 | -575 | -475 | -350 | -350 |
| | 5 | -1525 | -1350 | -1200 | -760 | -700 | -600 | -475 | -475 |
| | 6 | -1625 | -1425 | -1300 | -880 | -850 | -750 | -625 | -625 |
| | 7 | -1725 | -1525 | -1400 | -980 | -950 | -850 | -725 | -725 |
| 53 | 1-4 | -1450 | -1350 | -1225 | -755 | -750 | -700 | -575 | -575 |
| | 5 | -1550 | -1425 | -1325 | -830 | -825 | -775 | -650 | -650 |
| | 6 | -1650 | -1525 | -1425 | -1005 | -950 | -900 | -775 | -775 |
| | 7 | -1750 | -1625 | -1550 | -1105 | -1050 | -975 | -850 | -850 |
| 63 | 1-5 | -1650 | -1500 | -1375 | -955 | -875 | -800 | -675 | -675 |
| | 6 | -1750 | -1625 | -1475 | -1075 | -1000 | -925 | -800 | -800 |
| 34 | 1 & 2 | -1400 | -1275 | -1200 | -750 | -725 | -650 | -575 | -575 |
| | 3 | -1400 | -1275 | -1200 | -750 | -725 | -650 | -575 | -575 |
| | 4 | -1525 | -1400 | -1300 | -850 | -825 | -750 | -675 | -675 |
| | 5 | -1625 | -1500 | -1425 | -975 | -950 | -875 | -800 | -800 |
| | 6 | -1800 | -1675 | -1600 | -1150 | -1125 | -1050 | -975 | -975 |
| 44 | 1-3 | -1500 | -1375 | -1300 | -850 | -825 | -750 | -675 | -675 |
| | 4 | -1575 | -1475 | -1350 | -900 | -875 | -800 | -725 | -725 |
| | 5 | -1650 | -1550 | -1450 | -1000 | -975 | -900 | -825 | -825 |
| | 6 | -1825 | -1700 | -1625 | -1175 | -1150 | -1075 | -1000 | -1000 |
| 54 | 1-4 | -1600 | -1500 | -1425 | -925 | -925 | -850 | -800 | -800 |
| | 5 | -1700 | -1600 | -1500 | -1025 | -1000 | -925 | -875 | -875 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -1600 |
| 25-26 | -1600 |
| 27-29 | -1200 |
| 30-32 | -825 |
| 33-34 | -625 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -200 |
| 53 & Above | -450 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 19.0 - 21.9 | -675 |
| 22.0 - 23.9 | -575 |
| 24.0 - 24.9 | -500 |
| 25.0 - 25.9 | -375 |
| 26.0 - 26.9 | -350 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 10 |
| 30.0 - 30.9 | 10 |
| 31.0 - 32.9 | 10 |
| 33.0 & Above | 10 |

Uniformity

| Unit | Diff. |
|---|---|
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -75 |
| 79.0 - 79.9 | -10 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

Extraneous Matter

| Type | - Level 1 | - Level 2 |
|---|---|---|
| Prep | -300 | -500 |
| Bark | -475 | -550 |
| Grass | -950 | -1000 |
| Seed Coat | -375 | -785 |
| Plastic | -4000 | -4000 |
| All Other | -375 | -785 |

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -475 | -325 | -125 | 175 | 325 | 550 | 700 | 775 |
| | 3 | -575 | -400 | -200 | 75 | 225 | 500 | 630 | 730 |
| | 4 | -625 | -450 | -325 | 50 | 175 | 325 | 350 | 350 |
| | 5 | -650 | -450 | -325 | 25 | 150 | 300 | 325 | 325 |
| | 6 | -775 | -575 | -475 | -225 | -175 | -125 | -125 | -125 |
| | 7 | -850 | -625 | -550 | -300 | -250 | -200 | -200 | -200 |
| 31 | 1 & 2 | -725 | -500 | -300 | 125 | 275 | 500 | 650 | 675 |
| | 3 | -775 | -525 | -325 | 50 | 225 | 500 | 625 | 650 |
| | 4 | -800 | -550 | -400 | 50 | 125 | 250 | 325 | 325 |
| | 5 | -825 | -600 | -450 | -50 | 75 | 200 | 225 | 225 |
| | 6 | -925 | -675 | -500 | -275 | -250 | -225 | -225 | -225 |
| | 7 | -1025 | -725 | -575 | -325 | -300 | -275 | -275 | -275 |
| 41 | 1 & 2 | -825 | -575 | -325 | 0 | 75 | 200 | 275 | 300 |
| | 3 | -850 | -600 | -350 | 0 | 50 | 175 | 250 | 275 |
| | 4 | -900 | -625 | -500 | 59.11 | 25 | 25 | 100 | 125 |
| | 5 | -950 | -675 | -525 | -225 | -175 | -125 | -100 | -50 |
| | 6 | -1050 | -800 | -675 | -475 | -450 | -325 | -325 | -325 |
| | 7 | -1150 | -875 | -750 | -525 | -500 | -425 | -425 | -425 |
| 51 | 1 & 2 | -900 | -700 | -575 | -125 | -75 | -75 | -75 | -75 |
| | 3 | -950 | -700 | -575 | -125 | -75 | -75 | -75 | -75 |
| | 4 | -975 | -700 | -650 | -225 | -200 | -200 | -175 | -175 |
| | 5 | -975 | -725 | -700 | -325 | -325 | -250 | -225 | -225 |
| | 6 | -1075 | -825 | -800 | -525 | -500 | -400 | -375 | -375 |
| | 7 | -1175 | -925 | -900 | -625 | -600 | -525 | -500 | -500 |
| 61 | 1-5 | -975 | -775 | -750 | -375 | -350 | -250 | -250 | -250 |
| | 6 | -1150 | -900 | -875 | -625 | -550 | -450 | -450 | -450 |
| | 7 | -1250 | -1050 | -1000 | -700 | -625 | -550 | -550 | -550 |
| 12 & 22 | 1 & 2 | -625 | -425 | -175 | 125 | 200 | 250 | 375 | 375 |
| | 3 | -650 | -450 | -225 | 50 | 125 | 200 | 275 | 275 |
| | 4 | -750 | -500 | -400 | -50 | 75 | 175 | 225 | 225 |
| | 5 | -850 | -625 | -500 | -125 | -25 | 50 | 50 | 50 |
| | 6 | -925 | -725 | -625 | -400 | -375 | -275 | -225 | -225 |
| | 7 | -1050 | -825 | -725 | -475 | -450 | -350 | -300 | -300 |
| 32 | 1 & 2 | -850 | -575 | -325 | -100 | 0 | 0 | 25 | 50 |
| | 3 | -925 | -650 | -375 | -175 | 0 | 0 | 0 | 0 |
| | 4 | -975 | -725 | -575 | -200 | 0 | 0 | 0 | 0 |
| | 5 | -1125 | -925 | -775 | -450 | -275 | -250 | -225 | -225 |
| | 6 | -1225 | -975 | -900 | -600 | -475 | -450 | -400 | -400 |
| | 7 | -1300 | -1050 | -925 | -675 | -550 | -525 | -475 | -475 |
| 42 | 1-3 | -950 | -700 | -525 | -225 | -150 | -75 | -25 | -25 |
| | 4 | -1025 | -800 | -575 | -275 | -175 | -100 | -50 | -25 |
| | 5 | -1175 | -1000 | -775 | -475 | -300 | -300 | -275 | -250 |
| | 6 | -1425 | -1100 | -900 | -625 | -500 | -475 | -450 | -425 |
| | 7 | -1450 | -1150 | -1000 | -725 | -575 | -550 | -525 | -525 |
| 52 | 1-4 | -1200 | -925 | -850 | -525 | -450 | -400 | -350 | -350 |
| | 5 | -1275 | -1025 | -925 | -550 | -475 | -425 | -375 | -375 |
| | 6 | -1525 | -1250 | -1150 | -725 | -625 | -575 | -525 | -525 |
| | 7 | -1600 | -1350 | -1250 | -800 | -725 | -675 | -650 | -650 |
| 62 | 1-5 | -1325 | -1100 | -1025 | -650 | -600 | -550 | -500 | -500 |
| | 6 | -1550 | -1300 | -1225 | -900 | -825 | -775 | -700 | -700 |

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1025 | -800 | -725 | -400 | -350 | -325 | -275 | -275 |
| | 3 | -1125 | -850 | -775 | -425 | -375 | -350 | -300 | -300 |
| | 4 | -1175 | -950 | -875 | -475 | -425 | -400 | -350 | -350 |
| | 5 | -1275 | -1025 | -975 | -600 | -550 | -500 | -450 | -450 |
| | 6 | -1425 | -1150 | -1100 | -725 | -625 | -575 | -525 | -525 |
| | 7 | -1500 | -1250 | -1175 | -775 | -725 | -675 | -625 | -625 |
| 33 | 1 & 2 | -1200 | -900 | -800 | -450 | -425 | -400 | -350 | -350 |
| | 3 | -1200 | -900 | -800 | -450 | -425 | -400 | -350 | -350 |
| | 4 | -1300 | -1000 | -925 | -525 | -500 | -450 | -400 | -400 |
| | 5 | -1425 | -1100 | -1025 | -675 | -625 | -550 | -500 | -500 |
| | 6 | -1525 | -1225 | -1200 | -775 | -725 | -650 | -600 | -600 |
| | 7 | -1600 | -1325 | -1250 | -900 | -825 | -750 | -700 | -700 |
| 43 | 1-3 | -1275 | -1025 | -950 | -525 | -500 | -450 | -400 | -400 |
| | 4 | -1350 | -1100 | -1000 | -600 | -550 | -450 | -400 | -400 |
| | 5 | -1450 | -1175 | -1075 | -725 | -675 | -575 | -525 | -525 |
| | 6 | -1575 | -1300 | -1225 | -850 | -800 | -725 | -675 | -675 |
| | 7 | -1650 | -1400 | -1300 | -925 | -875 | -800 | -750 | -750 |
| 53 | 1-4 | -1450 | -1275 | -1150 | -700 | -675 | -550 | -500 | -500 |
| | 5 | -1525 | -1300 | -1200 | -800 | -750 | -600 | -550 | -550 |
| | 6 | -1700 | -1450 | -1350 | -950 | -875 | -725 | -675 | -675 |
| | 7 | -1750 | -1525 | -1450 | -1075 | -1000 | -875 | -825 | -825 |
| 63 | 1-5 | -1675 | -1425 | -1300 | -850 | -825 | -775 | -725 | -725 |
| | 6 | -1775 | -1550 | -1400 | -1050 | -1000 | -950 | -900 | -900 |
| 34 | 1 & 2 | -1375 | -1125 | -1025 | -625 | -625 | -575 | -525 | -525 |
| | 3 | -1375 | -1125 | -1025 | -625 | -625 | -575 | -525 | -525 |
| | 4 | -1500 | -1250 | -1125 | -725 | -725 | -675 | -625 | -625 |
| | 5 | -1575 | -1325 | -1225 | -850 | -850 | -800 | -750 | -750 |
| | 6 | -1750 | -1500 | -1400 | -1075 | -1050 | -1000 | -950 | -950 |
| 44 | 1-3 | -1500 | -1250 | -1150 | -725 | -725 | -675 | -650 | -650 |
| | 4 | -1575 | -1350 | -1200 | -775 | -775 | -725 | -700 | -700 |
| | 5 | -1650 | -1400 | -1275 | -875 | -875 | -825 | -800 | -800 |
| | 6 | -1825 | -1575 | -1475 | -1125 | -1100 | -1050 | -1025 | -1025 |
| 54 | 1-4 | -1600 | -1375 | -1275 | -850 | -850 | -800 | -775 | -775 |
| | 5 | -1675 | -1425 | -1300 | -975 | -975 | -925 | -900 | -900 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -1600 |
| 25-26 | -1600 |
| 27-29 | -1200 |
| 30-32 | -825 |
| 33-34 | -625 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -200 |
| 53 & Above | -450 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 19.0 - 21.9 | -675 |
| 22.0 - 23.9 | -575 |
| 24.0 - 24.9 | -500 |
| 25.0 - 25.9 | -375 |
| 26.0 - 26.9 | -350 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 10 |
| 30.0 - 30.9 | 10 |
| 31.0 - 32.9 | 10 |
| 33.0 & Above | 10 |

Uniformity

| Unit | Diff. |
|---|---|
| 77.9 & Below | -70 |
| 78.0 - 78.9 | -55 |
| 79.0 - 79.9 | -40 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

Extraneous Matter

| Type | - Level 1 | - Level 2 |
|---|---|---|
| Prep | -300 | -500 |
| Bark | -350 | -550 |
| Grass | -650 | -700 |
| Seed Coat | -375 | -785 |
| Plastic | -4000 | -4000 |
| All Other | -375 | -785 |

| Color | Leaf | Staple | | | | | |
|---|---|---|---|---|---|---|---|
| | | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -125 | 150 | 475 | 750 | 785 | 825 |
| | 3 | -125 | 125 | 400 | 700 | 725 | 750 |
| | 4 | -325 | 25 | 250 | 360 | 420 | 445 |
| | 5 | -400 | -200 | -25 | 75 | 160 | 160 |
| | 6 | -475 | -375 | -150 | -110 | -55 | -55 |
| | 7 | -675 | -400 | -225 | -165 | -125 | -125 |
| 31 | 1 & 2 | -200 | 125 | 425 | 675 | 725 | 750 |
| | 3 | -200 | 100 | 325 | 600 | 625 | 650 |
| | 4 | -375 | 0 | 150 | 310 | 370 | 420 |
| | 5 | -425 | -225 | -100 | -25 | 70 | 70 |
| | 6 | -500 | -400 | -185 | -145 | -65 | -65 |
| | 7 | -700 | -425 | -275 | -220 | -140 | -140 |
| 41 | 1 & 2 | -600 | 0 | 25 | 160 | 170 | 270 |
| | 3 | -600 | 0 | 10 | 135 | 145 | 245 |
| | 4 | -650 | 58.86 | 0 | 85 | 120 | 170 |
| | 5 | -675 | -525 | -425 | -340 | -280 | -280 |
| | 6 | -825 | -700 | -525 | -490 | -440 | -440 |
| | 7 | -975 | -850 | -700 | -670 | -635 | -635 |
| 51 | 1 & 2 | -725 | -550 | -350 | -340 | -330 | -330 |
| | 3 | -725 | -550 | -350 | -340 | -330 | -330 |
| | 4 | -750 | -625 | -475 | -425 | -365 | -365 |
| | 5 | -850 | -800 | -675 | -650 | -600 | -600 |
| | 6 | -1000 | -900 | -775 | -775 | -725 | -725 |
| | 7 | -1200 | -1100 | -975 | -975 | -950 | -950 |
| 12 & 22 | 1 & 2 | -500 | 25 | 175 | 260 | 345 | 345 |
| | 3 | -500 | 25 | 150 | 210 | 295 | 295 |
| | 4 | -600 | -25 | 150 | 210 | 295 | 295 |
| | 5 | -625 | -450 | -150 | -150 | -75 | -75 |
| | 6 | -775 | -650 | -350 | -350 | -275 | -275 |
| | 7 | -950 | -825 | -600 | -600 | -525 | -525 |
| 32 | 1 & 2 | -600 | -225 | 0 | 110 | 120 | 120 |
| | 3 | -600 | -225 | 0 | 110 | 120 | 120 |
| | 4 | -650 | -450 | -100 | 10 | 20 | 20 |
| | 5 | -700 | -700 | -450 | -450 | -450 | -450 |
| | 6 | -900 | -825 | -575 | -575 | -575 | -575 |
| | 7 | -1050 | -1000 | -825 | -825 | -825 | -825 |
| 42 | 1-3 | -700 | -525 | -250 | -175 | -175 | -175 |
| | 4 | -725 | -600 | -350 | -275 | -275 | -275 |
| | 5 | -800 | -775 | -550 | -525 | -525 | -525 |
| | 6 | -975 | -900 | -675 | -675 | -675 | -675 |
| | 7 | -1175 | -1075 | -925 | -925 | -925 | -925 |
| 52 | 1-4 | -925 | -800 | -600 | -550 | -550 | -550 |
| | 5 | -975 | -875 | -700 | -700 | -700 | -700 |
| | 6 | -1075 | -975 | -800 | -800 | -800 | -800 |
| | 7 | -1325 | -1225 | -1100 | -1075 | -1075 | -1075 |

| Color | Leaf | Staple | | | | | |
|---|---|---|---|---|---|---|---|
| | | 33 | 34 | 35 | 36 | 37 | 38 |
| 33 | 1 & 2 | -800 | -725 | -650 | -575 | -575 | -575 |
| | 3 | -800 | -725 | -650 | -575 | -575 | -575 |
| | 4 | -900 | -825 | -700 | -650 | -650 | -650 |
| | 5 | -1000 | -900 | -725 | -700 | -700 | -700 |
| | 6 | -1100 | -1000 | -975 | -975 | -975 | -975 |
| | 7 | -1200 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 43 | 1-3 | -800 | -725 | -650 | -575 | -575 | -575 |
| | 4 | -900 | -825 | -700 | -650 | -650 | -650 |
| | 5 | -1000 | -900 | -725 | -700 | -700 | -700 |
| | 6 | -1100 | -1000 | -975 | -975 | -975 | -975 |
| | 7 | -1200 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 53 | 1-4 | -1050 | -950 | -875 | -875 | -875 | -875 |
| | 5 | -1100 | -1000 | -925 | -925 | -925 | -925 |
| | 6 | -1200 | -1100 | -1025 | -1025 | -1025 | -1025 |
| | 7 | -1450 | -1350 | -1350 | -1350 | -1350 | -1350 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -1350 |
| 25-26 | -1150 |
| 27-29 | -1050 |
| 30-32 | -700 |
| 33-34 | -500 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -325 |
| 53 & Above | -525 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 22.0 - 23.9 | -525 |
| 24.0 - 24.9 | -300 |
| 25.0 - 25.9 | -275 |
| 26.0 - 26.9 | -200 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 10 |
| 31.0 - 32.9 | 35 |
| 33.0 & Above | 75 |

Uniformity

| Unit | Diff. |
|---|---|
| 77.9 & Below | -100 |
| 78.0 - 78.9 | -90 |
| 79.0 - 79.9 | -80 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 30 |
| 84.0 - 84.9 | 40 |
| 85.0 - 85.9 | 50 |
| 86.0 & Above | 60 |

Extraneous Matter

| Type | - Level 1 | - Level 2 |
|---|---|---|
| Prep | -50 | -800 |
| Bark | -600 | -800 |
| Grass | -600 | -800 |
| Seed Coat | -600 | -800 |
| Plastic | -4000 | -4000 |
| All Other | -600 | -800 |

SAN JOAQUIN VALLEY DIFFERENCES 22-Dec-25

| Color | Leaf | Staple | | | | |
|---|---|---|---|---|---|---|
| | | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | 415 | 1040 | 1390 | 1540 | 1765 |
| | 3 | 365 | 990 | 1340 | 1465 | 1665 |
| | 4 | 75 | 350 | 400 | 500 | 500 |
| | 5 | -125 | 75 | 130 | 190 | 190 |
| | 6 | -400 | -200 | -150 | -100 | -100 |
| | 7 | -625 | -525 | -475 | -425 | -425 |
| 31 | 1 & 2 | 315 | 940 | 1290 | 1415 | 1590 |
| | 3 | 265 | 890 | 1240 | 1365 | 1540 |
| | 4 | 50 | 300 | 330 | 410 | 410 |
| | 5 | -200 | 0 | 55 | 115 | 115 |
| | 6 | -500 | -325 | -275 | -225 | -225 |
| | 7 | -675 | -575 | -525 | -475 | -475 |
| 41 | 1 & 2 | 100 | 350 | 430 | 440 | 440 |
| | 3 | 50 | 250 | 330 | 340 | 340 |
| | 4 | 59.11 | 200 | 280 | 290 | 290 |
| | 5 | -425 | -200 | -195 | -185 | -185 |
| | 6 | -625 | -450 | -450 | -450 | -450 |
| | 7 | -825 | -725 | -725 | -725 | -725 |
| 51 | 1 & 2 | -675 | -225 | -175 | -175 | -175 |
| | 3 | -700 | -250 | -200 | -200 | -200 |
| | 4 | -750 | -300 | -275 | -275 | -275 |
| | 5 | -775 | -375 | -325 | -325 | -325 |
| | 6 | -900 | -800 | -800 | -800 | -800 |
| | 7 | -1050 | -1000 | -1000 | -1000 | -1000 |
| 12 & 22 | 1 & 2 | 125 | 575 | 830 | 965 | 1140 |
| | 3 | 50 | 500 | 780 | 890 | 1040 |
| | 4 | -75 | 325 | 375 | 440 | 440 |
| | 5 | -250 | -50 | 0 | 50 | 50 |
| | 6 | -525 | -400 | -350 | -300 | -300 |
| | 7 | -775 | -700 | -650 | -600 | -600 |
| 32 | 1 & 2 | 0 | 250 | 325 | 375 | 475 |
| | 3 | -50 | 200 | 275 | 325 | 425 |
| | 4 | -200 | 25 | 50 | 100 | 100 |
| | 5 | -525 | -275 | -275 | -275 | -275 |
| | 6 | -675 | -475 | -475 | -475 | -475 |
| | 7 | -850 | -750 | -750 | -750 | -750 |
| 42 | 1-3 | -450 | -100 | -75 | -75 | -75 |
| | 4 | -500 | -175 | -150 | -150 | -150 |
| | 5 | -675 | -350 | -300 | -300 | -300 |
| | 6 | -800 | -775 | -775 | -775 | -775 |
| | 7 | -1000 | -950 | -950 | -950 | -950 |
| 52 | 1-4 | -825 | -775 | -775 | -775 | -775 |
| | 5 | -875 | -825 | -825 | -825 | -825 |
| | 6 | -1025 | -1025 | -1025 | -1025 | -1025 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 |

| Color | Leaf | Staple | | | | |
|---|---|---|---|---|---|---|
| | | 34 | 35 | 36 | 37 | 38 |
| 33 | 1 & 2 | -500 | -500 | -500 | -500 | -500 |
| | 3 | -500 | -500 | -500 | -500 | -500 |
| | 4 | -600 | -600 | -600 | -600 | -600 |
| | 5 | -800 | -800 | -800 | -800 | -800 |
| | 6 | -1075 | -1075 | -1075 | -1075 | -1075 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 |
| 43 | 1-3 | -875 | -875 | -875 | -875 | -875 |
| | 4 | -925 | -925 | -925 | -925 | -925 |
| | 5 | -1075 | -1075 | -1075 | -1075 | -1075 |
| | 6 | -1225 | -1225 | -1225 | -1225 | -1225 |
| | 7 | -1425 | -1425 | -1425 | -1425 | -1425 |

Mike

| Range | Diff. |
|---|---|
| 27-29 | -1600 |
| 30-32 | -1000 |
| 33-34 | -500 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -500 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 25.0 - 25.9 | -400 |
| 26.0 - 26.9 | -300 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 75 |
| 31.0 - 32.9 | 125 |
| 33.0 & Above | 250 |

Uniformity

| Unit | Diff. |
|---|---|
| 77.9 & Below | -60 |
| 78.0 - 78.9 | -50 |
| 79.0 - 79.9 | -40 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 50 |
| 83.0 - 83.9 | 80 |
| 84.0 - 84.9 | 90 |
| 85.0 - 85.9 | 100 |
| 86.0 & Above | 110 |

Extraneous Matter

| Type | - Level 1 | - Level 2 |
|---|---|---|
| Prep | -50 | -800 |
| Bark | -350 | -925 |
| Grass | -350 | -925 |
| Seed Coat | -350 | -925 |
| Plastic | -4000 | -4000 |
| All Other | -350 | -925 |

## AMERICAN PIMA SPOT QUOTATIONS

| Color | Leaf | Staple | | | |
|---|---|---|---|---|---|
| | | 44 | 46 | 48 | 50 |
| 1 | 1 | 142.75 | 148.50 | 150.25 | 150.25 |
| | 2 | 142.50 | 148.25 | 150.00 | 150.00 |
| | 3 | 135.75 | 143.50 | 144.50 | 144.50 |
| | 4 | | | | |
| | 5 | | | | |
| | 6 | | | | |
| 2 | 1 | 142.50 | 148.25 | 150.00 | 150.00 |
| | 2 | 142.25 | 148.00 | 149.75 | 149.75 |
| | 3 | 135.50 | 143.25 | 144.25 | 144.25 |
| | 4 | 125.50 | 133.75 | 134.75 | 134.75 |
| | 5 | | | | |
| | 6 | | | | |
| 3 | 1 | 134.25 | 142.00 | 143.00 | 143.00 |
| | 2 | 131.75 | 139.50 | 140.50 | 140.50 |
| | 3 | 129.50 | 137.25 | 138.25 | 138.25 |
| | 4 | 120.50 | 128.25 | 129.25 | 129.25 |
| | 5 | 104.50 | 111.75 | 112.75 | 112.75 |
| | 6 | | | | |
| 4 | 1 | 115.50 | 123.25 | 125.00 | 125.00 |
| | 2 | 115.25 | 123.00 | 124.25 | 124.25 |
| | 3 | 114.00 | 121.75 | 122.75 | 122.75 |
| | 4 | 109.00 | 116.75 | 117.75 | 117.75 |
| | 5 | 97.75 | 105.50 | 106.50 | 106.50 |
| | 6 | | | | |
| 5 | 1 | | | | |
| | 2 | 92.25 | 102.25 | 102.25 | 102.25 |
| | 3 | 92.25 | 101.75 | 102.00 | 102.00 |
| | 4 | 92.25 | 96.25 | 96.25 | 96.25 |
| | 5 | 92.00 | 96.00 | 96.00 | 96.00 |
| | 6 | | | | |
| 6 | 1 | | | | |
| | 2 | 84.50 | 87.50 | 87.50 | 87.50 |
| | 3 | 84.50 | 87.50 | 87.50 | 87.50 |
| | 4 | 84.50 | 87.50 | 87.50 | 87.50 |
| | 5 | 84.25 | 87.25 | 87.25 | 87.25 |
| | 6 | 83.75 | 86.75 | 86.75 | 86.75 |

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on December 17, 2025

**Mike**

| Range | Diff. |
|---|---|
| 26 & below | -2000 |
| 27-29 | -1500 |
| 30-32 | -1000 |
| 33-34 | -500 |
| 35 & Above | 0 |

**Strength**

(Grams per Tex)

| Range | Diff. |
|---|---|
| 34.9 & below | -1650 |
| 35.0 – 35.9 | -1400 |
| 36.0 – 36.9 | -1150 |
| 37.0 – 37.9 | -800 |
| 38.0 – 38.9 | 0 |
| 39.0 – 39.9 | 0 |
| 40.0 & Above | 0 |

**Extraneous Matter**

| Type - Level | Diff. |
|---|---|
| Prep - Level 1 | -810 |
| Prep - Level 2 | -1095 |
| Other - Level 1 | -715 |
| Other - Level 2 | -1035 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -488 | -290 | -121 | 206 | 484 | 727 | 818 | 877 |
| | 3 | -563 | -315 | -138 | 166 | 431 | 691 | 767 | 824 |
| | 4 | -625 | -345 | -246 | 61 | 229 | 351 | 392 | 403 |
| | 5 | -650 | -470 | -358 | -139 | 7 | 79 | 129 | 129 |
| | 6 | -763 | -555 | -488 | -371 | -261 | -216 | -186 | -186 |
| | 7 | -838 | -650 | -604 | -479 | -386 | -338 | -314 | -314 |
| 31 | 1 & 2 | -650 | -335 | -183 | 145 | 434 | 670 | 738 | 781 |
| | 3 | -688 | -345 | -192 | 120 | 395 | 641 | 706 | 749 |
| | 4 | -738 | -380 | -288 | 50 | 200 | 302 | 354 | 369 |
| | 5 | -763 | -530 | -404 | -179 | -43 | 19 | 69 | 69 |
| | 6 | -850 | -600 | -517 | -396 | -301 | -264 | -238 | -238 |
| | 7 | -938 | -695 | -633 | -493 | -414 | -374 | -352 | -352 |
| 41 | 1 & 2 | -750 | -410 | -317 | 46 | 179 | 331 | 362 | 401 |
| | 3 | -788 | -420 | -321 | 29 | 141 | 279 | 317 | 356 |
| | 4 | -825 | -450 | -392 | 59.93 | 87 | 196 | 231 | 256 |
| | 5 | -925 | -630 | -542 | -336 | -213 | -150 | -129 | -119 |
| | 6 | -1013 | -720 | -663 | -529 | -439 | -395 | -388 | -388 |
| | 7 | -1113 | -825 | -796 | -661 | -579 | -546 | -541 | -541 |
| 51 | 1 & 2 | -875 | -645 | -529 | -339 | -196 | -159 | -154 | -154 |
| | 3 | -913 | -690 | -538 | -364 | -214 | -174 | -172 | -169 |
| | 4 | -950 | -710 | -567 | -421 | -300 | -264 | -252 | -249 |
| | 5 | -963 | -795 | -733 | -579 | -464 | -425 | -411 | -407 |
| | 6 | -1063 | -880 | -842 | -704 | -643 | -607 | -596 | -596 |
| | 7 | -1163 | -965 | -967 | -829 | -771 | -736 | -729 | -729 |
| 61 | 1-5 | -1000 | -825 | -750 | -535 | -490 | -440 | -440 | -440 |
| | 6 | -1163 | -940 | -895 | -710 | -670 | -620 | -620 | -620 |
| | 7 | -1263 | -1070 | -1015 | -820 | -760 | -715 | -715 | -715 |
| 12 & 22 | 1 & 2 | -638 | -340 | -217 | 68 | 239 | 370 | 437 | 466 |
| | 3 | -675 | -355 | -233 | 39 | 189 | 327 | 387 | 412 |
| | 4 | -738 | -375 | -325 | -25 | 116 | 237 | 280 | 284 |
| | 5 | -825 | -605 | -517 | -279 | -120 | -50 | -7 | -7 |
| | 6 | -938 | -715 | -658 | -504 | -396 | -339 | -296 | -296 |
| | 7 | -1063 | -800 | -775 | -636 | -554 | -500 | -464 | -464 |
| 32 | 1 & 2 | -838 | -485 | -358 | -100 | 39 | 101 | 131 | 149 |
| | 3 | -888 | -505 | -375 | -125 | 14 | 76 | 103 | 121 |
| | 4 | -938 | -555 | -433 | -229 | -64 | -24 | -8 | -4 |
| | 5 | -1063 | -765 | -633 | -450 | -332 | -289 | -275 | -275 |
| | 6 | -1188 | -845 | -796 | -621 | -514 | -486 | -471 | -471 |
| | 7 | -1300 | -945 | -900 | -743 | -661 | -639 | -625 | -625 |
| 42 | 1-3 | -925 | -630 | -521 | -325 | -168 | -125 | -111 | -107 |
| | 4 | -1000 | -675 | -554 | -375 | -236 | -189 | -179 | -168 |
| | 5 | -1150 | -840 | -708 | -525 | -386 | -350 | -343 | -332 |
| | 6 | -1363 | -930 | -833 | -679 | -604 | -586 | -571 | -568 |
| | 7 | -1438 | -1005 | -958 | -814 | -736 | -721 | -711 | -711 |
| 52 | 1-4 | -1188 | -845 | -750 | -614 | -546 | -518 | -504 | -500 |
| | 5 | -1250 | -925 | -854 | -689 | -629 | -618 | -600 | -596 |
| | 6 | -1475 | -1060 | -1000 | -843 | -789 | -771 | -757 | -757 |
| | 7 | -1563 | -1160 | -1129 | -979 | -936 | -907 | -896 | -896 |
| 62 | 1-5 | -1300 | -1045 | -970 | -765 | -740 | -715 | -695 | -695 |
| | 6 | -1513 | -1215 | -1140 | -930 | -900 | -870 | -845 | -845 |

UNITED STATES AVERAGE DIFFERENCES 22-Dec-25

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1113 | -925 | -850 | -463 | -400 | -325 | -250 | -250 |
| | 3 | -1175 | -963 | -888 | -488 | -425 | -350 | -275 | -275 |
| | 4 | -1225 | -1050 | -950 | -525 | -463 | -400 | -325 | -325 |
| | 5 | -1338 | -1138 | -1063 | -650 | -588 | -513 | -438 | -438 |
| | 6 | -1475 | -1238 | -1150 | -763 | -675 | -600 | -525 | -525 |
| | 7 | -1563 | -1338 | -1250 | -850 | -788 | -713 | -638 | -638 |
| 33 | 1 & 2 | -1238 | -940 | -800 | -569 | -532 | -500 | -479 | -479 |
| | 3 | -1238 | -940 | -800 | -572 | -536 | -504 | -479 | -479 |
| | 4 | -1325 | -990 | -863 | -636 | -589 | -557 | -532 | -532 |
| | 5 | -1463 | -1045 | -967 | -786 | -736 | -707 | -682 | -682 |
| | 6 | -1550 | -1135 | -1063 | -904 | -875 | -850 | -825 | -825 |
| | 7 | -1638 | -1265 | -1167 | -1033 | -1000 | -975 | -950 | -950 |
| 43 | 1-3 | -1300 | -980 | -833 | -644 | -607 | -571 | -546 | -546 |
| | 4 | -1375 | -1025 | -883 | -697 | -646 | -607 | -582 | -582 |
| | 5 | -1488 | -1075 | -979 | -837 | -786 | -754 | -729 | -729 |
| | 6 | -1600 | -1165 | -1075 | -940 | -914 | -889 | -864 | -864 |
| | 7 | -1688 | -1290 | -1183 | -1065 | -1039 | -1014 | -989 | -989 |
| 53 | 1-4 | -1450 | -1125 | -1021 | -818 | -783 | -754 | -725 | -725 |
| | 5 | -1538 | -1200 | -1117 | -909 | -879 | -846 | -817 | -817 |
| | 6 | -1675 | -1325 | -1213 | -1018 | -975 | -942 | -913 | -913 |
| | 7 | -1750 | -1390 | -1350 | -1147 | -1117 | -1083 | -1054 | -1054 |
| 63 | 1-5 | -1663 | -1300 | -1220 | -996 | -965 | -940 | -905 | -905 |
| | 6 | -1763 | -1395 | -1305 | -1085 | -1050 | -1025 | -990 | -990 |
| 34 | 1 & 2 | -1388 | -1200 | -1113 | -688 | -675 | -613 | -550 | -550 |
| | 3 | -1388 | -1200 | -1113 | -688 | -675 | -613 | -550 | -550 |
| | 4 | -1513 | -1325 | -1213 | -788 | -775 | -713 | -650 | -650 |
| | 5 | -1600 | -1413 | -1325 | -913 | -900 | -838 | -775 | -775 |
| | 6 | -1775 | -1588 | -1500 | -1113 | -1088 | -1025 | -963 | -963 |
| 44 | 1-3 | -1500 | -1313 | -1225 | -788 | -775 | -713 | -663 | -663 |
| | 4 | -1575 | -1413 | -1275 | -838 | -825 | -763 | -713 | -713 |
| | 5 | -1650 | -1475 | -1363 | -938 | -925 | -863 | -813 | -813 |
| | 6 | -1825 | -1638 | -1550 | -1150 | -1125 | -1063 | -1013 | -1013 |
| 54 | 1-4 | -1600 | -1438 | -1350 | -888 | -888 | -825 | -788 | -788 |
| | 5 | -1688 | -1513 | -1400 | -1000 | -988 | -925 | -888 | -888 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -1517 |
| 25-26 | -1254 |
| 27-29 | -1018 |
| 30-32 | -704 |
| 33-34 | -500 |
| Base 35-36 | 0 |
| 37-42 | 14 |
| Base 43-49 | 0 |
| 50-52 | -268 |
| 53 & Above | -425 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 19.0 - 21.9 | -675 |
| 22.0 - 23.9 | -658 |
| 24.0 - 24.9 | -554 |
| 25.0 - 25.9 | -475 |
| 26.0 - 26.9 | -300 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 3 |
| 30.0 - 30.9 | 26 |
| 31.0 - 32.9 | 47 |
| 33.0 & Above | 71 |

Uniformity

| Unit | Diff. |
|---|---|
| 77.9 & Below | -89 |
| 78.0 - 78.9 | -77 |
| 79.0 - 79.9 | -59 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 7 |
| 83.0 - 83.9 | 27 |
| 84.0 - 84.9 | 34 |
| 85.0 - 85.9 | 41 |
| 86.0 & Above | 49 |

Extraneous Matter

| Type | - Level 1 | - Level 2 |
|---|---|---|
| Prep | -186 | -714 |
| Bark | -439 | -742 |
| Grass | -550 | -828 |
| Seed Coat | -429 | -774 |
| Plastic | -4000 | -4000 |
| All Other | -429 | -774 |

Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

22-Dec-25

Volume 108, No. 100

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/

| Color | Leaf | Staple | | | | |
|---|---|---|---|---|---|---|
| | | 33 | 34 | 35 | 36 | 37 |
| 11 | 1 & 2 | -130 | 170 | 415 | 645 | 722 |
| | 3 | -150 | 130 | 360 | 610 | 676 |
| | 4 | -255 | 55 | 225 | 362 | 394 |
| | 5 | -365 | -135 | 15 | 105 | 157 |
| 21 | 1 & 2 | -130 | 170 | 415 | 645 | 722 |
| | 3 | -150 | 130 | 360 | 610 | 676 |
| | 4 | -255 | 55 | 225 | 362 | 394 |
| | 5 | -365 | -135 | 15 | 105 | 157 |
| 31 | 1 & 2 | -200 | 115 | 370 | 587 | 652 |
| | 3 | -210 | 90 | 330 | 560 | 620 |
| | 4 | -295 | 45 | 195 | 314 | 364 |
| | 5 | -410 | -165 | -30 | 40 | 94 |
| 41 | 1 & 2 | -330 | 35 | 155 | 312 | 354 |
| | 3 | -335 | 25 | 132 | 264 | 311 |
| | 4 | -415 | 0 | 77 | 179 | 221 |
| | 5 | -550 | -320 | -215 | -138 | -111 |
| 51 | 1 & 2 | -540 | -270 | -180 | -138 | -131 |
| | 3 | -550 | -295 | -195 | -148 | -146 |
| | 4 | -580 | -360 | -290 | -245 | -228 |
| | 5 | -735 | -525 | -460 | -420 | -400 |
| 12 | 1 & 2 | -235 | 60 | 200 | 299 | 361 |
| | 3 | -255 | 40 | 155 | 259 | 311 |
| 22 | 1 & 2 | -235 | 60 | 200 | 299 | 361 |
| | 3 | -255 | 40 | 155 | 259 | 311 |
| 32 | 1 & 2 | -380 | -120 | 5 | 67 | 99 |
| | 3 | -400 | -145 | -15 | 47 | 74 |
| Strength | 25.0 - 25.9 | -455 | | | | |

Source: USDA, AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov

https://www.ams.usda.gov/market-news/cotton

https://mymarketnews.ams.usda.gov